

Model Name:	HS-01-U3A	Rev. No.	1.0
		Issue Date	Oct- 13-2010

2.5”& 3.5” SATA to USB 3.0 HDD Slipper HS-01-U3A



Model Name:	HS-01-U3A	Rev. No.	1.0
		Issue Date	Oct- 13-2010

1. Overview

HS-01-U3A is a 2.5" & 3.5" SATA HDD to USB 3.0 transfer box. HS-01-U3A is designed out of simplicity to suit the basic needs of users seeking for fast HDD swapping & connectivity. HS-01-U3A is equipped with USB 3.0 to support up to 5Gbps transfer speed. As with all USB 3.0 systems it is also backward compatible to USB2.0 and USB 1.1 speed, hot swap plug and play.

2. Features

- ✧ Slipper like design, open space for 3.5"/2.5" HDD connection.
- ✧ Install and remove HDD easily
- ✧ Transfer box for 2.5" or 3.5" SATA HDD.
- ✧ SATA to USB3.0, Backward compatible to USB v2.0 & v1.1
- ✧ Blue LED power/ status indicator
- ✧ USB Hot-Swappable: Plug & Play without Rebooting.
- ✧ Material: Plastic Frame.

3. Specification:

- ✧ Support 2.5" & 3.5" SATA HDD
- ✧ Support USB 3.0 High-Speed
- ✧ Supports Serial-ATA generation I/II transfer rate of 3 Gb/s
- ✧ One-Touch-Backup: PC to device. File restoration: device to PC.
SW inclusive
- ✧ Supports Win 2000/XP/Vista/7
- ✧ Dimension: 179.98 mm(L)* 130 mm(W)* 50 mm(H)




Ejection Jack




2.5" HDD partition block



Model Name:	HS-01-U3A	Rev. No.	1.0
		Issue Date	Oct- 13-2010



4. Block Diagram of System Block



Model Name:	HS-01-U3A	Rev. No.	1.0
		Issue Date	Oct- 13-2010

5. Package Contents:

HS-01-U3A is packed in a Color box. The enclosed items of HS-01-U3A package lists are as below:

1. HS-01-U3A Unit
2. User Manual
3. USB 3.0 A to B Cable
4. DC 12V/2A Adapter
5. CD-Backup software

6. Assembly Viewing:



Model Name:	HS-01-U3A	Rev. No.	1.0
		Issue Date	Oct- 13-2010


7.Installation Guide

STEP1: Push the Hard Drive toward the SATA connector and make sure the SATA connector is properly connected.



Model Name:	HS-01-U3A	Rev. No.	1.0
		Issue Date	Oct- 13-2010

Flips the plastic shield can be used on 2.5" Hard Drive



STEP2: Connect to the power supply and USB port.




Model Name:	HS-01-U3A	Rev. No.	1.0
		Issue Date	Oct- 13-2010

STEP3: Push the switch to turn on the power



Note: Power off before insert or eject the Hard Drive)



Model Name:	HS-01-U3A	Rev. No.	1.0
		Issue Date	Oct- 13-2010

8. Agency Approvals

FCC/CE Compliant

RoHS certified

9. OS Supports

1. Win2000----- Window Native Driver
2. Win-ME-----Window Native Driver
3. Win-XP-----Window Native Driver
4. Win-Vista-----Window Native Driver
5. Win-7-----Window Native Driver

Note: Operating under MAC and Linux does not guarantee USB3.0 speed.

OTB function does not work with MAC and Linux.

10. Packaging

OEM packaging.