

## **TECHNICAL PARAMETERS** Input Vol Power Lamp holder Dimmensions CCT IP CORN LIGHT 120W LED USER MANUAL AC100-240V 120W E40 Ø120x345mm 5000-5500K 63 INSTALLATION INSTRUCTIONS Dear customers, thank you for using our products, please read the 1. Installation and replacement the bulb, you must turn off the power instructions before installation. firstly, operate in accordance with the instructions. **PRODUCT FEATURES** 2. Lamp holder is aligned into lamp socket hole and screw tightly. 1. With the unique design, it is safety and high heat dissipation; 3. CORN LIGHT LED' parts can't replace with other lamps. 2. Unique structural design, the assembly structure is simple and 4. When the lamp works irregularly, you must turn off the power practical: firstly, and then check the lamp and lamp socket connection 3. Highly effective and energy saving, it can directly save up to 80% of performance and power supply, please consult the relevant elektricity, and enhance luminance; professionals if no above questions. 4. Unique isolation circuit design, safety, reliability, and stability; 5. Do not cover the ligh source, can not be used in enclosed 5. The installation is easy. It can replace the traditional lamp directly. luminaires. LED bulbs work at heat condition, do not touch lamps. While installation, it is necessary to disable the existing ballast / 6. Lamps without any dimmable, colorable, sensors and other marks, choke from operations (supply 230V directly to the socket of the not suitable for inductive switching devices, fixtures, dimmer lamp). switch and delay switch devices. APPLICATIONS 7. Input voltage as requested rated voltage, the voltage is too high or CORN LIGHT LED is a replacement for CFL, mercury and sodium lamps. too low will affect the bulb normal life. It can be used in all kinds of commercial, industrial and public lighting; DRAWING commercial lighting such as supermarkets, large shopping malls; industrial lighting such as factories, large waiting hall, airports, exhibition halls; public lighting such as streets, parking lots, etc. ø 120 mm WARNING Installation must be done strictly according to the instructions, otherwise it \_\_\_\_\_ may cause electric shock or dropping accident. WARRANTY \_\_\_\_\_\_ This product is guaranteed for 3 years from the date of sale. The warranty does not cover defects caused by improper handling. Date of sale: 345mm

Stamp and signature of the seller: