

# **August<sup>®</sup>**

# **User Manual**

**Wireless Presenter for Computer**

**Télécommande de présentation pour Ordinateur**

**Kabelloser Presenter für Computer**

**Telecomando di Presentazioni per Computer**

**Mando inalámbrico para presentaciones**

**LP320**



August International Ltd  
United Kingdom  
Telephone: +44 (0) 845 250 0586  
Email: [service@augustint.com](mailto:service@augustint.com)  
Web: [www.augustint.com](http://www.augustint.com)

# User Manual

## 1. Introduction


This wireless presenter is designed to control your computer during presentations. It gives you the freedom to speak without having to stand by your computer or relying on an assistant. Simple to use, just plug and play, no driver required.

The device enables you to control your computer wirelessly from up to 15 meters away, using a Radio Frequency (RF) transmitter that doesn't require line of sight to your PC. With its in-built laser pointer, the LP320 is the ideal tool for presentations, teaching, meetings, speeches, training etc.

## 2. Main Features

- Plug and Play for Computer Power Point Presentation
- Air Mouse and red laser
- Internal Storage for USB Signal Receiver
- Operating Range: up to 15m
- Compatible with Windows 8, 7, Vista, XP, 2000, 98 & Mac OS

## 3. Device Layout



1. Mouse Left Click
2. Laser emitter
3. Indicator Light
4. Eraser
5. Pen / Highlighter / Print
6. Volume Control
7. Mouse Right Click
8. Mute
9. Air Mouse Switch
10. Keyboard
11. Page Up
12. Start Slideshow
13. Page Down
14. Blank Screen
15. Laser Button
16. Power Switch
17. Receiver
18. Charging Port

### ■ Laser Button

Press and hold to light the laser.

### ■ Page Up / Scroll Up

The page up button, activates the (UPARROWPIC), it can be used to go to the previous slide in power point and to navigate through pages in other applications.

### ■ Page Down / Scroll Down

The page up button, activates the (DOWNARROWPIC), it can be used to go to the next slide in power point and to navigate through pages in other applications.

### ■ Start / Stop Slideshow

Press to start or stop a slideshow.

### ■ Blank Screen

Press to show a black screen.

### ■ Highlighter / Print

In slideshow mode, press it to change between the highlighter and marker pen, press the left click button to highlight or mark your slides during a presentation. In other applications, this button can be used to print.

### ■ Eraser

In slideshow mode, press it to switch to eraser function, then use left click to remove highlighter or marks.

#### ■ Volume Control

Press and hold, then move the device right or up to increase the volume and move the device down or left to decrease the volume.

#### ■ Mute

Press to mute or un-mute.

#### ■ Air mouse Switch

Press to switch the air mouse on or off.

#### ■ Left Button

Press to left click.

#### ■ Right Button

Press to right click.

#### ■ Keyboard

Press to open the on-screen keyboard.

#### ■ USB Charging Pport

#### ■ USB Receiver

### 4. Installation

Plug the USB receiver into your computers USB port. The system will automatically search for the new hardware and complete the installation.

### 5. Charging

This device contains a built-in Lithium rechargeable battery. When the battery is low, the indicator light will flash quickly when press any button is pressed. To charge, connect the micro USB lead to the device's power socket, and the other end of the USB cable to a powered USB port. Whilst charging, the indicator light will flash slowly. After the battery is fully charged, the indicator will light constantly.

#### Note:

- If battery level is low, the control distance will decrease.
- Please only use properly certified chargers with this device.

## 6. Specifications

Presenter	
Technology	Radio Frequency
Frequency	2.4GHz
Operating range	Up to 15m
Laser range	Up to 200m
Battery	3.7V/550mAh Li-ion battery
Battery Cycles	Up to 500 Cycles
Charging Time	3 hours
Laser wavelength	650nm
Laser power	<1mW
Dimensions	104 x 41 x 74mm
Weight	69g

USB Receiver	
Operating systems	Windows 98 / 2000 / XP / Vista / 7 / 8 and Mac OS
USB version	USB1.1, compatible with USB2.0 and USB3.0
Work voltage	4.5 - 5.5V
Dimension	43 x 17 x 7mm
Weight	7g