



Product environmental attributes – THE ECO DECLARATION

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information * Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html		(h)) [®]
Internet site * http://www.hp.com/hpinfo/globalcitizenship/environment/		
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	InkJet Handheld AiO		
Commercial name *	HP Handheld AiO Scanner Printer		
Model number *	sp400f		
Issue date *	SEP2008		
Intended market *	🔀 Global 📃 Europe 📃 Japan 📃 U.S. 📃 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality Control			Requirement met	
Item	Additional information regarding each item may be found under P14.	Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see http://www.itforetagen.se).	\boxtimes		

Model number *	sp400f	Logo	
Issue date *	SEP2008		(IIP)

Product e	environmental attributes - Legal requirements	Requirem	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing a least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tri- (aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)	6-		
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC	\square		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU 76/769/EEC</i>)			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC	\square		
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\boxtimes
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	\square		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\square
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the E R&TTE Directive (1999/5/EC)	U 🔀		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and a amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.	is 🔀		
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packagir or packaging components does not exceed 0,01% by weight (94/62/EC).	ng 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043. (97/129/EEC)		\square	
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	sp400f	
Issue date *	SEP2008	

Item	*=mandatory to	fill in Additional inform				
		III III. Additional III0IIII	ation regarding each item may be found under P14.	Yes No n.a		
	Design, Disasse	embly, recycling				
P7.1*	Parts that have to	o be treated separately	v are easily separable			
	Plastic materials	in covers/housing have	e no surface coating.			
	Plastic parts >10	Og consist of one mate	rial or of easily separable materials.			
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily	separable. (This requi	rement does not apply to safety/regulatory labels).			
	Product lifetime	•				
	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives			
	Upgrading can be	e done using commonl	y available tools			
	Spare parts are a	available after end of p	roduction for: 3 years			
P7.10	Service is availab	ole after end of product	tion for: 3 years			
		bstance requirements	8			
		ousing material type:	Motorial type: PC: APC + TPU Motorial type: MAPC +	TDU		
	Material type: Ma		Material type: <i>PC+ABS</i> + <i>TPU</i> Material type: <i>MABS</i> + ower cables are halogen free (including PVC)			
		•	gnal cables are halogen free (including PVC)			
-		plastic parts >25g are	-			
		· ·	onents) >25g are halogen free ants in cover / housing plastic parts >25g according ISO 1043-4:			
	No parts >25g.					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO					
	- · ·	ed material in plastic pa	-			
	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC) No parts >25g.					
	Light sources are free from mercury					
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries					
D0.4*		t contain batteries defir	ned as hazardous according to 91/157/EEC			
P8.2*			Battery chemical composition: <i>Lithium-lon</i>			
	Batteries meet th		following voluntary program/s:			
	Energy consum	•				
	•,		ported on Page 5 under Item P14, Additional Information.			
Mode	Power level at * Volts	Time (s) to <mode></mode>	Mode description	Reference/ n.a. Standard		
On-max	W		*	*		
On- normal	* W	to	*	*		
On-idle	W	to	*	*		
Save 1	* W	to	*	*		
Save 2	W	to	*	*		
Off 1	* W	to	*	*		
Off 2	W	to	*	*		
	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC	* k\//b/y_1	Typical Energy Consum		*		
			tion is provided with the product.			
		0,	· ·			
	The product mee ENERGY STAR® Others specify:		nents of the following voluntary program/s:			

Model number *	sp400f	
Issue date *	SEP2008	

Product e	environmental at	tributes - Market requirements (continue	d)		Requirement met
Item	-	o fill in. Additional information regarding each	n item may be four	nd under P14.	Yes No n.a.
P10	Emissions Noise emission – Declared according to ISO 9296 Not applicable, only intentional information tones that can be turned				
	off by user.				
P10.1	Mode	Mode description	Declared A-weighted	Declared A-v sound pressure le	
			sound power		Bystander positions
			level L _{WAd} (B)		
					only if product is not operator attended)
		*	*	or Deskside	
	Idle	*	*		
	Operation Other mode		-		
	Measured accor	ding to: ISO 7779 ECMA-74			
	Measured accor		d by ECMA-74 witl	h L _{pAm} measurement dista	ance m)
P10.2	The product mee	ets the acoustic noise requirements of the fo			
	Chemical emiss	sions from printing products			
P10.3*	Test performed	according to ECMA-328 standard 🦲, other	specify: EPA me	thod IP-Band ASTM D61	96 🛛 🗌 🗌
	The test covers:	Particles 🛛 Formaldehyde 🔀 Styren	e 🔀 🛛 Benzene	e 🔀 TVOC 🔀	
P10.4	The product me	ets the chemical emission requirements of the	ne following volunt	tary program/s:	
	Electromagneti	c emissions			
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:				
P11	Consumable m	aterials for printing products			
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).				
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				
P12	Ergonomics for	r computing products			
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.				
P12.2*	The product key	board meets the requirements of ISO 9995	and EN 29241-4.		
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.		
P13	Packaging and	documentation			
P13.1*	Product packaging material type(s): Corrugated Cardboard / Plastic film weight (kg): 0.109 Product packaging material type(s): Paper weight (kg): 0.017 Product packaging material type(s): weight (kg):				
P13.2*	Product plastic packaging is halogen free (including PVC)				
P13.3*	User and product documentation do not contain chlorine bleached paper				
P13.4*	User and product documentation contain recycled paper				
P14	Additional info	rmation			
	See Energy Co	nsumption table below:			

Model number *	sp400f	
Issue date *	SEP2008	

P9	Energy c	onsumption			
9.1	For the product the following power levels or energy consumptions have been measured:				easured:
Mode		Mode Power Description Consumption ¹			Reference Standard (test method)
Ομ	perating	4.95 W	At a rate of 600 scan- transmit- receive-print cycles/hr		
Ac	tive Idle	5.10 W	On, imager in presentation mode (LEDs on), WiFi connected		
Ina	ctive Idle	4.47 W	On, imager LEDs off, WiFi connected		
	Off		Not Applicable		
Chai	xternal rger at No Load	<8 W	5-Bay Duro B5 charger, powered on with no batteries in bays		
Supp	rnal Power oly At Max Load	<150 W	5-Bay Duro B5 charger, powered on with batteries in all bays		

P9.2*	Information about the energy save function is provided with the product.	Yes No N/A
P9.3	The following product models qualify to the following voluntary programs: ENERGY STAR [®] Imaging Equipment Program (Version 1.0, Tier 1):	

NOTE: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the [Enter] key.