

BIOSTAR	TA970 5.0/5.1/5.2
	 Supported Socket AM3+ processors AMD FX/ Phenom II/ Athlon II processor Supported AMD Mutil Core(x8,x6) AMD 140W processor support AMD 970 Chipset AMD 970 Chipset 4 DIMM supported DDR3- 2000(OC)/1866/1600/1333/1066 Supported SATA 6Gb/s 2X speed than current SATA 3G Supported USB 3.0 UEFI BIOS natively supports HDD larger than 2TB AMD OverDrive™ with ACC feature (Advanced Clock Calibration) supported

• AMD FX™ Processor• AMD Phenom™ II X6 Processor• AMD Phenom™ II X4 Processor• AMD Phenom™ II X3 Processor• AMD Phenom™ II X2 Processor• AMD Athlon™ II X4 Processor• AMD Athlon™ II X4 Processor• AMD Athlon™ II X2 Processor• AMD Athlon™ II X3 Processor• AMD Athlon™ II X3 Processor



	 AMD Sempron[™] Processor Maximum CPU TDP (Thermal Design Power) : 140Watt
НТ	Support HT 4.8G
MEMORY	 Support Dual Channel DDR3 2000(OC)/1866/1600/1333/1066/800 MHz 4 x DDR3 DIMM Memory Slot Max. Supports up to 64GB Memory
EXPANSION SLOT	 2 x PCI-E x16 2.0 Slot (x16, x4) 2 x PCI-E x1 2.0 Slot 2 x PCI Slot
STORAGE	 6 x SATA3 ConnectorSupport SATA RAID: 0,1,5,10
USB	 ASMedia ASM1042 A4 USB 3.0 controller 2 x USB 3.0 Port 6 x USB 2.0 Port 2 x USB 2.0 Header
LAN	Realtek RTL8111F - 10/100/1000 Controller
MULTI GRAPHICS	AMD CrossFireX
CODEC	Realtek ALC892 8-Channel Blu-ray Audio
REAR I/O	 1 x PS/2 Mouse 1 x PS/2 Keyboard 2 x USB 3.0 Port



	• 6 x USB 2.0 Port
	• 1 x RJ-45 Port
	6 x Audio Connector
	1 x Printer Header
	• 2 x USB 2.0 Header
	6 x SATA3 6Gb/s Connector
	1 x Front Audio Header
	• 1 x Front Panel Header
INTERNAL I/O	• 1 x S/PDIF-OUT Header
	• 1 x CPU FAN Header
	• 2 x System FAN Header
	1 x Serial Header
	• 1 x CIR Header
	CPU / System Temperature Monitoring
	CPU / System Fan Monitoring
H/W Monitoring	Smart / Manual CPU Fan Control
	System Voltage Monitoring
DIMENSION	• ATX Form Factor Dimension: 30.5cm x 22.5cm (W x L)
OS SUPPORT	Support Windows XP / Vista / 7 / 8
	BIO-Remote2
Bundle Software	BIO-Remote
	Smart Speed LAN



ACCESSORIES	 2 x SATA Cable 1 x I/O Shield 1 x DVD Driver 1 x User Manual
FEATURES	 Windows 8 Ready Supports uEFI GUI Interface BIOS Supports AOD ACC Supports 100% Solid capacitor Supports BIOS-Flasher Supports Charger Booster Supports BIOS Online Update

Audio+

Blu-ray Audio

Upgrading your Audio performance in the easiest way is choosing BIOSTAR ultimate Motherboard. It does support Blu-ray audio DRM (compatible driver/software) and provide the higher audio output of 24 bit/ 192KHz than the 16 bit/ 48KHz from the normal MB. You will experience the high quality sound effect with pure Blu-Ray Audio.

Video+






ATI CrossFire X[™] Technology

ATI CrossFireX[™] is the ultimate multi-GPU performance gaming platform. With game-dominating power, ATI CrossFireX technology enables two or more discrete graphics processors to work together to improve system performance. It supports up to four ATI Radeon[™] HD graphics cards, making it the most scalable gaming platform ever!

Speed+



Page 5 of 9.

The specification and pictures are subject to change without notice and the package contents may differ by area or your motherboard version!



USB 3.0 Experience Fastest data transfers at 5 Gbps with USB 3.0the new latest connectivity standard. Built to connect easily with next-generation components and peripherals, USB 3.0 transfers data 10X faster and backward compatible with previous USB 2.0 components.	SUPER SPEED, 5 Gbps
eSATA One or Two external SATA 3Gb/s ports connectivity with minimal host overhead and host to device latency.	esata
Dual Channel DDR3 It supports 2 or 4 DIMM Slots DDR3 memory that features data transfer rates of DDR3 2000(O.C.)/1800(O.C.)/1600/1333. The processor support 2 memory channels and setting the memory multiplier, allows selection of the channel speed. These clearly uplift the band width and boost the overall system performance.	DUAL DDR3

Durable+

Moistureproof PCB

With the popularity of PC usage and working environment has getting deteriorating and moist(such as rural, coastal). The PCB will be oxidizing easily by damp or absorbed moisture. And then ionic migration or CAF(Conductive Anodic Filament) will be generated. Moisture-proof PCB meets high density and high reliability requirements for moisture proofing.



Page 6 of 9.



5 Phase Power Phase Design 5-phase VRM design with high quality power components such as low RDS (on) Mosfet for lower temperature has the advantage to raise the overclocking ability. 100% Solid Caps With armor-plated Biostar Technology, all capacitors are placed with 100% solid capacitors that have a lasting life cycle, durability and stability for crucial components.

Protection+

ESD ProtectionESD (Electrostatic Discharge) is the major factor to destroy PC by
electrical overstress(EOS) condition, ESD occurred by PC users when
touch any devices connect to PC, which may result in damage to
motherboard or parts .ESD protection is designed to protect the
motherboard and equipment from damage by EOSFileBIOS Virus ProtectionWhen enabled, the BIOS will protect the boot sector and partition table
by halting the system and flashing a warning message whether there's
an attempt to write to these areas.FileBIOS Virus ProtectionBIOS Virus Protection to the boot sector and partition table
by halting the system and flashing a warning message whether there's
an attempt to write to these areas.File

Page 7 of 9.



OC / OV / OH Protection

All BIOSTAR special circuit design detects overvoltage conditions and prevents voltage surges from spreading in real time. It also actively cuts off the overvoltage supply to protect your system. Over current protection, avoid motherboard from damage when doing overclock or an unusual current import. Over heat protection, avoid motherboard & CPU from burning when exceeding the temperature limitation.

BullGuard Internet Security (90 days FREE trial)

BullGuard Internet Security comes with the broadest line-up of internet security features on the market, including: a cutting-edge dual Antivirus engine, Online Backup for your precious files, PC Tune Up to speed up your system, a Game Mode for a seamless gaming experience, Parental Control, Firewall, Safe Browsing and many more. Make the most of your digital life with Bullguard!

DIY+

BIO-Remote 2

BIO-Remote2 Technology is featuring users a better Home Theater environment. Users who own either Android mobile or Apple goods are able to access and control your PC remotely; At this moment, you're smart device became a intelligent and functional remote controller; more than that, BIO-Remote2 also includes both function of mouse pad and



Page 8 of 9.

The specification and pictures are subject to change without notice and the package contents may differ by area or your motherboard version!





power point presentation mode.	
Exclusive offer! As an Biostar customer you can download MAGIX multimedia tools designed to enhance your music, videos and photos for free. From music and website creation to video editing and photo management. Four products that cover all of your multimedia needs. Simply do more with your media than you ever thought possible.	MX SUITE THE ALL-IN-ONE MEDIA SOLUTION
What is simplicheck ?	
simplicheck is a small, intelligent tool by simplitec GmbH that scans your PC for optimal performance. Is poor configuration slowing your PC down? Are there errors that reduce system stability? Is your privacy protected? simplicheck is based on well-proven scanning technology that has proven successful in everyday customer use. simplitec GmbH benefits from 18 year of experience system software development.	Free scan
BIO-Flasher Update BIOS effortlessly from a USB flash disk before entering the OS. BIO-Flasher is a convenient BIOS update tool. Just launch this tool and put the BIOS on USB pen driver before entering the OS. You can update your BIOS with only a few clicks without preparing an additional floppy disk or other complicated flash utility.	BIOS
BIOScreen Utility	
Personalize your desktop with customizable boot logo. BIOScreen is the new feature that lets you personalize and create your own style with unique, custom-made boot logo.	BIOSCREEN

Page 9 of 9.