RATS 8

Fast, Easy, Flexible, and Reliable Time Series and Cross-Sectional Data Analysis


RATS provides all the basics, including linear and non-linear least squares, forecasting, and ARIMA models, but goes far beyond that with support for techniques like GMM, ARCH and GARCH, vector autoregressions (VARs), spectral analysis, state space models and DSGEs, and much more.

It can handle time series of virtually any frequency, including daily and weekly, as well as panel data, and produces publication-quality graphs for printing or importing directly into word processors.

Menu-driven "Wizards" provide a point-and-click interface for many common tasks, making RATS an ideal tool for new users and for educational settings.

Meanwhile, the powerful command-driven language at the heart of the program remains easy to learn and use for simple jobs, while also allowing users to automate complex or repetitive tasks and even write sophisticated menu- and dialog-driven end-user applications.

RATS is available for Windows, Macintosh, UNIX, with complete compatibility across platforms.



The RATS v.8 interface. Here, the sequence of commands appear in one text window, with the output directed to another window. This makes it easy to save commands as a complete program, which you can rerun later with a couple of mouse clicks. Also visible are a report window showing the output from a Box-Jenkins estimation, a graph window, and a look at the wizards on the Time Series menu.

Major Improvements Since Version 7.0 Include:

- ☐ Revised and expanded manuals, with all-new *Introduction*.
- ☐ Much faster computation speeds. Complex estimation programs may run up to two times faster than before.
- ☐ Significant extensions to state space and DSGE capabilities.
- ☐ Reads data from Excel[®] 2007, Stata[®], Matlab[®], Eviews[®].
- ☐ Census Bureau X12-ARIMA seasonal adjustment (Pro version).
- Enhanced reporting features for viewing, saving, and exporting results. Can now export in TeX format.
- ☐ More point-and-click Wizards.
- Dozens of new built-in functions.
- Graphics: Now generates box plots. More control over graph labeling, window titles, background color.
- ☐ Expanded View menu & toolbar icons for quick data analysis.
- ☐ New options for initial conditions on non-linear estimation.

For More Information, or to Place an Order:

RATS is available directly from Estima, and from resellers around the world. We offer single-user, multi-user and network licenses, as well as several options for using RATS in instructional settings, including discounts for full-time students.

For more information, please visit our web site at:

www.estima.com

or contact us by phone, fax, mail, or email:

Toll free: 800–822–8038
General: 847–864–8772
Fax: 847-864-6221
Email: sales@estima.com

Estima

1560 Sherman Ave, Suite 510 Evanston, IL 60201 USA

RATS Version 8 Features Graphics Statistical Methods Vector Autoregressions (VARs) ☐ Unmatched support for VAR models ☐ High-quality time series graphics **Estimation Techniques** ☐ High-resolution X-Y scatter plots ☐ Error Correction models ☐ Multiple regressions including stepwise Structural VARs. Choice of factoriza-☐ Dual-scale graphs ☐ Regression with autoregressive errors tions, including estimation of a factor ☐ Contour graphs ☐ Heteroscedasticity/serial-correlation matrix from a covariance matrix model correction, including Newey-West ☐ Copy-and-paste graphs into other ap-☐ Impulse responses, with Monte Carlo plications ☐ Non-linear least squares and Importance Sampling techniques Export graphs to many formats, Two-stage least squares for linear, nonfor standard error bands. including PostScript and Windows linear, & autocorrelated models ☐ Forecasting Metafile ☐ Seemingly unrelated regressions and ☐ Variance decomposition User can customize attributes such three-stage least squares ☐ Historical decomposition as line thickness, colors and grayscale □ Non-linear systems estimation levels, and fill patterns ☐ Extensive hypothesis testing tools ☐ Generalized Method of Moments CATS 2.0 add-on provides industry-■ Maximum likelihood estimation Interface leading cointegration analysis Constrained optimization Interactive Mode Environment ARCH and GARCH Models ☐ Extensive built-in hypothesis testing, ☐ Text-editor based with procedures for a huge variety of Univariate and multivariate, including ☐ Point-and-click "wizards" for many unit-root, stability, and other tests BEKK, diagonal, CC, DCC, and VECH tasks, greatly enhancing ease-of-use multivariate models ☐ Limited and discrete dependent vari-Saved programs can be re-run with just able models: logit, probit, censored/ ☐ Support for GARCH-in-mean models a few mouse clicks truncated data (Tobit), count models Additional exogenous variables in mean Designed so that you can reproduce ☐ Panel data support, including fixed and and/or variance equations results, output, and graphs easily and random effects estimators ☐ Normal, *t* and GED distributions accurately—a critical but often over-□ Non-parametric regressions looked requirement for producing ☐ Exponential and Asymmetric models reliable, publication-quality results ☐ Kernel density estimation ☐ Robust standard errors True multiple window support. Simul-☐ Robust estimation taneously view your input commands ☐ Recursive least squares Working With Data and output, spreadsheet-style "report" State-space models, including Kalman Data Entry windows, graphs, and more filtering and smoothing, simulations, ☐ Menu-driven Data Wizards for reading and optimal control models in data **Programmability** □ DSGE models ☐ Extensive looping capabilities and sup-Reads and writes Excel files, text files, ☐ Neural network models EViews®, Stata®, and other formats port for applying operations to lists of variables make it possible to automate ☐ Linear and quadratic programming ☐ Pro version supports SQL/ODBC many repetitive tasks On-screen data viewer and editor, with ☐ You can write procedures, which can Time Series Procedures point-and-click graphing and statistics perform complex tasks with a single ☐ Easy to specify lags and leads for timetools instruction, and write your own callseries model estimation and analysis ☐ Can handle virtually any data frequenable functions. ☐ ARIMA and ARMAX models including cy, including daily, weekly, intra-day, ☐ A library of procedures written by multiplicative seasonal models; support and panel data RATS users from around the world is for arbitrary lag structures ☐ Can automatically convert data to difavailable free of charge on our web site ☐ Transfer function/intervention models ferent frequencies A variety of interface-related instruc-□ Error correction models ☐ RATS data file format is fast and easy, tions allow you to create your own supports all frequencies, and allows you ☐ Kalman filter drop-down menus, custom dialog to store series of different frequencies ☐ Spectral analysis boxes, and more on the same file **Forecasting** RATS Professional **Data Transformations** ☐ Time series models

The Professional versions of RATS add the following features not found in the Standard version:

- ☐ 64-bit version (Windows, UNIX/Linux)
- ☐ ODBC/SQL database support
- ☐ Census Bureau X12 seasonal adjustment routine
- Support for FAME data files (for Windows and UNIX/LINUX)
- ☐ Support for CRSP and FRED databases

- ☐ Regression models
- ☐ Exponential smoothing
- ☐ Static or dynamic forecasts
- ☐ Simultaneous equation models (unlimited number of equations)
- Simulations with random or usersupplied shocks
- ☐ Forecast performance statistics, including Theil U statistics
- ☐ Flexible transformations with algebraic formulas
- Easy to create trend series, seasonal, and time period dummies
- ☐ Extensive filtering operations, including Hodrick-Prescott, Henderson, Spencer, and custom filters
- ☐ Supports regular, seasonal, and fractional differencing

Free Technical Support, No Required Maintenance Fees


Estima supplies expert technical support at no additional charge for as long as you own the software. Most questions are answered within one day. Users can also participate in web and email discussion forums with RATS users from around the world.

And your license to use RATS will never expire—there are never any required maintenance or licensing fees to continue using the software.


Flexible Update Policies

Minor updates are often made available as free downloads, while more significant updates are offered at very reasonable prices—typically no more than 10% to 15% of the original purchase price. Updates are always optional.

For users who want to stay up to date automatically, we also offer **Update Subscription** programs, which make it easy to budget software purchases and provide you with all updates shipped to you on CD as soon as they are released.



The Box-Jenkins/ARIMA Wizard provides an easy way to estimate ARIMA and ARMAX models, including models with transfer function or intervention terms.



A sample time-series graph. Here, we've used the graphics style sheet feature in RATS to select thicker lines in shades of gray to represent the three series. Because the series cross each other so frequently, the dash patterns that are the standard for black and white lines wouldn't look as good. We've used another option to place a key at the bottom of the graph.

Supported Platforms

RATS for Windows

WinRATS runs on Windows 2000, XP, Vista, and Windows 7. Pro versions includes 64-bit version. Requires a Pentium or better processor, a hard drive with at least 90Mb free, and a CD Rom drive.

RATS for Macintosh

MacRATS is a "Universal" application and runs on any Intel or PowerPC-based Mac, running OS X 10.4 or later. It requires a hard drive with at least 90Mb free, and a CD Rom drive.

RATS for UNIX and Linux

RATS is available for almost all UNIX and Linux systems, and now includes the same interactive-mode environment previously available only for Windows and Macintosh.

The Linux and UNIX versions require a hard drive with at least 90Mb free, and a CD Rom drive. The Motif X11 windowing libraries are required for interactive mode use. The UNIX version requires that you have a C compiler to compile the source code.

Pricing

Prices for single-user licenses are shown below. We also offer multi-user licenses, discounts on additional single-user licenses, and several pricing options for classroom and educational settings. Please contact Estima for details on any of these.

Product	Price
WinRATS	\$500
WinRATS Professional	\$650
MacRATS	\$500
MacRATS Professional	\$650
Linux RATS (executable)	\$600
UNIX/Linux RATS (with source)	\$700
UNIX/Linux RATS Pro	\$850

Update Subscription Prices

For single-user licenses, an Update Subscription provides the user with all updates through and including Version 8, shipped on CD automatically.

Product for Subscription	Price
WinRATS, MacRATS	\$150
WinRATS Pro, MacRATS Pro	\$175
Linux RATS (executable)	\$175
UNIX/Linux RATS (with source)	\$200
UNIX/Linux RATS Pro	\$225

CATS 2.0 Cointegration Analysis Procedure

CATS (Cointegration Analysis of Time Series) is a sophisticated set of RATS procedures which implement the popular Johansen and Juselius cointegration analysis techniques.

Version 2.0 was written by Jonathan Dennis, Katarina Juselius, Soren Johansen, and Henrik Hansen of the University of Copenhagen, and is distributed and supported by Estima.

CATS is almost entirely a menu and dialog-driven procedure. You use standard RATS instructions to define the frequency, read in data, and do any necessary transformations. You then "source" in and execute the CATS procedures. From there, the rest of the analysis is done by selecting operations from the CATS pull-down menus, and entering information in pop-up dialog boxes.


The Johansen–Juselius approach to cointegration is based on the errorcorrection form of a Gaussian vector autoregression. In particular, they

analyze the decomposition of the matrix of error-correction coefficients Π into $\alpha\beta'$. The I(1) procedure supports partial systems, and makes it easy to specify weakly exogenous variables. You can also include dummy variables, or stationary dummy-type variables.

To help you choose a model, CATS provides eigenvalues and trace test statistics for reduced rank (as well as 90% critical values if requested) and unrestricted estimates of α , β , and Π . You can check the model by calculating multivariate test statistics for residual autocorrelation, normality, and ARCH. Version 2 even provides an automated model selection routine.

Additional features include:

- Auxiliary procedures for multivariate tests of long-run exclusion, weak exogeneity and stationarity, and for calculating eigenvalues and trace statistics for five different hypotheses.
- Ability to set and reset the rank of Π throughout the analysis, and a variety of tests to help you determine the "correct" rank order.
- Graphical analysis tools, including plots of the β-vectors to check stationarity, and of residuals to locate possible problems with the Gaussian assumption, plus correlograms and autocorrelograms.



- Descriptive statistics include: residual correlation matrices, the short-run parameters and associated t-values, estimates of the C-matrix (with asymptotic t-values) in the common trends representation, and the long-run covariance matrix.
- Structural tests, including non-identifying restrictions on β, identifying restrictions on β, and weak-exogeneity hypotheses on α.
- Supports recursive cointegration analysis, with tests for the constancy of the eigenvalues, stability of the estimated cointegration space and the estimated parameters, and the adequacy of the predictions from the model.

The CATS package includes the CATS procedures on diskette, a 200-page user's manual, and sample data and program files.

The cost of a single copy of CATS is \$175. The price for full-time students is \$125 (verification of student status is required). Site license prices are also available. CATS requires Version 6.2 or later of RATS, and is available for Windows, Macintosh, UNIX, and Linux. Please contact us if you have any questions about CATS or RATS.

Also available: "The Cointegrated VAR Model: Methodology and Applications", by Katarina Juselius. Written in conjunction with the development of CATS 2.0, this book provides a comprehensive look at both the theory and practice of cointegration analysis. It is highly recommended for anyone using CATS.

Online Courses and Resources

Over the past few years, we have provided several popular online courses focused on particular topics in econometrics. These courses are delivered via the discussion forum on our website, and include PDF handbooks, example programs, and procedures specific to the course, along with interactive discussions on the lessons and related topics. Most courses last about two months, although we continue to field questions from course participants indefinitely.

Upcoming Courses

Panel and Grouped Data

Our next web course will deal with Panel and Grouped Data, and will run from January 26 to March 8 of 2012. This will be based largely on Baltagi's *Econometrics of Panel Data*, 4th edition.

We added quite a few new capabilities to RATS Version 8.1 for handling panel and grouped data and this course will go over them carefully. Among the topics will be organizing data, handling balanced vs unbalanced (or generally grouped) data, panel data transformations, fixed and random effects issues with dynamic models (lagged dependent variables and panel VAR's), unit roots and cointegration, and fixed and random effects in non-linear models like probits.

Materials From Previous Courses

The following sets of course materials, developed from our webbased, are now available on CD or by email for \$50 per course. Each package includes the PDF handbook containing the lecture materials, as well as all of the example programs, data sets, and RATS procedures used in the course.

Please see www.estima.com/courses.shtml for information on any current courses, or to order any of these materials via our website.

Bayesian Econometrics

The course wookbork is based upon the content of the RATS ecourse on Bayesian Econometrics, offered in April-May 2009. It covers most of the most important methods now used in Bayesian analysis in econometrics, including Gibbs sampling, Metropolis-Hastings and importance sampling. The applications are to a broad range of topics, include time series, cross-section and panel data. It assumes that the user is comfortable with such basic instructions as **COMPUTE**, **DISPLAY**, **GRAPH**, **SCATTER** and **LINREG**, and can use simple programming techniques such as **DO** loops. In each chapter, there is a Tips and Tricks section which covers in greater detail any functions or instructions that might be unfamiliar.

The presentation is based largely on Gary Koop's *Bayesian Econometrics* (Koop 2003). We've added to that in several areas, with a chapter on vector autoregressions, and examples from the literature for panel, cross-sectional data and state-space models. In most cases, we've included much of the statistical derivations from the book, presented in a way to highlight the calculations as they are done with RATS, so even those without the book can benefit.

State Space and DSGE Models

The "State Space" part of this course, which ran in September-October 2009, is based largely on Durbin and Koopman's *Time Series Analysis by State Space Methods* book, supplemented by material from Harvey's *Forecasting, Structural Time Series Models and the Kalman Filter*, and from West and Harrison's *Bayesian Forecasting and Dynamic Models*. Roughly two-thirds of the course is devoted to State Space models, with the remainder focusing on DSGE models.

We do recommend that anyone purchasing the course materials also have a copy of the Durbin and Koopman book, which is available for purchase through Estima. The example programs require version 7.0 or later of RATS.

Structural Breaks and Switching Models

This course, which ran from October 2010 through early 2011, deals with a range of topics including outlier detection, intervention modeling in various models, tests for structural breaks and threshold effects, estimation of threshold and smooth transition models and endogenous Markov switching models. It covers both maximum likelihood and Bayesian estimation techniques.

VAR Models

The course covers identifying and estimating VAR models, computing impulse responses and variance decompositions, historical decomposition and counterfactual simulations, structural and semi-structural VARs, and sign restrictions. The course was originally presented in October-November 2009.

The Vector Autoregression (VAR) was introduced to the economics literature in the famous paper "Macroeconomics and Reality" (Sims 1980b). Since then it, and its close relatives, have become the standard for analyzing multiple time series. Even when more complicated and tightly parameterized models are used, it's the stylized facts gleaned from VAR analysis that they are expected to explain.

In this course, we examine techniques that use "flat priors"; that is, the techniques designed to elicit information from the data without the use of informative Bayesian priors. Strongly informative priors (such as the so-called Minnesota prior) are widely used for building forecasting models, but they tend to improve forecasts by shutting down much of the cross-variable interaction. The techniques we examine are designed primarily to analyze precisely that type of interaction.

The RATS Forum

In addition to hosting the online courses described above, the RATS software forum available at

www.estima.com/forum

provides a convenient venue for RATS users to discuss topics in econometrics, share rats programs and procedures with other users, and ask questions about using the software.

Participation is free for all licensed users of the software.