


Thomson Consumer Electronics  
10030 N. Meridian St.  
Indianapolis, IN46290  
©2000 Thomson Consumer Electronics  
Trademark(s) ® Registered  
Marca(s) Registrada(s)  
Marque(s) ® Déposée(s)  
55094650 (Rev 0 EN/ F/ E)  
[www.rca.com](http://www.rca.com)

# RCA

q u i c k c o n n e c t  
g u i d e




## RT2500/RT2500R Audio/Video Receiver

# Quick Connect Guide

**EN** Your DTS/ Dolby Digital equipped RT-2500/ RT-2500R can reproduce realistic theater-like sound in your listening room. For fast results, follow the quickstart procedures below:

## Connect the components


Connect the speakers, TV and video component equipped with DTS/ Dolby Digital system, for example, DVD player with DTS/ Dolby Digital. (For connections of other audio/video components, refer to user manual.)




- You can connect the DVD player to the receiver via coaxial, optical or analog cables, but to enjoy DTS/ Dolby Digital sound, coaxial or optical cable connection is necessary. We recommend the following connections when SDET is ON - CD to Coaxial, SAT to Optical 1 and DVD to Optical 2. Otherwise, turn SDET to OFF to match with your own favourable connections (see p.3).
- Tip: For RT2500 that comes with speakers, make sure the colors of supplied speaker wires and terminals are matched.

# Quick Connect Guide

EN




## Turning on the Power

- 1 Plug the AC power cord into a standard household 120V AC outlet. Right after you plugged in the power, a demo message will appear on the display. 
- 2 Press the **POWER/ STANDBY** Button on the receiver or the **ON/ OFF** button on the remote to turn on the receiver.
- 3 Press **DVD** button.
- 4 Turn on your DVD player to play a Dolby Digital DVD.

## Digital Input Setting


- 5 The receiver has defaulted the digital input to Optical. If you are not using optical input, press **SET/DEMO** and rotate the **MULTI JOG** to change to Coaxial or Analog to match your connection.  
**Note:** to check the connected digital input, press the appropriate source button (e.g. DVD) on the receiver.

The receiver will now automatically shift to Dolby Digital surround mode.



# Quick Connect Guide

EN



## Setting Speaker Arrangement and Speaker Delay Time

6 Press **TEST/ SET UP** button for about two seconds. **L/R SML** will be shown on display. Press **TEST/ SET UP** repeatedly until one of the followings shows on the display:

### Speaker Arrangement Control and Speaker Distance

Display	What to choose	Selection
L/R	Choose front speaker size	Large/Small*
C ch	Choose center speaker size	Large/Small*/None
SURR	Choose surround speaker size	Large/Small*/None
SUBW	Register subwoofer connection	Yes*/No

**Note:** You can skip the above part if you purchase RT2500 that supplied with speakers and subwoofer as the receiver has already been calibrated. (\* - default values)


Display	What to choose	Selection
PHASE	Subwoofer phase	+ / - **

**Note:** \*\* Try both + and - settings and select the one that has better bass effect.

Display	What to choose (distance between listener & speakers)	Selection
L/R 15ft	Front speakers distance	0-40ft***
Cch 15ft	Center speaker distance	0-40ft***
SUR 15ft	Surround speaker distance	0-40ft***

**Note:** \*\*\* input the distances (in feet) of the speakers measured from your favourite listening position.


Display	What to choose	Selection
SDET	Smart detect	On/off



7 Rotate **MULTI JOG** to select speaker settings.

# Quick Connect Guide

EN



## Setting Speaker Output Levels

- 8 Press **TEST/ SET UP** on receiver briefly. A test tone will be generated in each speaker.
- 9 Rotate the **MULTI JOG** on the unit or press **LEVEL** and then left and right arrow buttons beside **OK** button on the remote to adjust the level of individual speaker.
- 10 Press **TEST/ SET UP** again to confirm your choice.

## Setting Night Mode (optional)

- 11 Press **NIGHT** button to set the Dynamic Range of different sound (like the difference in volume between normal voices and sounds like explosion) if you are watching a DVD at night. There are two modes (**SOFT**, **SOFTER**) for you to choose in terms of the extend of compression.

**Note:** Night mode functions only when Dolby Digital enabled components are playing (e.g. DVD, SAT).

Setup is now complete. Enjoy the DTS/ Dolby Digital entertainment brought to you by your RCA home theater.



Manufactured under License from Digital Theater Systems, Inc. US Pat. No. 5,451,942 and other world-wide patents issued and pending. "DTS Digital Surround", are trademarks of Digital Theater Systems, Inc. Copyright 1996 Digital Theater Systems, Inc. All rights reserved.



Dolby Digital Manufactured under license from Dolby Laboratories. "Dolby", "Pro Logic" and the double-D symbol are trademarks of Dolby Laboratories. Copyright 1992-1997 Dolby Laboratories, Inc. All Rights Reserved.