

Strep A Waived Cassette Rapid Test

Qty. Bx of 25
Cat. B1077-29

A rapid test for the qualitative detection of Strep A antigen in throat swab specimens
For professional in vitro diagnostic use only • Store at 36° to 86°F (2° to 30°C) • **Do Not Freeze** • CLIA waived

Warning: Reagent A is harmful if swallowed or absorbed through skin. May cause eye irritation.

Caution: Reagent B may cause skin, eye and respiratory tract irritation.

Contents:

- 25 individually packaged cassettes
- 25 sterile swabs
- 1 Strep. A reagent A (10ml): 2M Sodium Nitrite
- 1 Strep. A reagent B (10ml): 0.2M Acetic Acid
- 1 Strep. A positive control (1ml): Nonviable Strep A; 0.09% NaN₃
- 1 Strep. A negative control (1ml): Nonviable Strep C; 0.09% NaN₃
- 1 procedure card
- 1 directional insert
- 1 workstation



Rapid Diagnostics

Laboratory products for your Rapid Diagnostics and Point-of-Care Testing needs.



Better solutions for your laboratory.

Delivering patient results **quickly and efficiently** is your focus. Rely on the dependable tests featured in this Cardinal Health Rapid Diagnostics catalog to meet your analysis needs. Even better, you'll gain access to all of the best diagnostic products at the **best prices**.

Reliable rapid tests represent only a portion of the comprehensive Cardinal Health laboratory products portfolio. Our offering is designed for all disciplines, from hematology to clinical chemistry. And navigating the thousands of supplies from hundreds of leading manufacturers is made easy with the help of our **knowledgeable sales professionals**.

You get tailored products, a dedicated sales team and **service solutions** to help you meet your laboratory's bottom line.

Upcoming catalogs designed for your lab...



To hear more about how we can support your lab, contact your Cardinal Health sales representative or call 800.964.5227.

Table of Contents

Autoimmune Disease

ANA	2
CRP	2
RF	3-4
SLE	4

Cardiac

Cholesterol Monitoring

Coagulation

Diabetes Monitoring

Glucose	8-11
Glucose Tolerance Beverages	11
HbA1c	12

Drugs of Abuse

Gastrointestinal Disease

Fecal and Gastric Occult Blood	18
Fecal Occult Blood	18-23
<i>H. pylori</i>	23-24

Hemoglobin

Infectious Disease

Adenovirus	26
HIV	26
Influenza	27-28
<i>Legionella</i>	29
Malaria	29
Mono	29-32
Rotavirus	32-33
Rubella	33

Platelet Function

Respiratory Disease

RSV	35-36
Strep A	36-39
ASO	40
Panels	40



Sexually Transmitted Disease

Chlamydia	41
Herpes	41
RPR	42-44
Syphilis	44
Trichomonas	44

Sickle Cell

Urinalysis

Analyzers	46
Controls	47-48
Strips	49-52
Supplies	52-54

White Blood Cell

Women's Health

Bacterial Vaginosis	56
Pregnancy	56-59
Amniotic Fluid	59

Product Index

Catalog Number Index

Terms and Conditions of Sale

Autoimmune Disease

ANA/CRP

ANA HEp-2 Test Kit

ALERE NORTH AMERICA - These test kits include:

- HEp-2 substrate
- Controls
- Slides
- Mounting media
- ZORBA-NS sample diluent
- PBS buffer packets

All tests contain Evans blue counterstain. Lyophilized positive controls are also available in a 0.5mL vial.

Cat. No.	Mfr. No.	Description	Qty.
B1041-85	X24052	ANA HEp-2 test kit - 300 tests	1/ea

ANA HEp-2 Test Kit with Evans Blue

ALERE NORTH AMERICA - The Zeus Scientific, Inc. ANA/HEp-2 Test System is a prestandardized kit designed to detect the presence of circulating ANA in human sera.

The system employs tissue cell culture substrate and goat anti-human immunoglobulin adjusted for optimum use and free of nonspecific background staining. The reaction occurs in two steps:

1. The first is the interaction of ANA in patient sera with the cell culture substrate.
2. The second is the interaction of FITC labeled anti-human immunoglobulin with antibodies attached to the cell substrate in step one.

Cat. No.	Mfr. No.	Description	Qty.
24052B	24052B	ANA HEp-2 test kit - 300 tests	1/ea



CRP Slide Test Kits

ARLINGTON SCIENTIFIC - Use these slide agglutination assay test kits for the qualitative and semi-quantitative detection of C-reactive protein in human serum. Initial dilution of patient samples is not required. Kits have a shelf life of up to 24 months. Kit includes: CRP latex reagent, reactive control, nonreactive control, glycine-saline solution, disposable stirrer pipettes and 6-well disposable test cards.

Cat. No.	Mfr. No.	Description	Qty.
B6254-15	500050	CRP test kit - 50 tests	1/ea
B6254-16	500100	CRP test kit - 100 tests	1/ea

RheumaJet CRP Test Kit

REMEL - Rapid latex agglutination assay test kit for the qualitative and semi-quantitative determination of C-reactive protein (CRP). The kit includes latex reagent, positive and negative qualitative controls and disposable test cards. Biokit.

Cat. No.	Mfr. No.	Description	Qty.
R30269701A	R30269701	100 tests per kit	1/kt
R30269700A	R30269700	RheumaJet CRP titer (T) control (1mL per vial, 2 vials)	1/kt



Immunex CRP® Test Kits

ALERE NORTH AMERICA - Use this latex slide test for the detection of C-reactive protein in serum to aid in the diagnosis of inflammatory conditions. A rapid, easy-to-read agglutination occurs when specimens containing CRP are mixed with the latex reagent. Results are available in 2 minutes. The test is stable for up to 12 months at 2° to 8°C. The kit includes latex reagent, glycine buffer and positive and negative controls and slides. Sufficient for 100 tests.

Cat. No.	Mfr. No.	Description	Qty.
B6894-1	7152	Immunex CRP® test kit - 100 tests	1/ea

RaPET® CRP Latex Agglutination Test Kits

STANBIO LABORATORY - Use these latex agglutination slide tests for the determination of C-reactive protein in serum. They can be used to obtain qualitative or semi-quantitative results. Receive results in 2 minutes. Test kits include a positive and negative control.



Cat. No.	Mfr. No.	Description	Qty.
SP1130-050	1130-050	50 tests per kit	1/kt
SP1130-100	1130-100	100 tests per kit	1/kt



RF Latex Test Kits

CARDINAL HEALTH - Our slide agglutination assay tests are used for the qualitative and semi-quantitative determination of rheumatoid factor in human serum. The simple, five-step procedure provides easy-to-read results in 2 minutes. No initial dilution of patient samples is required. Kits include RF latex reagent, reactive control, nonreactive control, 100 disposable stirrer pipettes and disposable cards. The latex reagent does not require additional preparation.

Cat. No.	Description	Qty.
B1077-19	RF latex test kit - 100 tests	1/ea



RF Direct Slide Test Kits

ARLINGTON SCIENTIFIC - Use this slide agglutination assay test kits for the qualitative and semi-quantitative determination of rheumatoid factor in human serum. Initial dilution of patient samples is not required. Kits have a shelf life up to 24 months.

Cat. No.	Mfr. No.	Description	Qty.
B6254-21	700100	RF test kit - 100 tests	1/ea

RheumaJet RF (T) Control

REMEL - Assayed control for validation of semi-quantitative results obtained using RheumaJet RF latex test. 1.0mL/vial, 2 vials per pack. Biokit.

Cat. No.	Mfr. No.	Description	Qty.
R30269400A	R30269400	RheumaJet RF titer (T) control	1/ea

RheumaJet RF Test Kits

REMEL - Rapid agglutination test kit for qualitative and semi-quantitative determination of rheumatoid factor. The kit contains latex reagent, positive and negative qualitative controls and disposable test cards. Biokit.

Cat. No.	Mfr. No.	Description	Qty.
R30269401A	R30269401	50 tests per kit	50/kt
R30269402A	R30269402	100 tests per kit	100/kt

Colorcard® RF Test Kit

ALERE NORTH AMERICA - Use this color-enhanced slide agglutination test for the rapid qualitative and semi-quantitative detection of rheumatoid factor in serum.

Cat. No.	Mfr. No.	Description	Qty.
B6895-11	36045	Colorcard® RF test kit - 50 tests	1/ea

**Online ordering services at
cardinalhealth.com put you
in command.**

Use our online services to help simplify your ordering process. Our site provides one-click access to key areas such as:

- Shop for products
- Quick orders
- Order status
- Review purchase history

Visit cardinalhealth.com and register today.

Autoimmune Disease

RF/SLE



Rheumatex™ Slide Test Kits

ALERE NORTH AMERICA - This latex agglutination test rapidly detects rheumatoid factor in serum samples. Latex particles sensitized with human IgG form a visible agglutination when rheumatoid factor is present. The test is stable for up to 12 months at 2° to 8°C. The kit includes Rheumatex™ latex reagent, glycine buffer and positive and negative controls and slides. Sufficient for 100 tests.

Cat. No.	Mfr. No.	Description	Qty.
B6895-1	3452	Rheumatex™ slide test kit - 100 tests	1/ea

RaPET® RF Latex Agglutination Test Kits

STANBIO LABORATORY - Use these latex agglutination slide tests for the determination of rheumatoid factor in serum. They can be used to obtain qualitative or semi-quantitative results. Receive results in 2 minutes. Test kits include a positive and negative control.



Cat. No.	Mfr. No.	Description	Qty.
SP1155-050	1155-050	50 tests per kit	1/kt
SP1155-100	1155-100	100 tests per kit	1/kt



SLE Slide Test Kits

ARLINGTON SCIENTIFIC - This latex slide agglutination assay is used for the qualitative and semi-quantitative detection of anti-deoxyribonucleoprotein (anti-DNP) in human serum. No initial dilution of patient samples is required for this test. Kits have a shelf life of up to 24 months. Kit includes: SLE latex reagent, reactive control, nonreactive control, disposable stirrer pipettes and 6-well glass slide.

Cat. No.	Mfr. No.	Description	Qty.
B6254-55	350025	SLE test kit - 25 tests	1/ea
B6254-8	350050	SLE test kit - 50 tests	1/ea
B6254-9	350100	SLE test kit - 100 tests	1/ea
B6254-10	3501000	SLE test kit - 1,000 tests	1/ea

If you don't see what you are looking for ... contact us.

If you don't see the product you are looking for, just pick up the phone and ask your sales or customer service representative to assist you. Visit our website at cardinalhealth.com for more information.

Customer Service: 800.964.5227

Expertise

Cardinal Health is an experienced, dependable partner that knows the lab business and solves problems.

- 60 years of experience serving laboratories.
- Dependable service, with tenured representatives who are committed to understanding and attending to customers' needs.
- Sales representatives who help educate lab managers about their options with comparative information about different manufacturers and products.
- Specialty customer service team that manages high-volume, high-value and perishable materials.
- Extensive supply chain and logistics expertise.



D-dimer Kit

REMEL - Use this kit for the detection and semi-quantitation of cross-linked fibrin degradation materials in serum or plasma. Latex and reaction cards for use with the test are available separately.

Cat. No.	Mfr. No.	Description	Qty.
R30852501	R30852501	D-dimer kit	1/kt

PATHFAST® Point-of-Care Immunoassay Analyzer

VITAL DIAGNOSTICS - The PATHFAST® is an easy-to-use bench-top chemiluminescent immunoassay analyzer that rapidly measures concentrations of emergency biomarkers from a single whole blood sample. With a 17-minute turnaround time, critical results are available quickly, enhancing patient care.

Features include:

- Direct measurement from whole blood samples
- Results in 17 minutes
- Six parallel channels allow either six samples or six tests for one sample to be run simultaneously
- All-in-one reagent cartridge eliminates the need for buffer solutions, cuvettes, water connections or drains
- 99th percentile, guideline acceptable Troponin I results available at point-of-care
- Fully-automatic, simple three-step process
- Superior precision and reportable range even when compared to core laboratory systems

Test menu:

- cTnI
- NTproBNP
- D-dimer
- Myoglobin
- CK-MB
- hsCRP



Cat. No.	Mfr. No.	Description	Qty.
300929	300929	PATHFAST® CLEIA analyzer	1/ea

Cholesterol Monitoring

Accutrend® Plus System

ROCHE DIAGNOSTICS - The **CLIA-waived** Accutrend® Plus system is an effective and cost efficient first step in helping identify patients at-risk for cardiovascular disease. Providing 3 minute total cholesterol and 12 second glucose testing on a single meter, the Accutrend® Plus is ideal for professional use in preventative healthcare settings, such as community health screenings, walk-in clinics and pharmacies.



- Convenient: test both cholesterol and glucose on a single, handheld system
- Fast: total cholesterol results in 3 minutes and blood glucose results in 12 seconds

- Reliable: accurately screen patients for total cholesterol and monitor blood glucose in patients with diabetes
- Safe: outside-of-meter dosing helps prevent cross-contamination of blood samples
- Portable: lightweight, ergonomic design makes the meter easy to handle and operate

Cat. No.	Mfr. No.	Description	Qty.
5346754160	05346754160	Accutrend® Plus meter kit	1/ea
5213312160	05213312160	Cholesterol test strips - 25/vial	25/ea
5219957001	05219957001	Cholesterol control - 2 levels	1/ea
1144747516	11447475160	Accutrend® glucose test strips - 25/vial	25/ea
5213231160	05213231160	Accutrend® glucose control; 2 levels	1/ea

Alere Cholestech LDX® System

ALERE NORTH AMERICA - This **CLIA-waived** system measures a complete lipid profile plus glucose, ALT and AST in 5 minutes from just a fingerstick of blood. System includes:

- Analyzer
- Optics-check cassette
- Power supply
- Printer
- Printer cable
- Starter pack
- User manual



Cat. No.	Mfr. No.	Description	Qty.
C4100-6	10-959	Alere Cholestech LDX® system	1/ea
Control materials			
C4100-2	10-228	Optics-check cassette	1/ea
C14-446	14-446	HS-CRP control	1/ea
C88769	88769	Multi-analyte control	1/ea
Disposable supplies			
C4100-93	52193	Cholestech capillary tubes, 40µL	1/ea
C13-014	13-014	Mini-Pet™ pipette, 40µL	1/ea
C13-015	13-015	Mini-Pet™ pipette, 50µL	1/ea
C13-037	13-037	hs-CRP starter pack (includes 100 capillary tubes and plungers, 50 pipette tips, Mini-Pet™ pipette, 40µL and Mini-Pet™ pipette, 50µL)	1/ea
C4100-377	10-311	Capillary tube plungers	1/ea
C13-013	13-013	Cholestech capillary tubes, 50µL	1/ea
C11-785	11-785	White labels for Cholestech thermal printer	400/ea
Test cassettes			
C4100-788	12-788	ALT-AST	10/bx
C12-807	12-807	hsCRP	10/bx
C4100-11	10-986	TC (Total Cholesterol)	10/bx
C4100-12	10-987	TC-HDL	10/bx
C4100-13	10-988	TC-GLU	10/bx

Cat. No.	Mfr. No.	Description	Qty.
Test cassettes (continued)			
C4100-14	10-989	Lipid profile	10/bx
C4100-15	10-990	TC-HDL-GLU	10/bx
C4100-16	10-991	Lipid profile plus glucose	10/bx
Kits			
C1NR2LDXLG	1NR2-LDXLG	1NR2 Cholestech LDX® combo lipid GLU - Cholestech LDX® system (10-959) - 2 boxes of lipid profile-GLU cassettes (10-991) - Multi-analyte Level 1 and Level 2 controls (1 vial/level) - INRatio®2 PT/INR monitor - 2 boxes of PT/INR strips	1/ea
14-204	14-204	Starter kit GLU profile cassette - Cholestech LDX® system (10-959) - 5 boxes of lipid profile cassettes (10-989) - Multi-analyte Level 1 and Level 2 Controls (1 vial/level)	1/ea
14-203	14-203	Starter kit lipid profile cassette - Cholestech LDX® System (10-959) - 5 boxes of lipid profile cassettes (10-989) - Multi-analyte Level 1 and Level 2 controls (1 vial/level)	1/ea

CoaguChek® XS Plus System

ROCHE DIAGNOSTICS - The CoaguChek® XS Plus System is an innovative point-of-care PT/INR monitoring system. It provides immediate access to test results enabling healthcare professionals to make real-time treatment decisions. This system offers the flexibility and control needed to confidently manage a wide range of anticoagulated patients.

This system has the same features as the CoaguChek® XS but also includes the following:

- Meter stores 1,000 patient test and 500 QC test results
- QC lockout allows for mandatory QC checks
- Operator Lockout available (with optional data management system)
- Code chip memory of up to 60 unique code keys
- Optional liquid quality controls to meet regulatory needs
- Optional rechargeable battery pack
- Optional base unit for connectivity (RALS Plus Data Management System available)

Cat. No.	Mfr. No.	Description	Qty.
5021537001	05021537001	Meter kit	1/ea
4625315160	04625315160	Test strips	48/ea
4625382160	04625382160	Quality controls	1/ea
4805658160	04805658160	Handheld Base Unit (HBU)	1/ea
4805640001	04805640001	Rechargeable battery pack	1/ea



CoaguChek® XS Pro System

ROCHE DIAGNOSTICS - The CoaguChek® XS Pro System is an innovative point-of-care PT/INR monitoring system. It provides immediate access to test results enabling healthcare professionals to make real-time treatment decisions. This system offers the flexibility and control needed to confidently manage a wide range of anticoagulated patients.

This system has the same features as the CoaguChek® XS but also includes the following:

- Integrated barcode scanner to capture both operator and patient IDs
- Meter stores 1,000 patient test and 500 QC test results
- QC lockout allows for mandatory QC checks
- Operator Lockout available (with optional data management system)
- Code chip memory of up to 60 unique code keys
- Optional liquid quality controls to meet regulatory needs
- Optional rechargeable battery pack
- Optional base unit for connectivity (RALS Plus Data Management System available)

Cat. No.	Mfr. No.	Description	Qty.
5530199160	05530199160	Meter kit	1/ea
4625315160	04625315160	Test strips	48/ea
4625382160	4625382160	Quality controls	1/ea
4805658160	04805658160	Handheld Base Unit (HBU)	1/ea
4805640001	04805640001	Rechargeable battery pack	1/ea



CoaguChek® XS System

ROCHE DIAGNOSTICS - The CoaguChek® XS System is a **CLIA-waived** point-of-care PT/INR monitoring system. It provides immediate access to test results enabling healthcare professionals to make real-time treatment decisions. This system offers the flexibility and control needed to confidently manage a wide range of anticoagulated patients.

- Small sample size (8µL) for easy dosing
- 18-month strip shelf life—no refrigeration needed
- Strip allows dosing from either top or side for simple blood application
- Accurate and precise results in 1 minute with 97% correlation to tested lab methods
- On-board quality controls—no external QC necessary
- Neutralizes therapeutic levels of heparin and LMWH
- INR corrected for hematocrit within specified range—manage a broad array of patients with one device

Cat. No.	Mfr. No.	Description	Qty.
4837975001	04837975001	Meter kit	1/ea
4625315160	04625315160	Test strips	48/ea



Alere INRatio® 2 Prothrombin Time Monitoring System

ALERE NORTH AMERICA - Use this portable monitoring system to obtain laboratory-quality PT/INR results from one 15µL drop of blood in less than 60 seconds. Two on-board quantitative quality control assays are performed side-by-side with the PT test using the same drop of blood to help ensure reliability. The monitor stores up to 120 results in its memory and can be powered by 4 AA batteries or AC adaption. The Alere INRatio® 2 PT/INR monitor connects reliable results with practical convenience making it an optimal in-office testing solution for anticoagulation patient management. System includes:

- 1 - Alere INRatio® 2 PT/INR monitor
- 1 - Power supply
- 1 - User's guide
- 1 - Training video
- 1 - Quick reference guide
- 10 - Blood lancets
- 1 - Carrying case
- 10 - MicroSafe® capillary tubes

Alere INRatio® 2 PT/INR Monitoring System is **CLIA-waived**.

Cat. No.	Mfr. No.	Description	Qty.
HI200431	200431	INRatio® monitoring meter	1/ea
HIINR2-QS1	INR2-QS1	INRatio® monitoring meter, 1 box meter strips	1/ea
HIINR2-QS3	INR2-QS3	INRatio® monitoring meter, 3 boxes meter strips	1/ea
INR2-QS5	INR2-QS5	INRatio® monitoring meter, 5 boxes meter strips	1/ea
HIINR2-6PK	INR2-6PK	INRatio® monitoring meter, plus 6 sterile reagents	1/ea
HIINR2-12EZ	INR2-12EZ	INRatio® monitoring meter, plus 12 sterile reagents	1/ea
HI100139	0100139	INRatio® test strips	48/bx



Diabetes Monitoring

Glucose



Calibration Assessment Kit

ABBOTT DIABETES CARE

Cat. No.	Mfr. No.	Description	Qty.
99662-03	99662-03	PCx linearity assessment kit	7/bx



FreeStyle Lite® Institutional Blood Glucose Test Strips

ABBOTT DIABETES CARE

Cat. No.	Mfr. No.	Description	Qty.
71026-70	71026-70	FreeStyle Lite® institutional test strips	50/bx, 12 bx/cs



Glucose and Ketone Calibration Assessment Kit

ABBOTT DIABETES CARE

Cat. No.	Mfr. No.	Description	Qty.
70906-01	70906-01	Glucose and ketone calibration assessment kit	1/ea



MediSense® Glucose Control Solutions

ABBOTT DIABETES CARE

Cat. No.	Mfr. No.	Description	Qty.
70550-05A	70550-05	MediSense® high/low glucose control solutions	2/bx, 6 bx/cs



Point-of-Care Blood Glucose Test Strips

ABBOTT DIABETES CARE

Cat. No.	Mfr. No.	Description	Qty.
80063-02	80063-02	Precision PCx Plus G3aH test strips	100/bx, 6 bx/cs
70932-01	70932-01	Precision Xceed Pro® G3cH test strips	100/bx, 6 bx/cs



Precision Xtra® Institutional Blood Glucose Test Strips

ABBOTT DIABETES CARE

Cat. No.	Mfr. No.	Description	Qty.
99695-15	99695-35	Precision Xtra® G3c institutional test strips	50/bx, 12 bx/cs



Test Strips and Control Solutions for CONTOUR™ TS Meter

BAYER DIABETES CARE - Test strips and control solutions for use only with Bayer's CONTOUR™ TS Meter.

Cat. No.	Mfr. No.	Description	Qty.
Test strips			
B5373-178	1820	Test strips - box of 50	50/bx, 24 bx/cs
Control solutions			
B5675-26	1858	Control - normal	12/cs
B5675-28	1859	Control - low	12/cs
B5675-27	1860	Control - high	12/cs



Test Strips and Controls for CONTOUR® Blood Glucose Meter

BAYER DIABETES CARE - Glucose monitoring test strips for use with the CONTOUR® blood glucose monitoring system. Controls also available.

Cat. No.	Mfr. No.	Description	Qty.
Test strips			
B5373-172G	7080G	Test strips - box of 50	50/bx, 24 bx/cs
B5373-173G	7090G	Test strips - box of 100	100/bx, 12 bx/cs
B5373-174C	7099C	Test strips - point-of-care, box of 50	50/bx, 24 bx/cs
Controls, 2.5mL vials			
B5373-175A	7109	Control - normal	12/cs
B5373-176B	7110	Control - low	12/cs
B5373-177B	7111	Control - high	12/cs

ACCU-CHEK® Aviva Plus Blood Glucose Monitoring System

ROCHE DIAGNOSTICS - Fast and accurate handheld blood glucose meter. Free from maltose interference.

Advanced design to help make every strip count

- Innovative strip technology designed to result in less retesting, fewer fingersticks; 97% of users dosed test strip on first try

Accurate results

- Eight electrodes work in conjunction with the meter to perform 198 built-in integrity checks, detecting and preventing unreliable results
- Screened at 3 glucose levels for potential interference from 190+ medications/metabolites
- Simple 2-step testing with accurate results in 5 seconds
- Virtually pain-free testing with optional alternate site testing and two lancet devices
- Wide "Y" dosing area with capillary fill feature makes it easier to fill strip on first try



Cat. No.	Mfr. No.	Description	Qty.
5882869001	05882869001	Aviva Plus HNP meter kit	1/ea
5949050001	05949050001	Aviva Plus HNP test strips	50/vial
4528638001	04528638001	Control solution - 2 levels	6/cs
4532279001	04532279001	Meter only	1/ea

ACCU-CHEK® Comfort Curve Test Strips and Controls

ROCHE DIAGNOSTICS - ACCU-CHEK® Comfort Curve test strips offer universal sampling with oxygen independent chemistry and reliable results at varying hematocrit levels. Test strips are designed for use with ACCU-CHEK® Inform and ACCU-CHEK® Advantage systems. The blood dosing area features a yellow dosing window for visual confirmation of the blood sample application. The unique test strip design allows the sample to be drawn into the test strip via capillary action.



Cat. No.	Mfr. No.	Description	Qty.
B5374-34	12030390001	Comfort Curve H glucose control solution (2 levels)	2 levels/bx, 6 bx/cs
B5374-36	12030357001	Comfort Curve H linearity kit	1/bx
B5374-32A	12030365001	Comfort Curve H test strip, vial of 50	72 vials/cs
B5371-3	04388208001	Comfort Curve test strip, HNP, vial of 50	72 vials/cs
B5371-4	04388186001	Comfort Curve test strip, HNP, 2 vials of 50	48 vials/cs
B5374-33	12030411001	Comfort Curve glucose control solution, HNP	2 levels/bx, 6 bx/cs

Diabetes Monitoring

Glucose



ACCU-CHEK® Safe-T-Pro Lancets

ROCHE DIAGNOSTICS - Designed with special internal safety tabs to prevent reuse, the ACCU-CHEK® Safe-T-Pro lancet device meets stringent OSHA requirements and helps reduce health risks from bloodborne pathogens. The easy-to-use, single-use lancet permanently retracts into its protective case after use to help prevent accidental fingersticks.

Cat. No.	Mfr. No.	Description	Qty.
BO951A	3136752001	Lancets	200/bx



Assure® Blood Glucose Monitoring Supplies

ARKRAY USA - These Assure® blood glucose monitoring products are convenient and easy to use. The blood glucose monitoring systems are LTC-specific.

Cat. No.	Mfr. No.	Description	Qty.
500100A	500100	Assure® Platinum test strips	100/bx
560050	560050	Assure® 4 blood glucose test strips	50/bx, 12 bx/cs
560006	560006	Assure® 4 control solutions, levels 1 and 2	2/bx
460100	460100	Assure® Pro blood glucose test strips, including code chip	100/bx, 6 bx/cs
460050	460050	Assure® Pro blood glucose test strips	50/bx, 12 bx/cs
500006	500006	Assure® dose control solution, normal, high	1/ea

HemoCue® Glucose 201 and Glucose 201 DM Analyzers

HEMOCUE - The Glucose 201 analyzer is a small, handheld instrument that is based on the glucose dehydrogenase method. With just a drop of blood and three simple steps, it produces immediate, accurate results for diagnosing and monitoring diabetes, as well as for monitoring neonatal blood glucose levels.



The HemoCue® Glucose 201 DM systems bring modern data management capabilities to the HemoCue® product line. Helps healthcare providers get authorized and appropriate use by certified personnel. With a wide range of settings and definable options, the systems can be made to prompt the operator for identification, lot numbers, quality control and other required information during analysis. This data can then be transmitted to clinical information systems. **CLIA-waived.**

Cat. No.	Mfr. No.	Description	Qty.
120706	120706	HemoCue® Glucose 201 analyzer	1/ea
121422	121422	HemoCue® Glucose 201 DM analyzer	1/ea

Supplies and accessories

110705	110705	Glucose 201 microcuvettes, individually-wrapped	100/bx
110706	110706	Glucose 201 microcuvettes	100/pk
H139001	139001	HemoCue® cleaner swabs	5/pk
139075	139075	HemoCue® Glucose 201 DM primary docking station	1/ea

Control Solutions for use with StatStrip® and StatStrip® Xpress™ Glucose Meters


NOVA BIOMEDICAL - Control solutions for use with StatStrip® and StatStrip® Xpress™ glucose meters.



Cat. No.	Mfr. No.	Description	Qty.
NB41741	41741	Level 1 - StatStrip® and StatStrip® Xpress™ 1/ea glucose hospital meter QC solution	
NB41743	41743	Level 3 - StatStrip® and StatStrip® Xpress™ 1/ea glucose hospital meter QC solution	

Glucose Test Strips for use with StatStrip® and StatStrip® Xpress™ Glucose Meters

NOVA BIOMEDICAL - Glucose test strips for use with StatStrip® and StatStrip® Xpress™ glucose meters.



Cat. No.	Mfr. No.	Description	Qty.
NB42214	42214	Glucose test strips - StatStrip® and StatStrip® Xpress™ glucose hospital meter test strips	100/bx, 18 bx/cs

Diabetes Monitoring

Glucose/Glucose Tolerance Beverages



KetoSite® Controls

STANBIO LABORATORY

Cat. No.	Mfr. No.	Description	Qty.
SP303000	303000	Controls (1 low, 1 high) - 3mL	2/bx

Sugar-Chex® II Glucose Controls

STRECK - Ready-to-use Sugar-Chex® II aqueous glucose controls are designed to help verify the precision and accuracy of handheld glucose meters. They simulate the viscosity and flow properties of whole blood without red cells and are available at three levels to evaluate the performance of the meter, reagent strip and operator. Supplied in a convenient dropper vial that requires no refrigeration. Closed vials are stable for 2 years and open vials are stable for 90 days at room temperature.



Cat. No.	Mfr. No.	Description	Qty.
B5379-4	220603	Low; 6 x 2mL	1/ea
B5379-5	220604	Medium; 6 x 2mL	1/ea
B5379-6	220605	Elevated; 6 x 2mL	1/ea
B5379-8	220607	Low, medium, elevated; 3 x 2mL	1/ea
B5379-7	220606	Low, medium, elevated; 12 x 2mL	1/ea



Sugar-Chex® Linearity Kits

STRECK - Use these whole blood linearity kits to establish the linear reportable range and to document calibration verification of handheld glucose meters and strips. The whole blood formulation helps eliminate the need for diluting and spiking whole blood. Supplied in convenient, ready-to-use dropper vials. Closed vials are stable for 180 days; open vials are stable for 30 days when stored at 2° to 10°C.

Cat. No.	Mfr. No.	Description	Qty.
B3160-138	290310	Level 1, 2, 3, 4, 5; 5 x 2mL	1/ea
B3160-139	290311	Level 1, 2, 3, 4, 5, low; 6 x 2mL	1/ea



GlucoCrush™

THERMO SCIENTIFIC - GlucoCrush™ is indicated for the detection of glucose intolerance in the evaluation of diabetes mellitus and related diseases.

Cat. No.	Mfr. No.	Description	Qty.
B2495-7B	B2495-7A	Orange - 50g	6/pk, 4 pk/cs
B2495-6B	B2495-6A	Orange - 75g	6/pk, 4 pk/cs
B2495-4B	B2495-4A	Orange - 100g	6/pk, 4 pk/cs
B2495-9B	B2495-9A	Lemon-lime - 50g	6/pk, 4 pk/cs
B2495-2B	B2495-2A	Lemon-lime - 100g	6/pk, 4 pk/cs
B2495-1B	B2495-1A	Fruit Punch - 50g	6/pk, 4 pk/cs
B2495-5B	B2495-5A	Fruit Punch - 100g	6/pk, 4 pk/cs



Glucose Tolerance Drinks

AZER SCIENTIFIC - FDA-approved for use in conjunction with glucose tolerance testing, these glucose drinks are available with 50, 75 and 100g of glucose per bottle. Noncarbonated and supplied in 10 oz. shatter-proof plastic bottles with an easy-to-read volume indicator, allowing medical personnel to determine the amount of drink consumed by the patient. Available in fruit punch, lemon-lime and orange flavors. Six bottles per package, four packages (24 bottles) per case.

Cat. No.	Mfr. No.	Description	Qty.
Fruit punch			
10-FP-050	10-FP-050	Glucose tolerance drink - 50g	6/pk, 4 pk/cs
10-FP-075	10-FP-075	Glucose tolerance drink - 75g	6/pk, 4 pk/cs
10-FP-100	10-FP-100	Glucose tolerance drink - 100g	6/pk, 4 pk/cs
Lemon-lime			
10-LL-050	10-LL-050	Glucose tolerance drink - 50g	6/pk, 4 pk/cs
10-LL-075	10-LL-075	Glucose tolerance drink - 75g	6/pk, 4 pk/cs
10-LL-100	10-LL-100	Glucose tolerance drink - 100g	6/pk, 4 pk/cs
Orange			
10-O-050	10-O-050	Glucose tolerance drink - 50g	6/pk, 4 pk/cs
10-O-075	10-O-075	Glucose tolerance drink - 75g	6/pk, 4 pk/cs
10-O-100	10-O-100	Glucose tolerance drink - 100g	6/pk, 4 pk/cs

Diabetes Monitoring

HbA1c



DCA Vantage® Analyzer

SIEMENS HEALTHCARE DIAGNOSTICS - The DCA Vantage® analyzer provides a quantitative HbA1C result from 1 µL of whole blood in 6 minutes as a measure of long-term glycemic control. HbA1C is certified through the National Glycohemoglobin Standardization Program. The analyzer also performs microalbumin/creatinine assays within 7 minutes to help detect early-stage diabetic nephropathy.

Self-contained test cartridges require no reagent preparation or mixing. Factory calibration eliminates all wet calibrations.

Memory stores two calibration curves at one time and up to 4,000 patient and/or control results for data renewal and record-keeping.

Specifications:

Ambient operating temperature... 15° to 32°C (59° to 90°F)
 Ambient operating humidity 10% to 90%
 Dimensions (D x W x H)..... 10.5 x 11.5 x 9 in. (27.7 x 28.7 x 25.4cm)
 Power requirements 100 to 240V, 50/60 Hz
 Weight 9 lbs. (3.88kg)

Cat. No.	Mfr. No.	Description	Qty.
5075US	5075 US	DCA Vantage® analyzer	1/ea
Reagent kit			
B5376-5	6011A	DCA 2000+ microalbumin/ creatinine reagent	4/cs
Control kits (2 high, 2 low)			
B5376-6	6012A	DCA 2000+ microalbumin/ creatinine low/high control	4/cs
B5376-4	5068A	HbA1C	4/cs



DCA 2000+ A1C Reagent Kit Cartridges

SIEMENS HEALTHCARE DIAGNOSTICS

Cat. No.	Mfr. No.	Description	Qty.
B5376-1B	5035C	Cartridges	10/bx, 4 bx/cs

Bayer's A1CNow+® Multi-Test A1C System

BAYER DIABETES CARE - The A1CNow+® handheld portable testing monitor provides A1C results at point-of-care. It is indicated for all physicians' offices and clinics that manage patients with diabetes. Provides results in 5 minutes so physicians can have on-the-spot treatment discussion face-to-face with their diabetes patients. Available in boxes of 10 and 20. Each box contains one reusable monitor, 10 or 20 test cartridges and 10 or 20 sample dilution pouches with instructions. **CLIA-waived** and NGSP-certified.



Cat. No.	Mfr. No.	Description	Qty.
B5675-10	06708306-3024	A1C test kit - box of 10 tests	10/bx, 24 bx/cs
B5675-20	08842610-3021	A1C test kit - box of 20 tests	20/bx, 12 bx/cs

Pricing

Please call your sales or customer service representative to check up-to-the-minute pricing and availability.

ALCO-SCREEN® Saliva Tests for Alcohol

MEDTOX SCIENTIFIC - Use these tests to identify the presence of alcohol in saliva and for blood alcohol concentrations greater than 0.02%. They consist of a plastic strip with a reactive pad attached to the tip of the strip. A positive result appears on the reactive pad upon contact with saliva samples with at least a 0.02% alcohol concentration.

Test SP600596 forms a distinct colored line across the pad in just 4 minutes to indicate a positive result.

Test SP600597 indicates a positive result in only 2 minutes if the entire pad changes color. A positive result ranges from a light green-gray color at 0.02% blood alcohol concentration to a dark blue-gray near 0.30% blood alcohol concentration. This test may also be used to nonquantitatively detect the presence of alcohol in other fluids such as soft drinks and blood serum (see package insert for details). 24 saliva tests per box.

Cat. No.	Mfr. No.	Description	Qty.
SP600596	600596	ALCO-SCREEN® saliva test	24/bx
SP600597	600597	ALCO-SCREEN 02® saliva test	24/bx

Controls for MEDTOX® Drug Screening Devices

MEDTOX SCIENTIFIC - Monitor the performance of MEDTOX® drugs-of-abuse testing devices with positive and negative controls. Each bottle contains stabilized human-based urine. A positive and negative control for each device should be run either once a month or when you receive a new lot. Each bottle contains 5mL volume.

Cat. No.	Mfr. No.	Description	Qty.
SP101830	101830	Positive control for opiate testing level of 300ng/mL	1/ea
SP101829	101829	Positive control for opiate testing level of 2,000ng/mL	1/ea
SP101183	101183	Negative control	1/ea

MEDTOX® Blue Dye Toilet Tablet

MEDTOX SCIENTIFIC - Designed for reliable urine collection for drugs-of-abuse testing, the dye tablet will turn toilet water blue to discourage specimen tampering. If a donor uses toilet water to dilute the urine specimen, the blue dye will be visible, indicating that the specimen has been compromised. 100 tablets per bottle.

Cat. No.	Mfr. No.	Description	Qty.
SP600635	600635	Blue dye toilet tablets	100/bt

MEDTOX® Employee Drug Screening Devices

MEDTOX SCIENTIFIC - Designed for employee workplace testing, MEDTOX® one-step rapid tests for drugs-of-abuse have an opiates cutoff level of 2,000ng/mL.

Choose from a variety of configurations to test for various drugs, including panels with an adulterant strip to detect four commonly-used adulterants (oxidants, nitrites, specific gravity and pH values). Test systems include chain-of-custody forms, a split specimen collection cup, overnight transportation of non-negative specimens to MEDTOX®, rescreening and confirmation of non-negative specimens in the MEDTOX® lab and electronic reporting of all results. 25 screening devices or systems per box.



Cat. No.	Mfr. No.	Description	Qty.
----------	----------	-------------	------

Screening devices

SP601607	601607	Drug test – marijuana/ amphetamines/barbiturates/ benzodiazepines/cocaine/ opiates/PCP	25/bx
----------	--------	--	-------

Screening devices with adulterant strip

SP601599	601599	Drug test – marijuana/ amphetamines/cocaine/ opiates/PCP	25/bx
SP601673	601673	Drug test – marijuana/ amphetamines/cocaine/ecstasy/ methamphetamines/opiates/ oxycodone/PCP	25/bx

Keeping pace with today's lab.



Drugs of Abuse

MEDTOX® Hospital/Lab Drug Screening Devices

MEDTOX SCIENTIFIC - These drugs-of-abuse screening devices are single-step immunoassay tests for the qualitative detection of drugs in urine. Using colloidal gold as the detection system in a competitive binding process, they are simple to run and easy to interpret, delivering results quickly and efficiently. They have an opiates cutoff level of 300ng/mL.

Choose single- or multiple-panel configurations.



Cat. No.	Mfr. No.	Description	Qty.
SP601585	601585	Drug test - cocaine	25/bx
SP601598	601598	Drug test - ecstasy/ methamphetamines	25/bx
SP601629	601629	Drug test - tricyclic antidepressants	25/bx
SP601638	601638	5-panel test - marijuana/cocaine/ opiates/amphetamines/ benzodiazepines	25/bx
SP601622	601622	7-panel test - marijuana/cocaine/ opiates/amphetamines/PCP/ barbiturates/benzodiazepines	25/bx
SP601591	601591	9-panel test - marijuana/ amphetamines/barbiturates/ benzodiazepines/cocaine/ methadone/PCP/opiates/ tricyclic antidepressants	25/bx
SP601636	601636	10-panel test - marijuana/ amphetamines/barbiturates/ benzodiazepines/cocaine/ methadone/PCP/opiates/ tricyclic antidepressants/ ecstasy/methamphetamines	25/bx
SP601672	SP601672	11-panel test - marijuana/ amphetamines/barbiturates/ benzodiazepines/cocaine/ methadone/PCP/opiates/ tricyclic antidepressants/ecstasy/ methamphetamines/propoxyphene	25/bx
SP601674	601674	12-panel test - marijuana/ amphetamines/barbiturates/ benzodiazepines/cocaine/ methadone/PCP/opiates/ tricyclic antidepressants/ ecstasy/methamphetamines/ propoxyphene/oxycodone	25/bx

MEDTOXScan® Reader Rapid Drug of Abuse Testing System

MEDTOX SCIENTIFIC - MEDTOXScan® is a rapid drugs-of-abuse testing system that will give you a printout of a result for up to 13 drugs, including oxycodone and buprenorphine.

Cat. No.	Mfr. No.	Description	Qty.
SP604020	604020	PROFILE-V 7-panel device for MEDTOXScan® reader - amphetamines/ barbiturates/benzodiazepines/cocaine/ opiates/PCP/marijuana	25/bx
SP604019	604019	PROFILE-V 9-panel device for MEDTOXScan® reader - amphetamines/ barbiturates/benzodiazepines/cocaine/ methadone/opiates/PCP/tricyclic antidepressants/ marijuana	25/bx
SP604018	604018	PROFILE-V 12-panel device for MEDTOXScan® reader - amphetamines/ barbiturates/benzodiazepines/cocaine/ methamphetamines/methadone/ opiates/oxycodone/PCP/propoxyphene/ tricyclic antidepressants/ marijuana	25/bx
SP604022	604022	PROFILE-V 13-panel device for MEDTOXScan® reader - amphetamines/ barbiturates/ buprenorphine/ benzodiazepines/cocaine/ methamphetamines/methadone/ opiates/oxycodone/PCP/propoxyphene/ tricyclic antidepressants/marijuana	25/bx
Positive urine control			
SP102137	102137	Positive urine control (5mL) for use with SP604018, SP604019, SP604020 and SP604022	1/ea

Miscellaneous Drug Screening Devices

MEDTOX SCIENTIFIC

Cat. No.	Mfr. No.	Description	Qty.
SP702340	702340	PROFILE-IIA 5-panel test system	25/bx
SP702641	702641	PROFILE-IIA 7-panel + LFAS test system	25/bx
SP702642	702642	PROFILE-IIA 7-panel + LFAS test system - methamphetamine/oxycodone	25/bx
SP702643	702643	PROFILE-IIA 10-panel + LFAS system	25/bx
SP601677	601677	PROFILE-IIA 10-panel - amphetamines/ barbiturates/benzodiazepines/cocaine/ methamphetamines/ OPI2000/oxycodone/ PCP/propoxyphene/marijuana + LFAS	25/bx
SP602100	602100	PROFILE-IIIA 5-panel cup - amphetamines/ cocaine/OPI2000/PCP/marijuana + LFAS	25/bx
SP602119	602119	PROFILE-IIIA 11-panel cup - amphetamines/barbiturates/ benzodiazepines/cocaine/ methamphetamines/methadone/ OPI2000/oxycodone/PCP/ propoxyphene/marijuana + LFAS	25/bx
SP600716	600716	NEXSCREEN 12-panel cup - CLIA-waived	25/bx
SP601675	601675	Oxycodone single rapid test	25/bx
SP600686	600686	SURE-SCREEN® 7-panel cup - amphetamines/benzodiazepines/ cocaine/methamphetamine/opiates/ oxycodone/marijuana + LFAS	25/bx

Drug Screening Kits and Accessories

ALERE TOXICOLOGY



Cat. No.	Mfr. No.	Description	Qty.
iCup® Dx drug tests – CLIA-waived			
IDXA187016	I-DXA-187-016	8-panel - COC, THC, OPI, AMP, mAMP, BZO, OXY, MTD (CR, NI, PH, BL, SG)	25/bx
IDXA110714	I-DXA-1107-142	10-panel - COC, THC, OPI, AMP, mAMP, MDMA, BAR, BZO, MTD, OXY (CR, NI, PH, BL, SG)	25/bx
B5827-61	I-DXA-1127-023	12-panel - COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, OXY, MTD, TCA, MDMA (CR, NI, PH, BL, SG)	25/bx
iCup® urine drug screen			
B5827-16	I-DOA-177-031	7-panel - COC, THC, OPI, AMP, mAMP, PCP, MDMA	25/bx
B5827-20	I-DOA-1137-011	13-panel - COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, MTD, TCA, OXY, PPX, BUP	25/bx
iCup® A.D. urine drug screen			
B5827-13	I-DUA-157-023	5-drug - COC, THC, OPI, AMP, PCP (OX, SG, PH)	25/bx
B5827-14	I-DUA-147-012	4-drug - COC, THC, OPI, mAMP (OX, SG, PH)	25/bx
B5827-23	I-DUD-197-014	9-panel - COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, MTD (OX, SG, PH, NI, GL, CR)	25/bx
B5827-24	I-DUD-1107-012	10-panel - COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, MTD, TCA (OX, SG, PH, NI, GL, CR)	25/bx
iScreen® Dx dip cards			
B5827-68	IS10	10-panel - COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, MTD, TCA	25/bx
iScreen® Dx dip cards – CLIA-waived			
B5827-70	IS1 BAR-DX	BAR single dip device	25/bx
B5827-71	IS1 BZO-DX	BZO single dip device	25/bx
B5827-72	IS1 COC-DX	COC single dip device	25/bx

Cat. No.	Mfr. No.	Description	Qty.
iScreen® Dx dip cards – CLIA-waived (continued)			
B5827-73	IS1 MET-DX	mAMP single dip device	25/bx
B5827-74	IS1 MDM-DX	MDMA single dip device	25/bx
B5827-75	IS1 MTD-DX	MTD single dip device	25/bx
B5827-76	IS1 OPI-DX	OPI single dip device	25/bx
B5827-77	DPC-114-DX	PCP single dip device	25/bx
B5827-78	IS1 TCA-DX	TCA single dip device	25/bx
B5827-79	IS1 THC-DX	THC single dip device	25/bx
iCassette® drug screen			
B5827-63	I-DOA-2155	5-panel - COC, THC, OPI, AMP, PCP	25/bx
B5827-64	I-DOA-1185	8-panel - COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR	25/bx
B5827-36	I-DOA-1195	9-panel - COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, MTD	25/bx
B5827-67	I-DCB-1115-011	11-panel - COC, THC, OPI, AMP, PCP, BZO, BAR, MDMA, PPX, OXY, TCA	25/bx
B5827-55	DBU-102	BUP single test cassette	40/bx
B5827-53	DMT-102	MTD single test cassette	40/bx
B5827-42	I-DTH-102	THC single test cassette	25/bx
NicQuick™ cotinine test			
B5826-28A	DCT-102	NicQuick™ - cotinine test	40/bx
QED® A150 alcohol test controls			
B5826-22	31050	QED® A150 controls, 5mL vials x 2	1/ea
Accessories			
B5826-14A	190058	90 x 53 lidded cup with temperature strip	25/bx
B5826-86	7875	Instant bluing tablet	100/ea
B5827-21	19000102	iScreen® drug control cotinine specific 2X pos. (5mL)	1/ea
B5826-92	860020	Temperature strip	1/ea

Drugs of Abuse

Accutest® MultiDrug ER 11 Test Kits

JANT PHARMACAL - This cost-effective option in clinical drug testing provides accurate results within 5 minutes. The rapid one-step urine test is designed to identify an 11-drug panel including: amphetamine, barbiturates, benzodiazepines, cocaine, marijuana (THC), MDMA (ecstasy), opiates (300), oxycodone, phencyclidine (PCP), propoxyphene and tricyclic antidepressants. **CLIA-waived.**



Cat. No.	Mfr. No.	Description	Qty.
DS135	DS135	Multi-drug screening test kit	25/bx

Intoxilyzer® S-D5 Breath Alcohol Screeners

JANT PHARMACAL - Ideal for employee alcohol testing as part of a comprehensive company safety program, this handheld, automatic sampling breath alcohol screener features a response time within 5 seconds of sampling, depending on alcohol concentration. Sampling is automatic after the subject provides 1.5L of breath into a disposable mouthpiece. An override feature allows for manual sampling. Easy-to-use unit has a large LED display and can store and recall the last test result up until the start of the next test. Its electrochemical fuel cell sensor is unaffected by acetone, paint and glue fumes, food, methane and other substances found in human breath. Meets DOT specifications of ± 0.005 breath alcohol concentration (BrAC) up to 0.100 BrAC and $\pm 5\%$ above 0.100 BrAC. Dimensions (W x H x D): $2\frac{1}{2} \times 4\frac{3}{4} \times 1\frac{1}{4}$ in.



Cat. No.	Mfr. No.	Description	Qty.
DS-45CM501	DS45CM501	Breath alcohol screener	1/ea

QuikScreen 11 DOA Cups

LIFESIGN - The QuikScreen 11 DOA cup is a rapid and easy-to-perform drug cup that provides the qualitative detection of drug combinations and their principal metabolites in urine. The QuikScreen 11 DOA cup is **CLIA-waived** and tests for up to 11 different drug panels simultaneously.



Cat. No.	Mfr. No.	Description	Qty.
SP60B02	60B02	11-panel cup: methamphetamine, opiates, cocaine, marijuana, phencyclidine, benzodiazepines, barbiturates, methadone, tricyclic antidepressants, amphetamines, oxycodone	25/bx



Status Assure Cups

LIFESIGN - The Status Assure drug screen cup is a one-step test for the qualitative detection of multiple drugs and drug metabolites in human urine. The cup allows you to test for up to 11 different drugs in as little as 5 minutes.

Cat. No.	Mfr. No.	Description	Qty.
SP71125AA	71125AA	11-panel cup - THC/OPI-300/OXY/MDMA/TCA/MET/AMP/BZO/BAR/COC/PCP	25/bx
76025AA2K	76025AA2K	6-panel - MET/AMP/COC/OPI-2000/THC/PCP	25/bx

Status DS™ Drug Abuse Tests

LIFESIGN - These drug abuse tests require a few drops of urine with results available in as little as 5 minutes. Results are clearly visible and emphasize the prevalence of negative results when testing up to 10 drugs. Distinct lines develop for each drug test that is negative. When a drug is present, the negative line will not appear, clearly indicating a positive result. The 8-test panel evaluates TCA (tricyclic antidepressants), amphetamines, cocaine, opiates, THC, PCP, barbiturates and benzodiazepines. The 10-test panel evaluates the same drugs as the 8-test panel plus methadone and methamphetamines. 25 drug abuse tests per package.



Cat. No.	Mfr. No.	Description	Qty.
SP28025	28025	8-test panel	25/pk
SP21025	21025	10-test panel	25/pk

Status DS™ Drugs-of-Abuse Test Kits

LIFESIGN - Choose from a wide range of panels to test for drugs of abuse, from a single drug up to 10 drugs. The test is simple and easy to perform. Using the pipette provided, simply add three drops of urine to the sample well. Results can be read in 5 minutes. Visible lines indicate negative results. No visible lines indicate positive results. Available in several kit sizes and configurations.



Cat. No.	Mfr. No.	Description	Qty.
SP21010	21010	10-panel: methamphetamine, opiates, cocaine, marijuana, phencyclidine, benzodiazepines, barbiturates, methadone, tricyclic antidepressants, amphetamines	10/bx
SP20935	20935	Tricyclic antidepressants (TCA)	35/bx
SP25135	25135	5-panel: marijuana, opiates, cocaine, methamphetamine, phencyclidine	35/bx
SP28010	28010	8-panel: marijuana, opiates, cocaine, amphetamines, benzodiazepines, barbiturates, tricyclic antidepressants, phencyclidine	10/bx
SP280100	280100	8-panel: marijuana, opiates, cocaine, amphetamines, benzodiazepines, barbiturates, tricyclic antidepressants, phencyclidine	100/bx
SP250105	250105	5-panel: marijuana, opiates, cocaine, amphetamines, phencyclidine	105/bx



Status Stik™ Drugs-of-Abuse Test Kits - Marijuana and Cocaine

LIFESIGN - For quick, simple testing and definitive results, choose Status Stik™ test kits, which let you detect both drugs of abuse simultaneously with one urine dip. Results in 3 to 5 minutes. Just remove cap and immerse in sample until specimen migrates through the result window. A visible line indicates negative result; no visible line indicates a positive result for the drug tested.

Cat. No.	Mfr. No.	Description	Qty.
SP12135	12135	Test kit - marijuana and cocaine	35/bx

Online ordering services at cardinalhealth.com put you in command.

Use our online services to help simplify your ordering process. Our site provides one-click access to key areas such as:

- Shop for products
- Quick orders
- Order status
- Review purchase history

Visit cardinalhealth.com and register today.

Gastrointestinal Disease

Fecal and Gastric Occult Blood/Fecal Occult Blood

HemaPrompt™ FG Gastric and Fecal Occult Blood Tests

AERSCHER - This guaiac-based in vitro slide test can be used to detect fecal occult blood in feces and gastric aspirate or vomitus. The developer solution is built-in to each slide, so there is no developer bottle to misplace or misuse. The test is portable and helps you avoid cross-contamination. Each slide is also equipped with internal controls to monitor the effectiveness of the chemicals and the test. Test is sensitive to 100µg hemoglobin/mL gastric juice and 2mg hemoglobin/g stool. Results can be read from the card through a clear plastic window after 60 seconds. Slides should be stored at room temperature (from 10° to 22°C) and should be protected from heat, sunlight, fluorescent light, UV radiation, humidity, volatile chemicals and gases. Do not refrigerate or freeze. Slides are stable until expiration date. 50 tests per box.



Cat. No.	Mfr. No.	Description	Qty.
ADHPFG	HPFG	Gastric and fecal occult blood test	50/bx

Gastroccult Developer

BECKMAN COULTER - Use this developer with the Gastroccult tests to detect occult blood in gastric aspirates. 15mL bottle.

Beckman Coulter, the stylized logo and Gastroccult are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2316-1A	661155A	Gastroccult developer - 15mL	6/pk, 4 pk/cs

HemaPrompt™ Fecal Occult Blood Tests

AERSCHER - This guaiac-based slide test can be used to detect fecal occult blood in routine physical examinations, routine hospital testing and mass screening for colorectal cancer and gastrointestinal bleeding. The developer solution is built-in to each slide, so there is no developer bottle to misplace or misuse. The test is portable and helps you avoid cross-contamination. Each slide is also equipped with internal controls to monitor the effectiveness of the chemicals and the test. Slides should be stored at room temperature (from 10° to 22°C) and should be protected from heat, sunlight, fluorescent light, UV radiation, humidity, volatile chemicals and gases. Do not refrigerate or freeze. Slides are stable until expiration date indicated on each slide. Test is intended for in vitro diagnostic use only. 50 tests per box.



Cat. No.	Mfr. No.	Description	Qty.
ADHP	HP	Fecal occult blood test	50/bx



Hemocult ICT Immunochemical Fecal Occult Blood Tests and Components

BECKMAN COULTER - Detect human hemoglobin from blood in fecal samples with this rapid, qualitative immunochemical fecal occult blood test. The Hemocult ICT test offers significant benefits over traditional guaiac paper tests. It is specific to human hemoglobin, which results in fewer false positive readings. An increased specificity to lower GI bleeding makes it an ideal tool to screen for colorectal cancer.

The test also helps eliminate the need for diet and drug restrictions, which makes it easier for patients to comply with the test. The safe and noninvasive test can be performed in a physician's office or at the patient's home. Physician office kit U2315-60 includes 100 collection cards, 100 applicator sticks and physician instructions. Take-home kit U2315-61 includes instructions and 40 patient screening kits. Each patient screening kit contains one dispensing envelope with instructions, three Hemocult ICT collection cards for collection over a three-day period, three flushable collection tissues, three applicator sticks and one mailing pouch. Test device U2315-62 includes 20 test devices, one 8.0mL bottle of Hemocult ICT buffer and instructions and is required to develop specimens from collection cards included in kits U2315-60 and -61. Results are clear and easy-to-read. **CLIA-waived.** Controls are also available separately.

Beckman Coulter, the stylized logo and Hemocult are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-60	395065A	Physician office kit - 100 card tests	100/pk, 10 pk/cs
U2315-61	395066A	Take-home kit - 40 patient test kits	40/pk, 4 pk/cs
Accessories			
U2315-63	395068A	Controls, two 0.8mL bottles each of positive and negative	4/pk
U2315-62	395067A	Immunochemical fecal occult blood test device	20/pk, 4 pk/cs

Hemoccult Slide Tests for Fecal Occult Blood

BECKMAN COULTER - You can use this guaiac paper slide test for routine detection of fecal occult blood. The test includes an on-slide performance monitor feature to check the function and stability of each slide. This test is particularly useful as an aid in early detection of asymptomatic gastrointestinal conditions, including colorectal cancer. It is easy-to-use and provides results within 60 seconds. Single-slide configuration includes applicators and developer solution. Shelf life is 36 months from date of manufacture when stored as directed. For fecal occult testing with NO diet/drug restrictions, see Hemoccult ICT.

Beckman Coulter, the stylized logo and Hemoccult are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-10A	60151	Box of 100 slide tests	100/bx, 10 bx/cs
U2315-11	60152	Bulk pack of 1,000 tests	1,000/bx



Hemoccult II Dispensapak Plus Guaiac Slide Test Kit for Fecal Occult Blood

BECKMAN COULTER - This take-home kit for routine fecal occult blood testing is designed for the patient's convenience. Each patient kit contains one Hemoccult II triple slide with performance monitor feature, three applicators, three flushable sample collection tissues, illustrated diet and test instructions and a U.S. Postal Service-approved barrier mailing pouch. Includes two 15mL bottles of developer. Stable for 36 months from date of manufacture when stored as directed. 40 kits per package, four packages (160 kits) per case. For fecal occult testing with NO diet/drug restrictions, see Hemoccult ICT.

Beckman Coulter, the stylized logo, Hemoccult II and Dispensapak are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-32	61130	Triple-slide test kit	40/pk, 4 pk/cs

Hemoccult Tape Test Kit for Fecal Occult Blood

BECKMAN COULTER - Designed for routine screening, this tape test provides on-the-spot guaiac testing for fecal occult blood during physical examinations. Each kit contains one plastic dispenser with 100-test capacity and one 15mL bottle of developer. Stable for 36 months from date of manufacture when stored as directed. For fecal occult testing with NO diet/drug restrictions, see Hemoccult ICT.

Beckman Coulter, the stylized logo and Hemoccult are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-31	63202A	Hemoccult tape test kit - 100 tests	2 kt/pk, 12 pk/cs



Hemoccult II Fecal Occult Blood Test Kit

BECKMAN COULTER - This fecal occult blood test kit is used to screen for abnormal gastrointestinal bleeding and to aid in detecting colorectal cancer and adenomas. Each kit can be dispensed during routine physical exams and the specimen card can be prepared by the patient at home. Each patient kit contains one Hemoccult II triple-slide test card, one illustrated diet and test instructions and three applicators. For fecal occult testing with NO diet/drug restrictions, see Hemoccult ICT.

Beckman Coulter, the stylized logo and Hemoccult II are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-30A	61100A	Test kit - 50 tests	50/pk, 2 pk/cs
U2315-2	62200	Mailing pouch	100/pk

Looking for a specific product?

If you know the catalog number of the product you need, you can use the Catalog Number Index to direct you to the correct page.

Gastrointestinal Disease

Fecal Occult Blood



Hemocult II Triple-Slide Test

BECKMAN COULTER - This guaiac paper slide test can be used for the detection of fecal occult blood. The test is also useful as an aid in early detection of asymptomatic gastrointestinal conditions, including colorectal cancer. The three-in-one slide configuration is used for serial testing. This test includes the performance monitor feature to verify test performance. Each package contains 34 Hemocult II triple-slide test cards, two 15mL bottles of developer, 102 applicators and one product instruction guide. Stable for 36 months from date of manufacture when stored as directed. 34 triple-slide tests per package, 340 per case. For fecal occult testing with NO diet/drug restrictions, see Hemocult ICT.

Beckman Coulter, the stylized logo, Hemocult II are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-20	61200A	Triple-slide test - 34 tests	34/pk, 10 pk/cs



Hemocult SENA Slide Tests

BECKMAN COULTER - This paper slide test is used for the enhanced detection of fecal occult blood. It includes the on-slide performance monitor feature to check the function and stability of each slide. Sensitive test is indicated to detect fecal occult blood. It is particularly useful as an aid in early detection of asymptomatic gastrointestinal conditions, including colorectal cancer. Test is easy-to-use and provides results within 60 seconds. Single-slide configuration includes applicators and developer solution. Stable for 36 months from date of manufacture when stored as directed. For fecal occult testing with NO diet/drug restrictions, see Hemocult ICT.

Beckman Coulter, the stylized logo, Hemocult and SENA are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-35	64151A	Box of 100 slide tests	100/bx, 10 bx/cs
U2315-37A	64152	Bulk pack of 1,000 slide tests with developer	1,000/bx

Hemocult II SENA Dispensapak Plus Slide Test Kit

BECKMAN COULTER - This take-home kit for fecal occult blood testing is designed for the patient's convenience. Each patient kit contains one Hemocult II SENA triple slide with performance monitor feature, three applicators, three flushable sample collection tissues, illustrated diet and test instructions and a U.S. Postal Service-approved barrier mailing pouch. Includes two 15mL bottles of developer. Stable for 36 months from date of manufacture when stored as directed. 40 kits per package, four packages (160 kits) per case. For fecal occult testing with NO diet/drug restrictions, see Hemocult ICT.

Beckman Coulter, the stylized logo, Hemocult II, SENA and Dispensapak are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-36	64130A	Triple-slide test kit	40/pk, 4 pk/cs

Hemocult II SENAelite Dispensapak Plus Test Kit

BECKMAN COULTER - The Hemocult II SENAelite test for fecal occult blood was designed to improve patient compliance. The simple test card, clear patient instructions and sample collection options make it easy for patients to understand and complete. Diet guidelines are explained in an easy-to-read format to help patients determine which foods and drugs are acceptable and which should be avoided during the testing period. The single back flap and performance monitor make processing and interpreting the test easy and efficient for professionals.

The Dispensapak Plus test kit contains 40 patient screening packets, two 15mL bottles of developer and product instructions. Each patient screening packet includes one test card, three flushable collection tissues, three applicator sticks, a mailing pouch, patient instructions and colorectal cancer screening pamphlet. One Dispensapak Plus kit per box, four boxes (160 tests) per case. For fecal occult testing with NO diet/drug restrictions, see Hemocult ICT.

Beckman Coulter, the stylized logo, Hemocult II, SENA and Dispensapak are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-33	395035A	Hemocult II SENAelite Dispensapak Plus kit - 40 test kits	40/pk, 4 pk/cs

Hemocult Developer and Hemocult SENA Developer

BECKMAN COULTER - Use these developers with their respective Hemocult or Hemocult SENA guaiac paper slide tests to detect fecal occult blood.

Beckman Coulter, the stylized logo, Hemocult and SENA are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
U2315-1	62115	Hemocult developer - 15mL	1/ea, 20/cs
U2315-38	64115	Hemocult SENA developer - 5mL	1/ea, 20/cs



Gastrointestinal Disease

Fecal Occult Blood



QuickVue® iFOB Fecal Occult Blood Testing Kits

QUIDEL - The QuickVue® iFOB test is intended for the qualitative detection of fecal occult blood with results available in 5 to 10 minutes. Designed to be more sensitive than traditional guaiac-based methods, it has no dietary restrictions and requires only one specimen collection from the patient. It offers analytical sensitivity of 50ng hHb/mL buffer or 50µg hHb/g feces specific to human hemoglobin. The specimen collection tube doubles as a convenient/sanitary dispenser.

Kits can be stored at room temperature for 24 months from date of manufacture. External controls (positive and negative) are also available separately. **CLIA-waived.**

Cat. No.	Mfr. No.	Description	Qty.
B1042-51	20196	10-test specimen collection and return kit	12 kt/cs
B1042-52	20194	20-test kit (complete)	10 kt/cs
B1043-40	20204	40 specimen collection kits	6 kt/cs
B1042-92	20201	50-test tray pack (test cassettes and collection tubes)	8 kt/cs
B1043-100	20205	100-test cassettes only	6 kt/cs
External controls			
B1042-47	20197	External controls set	6 kt/cs

Camco® Positive Control Solution for Guaiac-Based Test Devices

CAMBRIDGE DIAGNOSTIC PRODUCTS - Camco® Positive Control Solution for guaiac-based tests is a simple, convenient and economical test for the qualitative detection of occult blood in feces. This method is based on the release of hemoglobin, or heme components, from red blood cells contained in the fecal specimen. Catalyzes a peroxidase-like reaction with the guaiac-based test device and peroxide developer to produce a quinine structure that rapidly rearranges into a blue chromogen by electron transfer.

The solution provides hemoglobin/heme moieties in a control matrix designed to react positively with the guaiac-based test devices and peroxide developer, resulting in the same blue color. A blue color should form within 30 seconds. If no color forms, the test may be invalid and the patient's test results should not be reported. Thus, the control demonstrates that the test system is chemically functional. Does not detect immunological analytes, such as global proteins.



Cat. No.	Mfr. No.	Description	Qty.
B700-C-1	700-C-1	Positive control solution - 0.25 fl. oz. (7.5mL) - dispenser bottle	1/ea

Guaiac Tabs - Occult Blood Test

CAMBRIDGE DIAGNOSTIC PRODUCTS - Use these tabs for quick and convenient qualitative determination of fecal occult blood. Simply place specimen on filter paper and place tab in the center of the specimen. Add two drops of glacial acetic acid and two drops of 3% hydrogen peroxide to the tab. Filter paper turns blue within 2 minutes if the test is positive. Store tabs at room temperature. Includes 100 filter paper squares.



Cat. No.	Mfr. No.	Description	Qty.
U2300	1003	Guaiac tabs	100/ea



Hemosure® iFOB Tests

HEMOSURE - Hemosure® iFOB tests are specifically designed for colorectal cancer screening. Clinicians can expect higher patient compliance due to no dietary or drug restrictions. Compared to guaiac testing, the test is more sanitary and user-friendly. Also provides higher specificity, sensitivity and accuracy as compared to the traditional guaiac test. U2315-72 is ideal for use in a doctor's office, while U2315-71 and U2315-73 are excellent for use in a laboratory setting.

Cat. No.	Mfr. No.	Description	Qty.
U2315-71	T1-CK30T	30 test cassettes/ 30 collection tubes	30/bx
U2315-72	T1-CK30	30 test cassettes/ 50 collection tubes/ 50 mailers	30/bx
U2315-73	T1-CK50	50 test cassettes/ 50 collection tubes	50/bx

Replacement components

U2315-82	T1-CT30	Test cassette	30/bx
T1CT50-HOL	T1-CT50	Test cassette	50/bx, 8 bx/cs
U2315-79	T1-TB50	Collection tube	50/bx
PREPCKCM25	PREPACK-CM25	Home mailer kit	25/bx, 8 bx/cs

Gastrointestinal Disease

Fecal Occult Blood



Hema-Screen Stat™ Slide Tests for Fecal Occult Blood

IMMUNOSTICS - Hema-Screen Stat™ is a self-contained testing format with the developer directly attached to the slide. It is released by pulling the patented DEVEL-A-TAB™. This one-step format provides simplicity, reliability and includes an on-slide control. Hema-Screen Stat™ reacts positively to hemoglobin levels of 2mg/mL with the Hema-Screen Stat™ test. Kit includes 50 two-hole slides with on-slide control and built-in developer and 50 applicators. Test is designed to help eliminate:

- Losing bottles of developer
- Counting drops
- Cross-contamination
- Exposure to hazardous chemicals
- Cross-checking lot numbers on slides and developer

Cat. No.	Mfr. No.	Description	Qty.
HSTAT-50	HSTAT-50	Hema-Screen Stat™ test kit	1 kt/bx, 10 bx/cs



Hema-Screen™ Slide Tests for Fecal Occult Blood

IMMUNOSTICS - These single slide tests are convenient for use when single stool specimens are to be tested. A single test is indicated when blood loss in the gastrointestinal tract is strongly suspected, for example, in people with symptoms of ulcers, black stools or in post-operative patients. It virtually eliminates the mess and odors associated with the collection of fecal specimens. Slides can be prepared immediately, or placed in a sealable envelope at the test giver's convenience.

Kit includes 100 two-hole slides with positive and negative on-slide monitors, 100 sticks and developer.

Cat. No.	Mfr. No.	Description	Qty.
HS-100A	HS-100	Hema-Screen™ test kit	1 kt/bx, 50 bx/cs

OC-Light Test Kit

POLYMEDCO - The OC-Light Test is a manual immunoassay for the rapid detection of human hemoglobin in feces. The test is **CLIA-waived**.

Cat. No.	Mfr. No.	Description	Qty.
FOB50	FOB50	OC-Light test kit	50/kt

Test Kits and Supplies

POLYMEDCO - The OC-Light Test is a manual immunoassay for the rapid detection of human hemoglobin in feces. Accessories, including complete patient take home mailers, test rack and controls are also available.

Cat. No.	Mfr. No.	Description	Qty.
FBPU	FBPU	OC-Light personal use kit - 20 individual packs	20/kt
FOBSTR	FOBSTR	OC-Light test strips - 50 strips	50/kt
FOBBTL	FOBBTL	OC-Light sampling bottles - 50 bottles	50/kt
FBT-POC	FBT-POC	FOBT control set - 1 positive and 1 negative	2/kt
FOB-RACK	FOB-RACK	OC-Light labeled and boxed rack	1/ea



Seracult Plus® Fecal Occult Blood Tests

PROPPER MFG. CO. - Choose Seracult Plus® guaiac tests when you need the reliability of a fecal occult blood test for detection of early stages of colorectal cancer and adenomas. These tests detect hemoglobin as low as 0.32mg/100mL (D.I. water diluted). Each slide contains a performance control area to give a clear indication that test components are functioning properly.

Cat. No.	Mfr. No.	Description	Qty.
U2319-1	374001	Single slides - two 15mL bottles of developer - 100 applicators	100/bx
U2319-2	374002	Single slides - twenty 15mL bottles of developer - 1,000 applicators	1,000/cs
U2319-3	375004	Triple slides - two 15mL bottles of developer - 102 applicators	34/bx
U2319-5	375003	Patient kit envelope containing triple slide, 3 applicators (each of 2 boxes has 50 kits and three 15mL bottles of developer)	100/cs
U2319-8	377015	15mL bottle of Seracult Plus® developer	20/bx
U2319-6	375007	Mailing kit envelope containing triple slide, 3 applicators, 3 flushable collection tissues, U.S. Postal Service-approved foil-lined envelope (each of 2 boxes has 40 kits and three 15mL bottles of developer)	80/cs



Seracult® Fecal Occult Blood Tests

PROPPER MFG. CO. - These Seracult® guaiac tests are a qualitative aid in the diagnosis of colorectal cancer. They are designed for use in routine physical exams in doctors' offices, hospitals, clinics and laboratories. To use, apply stool sample to one side of guaiac-impregnated paper, which is available in tape form or as a cardboard-mounted slide. Apply two drops of developer to the back of the paper. If the stool sample contains occult blood, the hemoglobin from the blood will react with the impregnated guaiac and the developer to produce a blue color within 30 to 60 seconds. A special performance control area is available on the cardboard-slide design. Tests are available in single-slide, triple-slide or tape design and in kit form for mailing.

Cat. No.	Mfr. No.	Description	Qty.
U2318-1	371001	Single slides - two 15mL bottles of developer - 100 applicators	100/bx
U2318-2	371002	Single slides - twenty 15mL bottles of 1,000/cs developer - 1,000 applicators	1,000/cs
371002SP	371002SP	Single slides - without developer	1,000/cs
U2318-3	372004	Triple slides - two 15mL bottles of developer - 102 applicators	34/bx
U2318-4	372005	Triple slides - twenty 15mL bottles of developer - 1,020 applicators	340/bx
U2318-5	372003	Patient kit envelope containing triple slide - six 15mL bottles of developer	100/cs
U2318-8	379010	Tape containing one roll tape (100 tests), one 15mL bottle of developer	2/bx
U2318-9	379015	15mL bottle of Seracult® developer	20/bx
U2318-6	372007	Mailing kit envelope containing triple slide, 3 applicators, 3 flushable collection tissues, U.S. Postal Service-approved foil-lined envelope (each of 2 boxes has 40 kits and three 15mL bottles of developer)	80/cs
U2318-7	379016	Foil-lined mailing pouch	100/bx



H. pylori Rapid Test

CARDINAL HEALTH - Our *H. pylori* test is a rapid chromatographic immunoassay for the qualitative detection of IgG antibodies to *Helicobacter pylori* in whole blood, serum or plasma to aid in the diagnosis of *H. pylori* infection. Each test kit includes:

- 30 individually-pouched test devices
 - 2 containers of disposable heparinized capillary tubes
 - 2 dispensing bulbs
 - Sample buffer
 - Positive and negative controls
 - Procedure card and directional inserts
- (1 CLIA-waived; 1 moderately complex)

Simple, two-step procedure; test results can be read in 10 minutes. Store at room temperature or refrigerate at 2° to 30°C (36° to 86°F). Do not freeze. 30 tests per box.

Cat. No.	Description	Qty.
B1077-25	<i>H. pylori</i> rapid test	30/bx

ICON *H. pylori* Infection Test Kit

BECKMAN COULTER - ICON Hp is a one-step anti-*H. pylori* antibody test. It utilizes indirect solid-phase immunoassay technology for the qualitative detection of *H. pylori* antibodies in human whole blood, serum or plasma specimens. The one-step cassette device test is intended to aid in the diagnosis of *H. pylori* infection in adult patients with symptoms of gastrointestinal disorders without costly and invasive procedures. In 10 minutes, you will have accurate diagnostic results to begin your patient's treatment the same day.

Beckman Coulter, the stylized logo and ICON are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
B3167-60	395160A	<i>H. pylori</i> infection test kit - 30 tests	30/kt, 4 kt/cs

Gastrointestinal Disease

H. pylori



QuickVue® *H. pylori* gII® Tests

QUIDEL - This test is a simple one-step assay for *H. pylori*. Collect a whole blood, serum or plasma sample from your patient and dispense it onto the test cassette. You'll see results in 5 minutes. 92% agreement with EIA. The test kit includes positive and negative controls, test cassettes, droppers and capillary tubes. Store at room temperature. **CLIA-waived**.

Cat. No.	Mfr. No.	Description	Qty.
B1042-48	0W009	10-test kit	10 kt/cs
B1042-49	0W010	30-test kit	10 kt/cs

Clearview® *H. pylori* Test

REMEL - A rapid test for the qualitative detection of IgG antibodies to *Helicobacter pylori* (*H. pylori*) in whole blood, serum and plasma. **CLIA-waived** and moderately complex procedures. Alere. 30 tests per kit.

Cat. No.	Mfr. No.	Description	Qty.
R246710	R246710	Clearview® <i>H. pylori</i>	1/kt

Acceava® *H. pylori* Test Kit

ALERE NORTH AMERICA - Acceava® *H. pylori* qualitatively detects total anti-*H. pylori* antibody in human whole blood or serum/plasma specimens. The test is intended for use in the diagnosis of *Helicobacter pylori* infection in adult patients with symptoms of gastrointestinal disorders. Results available in 10 minutes.

Whole blood - waived complexity
Serum/plasma - moderate complexity

Cat. No.	Mfr. No.	Description	Qty.
ACCHP	ACCHP	Acceava <i>H. pylori</i> test kit	30/kt

Clearview® *H. pylori* Test Kit

ALERE NORTH AMERICA - The Clearview® *H. pylori* test is a rapid chromatographic immunoassay for the qualitative detection of IgG antibodies to *Helicobacter pylori* in whole blood, serum or plasma to aid in the diagnosis of *H. pylori* infection. Results available in 10 minutes.

Cat. No.	Mfr. No.	Description	Qty.
B6775-68A	4581505020	Clearview® <i>H. pylori</i> test kit	30/ea

H. pylori IgG ELISA II Test Kit

ALERE NORTH AMERICA - The Wampole® Laboratories *H. pylori* IgG ELISA II Test System is an enzyme-linked immunosorbent assay for the qualitative detection of IgG antibodies to *H. pylori* in serum from symptomatic adults. This device is for in vitro diagnostic use.

Cat. No.	Mfr. No.	Description	Qty.
B1038-129	X446401CE	Wampole® <i>H. pylori</i> IgG ELISA II test kit - 480 tests	1/ea

Status *H. pylori* Controls

LIFESIGN - External positive and negative serum controls for *H. pylori* in ready-to-use plastic dropper-tip vials.

Cat. No.	Mfr. No.	Description	Qty.
SP200013	200013	Status <i>H. pylori</i> controls - 2mL	1/ea

Status *H. pylori* Test Kits

LIFESIGN - This rapid, accurate diagnosis helps assure prompt treatment. Single-reagent procedure with results available in 10 minutes. **CLIA-waived** for whole blood samples.



Cat. No.	Mfr. No.	Description	Qty.
37030	37030	<i>H. pylori</i> test kit	30/bx



OSOM® *H. pylori* Test Kits

SEKISUI DIAGNOSTICS - Rapid test for the detection of *H. pylori* antibodies from blood, serum or plasma. Easy-to-run—just 2 steps. Easy-to-read cassette with results in 10 minutes. **CLIA-waived** for whole blood.

Cat. No.	Mfr. No.	Description	Qty.
B1049-175A	175	OSOM® <i>H. pylori</i> test kit	25/kt, 6 kt/cs
B1049-176	176	<i>H. pylori</i> control kit	1/ea

HemoCue® Hb 201+ and Hb 201 DM Analyzers

HEMOCUE - The HemoCue® Hb 201+ whole blood system provides quick, simple, reliable, quantitative, lab-quality hemoglobin results. The dual wavelength photometer corrects for turbidity.

The Hb 201 DM analyzer helps healthcare providers get authorized and appropriate use by certified personnel. With a wide range of settings and definable options, the system can be made to prompt the operator for identification, microcuvette lot, quality control and other required information during the testing procedure. This data is then transmitted to clinical information systems.



Cat. No.	Mfr. No.	Description	Qty.
121721	121721	HemoCue® Hb 201+ analyzer	1/ea
121135	121135	HemoCue® Hb 201 DM analyzer	1/ea
Supplies and accessories			
111715	111715	Hb 201 microcuvettes - individually-wrapped	100/bx
111716	111716	Hb 201 microcuvettes	200/bx
139075	139075	HemoCue® Hb 201 DM primary docking station	1/ea

HemoCue® Plasma/Low Hb Photometer

HEMOCUE - This photometer is for the determination of low hemoglobin levels in plasma, serum or aqueous solutions using a sample volume of just 20µL. It uses a double wavelength measuring method (570-880 nm) to compensate for turbidity. The photometer is factory-calibrated using the ICSH method. Results in less than 1 minute.

The unit employs break-resistant microcuvettes that contain dried reagents. The sample is automatically drawn into the microcuvette by capillary action and spontaneously mixed with reagents. The reaction in the cuvettes is a modified azidemethemoglobin reaction. Store microcuvettes at 59° to 86°F (15° to 30°C). Once opened, microcuvettes are stable for 3 months.



Cat. No.	Mfr. No.	Description	Qty.
120314	120314	HemoCue® plasma/low Hb photometer	1/ea
H110302	110302	Plasma low microcuvettes, 4 vials of 25	100/bx

Cyanmethemoglobin Standard

STANBIO LABORATORY - Liquid ready-to-use cyanmethemoglobin standard in a 20g/dL concentration (6 x 15mL).

Cat. No.	Mfr. No.	Description	Qty.
SP0325-006	0325-006	Cyanmethemoglobin standard	1/bx



STAT-Site® M^{Hgb} Hemoglobin Testing System

STANBIO LABORATORY - This battery-operated, portable hemoglobin meter has self-prompting graphics that guide you through the simple test procedure. It also allows you to recall the last hemoglobin result. With one drop of fingerstick blood, the meter provides precise hemoglobin analysis in seconds. Meter B4523 includes an operating manual, quick guide, battery and one extra battery.

Cat. No.	Mfr. No.	Description	Qty.
B4523	900900	Meter	1/ea
B4523-2	503000	Hemoglobin control set (3 low and 3 high)	1/bx



STAT-Site® M^{Hgb} Starter Pack

STANBIO LABORATORY - Starter pack includes 1 meter (B4523), 3 boxes test cards (B4523-1A) and 1-pack hemoglobin controls (B4523-2).

Cat. No.	Mfr. No.	Description	Qty.
B4523-4	900900SP	STAT-Site® M ^{Hgb} starter pack	1/bx

HQ-Chex Whole Blood Glucose and Hemoglobin Controls

STRECK - HQ-Chex controls are formulated to evaluate the accuracy and precision of HemoCue® analyzers. They use human red blood cells, which perform like patient specimens to help minimize matrix effects. Controls are available in three clinically significant levels and packaged in convenient plastic squeeze dropper vials. No pipetting is required.



Cat. No.	Mfr. No.	Description	Qty.
SP232753	232753	Level 1; 6 x 2.5mL	1/ea
SP232754	232754	Level 2; 6 x 2.5mL	1/ea
SP232755	232755	Level 3; 6 x 2.5mL	1/ea
SP232757	232757	Level 1, 3; 6 x 2.5mL	1/ea
SP232749	232749	Level 1, 2, 3; 3 x 2.5mL	1/ea
SP232756	232756	Level 1, 2, 3; 6 x 2.5mL	1/ea

Infectious Disease

Adenovirus/HIV

SAS™ Adeno Test

REMEL - Cassette immunoassay for qualitative detection of adenovirus antigens in eye swabs, nasal and pharyngeal secretions and fecal material.

Cat. No.	Mfr. No.	Description	Qty.
R42067020	R42067020	20 tests	1/ea

Diarlex Rota-Adeno Test Kits

LIFESIGN - Diarlex Rota-Adeno is a latex agglutination test for the rapid, qualitative detection of adenoviral and rotaviral antigens in feces.

Cat. No.	Mfr. No.	Description	Qty.
SP68147	68147	Diarlex Rota-Adeno test kit	20/bx

RPS Adeno Detector™ Test

RAPID PATHOGEN SCREENING -

The RPS Adeno Detector™ is a rapid immunochromatographic test for visual, qualitative in vitro detection of adenoviral antigens (hexon protein) directly from human eye fluid. The test is intended for use as an aid in the rapid differential diagnosis of acute adenoviral conjunctivitis. All negative test results should be confirmed by cell culture.

Controls are to be used with the RPS Adeno Detector™ test only and are intended to verify that the test reagents are working and that the test is correctly performed.

Cat. No.	Mfr. No.	Description	Qty.
RPS-ADA	RPS-AD	Sterile test	10/pk
RPS-ADSTD	RPS-ADSTD	Triple-use controls - 1 positive/ 1 negative	1/pk



Clearview® HIV 1/2 Rapid Test Kits

ALERE NORTH AMERICA - The Clearview® HIV 1/2 STAT-PAK® assay is a single-use, immunochromatographic test used to detect antibodies to Human Immunodeficiency Virus Type 1 (HIV-1) and Type 2 (HIV-2) in fingerstick whole blood, venous whole blood serum and plasma specimens.

The Clearview® COMPLETE HIV 1/2 assay is a single-use, closed system immunochromatographic test used to detect antibodies to Human Immunodeficiency Virus Types 1 (HIV-1) and Type 2 (HIV-2) in fingerstick whole blood, venous whole blood and serum or plasma specimens.


Cat. No.	Mfr. No.	Description	Qty.
HIV92110	92110	HIV 1/2 STAT-PAK® - 20 tests	1/ea
HIV92111	92111	COMPLETE HIV 1/2 - 25 tests	1/ea
HIV92112	92112	HIV 1/2 control pack - 25 tests	1/ea



Reveal® G3 Rapid HIV-1 Antibody Tests

AMERICAN HEALTH DIAGNOSTICS - This single-use, rapid test is an in vitro qualitative immunoassay for the detection of human immunodeficiency virus type 1 (HIV-1) antibodies in human serum and plasma. Ideal for use in emergency rooms and other emergency settings, labor and delivery units and for occupational exposures. Test cartridge features a flow-through membrane technology to capture anti-HIV-1 antibodies that are present in the sample. Following application of the sample, captured anti-HIV-1 antibodies are visualized through a reaction with a supplied InstantGold conjugate cap that contains a proprietary protein A-colloidal gold conjugate. Test includes built-in procedural and reagent control line to help verify proper test and reagent performance. Easy-to-read, accurate results are available in 3 minutes. Sensitivity for serum and plasma specimens is 99.8%. Specificity is 99.1% for serum specimens and 98.6% for plasma specimens. Test should be stored in a dry area at 2° to 30°C and has a shelf life of 12 months. Test B1057-33 contains 30 Mylar® test cartridge pouches that each contain a test cartridge, disposable pipette, desiccant packet and an InstantGold cap; one Mylar® test control pouch that contains one 200µL vial each of positive and negative test controls and a desiccant packet; one 30mL dropper bottle of universal buffer solution; one package insert; 30 subject information brochures and one customer letter. Test is moderately complex.

Cat. No.	Mfr. No.	Description	Qty.
B1057-33	815311000591	Rapid HIV-1 antibody test	30/bx, 10 bx/cs
B1057-33C	1009785RCP-G3	HIV-1 human test control set, one 200µL vial each of positive and negative controls	1/ea
B1057-33B	1009785RDB-G3	Universal buffer solution bottle dispenser - 30mL	1/ea



QuickVue® Influenza A+B Tests

QUIDEL - This test kit allows for the differential detection of influenza type A and B viral antigens in 10 minutes or less. The kit is easy-to-use with only one step required for nasal wash/aspirate, three steps for nasal or nasopharyngeal swabs, one reagent and only 30 seconds of hands-on time. Each 25-test kit contains everything needed to perform the test. Included in each kit are 25 test strips, external positive A and B control swabs, a negative control swab, 25 reagent solution vials, 25 reagent tubes, 25 droppers, 25 sterile collection swabs, a procedure card and a package insert. **CLIA-waived**. Transport swab set B6948-5 is a set of extra foam-tipped swabs for use with influenza test kit B6948-6.

Cat. No.	Mfr. No.	Description	Qty.
B6948-6	20183	Influenza test kit - 25-tests	10 kt/cs
B6948-5	20171	Transport swab set	250/cs



QuickVue® Influenza Tests

QUIDEL - Detect influenza type A and B viral antigens from a nasal swab or nasal aspirate/nasal wash specimen with this test kit. Each test requires only one reagent and 30 seconds of hands-on time and can be completed in either three steps from nasal swab or just one step from nasal aspirate/nasal wash. No instrumentation is required. Two-color results are ready in 10 minutes or less and are easy-to-read for decreased risk of misinterpretation. A pictorial guide makes it easy to understand the testing procedure.

The 25-test kit is ideal for batch testing and includes everything you need to perform the test, including swabs and positive and negative controls. Kit can be stored at room temperature and has a 24-month shelf life from date of manufacture. **CLIA-waived**.

Cat. No.	Mfr. No.	Description	Qty.
B6948-2	00317	25-test kit	10 kt/cs

BinaxNOW® Influenza A & B Flow Tests

REMEL - Rapid, one-step lateral flow test that will differentiate influenza A and influenza B in one test device in 15 minutes. Contents: test devices, pipettes, control swabs and control reagents. Alere. 22 tests per kit.

Cat. No.	Mfr. No.	Description	Qty.
R25416	R25416	BinaxNOW® influenza A & B	22/kt
R25418	R25418	BinaxNOW® influenza A & B - CLIA-waived	22/kt

Haemophilus Influenzae Type B Agglutinating Serum

REMEL - Use this agglutinating serum to serologically identify Haemophilus influenzae by rapid slide agglutination and CIE procedures. Supplied in 2mL vial.

Cat. No.	Mfr. No.	Description	Qty.
B1053-25	R30166101	Type B	1/ea



IMAGEN™ Influenza A & B Test

REMEL - For the detection and identification of influenza virus strains A & B in clinical specimens or cell cultures. The test utilizes species-specific monoclonal antibodies to detect epitopes of influenza virus glycoproteins and fusion proteins specific to either influenza virus type A or influenza virus type B. Oxoid.

Cat. No.	Mfr. No.	Description	Qty.
K610511-2	K610511-2	IMAGEN™ influenza A & B test	50/kt

Xpect® Flu A & B Test Kit

REMEL - Use this rapid chromatographic immunoassay for the direct qualitative detection of influenza A & B viral antigens in 15 minutes. Control set R24600S is for use with the test kit and includes 20 flu A control swabs and 20 flu B control swabs. Test kit is sufficient for 20 tests.



Cat. No.	Mfr. No.	Description	Qty.
R24600	R24600	Xpect® flu A & B test kit	20/kt
R24600S	R246003	Xpect® flu A & B control swab set	20/kt

Infectious Disease

Influenza



BinaxNOW® Influenza Test Kits

ALERE NORTH AMERICA - Simplify rapid influenza testing with these influenza A & B test kits. The tests provide qualitative detection of influenza A & B nucleoprotein antigens in nasopharyngeal swab and nasal wash/aspirate specimens. The tests were designed to aid in the rapid differentiation between influenza A & B in one step. Each kit contains sufficient materials for testing nasal wash/aspirate specimens. Choose from **CLIA-waived** or moderately complex.

The World Health Organization recommends the use of rapid influenza tests to guide clinical management. Patients with lower respiratory tract illness, especially children and adults with medical conditions that increase their risk for developing complicated influenza, should be considered for rapid influenza testing during their outpatient triage.

Cat. No.	Mfr. No.	Description	Qty.
B416-110	416-110	Influenza A & B test kit, CLIA-waived - 10 tests	1/ea
416-022A	416-022	Influenza A & B test kit, CLIA-waived - 22 tests	1/ea
B416-080	416-080	Influenza A & B test kit, moderately complex - 22 tests	1/ea.

Accessories

B400-065	400-065	Nasopharyngeal swab accessory pack - 22 swabs and elution solution vials	1/ea
-----------------	---------	--	------



BD Directigen™ EZ Flu A + B Test

BD DIAGNOSTICS - Use this rapid chromatographic immunoassay test for the direct and qualitative detection of influenza A and B viral antigens from nasopharyngeal washes/aspirates and throat swabs of symptomatic patients. Includes 30 tests.

Cat. No.	Mfr. No.	Description	Qty.
4356050	256050	Directigen™ EZ flu A + B test	30/kt



BD Veritor™ System for Flu A + B

BD DIAGNOSTICS - This system offers a differentiated test, such that influenza A viral antigens can be distinguished from influenza B viral antigens from a single processed sample using a single device. It contains Unique Adaptive Read Technology to help reduce false-positive results by examining the sample and compensating for many of the effects of non-specific binding to help deliver a more accurate read. It also eliminates the need for visual-read and subjective interpretation by providing objective results on an easy-to-read digital display.

Cat. No.	Mfr. No.	Description	Qty.
256055	256055	Veritor™ system reader	1/ea
256045	256045	Flu A + B kit	30/kt



OSOM® Influenza A & B Test Kits

SEKISUI DIAGNOSTICS - For the rapid differential diagnosis of influenza A and B from nasal swab specimens. Specimens or extracted samples may be stored at room temperature for 8 hours or refrigerated for 24 hours. Easy-to-read with clear influenza A positive, influenza B positive and control lines. Less than 1 minute of hands-on time and results in 10 minutes or less. Contains 25 tests and two extra test sticks for external quality control testing. Additional control swab sets are available separately. 15-month shelf life. Store at room temperature.

Cat. No.	Mfr. No.	Description	Qty.
B1050-190	190	OSOM® influenza A & B test kit	2/bx, 18 bx/cs
B1050-191	191	Control swab set	5/bx

Legionella Poly-ID Test Kit

REMEL - Fluorescent antibody test for detection of *Legionella* in lung tissue, respiratory tract fluids, water samples and on primary culture plates. Detects 33 serogroups.

Cat. No.	Mfr. No.	Description	Qty.
R24400	R24400	Legionella Poly-ID test kit	50/pk

BinaxNOW® Legionella Test Kit

ALERE NORTH AMERICA - This noninvasive 15-minute test is used to detect *Legionella pneumophila* serogroup 1 antigen in urine for the presumptive diagnosis of Legionnaires' disease. Has a 95% overall accuracy in clinical studies. Moderately complex. Test kit is sufficient for 22 tests.



Cat. No.	Mfr. No.	Description	Qty.
B852-000	852-000	Legionella test kit - 22 tests	1/ea

BinaxNOW® Malaria Test Kits

ALERE NORTH AMERICA - An in vitro immunochromatographic assay for the qualitative detection of Plasmodium antigens circulating in human venous and capillary EDTA whole blood of individuals with signs and symptoms of malaria infection. Results are available in 15 minutes.



Cat. No.	Mfr. No.	Description	Qty.
665-000	665-000	Malaria test kit - 12 tests	1/ea
665-025	665-025	Malaria test kit - 25 tests	1/ea

Timing is everything ...
call today for prompt shipments of
your laboratory supplies.



Color Mono Latex Test Kits

CARDINAL HEALTH - Use our color-enhanced agglutination test kit for the qualitative and semi-quantitative detection of heterophil antibodies in human serum associated with infectious mononucleosis. Results available in 2 minutes. You can perform the test using either human serum or EDTA plasma. Kit has a shelf life of up to 24 months from date of manufacture. Each kit contains dyed, color-enhanced horse erythrocyte reagent, reactive control, nonreactive control, 50 disposable stirrer pipettes and 6-well test cards.

Cat. No.	Description	Qty.
B1077-9	Mono II test kit - 50 tests	1/ea



Mono Rapid Test

CARDINAL HEALTH - Our mono rapid cassette test uses chromatographic immunoassay technology to qualitatively detect mononucleosis heterophile antibodies in whole blood, serum or plasma.

Each kit contains:

- 30 individually-packed test devices
- 30 disposable sample droppers
- 2 containers of disposable heparinized capillary tubes
- 2 dispensing bulbs
- Sample buffer
- Positive and negative controls
- Procedure card and directional inserts
- Store at room temperature or refrigerated at 2° to 30°C (36° to 86°F). Do not freeze. 30 tests per box.

Cat. No.	Description	Qty.
B1077-28	Mono rapid test - 30 tests	1/ea

Infectious Disease

Mono



Color Mono II Test Kits

ARLINGTON SCIENTIFIC - Use these agglutination test kits for the qualitative and semi-quantitative detection of heterophil antibodies associated with infectious mononucleosis. Either human serum or plasma can be used to test. Initial dilution of patient samples is not required. Kits have a shelf life of up to 24 months.

Cat. No.	Mfr. No.	Description	Qty.
B6254-12	450050	Mono II test kit - 50 tests	1/ea

ICON Mono Test

BECKMAN COULTER - ICON Mono is a one-step antibody test for fast, accurate and easy-to-read results at the point-of-care. When your patients present with fever, sore throat, swollen lymph glands or other symptoms common with a viral infection, you may not be able to distinguish these from infectious mononucleosis (IM).

Beckman Coulter, the stylized logo and ICON are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
395100-A	395100A	Mono test - 30 tests	30/kt, 4 kt/cs

From research to diagnosis,
we're with you every step of the way.

QuickVue® Infectious Mononucleosis Tests

QUIDEL - This infectious mononucleosis test is a rapid, sensitive immunoassay for the detection of IgM heterophile antibodies, in serum, plasma or whole blood and in acute phase infections. Utilizes an extract of bovine erythrocytes, which give a greater sensitivity and specificity than similar extracts prepared from sheep and horse erythrocytes.



Clearly distinguishable +/- endpoint and flexible specimen collection options make testing easy for anyone in your office or lab. A test complete indicator appears in about 5 minutes to let you know when the test can be read. Overall accuracy of the test is >99%, with both sensitivity and specificity of >99% when compared to EIA and ≥99% when compared to slide hemagglutination. The built-in controls satisfy CLIA requirements for daily QC. The 20-test kit contains positive and negative external controls and stores at room temperature. **CLIA-waived** for whole blood. CLIA moderate for serum, plasma.

Cat. No.	Mfr. No.	Description	Qty.
B1049-00A	20121	20 tests	12 kt/cs

Clearview® Mono Test

REMEL - A rapid test for the qualitative detection of infectious mononucleosis (IM) heterophile antibodies in whole blood, serum and plasma. **CLIA-waived** and moderately complex procedures. 30 tests per kit. Alere.

Cat. No.	Mfr. No.	Description	Qty.
R246910	R246910	Mono test	30/kt

Color Slide® II Mono Test

REMEL - Detect infectious mononucleosis antibodies in serum or plasma samples with this simple test. Results are available in 1 minute and are 99% accurate and easy-to-read. A positive result shows strong agglutination against a contrasting blue-green background; a negative result remains a uniform brownish-red color. Each test includes positive and negative controls and disposable plastic pipettes. Supplemental test cards available separately.

Cat. No.	Mfr. No.	Description	Qty.
B1044-6	R2468936	25 test per box	1/bx
B1044-7	R2468944	50 tests per box	1/bx
Supplemental test cards			
B6858-3	R2439354	Mono test card	1/ea

Color Slide® II Mononucleosis Test

REMEL - Rapid slide agglutination test using horse erythrocytes for detection of heterophile antibodies of infectious mononucleosis. 150 tests per kit.

Cat. No.	Mfr. No.	Description	Qty.
B1044-8	R2471088	Dual color indicator	150/kt

Monogen Test Kit

REMEL - Use this rapid latex agglutination test kit for the qualitative and semi-quantitative determination of infectious mononucleosis heterophile antibodies in serum or plasma. Biokit.

Cat. No.	Mfr. No.	Description	Qty.
R30269301A	R30269301	50 tests per kit	1/kt
R30269302A	R30269302	150 tests per kit	1/kt



BioStar® Acceava® Mono II Test Kit

ALERE NORTH AMERICA - Use this sensitive test for the detection of infectious mononucleosis heterophile antibodies in whole blood, serum or plasma specimens. The easy-to-read test has 100% sensitivity and 95.9% specificity with results available in 5 minutes or less. All materials needed to perform the mono test are included. Can be used in **CLIA-waived** or nonwaived labs. Store at room temperature. 25 tests per kit.

Cat. No.	Mfr. No.	Description	Qty.
MONO92404	92404	Mono II test kit - 25 tests	1/ea
MONO92407	92407	Mono sterile cassette	25/bx

Clearview® Mono Test Kits

ALERE NORTH AMERICA - The Clearview® Mono test is a rapid chromatographic immunoassay used to detect infectious mononucleosis heterophile antibodies in whole blood, serum and plasma to aid in diagnosis of infectious mononucleosis. Infectious mononucleosis (IM) can resemble more serious infections that demand urgent treatment, so it is important to quickly and accurately diagnose. Results are available in 5 minutes or less.

Cat. No.	Mfr. No.	Description	Qty.
B6775-67B	4581515020	Mono test - 30 tests	1/ea
MONO092401A	92401	Mono test	1/ea



Wampole® ColorCard Infectious Mononucleosis Test Kit

ALERE NORTH AMERICA - Use this agglutination test for qualitative and semi-quantitative detection of infectious mononucleosis heterophile antibodies in serum or plasma. The test's clear-cut blue to pink color change makes determination of positive results fast and simple. The reaction of a test sample is considered positive by any indication of blue to pink agglutination or rimming of blue to pink within the test area. A negative result will have a blue background with no trace of blue to pink agglutination or rimming. Total test time is just 2 minutes and strong positive reactions can occur in as little as 10 seconds. The test features 100% correlation with latex agglutination. Kit includes positive and negative controls, plastic pipettes/stirrers and disposable test cards.

Cat. No.	Mfr. No.	Description	Qty.
B6849-50	27135	Mono test kit - 50 tests	1/ea

BioSign Mono Test Kits

LIFESIGN - These tests qualitatively detect infectious mononucleosis antibodies in whole blood, serum or plasma specimens. The simple one-step tests can provide strong positive results in less than 3 min.; negative results require 8 min. A pink-purple horizontal band at the test position indicates a positive result while no band indicates a negative result. Sensitivity is 99.9% and specificity is 98.8%. All test kits are **CLIA-waived** for whole blood. Each kit contains test devices, developer solution, capillary tubes and bulb. Kit includes negative control and positive control.



Cat. No.	Mfr. No.	Description	Qty.
BSP402	BSP-402	For whole blood, serum or plasma (controls included)	25/bx

Infectious Disease

Mono/Rotavirus

Status Mono™ Controls 2 x 0.5mL

LIFESIGN - External positive and negative serum controls for mono in ready-to-use plastic dropper-tip vials.

Cat. No.	Mfr. No.	Description	Qty.
SP200014	200014	Status mono controls - 2 x 0.5mL	1/ea



Status Mono™ Infectious Mononucleosis Test Kits

LIFESIGN - These tests qualitatively detect infectious mononucleosis antibodies in whole blood, serum or plasma specimens. The simple one-step tests can provide strong positive results in less than 3 min.; negative results require 8 min. A pink-purple horizontal band at the test position indicates a positive result while no band indicates a negative result. Sensitivity is 99.9% and specificity is 98.8%. All test kits are **CLIA-waived** for whole blood. Each kit contains test devices, developer solution, capillary tubes and bulb. Test kits SP84M30 and SP68364 also include negative control and positive control.

Cat. No.	Mfr. No.	Description	Qty.
SP84W10	84W10	For whole blood	10/kt
SP84W30	84W30	For whole blood	30/kt
SP68364	68364	For whole blood, serum or plasma (controls included)	25/kt
SP84M30	84M30	For whole blood, serum or plasma (controls included)	30/kt

Poly stat® Mono Test Kit

POLYMEDCO - Poly stat® Mono is a rapid test for the visual, qualitative detection of heterophile antibodies specific to infectious mononucleosis (IM) in human serum, plasma or whole blood.

Cat. No.	Mfr. No.	Description	Qty.
B6848-15	MN20	Poly stat® mono test kit	20/kt



OSOM® Mono Test Kits

SEKISUI DIAGNOSTICS - For the detection of EBV heterophile antibodies in serum, plasma or whole blood. Comes with everything you need to run 25 tests, plus two additional tests for external QC. Approved for ages 4 and up. Sensitivity 100% and specificity 96% versus latex agglutination and EBV serology. Room temperature storage. **CLIA-waived** for whole blood.

Cat. No.	Mfr. No.	Description	Qty.
B6848-4A	145	OSOM® mono test kit	25/kt, 6 kt/cs



Rotavirus Latex Test

REMEL - Rapid latex agglutination test for direct detection of rotavirus in fecal specimens. Contents: reagents, controls, buffer, droppers, test cards and mixing sticks. CE. 25 tests per kit.

Cat. No.	Mfr. No.	Description	Qty.
B6830-43	R30950401	Rotavirus latex test	25/kt

Need a product immediately?

Call your sales or customer service representative right away. Your representative will check availability and pricing, place your order and follow through on a speedy delivery. Or visit us at cardinalhealth.com.

Xpect® Rotavirus Control Kit

REMEL - For use with Xpect® Rotavirus. Contents: 1mL/vial positive control and 1mL/vial negative control. Six positive and negative tests can be run from one set of controls. CE.



Cat. No.	Mfr. No.	Description	Qty.
R246551	R246551	Xpect® rotavirus control kit	1/kt

Xpect® Rotavirus Test

REMEL - Rapid assay for qualitative detection of rotavirus antigens in fecal specimens within 15 minutes. CE.



Cat. No.	Mfr. No.	Description	Qty.
R24655	R24655	Xpect® rotavirus test	1/kt



Rubella Test Kits

ARLINGTON SCIENTIFIC - These rapid latex particle agglutination tests are used for the qualitative and semi-quantitative determination of rubella virus antibodies in serum. They aid in the diagnosis of recent or active rubella infection and in the determination of immune status. Kits have a shelf life of up to 18 months.

Kit includes: Rubella latex reagent, reactive control, weak reactive control, nonreactive control, dilution buffer, disposable stirrers and 9-well test cards.

Cat. No.	Mfr. No.	Description	Qty.
B6254-19	600100	Rubella test kit - 100 tests	1/ea

RubaJet Rubella Test Kits

REMEL - Use this rapid latex agglutination test for the qualitative and semi-quantitative determination of IgG and IgM antirubella virus antibodies in serum. Biokit.

Cat. No.	Mfr. No.	Description	Qty.
R30269501A	R30269501	100 tests per kit	1/ea
R30269502A	R30269502	500 tests per kit	1/ea



Rubella Latex Tests

CARDINAL HEALTH - Our rubella latex test is a rapid latex particle agglutination test for the qualitative and semi-quantitative determination of rubella virus antibodies in serum. All testing materials needed to perform the test are included in each kit.

Excellent correlation with gold standard—Hemagglutination Inhibition Test (HAI). 8-minute protocol with easy-to-read results. Includes 3 levels of liquid controls and ready-to-use controls in dropper-tip vials for easy dispensing. Sensitivity of 1–2 IU/mL with undiluted serum; sensitivity of 10–20 IU/mL with 1:10 diluted serum. Specificity >99%. Shelf life of up to 18 months (from date of manufacture).

Cat. No.	Description	Qty.
B1077-16	Rubella latex test	30/bx
B1077-17	Rubella latex test	100/bx
B1077-18	Rubella latex test	500/bx

Rubella-plus® Test Kit

ALERE NORTH AMERICA - Reliable and simple-to-use, this rubella test kit requires no special training and a rotator is not needed. Just add your sample to the test window and then add the developer solution. Results are available in 6 to 15 minutes. A pink-purple colored band in the test window indicates a positive result. A pink-purple colored band in the control window indicates proper test procedure and functionality.

Highly-accurate, this test has 99% agreement with the latex agglutination method. Its sensitivity is 98.9% and specificity is 99.4%. Test meets CLSI Guidelines for Immunity. Internal controls satisfy CLIA quality control requirements. Kit is sufficient for 30 tests.



Cat. No.	Mfr. No.	Description	Qty.
B6869-5	84R2	Rubella-plus® test kit - 30 tests	1/ea

Platelet Function



VerifyNow® Instrument

ACCUMETRICS - The simple and intuitive VerifyNow® system replaces more cumbersome methods, integrating seamlessly into your lab environment.

- Results in 5 minutes* or less using whole blood, closed tube samples
- No pipetting
- No sample preparation

* Sample incubation required

Cat. No.	Mfr. No.	Description	Qty.
85072A	86000	VerifyNow® instrument	1/ea



VerifyNow® Test Kits

ACCUMETRICS - VerifyNow® tests provide physicians with rapid, easy and valuable tools to help make informed treatment decisions. Useful for enhancing quality of care for patients who are at-risk of cardiovascular disease.

The VerifyNow® Test quickly and easily measures the effect of major types of antiplatelet therapies:

- Aspirin (VerifyNow® Aspirin Test)
- P2Y12 inhibitors such as Plavix®, Effient®, Ticlid® (VerifyNow® P2Y12 Test)
- IIb/IIIa inhibitors such as ReoPro® and Integrilin® (VerifyNow® IIb/IIIa Test)

Cat. No.	Mfr. No.	Description	Qty.
85053	85053	Aspirin test kit	25/bx
85064	85064	P2Y12 test kit	25/bx
85011	85011	IIb/IIIa test kit	25/bx



PIFA® Heparin/PF4 Rapid Assay

AKERS BIOSCIENCES, INC. - The PIFA® Heparin/PF4 Rapid Assay was developed to determine a patient's HIT (Heparin-Induced Thrombocytopenia) antibody status in minutes. Some HIT testing methodologies can take hours to complete in-house or even days to obtain a result if outsourced. This rapid assay is a single-use, single patient test that can easily be performed in approximately 10 minutes and is CLIA-classified moderate complexity.

Cat. No.	Mfr. No.	Description	Qty.
4036025A	4036025	Single-use, single patient test	6/bx, 48 bx/cs





QuickVue® RSV Test Kits

QUIDEL - Detect respiratory syncytial virus (RSV) from a nasopharyngeal swab, nasopharyngeal aspirate or nasal/nasopharyngeal wash with this easy-to-use test kit. Because RSV is a leading cause of bronchiolitis and pneumonia among infants, rapid detection and patient management are crucial. The three-step procedure requires only one reagent and 30 seconds of hands-on time. Dipstick test format features a built-in internal control. Two-color results are available in 15 minutes or less and are easy-to-read and interpret. Kit includes everything you need to perform 20 tests, including nasopharyngeal swabs and positive and negative external controls. Test has a 92% sensitivity and a 92% specificity with nasopharyngeal swab samples, a 99% sensitivity and 92% specificity with nasopharyngeal aspirate samples and an 83% sensitivity and 90% specificity with nasal/nasopharyngeal wash samples. Store the kit at room temperature. 24-month shelf life from date of manufacture. **CLIA-waived**.

Cat. No.	Mfr. No.	Description	Qty.
B6775-2	20193	20-test kit	12 kt/cs

BinaxNOW® RSV Flow Test

REMEL - Rapid, one-step lateral flow test that will detect RSV in 15 minutes. Contents: test devices, pipettes, control swabs and control reagents. **CLIA-waived**. Alere. 10 tests per kit.

Cat. No.	Mfr. No.	Description	Qty.
R25438	R25438	BinaxNOW® RSV test - CLIA-waived	10/kt

BinaxNOW® RSV Test Kit

REMEL - Use this rapid, one-step lateral flow test kit to detect RSV antigen in 15 minutes. The kit contains test devices, pipettes, control swabs and control reagents.

Cat. No.	Mfr. No.	Description	Qty.
R25430	R25430	BinaxNOW® RSV test kit	1/ea

PathoDx® RSV Test Kit Control Slides

REMEL - Replacement control slides with one positive and one negative well.

Cat. No.	Mfr. No.	Description	Qty.
R62375	R62375	Replacement control slides	5/pk

Xpect® RSV Test Kit

REMEL - Use this rapid, visual assay for the presumptive qualitative detection of respiratory syncytial virus (RSV) directly from nasopharyngeal specimens in neonatal and pediatric patients. The test's two-step procedure helps to provide greater efficiency. It has both moderate and **CLIA-waived** complexity procedures. Easy-to-read results appear in 15 minutes. 95.6% sensitivity and 94.1% specificity. Kit includes 30 test devices, 30 extraction tubes, 30 disposable pipettes and two bottles of extraction buffer. Store at 15° to 30°C. Liquid control set R246012 is for use with the test kit and includes a 1mL vial of positive control and a 1mL vial of negative control.



Cat. No.	Mfr. No.	Description	Qty.
R24601	R24601	RSV test kit	1/kt
R246012	R246012	RSV liquid control set	1/ea



BinaxNOW® RSV Test Kits

ALERE NORTH AMERICA - These tests feature a rapid immunochromatographic assay for the qualitative detection of respiratory syncytial virus (RSV) fusion protein antigen in nasal wash and nasopharyngeal swab specimens from symptomatic patients. The tests are intended for use in neonatal and pediatric patients under the age of 5. They provide rapid results in 15 minutes. The tests require only two steps with swab and only one on wash. Tests provide 89% sensitivity and 100% specificity in nasal wash samples and 93% sensitivity and 93% specificity in nasopharyngeal swab samples. Choose from moderately complex or **CLIA-waived**.

Cat. No.	Mfr. No.	Description	Qty.
B430-100	430-100	RSV test kit, CLIA-waived - 10 tests	1/ea
B430-122	430-122	RSV test kit, CLIA-waived - 22 tests	1/ea
B430-000	430-000	RSV test kit, moderately complex - 42 tests	1/ea

Supplies

B430-080	430-080	Control swab kit, contains 10 sets of one positive and one negative swab	1/ea
B400-065	400-065	Nasopharyngeal swab accessory pack, includes 22 swabs and elution solution vials	1/ea

Respiratory Disease

RSV/Strep A

Clearview® RSV Test Kit

ALERE NORTH AMERICA - Clearview® RSV is an in vitro rapid immunoassay intended for the rapid, qualitative detection of respiratory syncytial virus (RSV) directly from nasopharyngeal swab. It provides a simple, rapid, accurate method for the diagnosis of RSV, enabling fast, informed treatment decisions for adults over 60 as well as children under 6. Results available in 15 minutes with no hands-on time. The test provides highly-accurate results and includes built-in controls and can be used with either nasal aspirates or nasopharyngeal swab samples. **CLIA-waived.**

Cat. No.	Mfr. No.	Description	Qty.
B6775-109A	135060	Clearview® RSV test kit - 20 tests	1/ea



BD Directigen™ EZ RSV Test Kit

BD DIAGNOSTICS - This test is a rapid chromatographic immunoassay for the direct and qualitative detection of Respiratory Syncytial Virus (RSV) antigen in nasopharyngeal washes, nasopharyngeal aspirates, nasopharyngeal swabs and nasopharyngeal swab/washes from patients suspected of having a viral respiratory infection. Intended for in vitro diagnostic use to aid in the diagnosis of Respiratory Syncytial Virus (RSV) infections in neonatal and pediatric patients under the age of 20.

Cat. No.	Mfr. No.	Description	Qty.
B6944-19	256030	Directigen™ EZ RSV test kit - 30 tests	1/ea

Visit us online at
cardinalhealth.com

Search by keyword, product category, material number or manufacturer name.



Strep A Rapid Test

CARDINAL HEALTH - The Strep A Rapid Tests use chromatographic immunoassay technology to qualitatively detect strep A antigen from a throat swab specimen in just 5 minutes. Each kit contains:

- 30 individually packed cassettes or dipsticks
- 30 sterile swabs
- Extraction reagents
- Positive and negative controls
- Procedure card and directional inserts
- 30 disposable extraction test tubes and dropper tips (cassette test only)

For the combined population, the cassette test sensitivity is 94%; specificity is 98%. For the dipstick test, sensitivity is 97%; specificity is 95%. Cassette is moderately complex and dipstick is **CLIA-waived**. Store at room temperature or refrigerated at 2° to 30°C (36° to 86°F). Do not freeze.

Cat. No.	Description	Qty.
B1077-27	Dipstick test	30/bx



ICON DS Strep A Test

BECKMAN COULTER - The ICON DS Strep A—Direct Group A Streptococcus Antigen Test is a rapid immunochromatographic assay for the qualitative detection of group A streptococcal antigen directly from throat swab specimens.

ICON DS Strep A is a simple, easy-to-use, **CLIA-waived** dipstick format test. In as little as 5 minutes, you will have accurate results so you can begin your patient's treatment immediately and confidently. With outstanding performance, even in low colony count samples and simple-to-interpret test results, there is little chance for misdiagnosis, minimizing the chance of rheumatic fever or over-prescription of antibiotics. 96.2% sensitivity, 98.7% specificity and 98.0% overall accuracy. CLIA category-waived.

Beckman Coulter, the stylized logo, and ICON are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
B395098A	395098A	ICON DS Strep A test	25/bx, 4 bx/cs



ICON SC Strep A Test

BECKMAN COULTER - The ICON SC Strep A—Direct Group A Streptococcus Antigen Test is a rapid immunochromatographic assay for the qualitative detection of group A streptococcal antigen directly from throat swab specimens.

ICON SC Strep A is a simple, easy-to-use, **CLIA-waived** cassette format test. In as little as 5 minutes, you will have accurate results so you can begin your patient's treatment immediately and confidently. With outstanding performance, even in low colony count samples and simple-to-interpret test results, there is little chance for misdiagnosis, minimizing the chance of rheumatic fever or over-prescription of antibiotics. 96.2% sensitivity and 98.7% specificity. CLIA category-waived.

Beckman Coulter, the stylized logo, and ICON are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
B1049-86	395161A	ICON SC Strep A test	25/kt, 4 kt/cs



QuickVue In-Line® Strep A Tests

QUIDEL - This test with unique in-line extraction allows for the rapid detection of group A streptococcal antigen directly from patient throat swab specimens. The test is specific to group A, with no cross-reactivity from other groups of streptococci. Overall accuracy is 96%. Simply place swab in the device, add extraction solution and read the results in just 5 minutes. A two-color readout makes results easy to read. Each test includes a built-in control. Control swab set B1049-35 contains positive control with heat-inactivated group A streptococcus and negative control with heat-inactivated group C streptococcus. **CLIA-waived.**

Cat. No.	Mfr. No.	Description	Qty.
B1049-30A	343	Strep A test	12 kt/cs
B1049-33	347	Sterile rayon-tipped throat swab	1/ea
B1049-35	345	Positive and negative control swab set	1/ea
B1049-36	354	Positive and negative liquid control set	1/ea



QuickVue+® Strep A Tests

QUIDEL - The QuickVue+® Strep A test allows the rapid detection of group A streptococcal antigen directly from throat swabs and beta-hemolytic colonies on blood agar plates. Clearly distinguishable +/- end point and two-reagent extraction make testing easy. A test-complete indicator appears in about 5 minutes to let you know results can be read. Overall accuracy of the test is 98%, with a sensitivity of 95% and specificity of 98%. The kit stores at room temperature and contains positive and negative external controls and 25 individually-packaged sterile rayon-tipped throat swabs (which are also available separately).

Cat. No.	Mfr. No.	Description	Qty.
B1049-40	20122	QuickVue+® strep A test	25/kt



QuickVue® Dipstick Strep A Tests

QUIDEL - This test detects either viable or nonviable group A streptococcal organisms directly from throat swabs or culture colonies. It offers high sensitivity at low levels of colony count and includes an easy-to-read, two-color end point to help you clearly interpret results. The simple, two-reagent procedure requires minimal hands-on time. 95% overall agreement with SBA culture. A pictorial guide makes it easy to understand the testing procedure for increased reliability.

With results in 5 minutes, patients can be tested and treated in the same office visit. Each kit includes all components needed to perform 50 tests. Store at room temperature. **CLIA-waived.**

Cat. No.	Mfr. No.	Description	Qty.
B1049-34	20108	QuickVue® dipstick strep A test kit	1/ea

Clearview® Strep A Exact II

REMEL - A rapid qualitative test for the detection of group A streptococcal antigen directly from throat swabs. **CLIA-waived.** Alere.

Cat. No.	Mfr. No.	Description	Qty.
R246210	R246210	Strep A Exact II dipstick	30/pk
R246310	R246310	Strep A Exact II cassette	30/pk

Respiratory Disease

Strep A

BinaxNOW® Strep A Control Swab Pack

ALERE NORTH AMERICA - For the qualitative detection of group A streptococcal antigen from throat swabs.

Cat. No.	Mfr. No.	Description	Qty.
B730-010	730-010	Strep A control swab pack - 5 positive and 5 negative	5/bx

BinaxNOW® Strep A Test Kit

ALERE NORTH AMERICA - This test kit provides rapid immunochromatographic assay for the qualitative detection of Streptococcus pyogenes group A antigen from throat swab specimens. Results are available in 6 minutes. **CLIA-waived** and moderately complex. Sensitivity: 92%, specificity: 100%. 25 tests per kit.



Cat. No.	Mfr. No.	Description	Qty.
B730-025	730-025	BinaxNOW® strep A test kit	25/kt

BioStar® Acceava® Strep A Test Kit

ALERE NORTH AMERICA - Help decrease the spread of infection and reduce the risk of complications with this sensitive rapid strep A test. It is easy to perform and interpret—just add the reagents, extract, insert test strip and read. Internal positive and negative controls are built into each test and each kit includes external positive and negative controls. Results are available in 5 minutes or less. 96% sensitivity, 98% specificity. **CLIA-waived**. Store at room temperature.



Cat. No.	Mfr. No.	Description	Qty.
ACCGAS50A	4580295008	Strep A test kit	50/bx
050000KAA1	050000-KAA100A	Strep A swab	25/bx

Clearview® Strep A Exact II

ALERE NORTH AMERICA - Clearview® Strep A testing kits use rapid technology to provide direct detection of group A streptococcal antigen from throat swabs. FDA-cleared and **CLIA-waived**.

Cat. No.	Mfr. No.	Description	Qty.
B6775-65A	4581225020	Clearview® dipstick	1/ea

Colorcard® Streptozyme® Test Kit

ALERE NORTH AMERICA - Use this color-enhanced slide test for the rapid qualitative and semi-quantitative detection of antibodies to streptococcal extracellular antigens in serum, plasma and peripheral blood. Suitable for 50 tests.

Cat. No.	Mfr. No.	Description	Qty.
B6854-30	46050	Colorcard® Streptozyme® test - 50 tests	1/ea



BD Chek™ Group A Strep Test Kit

BD DIAGNOSTICS - The BD Chek™ Group A Strep test is a rapid chromatographic immunoassay for the qualitative detection of Strep A antigen from throat swab specimens to aid in the diagnosis of group A streptococcal infection. **CLIA-waived**.

Cat. No.	Mfr. No.	Description	Qty.
4356031	256031	Strep test kit	25/kt



LifeSign®-PYR Strep A Test Kits

LIFESIGN - This strep test offers a rapid diagnostic alternative to culture methods. It is a rapid colorimetric test for the determination of PYRase activity in streptococcal organisms. In association with serological grouping, the test is indicative of enterococci or group A streptococci. It uses cards that are impregnated with L-pyrogutamic acid. The enzymatic hydrolysis of this substrate by enterococci or group A streptococci organisms produces a red color upon the addition of color developer. Test contains test cards, buffer and color developer. 50 test kits per box.

Cat. No.	Mfr. No.	Description	Qty.
SP50060	50060	LifeSign®-PYR Strep A test kit	50/bx

Status AccuStrep A™ Cassette Tests

LIFESIGN - This fast, accurate and convenient immunoassay is designed for the detection of group A streptococcal antigens directly from throat swab specimens. The 2-minute, two-reagent extraction reduces hands-on time and is flexible to accommodate interruptions in workflow. Results can be read in 5 to 10 minutes: two lines indicate a positive result and one line in the control window indicates a negative result. Sensitivity is 96.2% and specificity is 98.7%. Each test has both positive and negative external controls to verify kit performance. Store at room temperature.



Cat. No.	Mfr. No.	Description	Qty.
SP34025	34025	Status AccuStrep A™ cassette test	25/bx

Status Strep A™ Strip Tests

LIFESIGN - This immunoassay is designed for the detection of group A streptococcal antigens directly from throat swab specimens. The simple procedure produces results that can be read in 5 to 10 minutes. The appearance of a control line and a test line indicate a positive result, while the appearance of a control line only is considered as a presumptive negative result. Sensitivity is 96.2% and specificity is 98.7%. 30 tests per box. **CLIA-waived.**



Cat. No.	Mfr. No.	Description	Qty.
34130	34130	Status Strep A™ strip test	30/bx

Dual Rayon Swabs in Transport Tubes

SEKISUI DIAGNOSTICS - Use with the OSOM® Strep A and Ultra Strep A tests. For transporting throat swab specimens to another location, or storage until test is run. Transport tube includes two rayon swabs—one for use in the OSOM® Strep A tests and the other if back-up culture is needed.

Cat. No.	Mfr. No.	Description	Qty.
B6756-12	7784	Dual rayon swabs in transport tube	30/bx, 24 bx/cs



OSOM® Strep A Test Kits

SEKISUI DIAGNOSTICS - Use this test kit for the qualitative detection of group A streptococcal antigen from patient throat swabs. Kit includes everything you need to run the test plus two additional test sticks for external QC. Easy-to-run, easy-to-read two-color results in 5 minutes. Store at room temperature. **CLIA-waived.** 96% sensitivity, 98% specificity vs. single swab culture. 50 tests plus two additional tests for external QC testing.

Cat. No.	Mfr. No.	Description	Qty.
B1049-141	141	Strep A test kit	50/kt, 18 kt/cs



OSOM® Ultra Strep A Test Kits

SEKISUI DIAGNOSTICS - This ultrasensitive kit includes everything you need to run the rapid Strep A test. Easy-to-run, easy-to-read two-color results in 5 minutes. 96% sensitivity, 100% specificity vs. combined culture standard. Choose 25-test kit with single reagent ampules or 50-test kit which includes two additional test sticks for external QC. Store at room temperature. **CLIA-waived.**

Cat. No.	Mfr. No.	Description	Qty.
B1049-4A	147	Ultra Strep A 25-test kit	18/cs
B1049-72	149	Ultra Strep A 50-test kit	18/cs



QuStick™ Strep A Rapid Strip Test Kits

STANBIO LABORATORY - Use these test kits for the rapid qualitative detection of group A streptococcal antigen through direct patient throat specimens. Kits are self-contained and feature all of the necessary components needed to perform the test, including throat swabs and a pictorial procedure card. They also include positive and negative external controls and provide results in 5 minutes. Kits should be stored at room temperature and have a long shelf life.

Cat. No.	Mfr. No.	Description	Qty.
SP6000-025	6000-025	25 tests per kit	1/kt
SP6000-050	6000-050	50 tests per kit	1/kt

Respiratory Disease

ASO/Panels

Colorcard® ASO Test Kit

ALERE NORTH AMERICA - Use this color-enhanced slide agglutination test for the rapid qualitative and semi-quantitative detection of antistreptolysin-O. Sufficient for 50 tests.

Cat. No.	Mfr. No.	Description	Qty.
B6857-1	47050	Colorcard® ASO test - 50 tests	1/ea



ASO Slide Test Kits

ARLINGTON SCIENTIFIC - These latex slide agglutination assay test kits are for the qualitative and semiquantitative detection of antistreptolysin-O (ASO) antibodies in human serum. Dilution of patient samples is not required for these tests. Kits have a shelf life of up to 18 months. Kit includes: ASO latex reagent, reactive control, nonreactive control, disposable stirrer pipettes and 6-well glass slide.

Cat. No.	Mfr. No.	Description	Qty.
B6254-6	300100	ASO test kit - 100 tests	1/ea

RheumaJet ASO Test Kit

REMEL - Rapid latex agglutination tests for qualitative and semi-quantitative determination of antistreptolysin-O. The kits come with latex reagent, positive and negative qualitative controls and 50 disposable test cards. Biokit.

Cat. No.	Mfr. No.	Description	Qty.
R30269601A	R30269601	100 tests per kit	1/kt
R30269600A	R30269600	0.5mL per vial, 2 vials ASO titer (T) control	1/kt



RaPET® ASO Latex Agglutination Test Kits

STANBIO LABORATORY - Use these latex agglutination slide tests for the determination of antistreptolysin-O in serum. They can be used to obtain qualitative or semi-quantitative results. Receive results in 2 minutes. Test kits include a positive and negative control.

Cat. No.	Mfr. No.	Description	Qty.
SP1125-050	1125-050	50 tests per kit	1/kt
SP1125-100	1125-100	100 tests per kit	1/kt



PathoDx® Respiratory Virus Panel Kit

REMEL - Use this immunofluorescence test kit to detect seven respiratory viruses in prepared patient specimens after growth in cell cultures: influenza A, influenza B, adenovirus, parainfluenza 1, 2 and 3 and respiratory syncytial virus (RSV). Accessories for use with the kit are available separately. 200 tests per kit.

Cat. No.	Mfr. No.	Description	Qty.
R62400	R62400	PathoDx® respiratory virus panel kit	200/kt

Accessories

Cat. No.	Mfr. No.	Description	Qty.
R62407	R62407	Adenovirus reagent - 2mL	1/ea

Sexually Transmitted Disease

Chlamydia/Herpes

QuickVue® Chlamydia Tests

QUIDEL - Easy to perform and interpret, this rapid chlamydia test consists of an extraction procedure that requires the addition of only two reagents. You can use either endocervical swab or cytology brush specimens for the test. After extraction, you add the sample to the test cassette and you'll see two-color results within 12 minutes. Vortexing and using a heating block are unnecessary. The test includes built-in controls for your assurance of proper test performance, external positive and negative controls, reagents and test cassette. Achieves 92% sensitivity, 99% specificity overall. Store at room temperature. 25 tests per kit.



Cat. No.	Mfr. No.	Description	Qty.
B1059-10	0B006	25-test kit	12 kt/cs

PathoDx® Chlamydia Trachomatis FA Direct Test Kit

REMEL - Use this immunofluorescence test to detect chlamydia trachomatis from urethral and endocervical specimens. Results are available in 15 minutes. Kit is supplied with 100 tests. Slide comes with two wells while the collection system includes three polyester-tipped swabs, cytology brush, patient slide and methanol fixative.

Cat. No.	Mfr. No.	Description	Qty.
R62220	R62220	Chlamydia trachomatis FA direct test kit	100/kt



Clearview® Chlamydia Test Kit

ALERE NORTH AMERICA - This test kit requires only one reagent and one incubation to determine positive or negative chlamydia results in 30 minutes. Simply fill the specimen tube, incubate in the Clearview® workstation (a required accessory available separately), add extract to the sample window and get your determination with confidence. Sensitivity is 87%, specificity is 98.8% and agreement with culture is 97%. Test kit is sufficient for 20 tests.

Cat. No.	Mfr. No.	Description	Qty.
B1059-2	135301	Chlamydia test kit - 20 tests	1/ea



IMAGEN™ Herpes Simplex Virus Test

REMEL - For the detection and typing of HSV 1 and HSV 2 in cell cultures. Utilizes specific monoclonal antibodies to offer a rapid sensitive and specific method for the detection and differentiation of HSV 1 and HSV 2 isolates in cell culture monolayers. Oxoid.

Cat. No.	Mfr. No.	Description	Qty.
K610611-2	K610611-2	Herpes simplex virus test	50/kt

PathoDx® Herpes Typing Kit

REMEL - Use this immunofluorescence test kit to detect and type herpes simplex virus I and II in direct clinical specimens and tissue cultures. Features a 30-minute test procedure. Suitable for 100 tests. Control slides for use with the kit are available separately.

Cat. No.	Mfr. No.	Description	Qty.
R62250	R62250	Herpes typing kit	100/kt
R62251	R62251	Control slides	5/pk

If you don't see what you are looking for ... contact us.

If you don't see the product you are looking for, just pick up the phone and ask your sales or customer service representative to assist you. Visit our website at cardinalhealth.com for more information.

Customer Service: 800.964.5227

Sexually Transmitted Disease

RPR



RPR Syphilis Test Kits

CARDINAL HEALTH - Use our RPR (rapid plasma reagin) macroscopic nontreponemal flocculation test kits for the qualitative and semi-quantitative detection of reagin antibodies in human serum. The macroscopic RPR carbon antigen enhances the visual discrimination between reactive and nonreactive results. Easy-to-interpret results are available in 8 minutes.

Each kit contains RPR carbon antigen, reactive control, weak reactive control, nonreactive control, a dropping bottle, a 20G dispensing needle, 10- or 30-well test cards and disposable stirrer pipettes. Kits have a shelf life of up to 24 months from date of manufacture.

Cat. No.	Description	Qty.
B1077-12	RPR test kit - 100 tests - 10-well cards	1/ea
B1077-13	RPR test kit - 500 tests - 10-well cards	1/ea
B1077-14	RPR test kit - 5,000 tests - 30-well cards	1/ea

RPR Carbon Antigen

CARDINAL HEALTH - Our RPR (rapid plasma reagin) carbon antigen is intended for use in the qualitative and semi-quantitative detection of reagin antibodies in serum or plasma as a screening test in syphilis serology. The RPR carbon antigen is provided in screw cap vials (no glass ampules).



Cat. No.	Description	Qty.
B1077-64	RPR carbon antigen - 3 x 3mL	1/ea
B1077-63	RPR carbon antigen - 10mL	1/ea



RPR Syphilis Test Kits

ARLINGTON SCIENTIFIC - Use these RPR (rapid plasma reagin) macroscopic nontreponemal flocculation test kits for the qualitative and semi-quantitative detection of reagin antibodies in human serum. The macroscopic RPR carbon antigen enhances the visual discrimination between reactive and nonreactive results. Easy-to-interpret results are available in 8 minutes.

Test kits contain screw cap vials—no glass ampules. Each kit contains the RPR carbon antigen, three-level (reactive, weak reactive and nonreactive) color-coded liquid controls, 18mm circle test cards, disposable stirrer pipettes, dispensing bottle and dispensing needle. Kits have a shelf life of up to 24 months. Performance results are verified on CAP and AAB surveys.

Cat. No.	Mfr. No.	Description	Qty.
B6254-24	900100	RPR syphilis test kit - 100 tests	1/ea
B6254-26	900500	RPR syphilis test kit - 500 tests	1/ea
B6254-27	9005000-10	RPR syphilis test kit - 5,000 tests - 10-well cards	1/ea
B6254-28	9005000-30	RPR syphilis test kit - 5,000 tests - 30-well cards	1/ea
B6254-25	90010000-30	RPR syphilis test kit - 10,000 tests - 30-well cards	1/ea

Cardinal Health offers more than **75,000** laboratory products from **400** leading manufacturers.



Impact RPR® Card Test Kits for Syphilis Detection

ALERE NORTH AMERICA - You can use this test to accurately and rapidly detect the presence of syphilis. Each antigen lot is approved by the CDC to help ensure accurate quantitative and qualitative results. The convenient screw-cap vials and nonglass ampules help promote safety in the work place. You choose how you want to test reactivity patterns by using separate liquid or dry controls with graded reactivity. The plastic 18mm test cards are flat and moisture-resistant, with 10 wells.

Cat. No.	Mfr. No.	Description	Qty.
B6940-100	60C1	50-test kit, 10 wells	1/ea
B6940-101	60C2	150-test kit, 10 wells	1/ea
B6940-102	60C3	500-test kit, 10 wells	1/ea
Additional components			
B6940-109	61C0	Antigen (3 x 3mL)	1/ea
B6940-110	61C1	Antigen (10 x 3mL)	1/ea
B6940-111	61C2	Dry control card	10/ea
B6940-112	61C3	Liquid controls, 1 vial each of R, RM and NR (3 x 1mL)	1/ea
B6940-119	62C4	Pipette/stirrer	250/pk
B6940-113	61C4	Pipette/stirrer	500/pk
B6940-115	61C6	Test card (300 x 15 wells)	1/ea
B6940-120	62C5	RPR test card (50 x 10 wells)	1/ea
B6940-116	61C7	RPR test card (100 x 30 wells)	1/ea
B6940-117	61C8	Needle/sheath, 20G	10/ea



BD Macro-Vue™ RPR Card Test Kits

BD DIAGNOSTICS - BD Macro-Vue™ RPR (Rapid Plasma Reagin) 18mm circle card tests are nontreponemal testing procedures for the serological detection of syphilis described in A Manual of Tests for Syphilis (Larsen, S., et al., editors, 1990, American Public Health Association).

Test kits are available with all the necessary supplies to perform the procedure. A wide array of kit sizes is available. Antigen and testing supplies may be purchased separately. Test cards are available in 10-, 15- and 30-spot cards. BD Dispensstirs™ device is included in kits B6940-10 and -13 to serve as pipetting and spreading device.

Cat. No.	Mfr. No.	Description	Qty.
Kits with 20G dispensing needle, 3mL ampule			
B6940-13	275539	RPR test kit - 150 tests	1/ea
B6940-9	274449	RPR test kit - 300 tests	1/ea
B6940-10	275005	RPR test kit - 500 tests	1/ea
B6940-11	275110	Bulk RPR test kit (10-spot card) - 5,000 tests	1/ea
B6940-26	275115	Bulk RPR test kit (15-spot card) - 5,000 tests	1/ea
B6940-27	275130	Bulk RPR test kit (30-spot card) - 5,000 tests	1/ea
RPR control cards			
B6940-20	276709	18mm circle control R, RM, NR spots	10/ea
B6940-19	276909	1.5mL RPR liquid control	3/ea
RPR antigen suspensions			
B6940-2	270333	3mL ampule	3/ea
B6940-3	270309	3mL ampule	10/ea
Brewer diagnostic cards, 18mm circle			
B6940-4	271849	Qualitative, 10-spot	300/ea
B6940-5	274949	Quantitative, 15-spot	300/ea
B6940-6	272001	Quantitative, 30-spot	100/ea
Supplies			
B6943-5	270509	BBL™ antigen (plastic) dispensing bottle	10/ea
B6940-21	272905	Dispensstirs™ device, 0.05 mL volume (for use with 18mm circle RPR card tests)	500/ea
B6943-8	273509	BBL™ needles, dispensing (square cut) 20G, yellow hub	10/ea

Sexually Transmitted Disease

RPR/Syphilis/Trichomonas

Reagents for Syphilis Serology - Control Serum

BD DIAGNOSTICS - Control serum set recommended for use in the quality control testing of VDRL antigen by the slide flocculation test. Set includes three lyophilized vials of human serum standardized for use as a control serum to provide reactive, minimally reactive and nonreactive controls.

Cat. No.	Mfr. No.	Description	Qty.
3520-32	235201	VDRL test control serum set	1/ea

RPR Quicktest

STANBIO LABORATORY - Charcoal flocculation assay for detecting syphilis (RPR). This kit comes with 1mL each reactive, weakly reactive and non-reactive controls, pipettes/stirrers, dispensing needle, dispensing bottle and 18mm circle test cards. 100 tests.



Cat. No.	Mfr. No.	Description	Qty.
SP1170-100	1170-100	RPR Quicktest	1/kt

Syphilis Tri-Level Control

STANBIO LABORATORY - This ready-to-use liquid control is used as a quality control material in VDRL/RPR test procedures. It contains one 5mL vial each of three levels: reactive, weakly reactive and nonreactive.



Cat. No.	Mfr. No.	Description	Qty.
SP1175-305	1175-305	Syphilis tri-level control	1/pk

Syphilis IgG 960 Test Kit

ALERE NORTH AMERICA - CAPTIA™ Syphilis (T.pallidum)-G is an enzyme immunoassay for the qualitative detection of IgG antibodies to T. pallidum in serum specimens, to be used in conjunction with non-treponemal testing to provide serological evidence of infection with T.pallidum (the agent of syphilis).

Cat. No.	Mfr. No.	Description	Qty.
B1038-138	31004T	Syphilis IgG 960 test kit	1/ea

Syphilis IgG ELISA Test Kit

ALERE NORTH AMERICA - CAPTIA™ Syphilis (T.pallidum)-G is an enzyme immunoassay for the qualitative detection of IgG antibodies to T. pallidum in serum specimens, to be used in conjunction with non-treponemal testing to provide serological evidence of infection with T.pallidum (the agent of syphilis).

Cat. No.	Mfr. No.	Description	Qty.
B1038-139	31004U	Syphilis IgG ELISA test kit - 96 tests	1/ea

Rapid Plasma Reagin Card Test Kit

REMEL - This rapid latex slide agglutination test kit is designed to detect reagin in human serum for the diagnosis of syphilis. 150 test cards per kit.

Cat. No.	Mfr. No.	Description	Qty.
R16302	R16302	Rapid plasma reagin test kit	150/kt
Supplies			
R16307	R16307	Rapid plasma reagin liquid controls (1mL each of reactive, minimally reactive and nonreactive controls)	3/pk
R16305	R16305	Rapid plasma reagin antigen (3mL vial)	3/pk
R16310	R16310	20G needle	10/pk
R16314	R16314	Dispensing bottle	10/pk
R16309	R16309	Pipette/stirrer	500/pk

RPR Card Test Kit

REMEL - Nontreponemal flocculation test for detection of reagin in human serum when used in conjunction with a treponemal test for presumptive diagnosis of syphilis. For use with RPR liquid controls R16307.

Cat. No.	Mfr. No.	Description	Qty.
R16303	R16303	RPR card test kit	500/kt



OSOM® Trichomonas Rapid Test Kits

SEKISUI DIAGNOSTICS - Detects the antigen directly from vaginal swabs in 10 minutes or less. Sensitivity 83% vs. wet mount and culture combined. Does not require a microscope. Each kit contains everything you need to run 25 tests. **CLIA-waived**. Additional positive control swabs are available separately.

Cat. No.	Mfr. No.	Description	Qty.
B1049-181	181	Trichomonas rapid test kit	25/kt, 6 kt/cs
B1049-182	182	Trichomonas positive control swabs	10/bx



Sickle Cell Test Kits

ARLINGTON SCIENTIFIC - Use this test as an aid in the qualitative detection of hemoglobin S in anticoagulated whole blood. Detects both homozygous (S/S) and heterozygous (A/S) sickle cell.

This turbidity line test is based upon the modified Nalbandian procedure. It does not distinguish between sickle cell disease and sickle cell trait and is not recommended for use on newborns under 3 months of age. Store at room temperature. Test has a shelf life of up to 18 months.

Cat. No.	Mfr. No.	Description	Qty.
B6254-1	200025	Sickle cell test kit - 25-test	1/ea
B6254-2	200100	Sickle cell test kit - 100-test	1/ea

Is it worth it?

The long hours in the lab.
The hard work.
The attention to detail.
The dedication.
The patience ...

The patients.
The thought that I can help
people live longer,
healthier lives.

Yes.

Yes, it's worth it.



Urinalysis

Analyzers

CLINITEK Advantus™ Urine Analyzer

SIEMENS HEALTHCARE DIAGNOSTICS - The CLINITEK Advantus™ analyzer automatically reads, interprets and documents urinalysis test strip results quickly up to one test every 7 seconds. Other features include: barcode entry of patient and operator ID, flags for microscopic and confirmatory follow-up, microscopy result entry, QC prompting and lock-out, auto-calibration, stat interrupt and LIS connectivity.



Cat. No.	Mfr. No.	Description	Qty.
U2261-502	1420	Urine analyzer	1/ea



CLINITEK Status®+ and CLINITEK Status® Connect Urine Analyzers

SIEMENS HEALTHCARE DIAGNOSTICS - Use the CLINITEK Status®+ analyzer or CLINITEK Status® Connect System for the semi-quantitative detection of albumin, bilirubin, blood (occult), creatinine, glucose, ketone (acetoacetic acid), leukocytes, nitrite, pH, protein, specific gravity, urobilinogen and qualitative hCG in urine samples, depending on the type of urinalysis test used. **CLIA-waived** urine analyzer with touch-screen display featuring alphanumeric input, operator and QC management and connectivity. CLINITEK Status®+ Analyzer has a 950-patient test memory, including name and/or patient identification, plus a memory for 700 operator IDs. CLINITEK Status® Connect System provides additional features: QC management and lock-out with 200 control test memory, barcode reader and additional connectivity ports.

Cat. No.	Mfr. No.	Description	Qty.
1780A	1780	CLINITEK Status®+ analyzer	1/ea
1797A	1797	CLINITEK Status® Connect System	1/ea

CLINITEK Status® Connect Upgrade Kit

SIEMENS HEALTHCARE DIAGNOSTICS - Upgrade CLINITEK Status® or CLINITEK Status®+ analyzers to the CLINITEK Status® Connect System. Upgrade kit includes: CLINITEK Status® connector, barcode reader and software.

Cat. No.	Mfr. No.	Description	Qty.
1782A	1782	Upgrade kit	1/ea

CLINITEK Status® Connector Platform

SIEMENS HEALTHCARE DIAGNOSTICS - Connector platform provides connection for either the CLINITEK Status® or Status®+ analyzer, providing additional connectivity options for serial, ethernet, or wireless connections, two USB ports and barcode reader port. Adds QC management and lockout feature capabilities with memory capacity for 200 controls.



Cat. No.	Mfr. No.	Description	Qty.
1790A	1790	Connector platform	1/ea

Accessories and Supplies for CLINITEK® Analyzers

SIEMENS HEALTHCARE DIAGNOSTICS - Reagent strips are also available—ask your sales or customer service representative for details.

Cat. No.	Mfr. No.	Description	Qty.
U2261-63A	1759	Label printer paper for use with CLINITEK Status®, Status®+, Status® Connect analyzers	5/pk
U2261-18	5773	Thermal printer paper for CLINITEK® 50/100/500/Status®/Status®+/ Status® Connect/Advantus™ analyzers	5/pk

Urisys 1100® Urine Analyzer

ROCHE DIAGNOSTICS - The **CLIA-waived** Urisys 1100® Urine Analyzer makes urine testing easy. With the simple push of a button, the analyzer automatically evaluates the test strip and prints a patient report. This easy-to-use system is an ideal choice for medical practices, small laboratories or other low-volume sites looking to standardize testing and improve efficiency through automated urinalysis testing. The Urisys 1100® urine analyzer is optimized for test volumes between 10 to 50 tests per day. It can be used with Chemstrip® 10 MD, Chemstrip® 7 and Chemstrip® 5 OB test strips. After dipping and inserting the test strip, simply press the start button. Incubation, measurement, calculation of results and printout are automatic. Results can be transmitted to a PC or host computer. This system requires minimal maintenance, once-per-week calibration and features built-in function checks to detect errors.



Cat. No.	Mfr. No.	Description	Qty.
U2239-1	03617556001	Urisys 1100® Urine Analyzer	1/ea
U2238-1C	03260763160	Chemstrip® 10 MD urine test strip (100/vl)	1/ea
U2232-3	11008552160	Chemstrip® 7 test strips (100/vl)	6/cs
U2232-4	11893467160	Chemstrip® 5OB test strips (100/vl)	6/cs
U2237-1	11379194160	Chemstrip® calibration strips (50/vl)	1/ea



KOVA® System Urinalysis Quality Controls

HYCOR BIOMEDICAL - These comprehensive human urine controls are for physical, chemical (test strips) and microscopic examination of urine. Qualitative and quantitative values are listed for pH, protein, glucose, ketones, hemoglobin, bilirubin, urobilinogen, nitrites, leukocyte esterase, specific gravity and osmolality. Red blood cells, white blood cells, casts and crystals are included for controlling microscopic analysis along with hCG for controlling pregnancy tests. Microalbumin and creatinine values are provided with KOVA-Trol™ controls.

The KOVA-Trol™ I high abnormal control is a stable human urine control with constituents in the high abnormal range.

The KOVA-Trol™ II low abnormal control is a stable human urine control with constituents in the low abnormal range.

The KOVA-Trol™ III normal control is a stable human urine control with constituents in the normal range and includes hCG for use as a positive control with urine pregnancy tests.

The KOVA® Liqua-Trol™ normal and abnormal controls contain no microscopic elements. Ready-to-use stable human liquid urine controls: one with constituents in the normal range, the other in the abnormal range. The normal level contains hCG. Controls offer 30-day room temperature stability.

The KOVA® Liqua-Trol™ controls with microscopics have the same features of Liqua-Trol™ controls and include the addition of red blood cells, white blood cells and crystals so they can be used as controls for manual or instrument microscopic procedures. The normal level contains hCG. Supplied in oversized bottles for less spillage.

Cat. No.	Mfr. No.	Description	Qty.
KOVA-Trol™ I high abnormal controls			
U3050-28A	87329	15mL	4/bx
U3050-24A	87325	60mL	4/bx
U3050-25A	87326	60mL	10/bx
U3050-38A	87334	15mL with urobilinogen	4/bx
U3050-36A	87332	60mL with urobilinogen	4/bx
U3050-37A	87333	60mL with urobilinogen	10/bx
KOVA-Trol™ II low abnormal control			
U3050-26	87128	10 x 60mL	1/pk
KOVA-Trol™ III normal control			
U3050-30A	87331	15mL with hCG	4/bx
U3050-27A	87327	60mL with hCG	4/bx
KOVA® Liqua-Trol™ control			
U3050-35A	87112	Level II (normal with hCG) and Level I (abnormal), 6 x 15mL	1/pk
KOVA® Liqua-Trol™ controls with microscopics			
U3051-1A	87122	Level II (normal with hCG), 2 x 120mL	1/pk
U3051-2A	87176	Level I (abnormal), 2 x 120mL	1/pk
U3051-3A	87123	Level II (normal with hCG), 4 x 120mL	1/pk
U3051-4A	87177	Level I (abnormal), 4 x 120mL	1/pk

Sentry Urine Dipstick Control

MICROGENICS - Ready-to-use liquid controls are ideal for most urinalysis strips and can be used with automated strip readers. Stable for 12 months at room temperature after opening. Can be stored unopened for 18 months at 2° to 8°C. Kit contains four 25mL vials of control, two normal and two abnormal.

Cat. No.	Mfr. No.	Description	Qty.
B8611-25A	URN5005	Sentry urine controls kit	1/ea

Count-10™ Liquid Urine Controls

MYERS-STEVENSON GROUP - Versatile Count-10™ Trol I and III liquid controls can be used with the Count-10™ system for standardized urinalysis or as quality controls in routine urinalysis tests. They are derived from human urine that contains measured amounts of chemicals, stabilized human erythrocytes and simulated leukocytes.

Assigned values are provided for 20 physical and chemical characteristics, including urobilinogen, hCG and microscopics. Simply compare results to the assigned value charts to assess the accuracy and precision of tests. The ready-to-use liquid formulation requires no measuring, aliquoting or freezing. Stable for 24 months when stored at 2° to 8°C. Use at room temperature. Six 15mL bottles of control per package.



Cat. No.	Mfr. No.	Description	Qty.
U3035-98	10-0711L	Trol I normal (negative) control	1/pk
U3035-100	10-0731L	Trol III high abnormal (positive) control	1/pk
U3035-99	10-0731C	Combo pack - 3 x 15mL each of normal and abnormal controls	1/pk



Count-10™ Urine Controls and Stains

MYERS-STEVENSON GROUP - Multilevel Count-10™ Trol controls provide a reliable means to evaluate test performance and validate patient results. These controls offer positive and negative values for all major dipstick analytes, including bilirubin, leukocytes, esterase and nitrite. Physical characteristics, microscopic components, electrolytes, hCG and confirmatory test results are assayed. Controls are freeze-dried and have a 2-year shelf life and 5-day reconstituted stability at 2° to 8°C. Count-10™ stains are modified Sternheimer-Malbin stains used to enhance readability of urine sediment.

Cat. No.	Mfr. No.	Description	Qty.
Count-10™ Trol I controls (negative)			
U3035-61	10-0741	15mL	10/pk
Count-10™ stain			
U3035-82	10-0820	30mL	1/pk

Urinalysis

Controls

DipandSpin® Urine Dipstick/ Microscopics Control

QUANTIMETRIX - DipandSpin® is a complete urinalysis control—one bottle, two controls. And easy-to-use, squeeze bottles make dispensing simple. Values are included for microscopic measurements and all dipstick analytes plus microalbumin and creatinine as well as qualitative results for hCG early pregnancy detection test methods. It is designed for use with most urinalysis reagent strips and standardized urinalysis systems and analyzers. Can also be used for confirmatory tests and refractometry. 18-month unopened and open vial stability when stored at 2° to 8°C.



Cat. No.	Mfr. No.	Description	Qty.
1470-01	1470-01	Urine dipstick/microscopic control	1/bx

Dipper® Urine Dipstick Controls

QUANTIMETRIX - Dipper® Urine Dipstick Controls monitor the performance of visual and instrumental readings of urine dipsticks by immersing the dipstick into the control—the same way you test your patient samples. Values are included for all dipstick analytes plus microalbumin and creatinine as well as qualitative results for hCG early pregnancy detection test methods. It is designed for use with most urinalysis reagent strips. It can also be used for confirmatory tests and refractometry. Just dip it and read it. Shelf life of 18 months unopened and 3 months or 20 dips open vial stability when stored at 2° to 8°C.



Cat. No.	Mfr. No.	Description	Qty.
1440-01	1440-01	Level 1 and 2 set	3/cs
1442-61	1442-61	Level 2 - 15mL	6/cs

Dropper® Plus POC Urine Dipstick Controls

QUANTIMETRIX - Dropper® Plus POC Urine Dipstick Controls make point-of-care urine dipstick quality control simple. One month of room temperature stability helps eliminate storage problems and provides maximum portability—perfect for sites without refrigeration. And easy-to-use, dropper bottles make dispensing simple. Values are included for all dipstick analytes plus microalbumin and creatinine as well as qualitative results for hCG early pregnancy detection test methods. It is designed for use with most reagent strips. Can also be used for confirmatory tests and refractometry. 18-month unopened and open vial stability when stored at 2° to 8°C.



Cat. No.	Mfr. No.	Description	Qty.
1440-04	1440-04	POC urine dipstick control	1/bx



Dropper® Urine Dipstick Controls

QUANTIMETRIX - Dropper® Urine Dipstick Controls monitor the performance of visual and instrumental readings of urine dipsticks by dropping the control directly onto the dipstick with an easy-to-use, dropper bottle for simple dispensing and maximum use. Values are included for all dipstick analytes plus microalbumin and creatinine, as well as qualitative results for hCG early pregnancy detection test methods. It is designed for use with most reagent strips. It can also be used for confirmatory tests and refractometry. 18-month vial stability when stored as directed.

Cat. No.	Mfr. No.	Description	Qty.
1440-02	1440-02	Level 1 and 2 set	2/cs



QuanTscopics Urine Microscopics Controls

QUANTIMETRIX - QuanTscopics gives you a simple, cost-effective way to monitor the performance of urine microscopic analysis. And easy-to-use, squeeze bottles make dispensing simple. Qualitative and quantitative values are included for standardized urinalysis systems and analyzers. 24-month vial stability when stored at 2° to 8°C.

Cat. No.	Mfr. No.	Description	Qty.
1481-41	1481-41	Level 1 control - 120mL	4/bx
1482-41	1482-41	Level 2 control - 120mL	4/bx



CHEK-STIX® Control Strips for Urinalysis

SIEMENS HEALTHCARE DIAGNOSTICS - CHEK-STIX® control strips for urinalysis are firm plastic strips to which separate dry reagent areas are affixed. When these ingredients are dissolved out of the analyte pads in distilled or deionized water, the strips provide positive or defined results for the analyte indications found on MULTISTIX® reagent strips. CHEK-STIX® strips provide control material for specific gravity, pH, protein, glucose, ketone (acetoacetic acid), bilirubin, blood, nitrite, urobilinogen and leukocytes. Stable up to 8 hours after reconstitution at temperatures under 30°C. Packaged 25 strips per bottle. Combo pack 1364A includes one bottle each of positive and negative control strips.

Cat. No.	Mfr. No.	Description	Qty.
U2700-1	1360	Positive control	1/ea
1364A	1364	Combo pack	6/cs

Single Reagent Test Strips and Tablet Test for Urinalysis

SIEMENS HEALTHCARE DIAGNOSTICS

Cat. No.	Mfr. No.	Description	Qty.
Urinalysis reagent test strips			
U2386	2191	ALBUSTIX® strip - protein	100/pk, 12 pk/cs
U2330	2190	HEMASTIX® strip - blood	50/pk, 12 pk/cs
Reagent tablet test			
U2515-1	2591	ICTOTEST® tablet test - bilirubin	100/pk, 6 pk/cs

Looking for a specific product?

If you know the catalog number of the product you need, you can use the Catalog Number Index to direct you to the correct page.

Siemens Urinalysis Reagent Strips

SIEMENS HEALTHCARE DIAGNOSTICS - Reagent strips for urinalysis are firm plastic strips to which separate reagent test pads are affixed. The reagent strips provide tests for glucose, bilirubin, ketone (acetoacetic acid), specific gravity, blood, pH, protein, urobilinogen, nitrite, leukocytes, creatinine and microalbumin in urine.

The reagent test pads on these reagent test strips are ready to use right from the bottle and the entire reagent strip is disposable.

Certain configurations of strips require instrument readings on the CLINITEK Status®, CLINITEK Advantus™ and CLINITEK® 50 urine chemistry analyzers, which offer increased standardization in urinalysis. Lot number and expiration date are included. Additional accessories for CLINITEK® analyzers are available.



Cat. No.	Mfr. No.	Description	Qty.
Visual or instrument read			
U2604-2	2161	Glucose, bilirubin, ketone, specific gravity, blood, pH, protein, urobilinogen, nitrite, leukocytes	100/pk, 24 pk/cs
U2604-12	1554	Glucose, ketone, specific gravity, blood, pH, protein, nitrite, leukocyte, creatinine and protein to creatinine ratio	100/pk, 24 pk/cs
U2604-11	1566	Glucose, ketone, specific gravity, blood, pH, protein, nitrite, leukocyte, creatinine and protein to creatinine ratio	25/pk, 24 pk/cs

Cat. No.	Mfr. No.	Description	Qty.
Visual or instrument read (continued)			
U2604-5	2164	Glucose, ketone, specific gravity, blood, pH, protein, nitrite, leukocytes	100/pk, 24 pk/cs
U2604-9	2165	Glucose, ketone, blood, pH, protein, nitrite, leukocytes	100/pk, 24 pk/cs
B5373-2309	2309	Glucose, blood, protein, nitrite, leukocytes	100/pk, 24 pk/cs
U2604-6	2166	Protein, glucose, nitrite, leukocytes	100/pk, 12 pk/cs
U2722	2182	pH, protein, glucose, blood	100/pk, 12 pk/cs
U2711	2184	Protein, glucose	100/pk, 12 pk/cs
Instrument read only by Siemens CLINITEK® 50, 100, Status®, Status®+ and Status® Connect analyzers			
U2400-3A	2083	Microalbumin, creatinine and albumin to creatinine ratio	25/pk, 12 pk/cs
Visual read			
U2723	2181	pH, protein, glucose, ketone, blood	100/pk, 24 pk/cs
U2721	2183	pH, protein, glucose	100/pk, 12 pk/cs
U2604-3	2162	Glucose, bilirubin, ketone, blood, pH, protein, urobilinogen, nitrite, leukocytes	100/pk, 24 pk/cs
U2604-4	2163	Glucose, bilirubin, ketone, specific gravity, blood, pH, protein, nitrite, leukocytes	100/pk, 24 pk/cs
U2605-1	2179	Glucose, bilirubin, ketone, specific gravity, blood, pH, protein, urobilinogen	100/pk, 24 pk/cs

Urinalysis

Strips



Single Reagent Test Strips and Tablet Tests for Urinalysis

BAYER DIABETES CARE - Test strips and tablet tests for urinalysis.

Cat. No.	Mfr. No.	Description	Qty.
Urinalysis reagent test strips			
U2509-7	2803	DIASTIX® strip for semi-quantitative glucose	100/ea
U2511-1	2880	KETOSTIX® strip for ketone (acetoacetic acid)	50/ea
U2511-2	2881	KETOSTIX® strip for ketone (acetoacetic acid)	100/ea
U2509-2	2882	KETO-DIASTIX® strip for glucose/ketone	50/ea
U2509-1	2883	KETO-DIASTIX® strip for glucose/ketone	100/ea
Tablet tests			
U2460-1C	2381	ACETEST® reagent tablet test	100/ea
U2620-2A	2127	CLINITEST® reagent tablet tests, determination of reducing substances (sugar)	36/ea
U2620-3A	2126	CLINITEST® reagent tablet tests, determination of reducing substances (sugar)	100/ea

Chemstrip® Micral® Urine Test Strips

ROCHE DIAGNOSTICS - Now it's easy to eliminate the hassles of traditional lab-based microalbuminuria testing. These **CLIA-waived** Chemstrip® Micral® urine test strips give you a dip-and-read microalbumin test you can perform in 1 minute—with proven accuracy.

- On-site dipstick test with results in 60 seconds
- No 24-hour urine sample required
- 94% sensitivity and 94% specificity of radioimmunoassay
- Positive detection to 20mg/L albumin
- Detection levels at negative, 20mg/L, 50mg/L and 100mg/L
- For professional use only



Cat. No.	Mfr. No.	Description	Qty.
U2241	11544039160	Test strips (30/vial)	1/ea



Chemstrip® Urine Test Strips

ROCHE DIAGNOSTICS - Chemstrip® urine test strips let you test with confidence. With patented technology and an iodate-impregnated mesh layer, Chemstrip® test strips virtually eliminate vitamin C interference on the glucose and blood pads (see package insert for details).

All reagent pads are read at one time, between 1 to 2 minutes after dipping. Chemstrip® construction helps ensure uniform liquid penetration and prevents runoff onto adjacent pads.

Cat. No.	Mfr. No.	Description	Qty.
U2235-2	11895362160	Chemstrip® 10SG: specific gravity, pH, leukocytes, nitrite, protein, glucose, ketone, urobilinogen, bilirubin, blood	100/vl
U2238-1C	03260763160	Chemstrip® 10 MD: specific gravity, pH, leukocytes, nitrite, protein, glucose, ketone, urobilinogen, bilirubin, blood	100/vl
U2230-2B	11895427160	Chemstrip® 9: leukocytes, nitrite, pH, protein, glucose, ketone, urobilinogen, bilirubin, blood	100/vl
U2232-3	11008552160	Chemstrip® 7: leukocytes, pH, protein, glucose, nitrite, ketone, blood	100/vl
U2232-4	11893467160	Chemstrip® 5 OB: leukocytes, protein, glucose, blood, nitrite	100/vl
U2234-1A	11895397160	Chemstrip® 2 GP: protein, glucose	100/vl
U2229-1A	11895460160	Chemstrip® 2 LN: leukocytes, nitrite	100/vl
U2238-2	11895443160	Chemstrip® 2 uGK: glucose, ketone	100/vl

DiaScreen® Reagent Strips and Liquid Controls

ARKRAY USA - Use these dip-and-read test strips as in vitro diagnostic aids for urinalysis. DiaScreen® strips provide qualitative and semi-quantitative tests by visually comparing the reacted reagent to the color chart printed on the bottle label. All tests are read at 60 or 120 seconds.

DiaScreen® liquid controls provide an easy way to comply with quality assurance standards such as CLIA. Negative and positive control solutions are prepackaged and ready for use without measuring or mixing. 100 reagent strips per bottle, 10 bottles (1,000 strips) per case.



Cat. No.	Mfr. No.	Description	Qty.
Reagent strips			
D11000A	D11000	DiaScreen® 10 strip (tests for glucose, protein, blood, ketone, specific gravity, nitrite, urobilinogen, leukocytes, pH and bilirubin)	100/btl, 10 btl/cs
D11500	D11500	DiaScreen® 5 strip (tests for glucose, protein, blood, ketone and pH)	100/btl, 10 btl/cs
D13400A	D13400	DiaScreen® 4NL strip (tests for glucose, protein, b nitrite and leukocytes)	100/btl, 10 btl/cs
MED11200	11200	DiaScreen® 2GP strip (tests for glucose and protein)	100/btl, 10 btl/cs
Liquid control			
D76004	D76004	DiaScreen® liquid controls kit (2 positive and 2 negative), 2 x 12mL each level	1/ea

Clarity Urocheck 10SG Urine Reagent Strips

DIAGNOSTIC TEST GROUP - Tests for leukocytes, nitrite, urobilinogen, protein, pH, blood, specific gravity, ketone, bilirubin and glucose in urine. **CLIA-waived.**



Cat. No.	Mfr. No.	Description	Qty.
DTG-10SG	DTG-10SG	Urine reagent strips	100/bx, 24 bx/cs

Clarity Urocheck 2GP Urine Reagent Strips

DIAGNOSTIC TEST GROUP - Tests for glucose and protein in urine. **CLIA-waived.**



Cat. No.	Mfr. No.	Description	Qty.
DTG-2GPA	DTG-2 GP	Urine reagent strips	100/bx, 24 bx/cs

Clarity Urocheck 4OB Urine Reagent Strips

DIAGNOSTIC TEST GROUP - Tests for leukocytes, blood, protein and glucose in urine. **CLIA-waived.**



Cat. No.	Mfr. No.	Description	Qty.
DTG-4OB-A	DTG-4OB	Urine reagent strips	100/bx, 24 bx/cs

Clarity Urocheck 5OB Urine Reagent Strips

DIAGNOSTIC TEST GROUP - Tests for leukocytes, blood, nitrite, protein and glucose in urine. **CLIA-waived.**



Cat. No.	Mfr. No.	Description	Qty.
DTG-5OB	DTG-5OB	Urine reagent strips	100/bx, 24 bx/cs

Clarity Urocheck 7 Urine Reagent Strips

DIAGNOSTIC TEST GROUP - Tests for glucose, ketone, blood, pH, protein, nitrite and leukocytes in urine. **CLIA-waived.**



Cat. No.	Mfr. No.	Description	Qty.
DTG-URO7	DTG-URO7	Urine reagent strips	100/bx, 24 bx/cs

Urinalysis

Strips/Supplies



vChem™ 10 SG Urine Test Strips

IRIS DIAGNOSTICS - These urine test strips are intended for the in vitro measurement of the following analytes in urine: glucose, protein, bilirubin, urobilinogen, pH, specific gravity, blood, ketones, nitrite, leukocytes and ascorbic acid. Strips are intended for visual use only. The tests are **CLIA-waived**.

Cat. No.	Mfr. No.	Description	Qty.
800-7007	800-7007	10 SG urine test strips - 100 tests	100/bx, 24 bx/cs



Accutest® Urine Reagent Strips - 10 Parameters

JANT PHARMACAL - These high-quality urine reagent test strips give fast, reliable and easy-to-read results for 10 parameters: leukocytes, nitrite, urobilinogen, protein, pH, blood, specific gravity, ketone, bilirubin and glucose. **CLIA-waived** when read visually. Cleared for use on Accutest® 500 Urine Analyzer and Siemens CLINITEK® 50, 100, 200 and 500 analyzers.

Cat. No.	Mfr. No.	Description	Qty.
UA710	UA710A	Urine reagent test strips	100/ea



Urin-Tek® Urine Collection System

SIEMENS HEALTHCARE DIAGNOSTICS - The Urin-Tek® Urine Collection System consists of a disposable plastic tube (15mL capacity) with an easy-on, easy-off plastic snap-cap; a self-adhesive identification label; a flat-bottom 3 oz. paper collection cup and a 10-tube disposable tube holder for easy handling of specimens during collection, transport and testing. Tubes are graduated in milliliters and can be centrifuged for microscopic analysis. Urin-Tek® tubes and caps can be purchased separately.

Cat. No.	Mfr. No.	Description	Qty.
U2200-3	4202	Urine collection system	500/cs
U2205-1	4204	Tube only	500/cs
U2205-2	4205	Cap only	500/pk, 6/cs



Clarity Paper Rolls

DIAGNOSTIC TEST GROUP - Thermal paper rolls for use with the Clarity Urocheck 120 Urine Analyzer.

Cat. No.	Mfr. No.	Description	Qty.
DTG-UAPPR	DTG-UAPPR	Paper roll	4/pk, 12 pk/cs



KOVA® System Components

HYCOR BIOMEDICAL - The KOVA® super tube is a break-resistant, clean tube that is graduated to 12mL. It is specifically designed to help prevent sample loss from cracked or leaking tubes during transportation and centrifugation.

The KOVA® economy tube is designed for transportation and centrifugation has the same specifications as KOVA® super tubes. It is made of break-resistant styrene.

The KOVA® petter pipette is multipurpose and is designed to retain 1mL of urine sediment and provide virtually contamination-free decanting, gentle resuspension and transfer of sediment to slide.

The KOVA® cap provides secure, leak-resistant use of KOVA® tubes for transport and storage. It helps contain aerosoling during centrifugation and possible contamination of lab personnel by potentially infective specimens. Uncapping is made easier with a flip tab that covers ½ of the cap's circumference.

KOVA® stain is a specifically formulated, modified Sternheimer-Malbin stain for use with the KOVA® systems. It facilitates the differentiation of cellular elements in urine sediment.

Cat. No.	Mfr. No.	Description	Qty.
U3050-2	87137	KOVA® super tube	500/cs
U3050-1	87138	KOVA® economy tube	500/cs
U3050-4	87135	KOVA® petter pipette	500/pk
U3050-3	87139	KOVA® cap	500/cs
U3050-10	87116	KOVA® stain, 25mL	3/pk

Need a product immediately?

Call your sales or customer service representative right away. Your representative will check availability and pricing, place your order and follow through on a speedy delivery. Or visit us at cardinalhealth.com.

KOVA® System Pacs

HYCOR BIOMEDICAL - KOVA® system pacs are an economical way to purchase KOVA® system components. They contain KOVA® slides, tubes and petter pipettes and are available in the following configurations:

The KOVA® system super pac 1,000 and caps contains 1,000 super tubes, 1,000 KOVA® petter pipettes and 100 Glasstic® 10-chambered slides for 1,000 determinations and 1,000 caps.

The KOVA® system super pac 1,000 contains 1,000 super tubes, 1,000 KOVA® petter pipettes and 100 Glasstic® 10-chambered slides with grids for 1,000 determinations.

The KOVA® system value pac 500 contains 500 economy tubes, 500 KOVA® petter pipettes and 50 Glasstic® 10-chambered slides for 500 determinations.

All configurations include one system pac per package.

Cat. No.	Mfr. No.	Description	Qty.
U3050-5	87153	KOVA® system super pac 1,000 and caps	1/ea
U3050-9	87154	KOVA® system super pac 1,000	1/ea
U3050-8	87156	KOVA® system value pac 500	1/ea



KOVA® System Slides

HYCOR BIOMEDICAL - These disposable, optically clear, one-piece microscope slides contain 4 or 10 individual examination chambers. Each chamber provides a standard depth so you can examine a consistent volume of homogeneous urine sediment. The slides reduce contamination hazards from potentially infective specimens and help prevent intermixing of samples. They can be used with brightfield, phase contrast or polarized light microscopy.

The Slide II features 4 individual examination chambers. Each numbered chamber provides 0.15mm standard depth to examine a constant volume of urine sediment.

The Glasstic® slide 10 features 10 chambers, a large viewing area, visual optics similar to glass and a single focal plane.

The Glasstic® slide 10 with grids is the same as the Glasstic® slide 10 with the addition of a hemacytometer-style grid molded into each chamber, so you can quantify urine sediment and other body fluid cell counts to cells per microliter of patient sample.


Cat. No.	Mfr. No.	Description	Qty.
U3050-11	87118	Slide II, 400 determinations	100/pk
U3050-17	87157	Glasstic® slide 10, 500 determinations	50/pk
U3050-16	87146	Glasstic® slide 10, 1,000 determinations	100/pk
U3050-18	87144	Glasstic® slide 10 with grids, 1,000 determinations	100/pk

Urinalysis

Supplies

Count-10™ Acryli-Slides

MYERS-STEVENS GROUP - These standardized Count-10™ acryli-slides feature built-on coverslips to control volume of sediment tested. More quantitative and reproducible than glass slide and coverslip, acrylic slides offer the optical qualities of glass, permitting use with brightfield, phase contrast and polarizing light microscopy. The 10-chamber slide is available with or without grids.



Cat. No.	Mfr. No.	Description	Qty.
10-0441	10-0441	Without grids	50/bx
U3035-15A	10-0450	With grids	50/pk, 10 pk/cs

Count-10™ Super Packs

MYERS-STEVENS GROUP - Super packs include a box of fifty 10-chamber acryli-slides, 500 SedPet™ II pipettes and five hundred 12mL graduated urine tubes for 500 determinations. Available with polystyrene tubes or break-resistant K-tubes.

Cat. No.	Mfr. No.	Description	Qty.
U3035-20	10-0002	Super pack with polystyrene tubes	500/cs
U3035-22	10-0002K	Super pack with K-tubes	500/cs

Count-10™ Pipettes and Separators

MYERS-STEVENS GROUP - Automatic SedPet™ pipette method uses the Count-10™ AutoPet™ pipette handle and reusable SedPet™ tips. Operating on vacuum power from mechanical or water filter pumps, the automatic system offers rapid removal and sanitary disposal of urine supernate. It minimizes contact with potentially infectious specimens and is ideal for large batch test runs.

Versatile SedPet™ II pipettes retain sediment concentrate during decanting step. Pipette hooks over side of urine tube and remains secure, avoiding urine contamination of bulb while decanting, and bulb retains a consistent 0.8mL of sediment concentrate. Use SedPet™ II pipettes as transfer pipettes to mix and deliver sample to test slide.

Click Stick™ sediment separators hook to rim of urine tube and retain sediment during decanting step. Use sampler pipette to transfer sediment to test slide.

Cat. No.	Mfr. No.	Description	Qty.
U3035-18	10-0530	SedPet™ II pipette	500/pk
U3035-6	10-0600	Sampler pipette	500/pk
U3035-17	10-0620	Click Stick™ sediment separator/ sampler combination pack	500/pk



Count-10™ Urine Collection Packs

MYERS-STEVENS GROUP - These Count-10™ collection packs include plastic collection cups, 12mL graduated urine tubes, tube caps, labels and transport rack. Packs are available with polystyrene urine tubes or K-tubes (urine tubes made of a break-resistant K-Resin® material). Both are optically clear for color and turbidity readings. Tube caps fit securely for spill- and leak-resistant transport and handling. Packed in convenient bags of 100 sets.

Cat. No.	Mfr. No.	Description	Qty.
U3035-1	10-0100	Collection pack with polystyrene tubes	500/cs
U3035-12	10-0100K	Collection pack with K-tubes	500/cs
Replacements and accessories			
U3035-2	10-0200	Polystyrene tube, 12mL	500/pk
U3035-11	10-0210	K-tube, 12mL	500/pk
U3035-3	10-0300	Tube cap	500/pk
10-0920	10-0920	Collection cup, screw cap, 4 oz., nonsterile	1/cs
10-0925	10-0925	Collection cup, screw cap, 4 oz., sterile	100/cs

Count-10™ Wide-Scan Acryli-Slide

MYERS-STEVENS GROUP - This slide is designed specifically for quantitative, reproducible testing in small- and medium-volume laboratories. The slide is a part of the Count-10™ system for standardized microscopic urinalysis. Up to six chambers can be loaded and read at one time, reducing setup and reading time. The 90mm² reading surface is more than adequate for routine sediment counts.

Made of acrylic, this slide has the optical quality of glass and can be used for brightfield, phase contrast and polarizing light microscopy. Because each test chamber holds a consistent 10µL sample, accuracy of sediment test results can be improved. Slide design helps prevent "floating coverslips" and helps ensure monolayer reading of virtually every specimen.

Cat. No.	Mfr. No.	Description	Qty.
U3035-90	10-0460	Count-10™ wide-scan acryli-slide	50/pk, 10 pk/cs



WBC Analyzer

HEMOCUE - The WBC Analyzer is cleared for moderately complex testing and provides quantitative results of a patient's total white blood cell count in about 3 minutes from a capillary or venous sample.

The white blood cell count is determined by automatic cell counting. A hemolyzing agent lyses the red cells in the microcuvette and a staining

agent colors the white cells. An image is taken of the stained white cells and the number of cells is counted by image analysis in the analyzer. The system is substantially equivalent to the Sysmex XS-system and the manual light microscopy method for white blood cell count.

- Lab accurate results in about 3 minutes
- Convenient cuvette technology
- Easy to use, no lab training required
- Capillary or venous samples
- Factory calibrated—no further calibration needed

Analyzer ships with:

- WBC analyzer, manual, warranty, quick reference guide, sample HemoCue cleaner and training CD-ROM

Specifications:

Measuring range 0.3-30.0 x 10⁹/L (300-30,000/mm³, 300-30,000/μL)

Sample volume 10 μL

Cat. No.	Mfr. No.	Description	Qty.
123001	123001	WBC analyzer	1/ea
WBC005	WBC005	WBC control solution - 3/pk (low, normal and high)	1/ea



Expertise

Cardinal Health is an experienced, dependable partner that knows the lab business and solves problems.

- 60 years of experience serving laboratories.
- Dependable service, with tenured representatives who are committed to understanding and attending to customers' needs.
- Sales representatives who help educate lab managers about their options with comparative information about different manufacturers and products.
- Specialty customer service team that manages high-volume, high-value and perishable materials.
- Extensive supply chain and logistics expertise.

Women's Health

Bacterial Vaginosis/Pregnancy



OSOM® BVBLUE® Test Kits

SEKISUI DIAGNOSTICS - Detects sialidase, an enzyme produced by bacterial pathogens associated with bacterial vaginosis such as Gardnerella, Bacteroides, Prevotella and Mobiluncis. 92.6% sensitivity; 98% specificity versus Gram stain—more sensitive than wet mount. Vaginal swab, clear objective results with easy-to-read color change in 10 minutes. Refrigerated storage. **CLIA-waived.**

Cat. No.	Mfr. No.	Description	Qty.
B1049-183	183	OSOM® BVBLUE® test	25/kt, 5 kt/cs
B1049-184	184	OSOM® BVBLUE® control kit - negative and positive	1/ea

hCG Rapid Tests

CARDINAL HEALTH - Our hCG tests are rapid, one-step tests for the qualitative detection of human chorionic gonadotropin in urine or serum. The simple, one-step procedure provides results in 3 minutes for urine; 5 minutes for serum. Built-in test controls help ensure accuracy.

Each kit contains individually-pouched dipsticks or test cassettes with disposable specimen droppers and easy-to-follow directional inserts. Store at room temperature or refrigerate at 2° to 30°C (36° to 86°F). Do not freeze.



Cat. No.	Description	Qty.
B1077-21	Urine dipstick test	50/ea
B1077-22	Urine cassette test	30/ea
B1077-23	Combo urine/serum test	30/ea
B1077-24	hCG control - 2 vials (1 positive, 1 negative)	1/ea



hCG Control Set-Urine

QUIDEL - Use this control set with all Quidel hCG urine tests. Each set contains one positive and one negative control.

Cat. No.	Mfr. No.	Description	Qty.
B6775-14	00272	hCG control set - urine	1/kt, 10 kt/cs

QuickVue® One-Step hCG Combo Tests

QUIDEL - This sensitive immunoassay tests for the qualitative detection of human chorionic gonadotropin (hCG) in serum or urine for the early detection of pregnancy has a 25mIU/mL sensitivity in both urine and serum. It employs state-of-the-art manufacturing techniques resulting in a higher clarity, easy-to-read test.



Cat. No.	Mfr. No.	Description	Qty.
B6775-51	20110	One-step hCG combo test	50/kt, 12 kt/cs

QuickVue® One-Step hCG Urine Tests

QUIDEL - This test is a sensitive immunoassay for the qualitative detection of human chorionic gonadotropin (hCG) in urine for the early detection of pregnancy. It features 25 mIU/mL sensitivity in urine, state-of-the-art manufacturing, high clarity and is easy-to-read.



Cat. No.	Mfr. No.	Description	Qty.
B6775-50	20109	One-step hCG urine test	25/kt, 12 kt/cs

ICON 20 hCG Test for hCG in Urine and Serum

BECKMAN COULTER - ICON 20 hCG is a rapid test for detecting hCG qualitatively, employing a solid-phase chromatographic immunoassay technology to selectively detect elevated levels of hCG in serum or urine.

Beckman Coulter, the stylized logo and ICON are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.

Cat. No.	Mfr. No.	Description	Qty.
B3167-50	395097A	Test for hCG in urine and serum - 25 tests	25/kt, 4 kt/cs

ICON 25 hCG Test for hCG in Urine and Serum

BECKMAN COULTER - The ICON 25 hCG test is a one-step, rapid combination serum/urine test designed for the early detection of pregnancy. It delivers fast, reliable results and requires just 3 drops of sample. The individually-sealed test cassette is sleekly designed and compact for optimum convenience and ease-of-use.

Beckman Coulter, the stylized logo and ICON are trademarks of Beckman Coulter, Inc. and are registered in the USPTO.



Cat. No.	Mfr. No.	Description	Qty.
B6775-78	43025A	Test for hCG in urine and serum - 25 tests	25/kt, 4 kt/cs

QuickVue+® One-Step hCG Combo Test Kits

QUIDEL - These kits feature a rapid and sensitive immunoassay for the qualitative detection of hCG in serum or urine for the early detection of pregnancy. The test does not require a large sample—just add 4 drops of serum or urine into the sample well and read. Urine results appear in 3 minutes; serum results appear within 5 minutes. QuickVue+® test kits have the ability to detect low hCG levels as early as 2 to 3 days before expected menses. Easy to interpret with the universally recognized two-color, plus/minus (+/-) sign. Built-in procedural controls verify proper test and reagent performance. Test requires no additional reagents. Sensitivity is 10 mIU/mL in serum and 20 mIU/mL in urine. Sensitivity, specificity and accuracy are 99%. Store at room temperature for up to 21 months.



Cat. No.	Mfr. No.	Description	Qty.
B6775-26	00178	30-test kit	10 kt/cs
B6775-27	00179	90-test kit	6 kt/cs
B6775-28	00281	Serum hCG control set, 1 vial each of negative and high/low positive controls	10 kt/cs

Clearview® hCG Combo

REMEL - For the rapid qualitative detection of human chorionic gonadotropin (hCG) in urine or serum specimens. Alere.

Cat. No.	Mfr. No.	Description	Qty.
R246110	R246110	Clearview® hCG combo	40/pk



Clinitest® hCG Test Kit

SIEMENS HEALTHCARE DIAGNOSTICS - For early detection of pregnancy, this instrument read test features a convenient cassette device that measures hCG in urine at a cutoff concentration of 25 mIU/mL. Use with the CLINITEK Status®, Status®+, or Status® Connect urine chemistry analyzers for fast, accurate results. Each kit is sufficient for 25 tests.

Cat. No.	Mfr. No.	Description	Qty.
U2261-64A	1760	Clinitest® hCG test kit	25/kt



Alere™ hCG Test Kits

ALERE NORTH AMERICA - These are one-step tests for the early detection of human chorionic gonadotropin (hCG), a hormone produced during pregnancy. The tests use a patented, innovative technology to provide highly sensitive and specific results for pregnancy. The combo kits use CLIA-waived urine, moderately complex serum tests.

Cat. No.	Mfr. No.	Description	Qty.
B6775-63A	92215	hCG combo cassette (20/10 mIU/mL) - 40 tests	1/ea
B6775-88A	92225	hCG combo cassette (25 mIU/mL) - 40 kits	1/ea
B6775-62A	92217	hCG cassette (25 mIU/mL) - 40 tests	1/ea
HCG92210	92210	hCG cassette (20 mIU/mL) - 30 tests	1/ea
B6775-61A	92211	hCG dipstick - 50 tests	1/ea
B6775-64A	92218	hCG urine controls - 2 vials (1 positive, 1 negative)	1/ea

Women's Health

Pregnancy



Clarity PLUS25 Pregnancy Test Cassettes

DIAGNOSTIC TEST GROUP - Sensitivity: 25mIU/mL. **CLIA-waived.**

Cat. No.	Mfr. No.	Description	Qty.
DTG-PLUS25	DTG-PLUS25	Pregnancy test cassettes	25/bx, 42 bx/cs

Clarity Urine/hCG Controls

DIAGNOSTIC TEST GROUP - For use with Clarity Urocheck Urine strips (and various other reagent strips). Can be used with any hCG test.



Cat. No.	Mfr. No.	Description	Qty.
DTG-UHCTLS	DTG-UHCTLS	Liquid urine/hCG dropper controls - 1 x 15mL	1/pk, 24 pk/cs
DTG-UHCONT	DTG-UHCONTROL	Liquid urine/hCG dropper controls - 3 x 15mL	3/pk, 24 pk/cs



BioSign One Step Pregnancy Tests

LIFESIGN - This rapid immunoassay for the qualitative detection of hCG (human chorionic gonadotropin) in urine provides results in minutes.

Cat. No.	Mfr. No.	Description	Qty.
BSP121	BSP-121	BioSign one step pregnancy test	35/bx

Status hCG™ Pregnancy Tests

LIFESIGN - These one-step rapid immunoassays offer qualitative detection of hCG (human chorionic gonadotropin) in serum or urine. They offer exceptional sensitivity and early pregnancy detection with 25 mIU/mL sensitivity. Both tests have built-in procedural controls and are stable at room temperature for up to 1 year. Results in 5 minutes. **CLIA-waived** for urine. CLIA moderately complex for serum. 35 tests per box.



Cat. No.	Mfr. No.	Description	Qty.
35035	35035	Status hCG™ urine/serum test	35/bx
35135	35135	Status hCG™ urine test	35/bx

Status hCG™ Strip Pregnancy Tests

LIFESIGN - This rapid immunoassay for the qualitative detection of hCG (human chorionic gonadotropin) in urine provides results in minutes. The compact strip test offers "dip and read" simplicity with 25 mIU/mL sensitivity. **CLIA-waived.** 35 tests per box.



Cat. No.	Mfr. No.	Description	Qty.
SP35235	35235	Status hCG™ strip pregnancy test	35/bx

Target hCG Serum Controls

MYERS-STEVENSON GROUP - Target hCG serum controls are used for the assessment of hCG levels with qualitative hCG rapid test kits.

Cat. No.	Mfr. No.	Description	Qty.
B6776-8	30-0104	hCG serum controls - 1 x 5mL negative; 1 x 5mL positive	1/pk

Target hCG Serum/Urine Calibrator Control Set

MYERS-STEVENSON GROUP - Target hCG serum/urine calibrators are used for the semi-quantitative assessment of hCG levels with rapid hCG test kits. Reagents include hCG serum calibrators-buffered human serum preservatives. Serum hCG levels supplied with 0 and 25 mIU/mL. hCG urine calibrators are also buffered human urine preservatives. hCG levels supplied with 0 and 50 mIU/mL.

Cat. No.	Mfr. No.	Description	Qty.
B6776-3	30-0101	hCG urine/serum calibrator/control set - 8 x 2mL	1/pk

Target hCG Urine Controls

MYERS-STEVENSON GROUP - Target hCG urine controls are used for the assessment of hCG levels with qualitative rapid hCG test kits.

Cat. No.	Mfr. No.	Description	Qty.
B6776-7	30-0103	hCG urine controls - 1 x 5mL negative; 1 x 5mL positive	1/pk

OSOM® Card Pregnancy Tests

SEKISUI DIAGNOSTICS - Easy-to-read black and white results. No drop-counting pipette. 24-month shelf life. Room temperature storage.

OSOM® card pregnancy test B1042-61A is for the rapid detection of hCG in urine at 20 mIU/mL in 3 minutes. OSOM® hCG combo test B6756-4 detects hCG in urine at 20 mIU/mL or serum at 10 mIU/mL. Results in 3 minutes for urine and 5 minutes for serum. Controls for urine and serum are sold separately.



Cat. No.	Mfr. No.	Description	Qty.
B1042-61A	102	OSOM® card pregnancy test	25/kt, 18 kt/cs
B6756-4	124	OSOM® hCG combo test	25/kt, 18 kt/cs
Control sets			
B6756-2A	134	OSOM® hCG 10mL urine controls - negative, positive I and positive II	1/ea
B6756-5	138	OSOM® hCG 5mL serum controls - negative and positive	1/ea

OSOM® hCG Dipstick Pregnancy Tests

SEKISUI DIAGNOSTICS - This reliable hCG urine test is fast and easy-to-read with two-color results. Just dip the test stick into the urine sample for 3 seconds and read results at 5 minutes. 99% accuracy, 25 mIU/mL sensitivity. Store at room temperature. Control set is sold separately. 50 tests per kit, 6 kits (300 tests) per case.



Cat. No.	Mfr. No.	Description	Qty.
B1042-6	101	OSOM® hCG urine test	50/kt, 6 kt/cs
B6756-2A	134	OSOM® hCG 10mL urine controls - negative, positive I and positive II	1/ea



hCG Controls

STANBIO LABORATORY - Control B6778-3 is a bi-level urine control with high positive and negative levels. Control B6778-6 is a tri-level serum control with low positive, high positive and negative levels. Controls are ready-to-use and should be stored at room temperature.

Cat. No.	Mfr. No.	Description	Qty.
B6778-3	1225-205	Bi-level urine control	1/ea
B6778-6	1235-305	Tri-level serum control	1/ea

QuPID® hCG Pregnancy Test Sets

STANBIO LABORATORY - These specific-dye conjugate immunoassays detect hCG in urine or serum for the determination of pregnancy. They provide results in 3 minutes in urine and 5 minutes in serum and have 20mIU/mL sensitivity. Sets come with disposable droppers.



Cat. No.	Mfr. No.	Description	Qty.
QuPID® hCG tests (urine only)			
B6778-1	1220-025	25 tests per kit	1/kt
B6778-2	1220-050	50 tests per kit	1/kt
QuPID® Plus hCG tests (urine or serum)			
B6778-4	1230-025	25 tests per kit	1/kt
B6778-5	1230-050	50 tests per kit	1/kt

True® 20 and True® 20 Plus hCG Pregnancy Tests

STANBIO LABORATORY - These pregnancy test sets provide fast results and are sensitive, requiring only 20mIU/mL hCG in serum or urine for determination. They feature a platform format, come with a disposable dropper and are **CLIA-waived**. Sets are stored at room temperature and have a long shelf life. Set 1430-050 provides results in 3 minutes with urine; set 1440-050 gives results in 3 minutes with urine and 5 minutes with serum. Suitable for 50 tests.



Cat. No.	Mfr. No.	Description	Qty.
1430-050	1430-050	True® 20 hCG pregnancy test	1/ea
1440-050	1440-050	True® 20 Plus hCG pregnancy test	1/ea



AmnioTest™ Rapid Swab Test for Amniotic Fluid

PRO-LAB DIAGNOSTICS - This nitrazine-tipped swab functions as a pH indicator to determine the presence of amniotic fluid in a patient's upper vaginal or cervical area. Designed for near-term gynecological patients, this simple, point-of-use screening test provides easy-to-read colorimetric results in 15 seconds. Supplied sterile in an individually-sealed, easy-to-open sleeve. Requires minimal QC measures; order QC buffer solutions separately. 100 swab tests per box.

Cat. No.	Mfr. No.	Description	Qty.
PL901	PL.901	Swab test for amniotic fluid	100/bx

Product Index

A

Accessories

Accessories and Supplies for CLINITEK® Analyzers.....	46
Clarity Paper Rolls.....	52
CLINITEK Status® Connector Platform.....	46
Count-10™ Super Packs.....	54
KOVA® System Components.....	53

Adenovirus Test Kits

Diarlex Rota-Adeno Test Kits	26
RPS Adeno Detector™ Test	26
SAS™ Adeno Test.....	26

Alcohol Test Kits

ALCO-SCREEN® Saliva Tests for Alcohol.....	13
Intoxilyzer® S-D5 Breath Alcohol Screeners.....	16

Amniotic Fluid Test Kit

Amniotest™ Rapid Swab Test for Amniotic Fluid	59
---	----

Analyzers

Glucose Analyzer

HemoCue® Glucose 201 and Glucose 201 DM Analyzers	10
---	----

HbA1c Analyzer

DCA Vantage® Analyzer.....	12
----------------------------	----

Hemoglobin Analyzer

HemoCue® Hb 201+ and Hb 201 DM Analyzers	25
--	----

Immunoassay Analyzers

PATHFAST® Point-of-Care Immunoassay Analyzer	5
--	---

Platelet Function Analyzer

VerifyNow® Instrument	34
-----------------------------	----

Urinalysis Analyzers

CLINITEK Advantus™ Urine Analyzer	46
CLINITEK Status®+ and CLINITEK Status® Connect Urine Analyzers.....	46
Urisys 1100® Urine Analyzer	46

White Blood Cell Analyzer

WBC Analyzer.....	55
-------------------	----

ANA Test Kits

ANA HEp-2 Test Kit.....	2
ANA HEp-2 Test Kit with Evans Blue	2

ASO Test Kits

ASO Slide Test Kits	40
Colorcard® ASO Test Kit	40
RaPET® ASO Latex Agglutination Test Kits.....	40
RheumaJet ASO Test Kit.....	40

Autoimmune Disease

ANA

ANA HEp-2 Test Kit.....	2
ANA HEp-2 Test Kit with Evans Blue	2

CRP

CRP Slide Test Kits	2
Immunex CRP® Test Kits	2
RaPET® CRP Latex Agglutination Test Kits	2
RheumaJet CRP Test Kit.....	2

RF

Colorcard® RF Test Kit.....	3
RaPET® RF Latex Agglutination Test Kits	4
RF Direct Slide Test Kits	3
RF Latex Test Kits.....	3
RheumaJet RF (T) Control	3
RheumaJet RF Test Kits.....	3
Rheumatex™ Slide Test Kits.....	4

SLE

SLE Slide Test Kits	4
---------------------------	---

B

Bacterial Vaginosis Test Kit

OSOM® BVBLUE® Test Kits.....	56
------------------------------	----

C

Cardiac

D-dimer Kit	5
PATHFAST® Point-of-Care Immunoassay Analyzer	5

Cartridges

DCA 2000+ A1C Reagent Kit Cartridges	12
--	----

Chlamydia Test Kits

Clearview® Chlamydia Test Kit	41
PathoDx® Chlamydia Trachomatis FA Direct Test Kit	41
QuickVue® Chlamydia Tests	41

Cholesterol Monitoring

Accutrend® Plus System	6
Alere Cholestech LDX® System	6

Coagulation

Alere INRatio®2 Prothrombin Time Monitoring System	7
CoaguChek® XS Plus System	7
CoaguChek® XS Pro System	7
CoaguChek® XS System	7

Controls

Fecal Occult Blood Controls

Camco® Positive Control Solution for Guaiac-Based Test Devices	21
---	----

Glucose Controls

ACCU-CHEK® Comfort Curve Test Strips and Controls	9
Assure® Blood Glucose Monitoring Supplies	10
Control Solutions for use with StatStrip® and StatStrip® Xpress™ Glucose Meters	10
KetoSite® Controls	11
MediSense® Glucose Control Solutions	8
Sugar-Chex® II Glucose Controls	11
Test Strips and Controls for CONTOUR® Blood Glucose Meter	9
Test Strips and Control Solutions for CONTOUR™ TS Meter	9

Hemoglobin Controls

HQ-Chex Whole Blood Glucose and Hemoglobin Controls	25
---	----

Urinalysis Controls

Count-10™ Liquid Urine Controls	47
Count-10™ Urine Controls and Stains	47
DipandSpin® Urine Dipstick/Microscopics Control	48
Dipper® Urine Dipstick Controls	48
Dropper® Plus POC Urine Dipstick Controls	48
Dropper® Urine Dipstick Controls	48
KOVA® System Urinalysis Quality Controls	47
QuanTscopics Urine Microscopics Controls	48
Sentry Urine Dipstick Control	47

CRP Test Kits

CRP Slide Test Kits	2
Immunex CRP® Test Kits	2
RaPET® CRP Latex Agglutination Test Kits	2
RheumaJet CRP Test Kit	2

Cups

Count-10™ Urine Collection Packs	54
QuikScreen 11 DOA Cups	16
Status Assure Cups	16
Urin-Tek® Urine Collection System	52

D

Developer

Gastrocult Developer	18
Hemocult Developer and Hemocult SENS A Developer	20

Diabetes Monitoring

Glucose

ACCU-CHEK® Aviva Plus Blood Glucose Monitoring System	9
ACCU-CHEK® Comfort Curve Test Strips and Controls	9
ACCU-CHEK® Safe-T-Pro Lancets	10
Assure® Blood Glucose Monitoring Supplies	10
Calibration Assessment Kit	8
Control Solutions for use with StatStrip® and StatStrip® Xpress™ Glucose Meters	10
FreeStyle Lite® Institutional Blood Glucose Test Strips	8
Glucose and Ketone Calibration Assessment Kit	8
Glucose Test Strips for use with StatStrip® and StatStrip® Xpress™ Glucose Meters	10
HemoCue® Glucose 201 and Glucose 201 DM Analyzers	10
KetoSite® Controls	11
MediSense® Glucose Control Solutions	8
Point-of-Care Blood Glucose Test Strips	8
Precision Xtra® Institutional Blood Glucose Test Strips	8
Sugar-Chex® II Glucose Controls	11
Sugar-Chex® Linearity Kits	11
Test Strips and Controls for CONTOUR® Blood Glucose Meter	9
Test Strips and Control Solutions for CONTOUR™ TS Meter	9

Glucose Tolerance Beverages

GlucoCrush™	11
Glucose Tolerance Drinks	11

HbA1c

Bayer's A1CNow+® Multi-Test A1C System	12
DCA 2000+ A1C Reagent Kit Cartridges	12
DCA Vantage® Analyzer	12

Drinks, Glucose Tolerance

GlucoCrush™	11
Glucose Tolerance Drinks	11

Product Index

Drugs of Abuse, Test Kits

Accutest® MultiDrug ER 11 Test Kits	16
ALCO-SCREEN® Saliva Tests for Alcohol.....	13
Controls for MEDTOX® Drug Screening Devices	13
Drug Screening Kits and Accessories	15
Intoxilyzer® S-D5 Breath Alcohol Screeners.....	16
MEDTOX® Blue Dye Toilet Tablet	13
MEDTOX® Employee Drug Screening Devices	13
MEDTOX® Hospital/Lab Drug Screening Devices	14
MEDTOXScan® Reader Rapid Drug of Abuse Testing System.....	14
Miscellaneous Drug Screening Devices	14
QuikScreen 11 DOA Cups	16
Status Assure Cups.....	16
Status DS™ Drug Abuse Tests	17
Status DS™ Drugs-of-Abuse Test Kits	17
Status Stik™ Drugs-of-Abuse Test Kits - Marijuana and Cocaine	17

F

Fecal and Gastric Occult Blood Test Kits

Gastroccult Developer	18
HemaPrompt™ FG Gastric and Fecal Occult Blood Tests.....	18

Fecal Occult Blood Test Kits

Guaiac Tabs - Occult Blood Test.....	21
HemaPrompt™ Fecal Occult Blood Tests.....	18
Hema-Screen Stat™ Slide Tests for Fecal Occult Blood	22
Hema-Screen™ Slide Tests for Fecal Occult Blood	22
Hemoccult ICT Immunochemical Fecal Occult Blood Tests and Components	18
Hemoccult II Dispensapak Plus Guaiac Slide Test Kit for Fecal Occult Blood.....	19
Hemoccult II Fecal Occult Blood Test Kit.....	19
Hemoccult II SENSADispensapak Plus Slide Test Kit.....	20
Hemoccult II SENSAAelite Dispensapak Plus Test Kit	20
Hemoccult II Triple-Slide Test.....	20
Hemoccult SENSE Slide Tests.....	20
Hemoccult Slide Tests for Fecal Occult Blood	19
Hemoccult Tape Test Kit for Fecal Occult Blood	19
Hemosure® iFOB Tests.....	21
QuickVue® iFOB Fecal Occult Blood Testing Kits	21
Seracult® Fecal Occult Blood Tests	23
Seracult Plus® Fecal Occult Blood Tests	22
Test Kits and Supplies	22

G

Gastrointestinal Disease

Fecal and Gastric Occult Blood

Gastroccult Developer.....	18
HemaPrompt™ FG Gastric and Fecal Occult Blood Tests	18

Fecal Occult Blood

Camco® Positive Control Solution for Guaiac-Based Test Devices	21
Guaiac Tabs - Occult Blood Test.....	21
HemaPrompt™ Fecal Occult Blood Tests.....	18
Hema-Screen Stat™ Slide Tests for Fecal Occult Blood	22
Hema-Screen™ Slide Tests for Fecal Occult Blood	22
Hemoccult Developer and Hemoccult SENSE Developer.....	20
Hemoccult ICT Immunochemical Fecal Occult Blood Tests and Components	18
Hemoccult II Dispensapak Plus Guaiac Slide Test Kit for Fecal Occult Blood.....	19
Hemoccult II Fecal Occult Blood Test Kit.....	19
Hemoccult II SENSADispensapak Plus Slide Test Kit.....	20
Hemoccult II SENSAAelite Dispensapak Plus Test Kit	20
Hemoccult II Triple-Slide Test.....	20
Hemoccult SENSE Slide Tests.....	20
Hemoccult Slide Tests for Fecal Occult Blood	19
Hemoccult Tape Test Kit for Fecal Occult Blood	19
Hemosure® iFOB Tests	21
QuickVue® iFOB Fecal Occult Blood Testing Kits.....	21
Seracult® Fecal Occult Blood Tests	23
Seracult Plus® Fecal Occult Blood Tests	22
Test Kits and Supplies	22

H. pylori

Acceava® <i>H. pylori</i> Test Kit.....	24
Clearview® <i>H. pylori</i> Test	24
Clearview® <i>H. pylori</i> Test Kit.....	24
<i>H. pylori</i> IgG ELISA II Test Kit.....	24
<i>H. pylori</i> Rapid Test	23
ICON <i>H. pylori</i> Infection Test Kit	23
OSOM® <i>H. pylori</i> Test Kits	24
QuickVue® <i>H. pylori</i> gII® Tests.....	24
Status <i>H. pylori</i> Controls	24
Status <i>H. pylori</i> Test Kits.....	24

Glucose Tolerance Beverages

GlucoCrush™	11
Glucose Tolerance Drinks	11

H

hCG Pregnancy Test Kits

Alere™ hCG Test Kits	57
BioSign One Step Pregnancy Tests	58
Clarity PLUS25 Pregnancy Test Cassettes	58
Clarity Urine/hCG Controls	58
Clearview® hCG Combo	57
Clinitest® hCG Test Kit	57
hCG Controls	59
hCG Control Set-Urine	56
hCG Rapid Tests	56
ICON 20 hCG Test for hCG in Urine and Serum	56
ICON 25 hCG Test for hCG in Urine and Serum	57
OSOM® Card Pregnancy Tests	59
OSOM® hCG Dipstick Pregnancy Tests	59
QuickVue® One-Step hCG Combo Test Kits	57
QuickVue® One-Step hCG Combo Tests	56
QuickVue® One-Step hCG Urine Tests	56
QuPID® hCG Pregnancy Test Sets	59
Status hCG™ Pregnancy Tests	58
Status hCG™ Strip Pregnancy Tests	58
Target hCG Serum Controls	58
Target hCG Serum/Urine Calibrator Control Set	58
Target hCG Urine Controls	58
True® 20 and True® 20 Plus hCG Pregnancy Tests	59

Hemoglobin

Cyanmethemoglobin Standard	25
HemoCue® Hb 201+ and Hb 201 DM Analyzers	25
HemoCue® Plasma/Low Hb Photometer	25
HQ-Chex Whole Blood Glucose and Hemoglobin Controls	25
STAT-Site® M ^{Hgb} Hemoglobin Testing System	25
STAT-Site® M ^{Hgb} Starter Pack	25

Herpes Test Kits

IMAGEN™ Herpes Simplex Virus Test	41
PathoDx® Herpes Typing Kit	41

HIV Test Kits

Clearview® HIV 1/2 Rapid Test Kits	26
Reveal® G3 Rapid HIV-1 Antibody Tests	26

H. pylori Test Kits

Acceava® <i>H. pylori</i> Test Kit	24
Clearview® <i>H. pylori</i> Test	24
Clearview® <i>H. pylori</i> Test Kit	24
<i>H. pylori</i> IgG ELISA II Test Kit	24
<i>H. pylori</i> Rapid Test	23
ICON <i>H. pylori</i> Infection Test Kit	23
OSOM® <i>H. pylori</i> Test Kits	24
QuickVue® <i>H. pylori</i> gII® Tests	24
Status <i>H. pylori</i> Controls	24
Status <i>H. pylori</i> Test Kits	24

I

Infectious Disease

Adenovirus

Diarlex Rota-Adeno Test Kits	26
RPS Adeno Detector™ Test	26
SAS™ Adeno Test	26

HIV

Clearview® HIV 1/2 Rapid Test Kits	26
Reveal® G3 Rapid HIV-1 Antibody Tests	26

Influenza

BD Directigen™ EZ Flu A + B Test	28
BD Veritor™ System for Flu A + B	28
BinaxNOW® Influenza A & B Flow Tests	27
BinaxNOW® Influenza Test Kits	28
Haemophilus Influenzae Type B Agglutinating Serum	27
IMAGEN™ Influenza A & B Test	27
OSOM® Influenza A & B Test Kits	28
QuickVue® Influenza A+B Tests	27
QuickVue® Influenza Tests	27
Xpect® Flu A & B Test Kit	27

Legionella

BinaxNOW® <i>Legionella</i> Test Kit	29
<i>Legionella</i> Poly-ID Test Kit	29

Malaria

BinaxNOW® Malaria Test Kits	29
-----------------------------	----

Product Index

Infectious Disease (continued)

Mono

BioSign Mono Test Kits	31
BioStar® Acceava® Mono II Test Kit	31
Clearview® Mono Test	30
Clearview® Mono Test Kits	31
Color Mono II Test Kits	30
Color Mono Latex Test Kits	29
Color Slide® II Mononucleosis Test	31
Color Slide® II Mono Test	30
ICON Mono Test	30
Monogen Test Kit	31
Mono Rapid Test	29
OSOM® Mono Test Kits	32
Poly stat® Mono Test Kit	32
QuickVue+® Infectious Mononucleosis Tests	30
Status Mono™ Controls 2 x 0.5mL	32
Status Mono™ Infectious Mononucleosis Test Kits	32
Wampole® ColorCard Infectious Mononucleosis Test Kit	31

Rotavirus

Rotavirus Latex Test	32
Xpect® Rotavirus Control Kit	33
Xpect® Rotavirus Test	33

Rubella

RubaJet Rubella Test Kits	33
Rubella Latex Tests	33
Rubella-plus® Test Kit	33
Rubella Test Kits	33

Influenza Test Kits

BD Directigen™ EZ Flu A + B Test	28
BD Veritor™ System for Flu A + B	28
BinaxNOW® Influenza A & B Flow Tests	27
BinaxNOW® Influenza Test Kits	28
Haemophilus Influenzae Type B Agglutinating Serum	27
IMAGEN™ Influenza A & B Test	27
OSOM® Influenza A & B Test Kits	28
QuickVue® Influenza A+B Tests	27
QuickVue® Influenza Tests	27
Xpect® Flu A & B Test Kit	27

L

Lancets

ACCU-CHEK® Safe-T-Pro Lancets	10
-------------------------------------	----

Legionella Test Kits

BinaxNOW® Legionella Test Kit	29
Legionella Poly-ID Test Kit	29

M

Malaria Test Kits

BinaxNOW® Malaria Test Kits	29
-----------------------------------	----

Monitoring System

Cholesterol

Accutrend® Plus System	6
Alere Cholestech LDX® System	6

Coagulation

Alere INRatio®2 Prothrombin Time Monitoring System	7
CoaguChek® XS Plus System	7
CoaguChek® XS Pro System	7
CoaguChek® XS System	7

Glucose

ACCU-CHEK® Aviva Plus Blood Glucose Monitoring System	9
Calibration Assessment Kit	8
Glucose and Ketone Calibration Assessment Kit	8
Sugar-Chex® Linearity Kits	11

HbA1c

Bayer's A1CNow+® Multi-Test A1C System	12
DCA 2000+ A1C Reagent Kit Cartridges	12
DCA Vantage® Analyzer	12

Hemoglobin

STAT-Site® M ^{Hgb} Hemoglobin Testing System	25
STAT-Site® M ^{Hgb} Starter Pack	25

Mono Test Kits

BioSign Mono Test Kits	31
BioStar® Acceava® Mono II Test Kit	31
Clearview® Mono Test	30
Clearview® Mono Test Kits	31
Color Mono II Test Kits	30

Mono Test Kits (continued)

Color Mono Latex Test Kits.....	29
Color Slide® II Mononucleosis Test	31
Color Slide® II Mono Test.....	30
ICON Mono Test	30
Monogen Test Kit.....	31
Mono Rapid Test	29
OSOM® Mono Test Kits.....	32
Poly stat® Mono Test Kit	32
QuickVue+® Infectious Mononucleosis Tests	30
Status Mono™ Controls 2 x 0.5mL	32
Status Mono™ Infectious Mononucleosis Test Kits.....	32
Wampole® ColorCard Infectious Mononucleosis Test Kit	31

P

Panel Test Kit

PathoDx® Respiratory Virus Panel Kit	40
--	----

Paper

Clarity Paper Rolls.....	52
--------------------------	----

Photometer

HemoCue® Plasma/Low Hb Photometer	25
---	----

Pipettes

Count-10™ Pipettes and Separators	54
Count-10™ Super Packs.....	54
KOVA® System Components.....	53
KOVA® System Pacs.....	53

Platelet Function

PIFA® Heparin/PF4 Rapid Assay.....	34
VerifyNow® Instrument	34
VerifyNow® Test Kits.....	34

R

Respiratory Disease

ASO

ASO Slide Test Kits.....	40
Colorcard® ASO Test Kit	40
RaPET® ASO Latex Agglutination Test Kits	40
RheumaJet ASO Test Kit.....	40

Respiratory Disease (continued)

Panels

PathoDx® Respiratory Virus Panel Kit	40
--	----

RSV

BD Directigen™ EZ RSV Test Kit.....	36
BinaxNOW® RSV Flow Test.....	35
BinaxNOW® RSV Test Kit	35
BinaxNOW® RSV Test Kits.....	35
Clearview® RSV Test Kit.....	36
PathoDx® RSV Test Kit Control Slides.....	35
QuickVue® RSV Test Kits	35
Xpect® RSV Test Kit.....	35

Strep A

BD Chek™ Group A Strep Test Kit.....	38
BinaxNOW® Strep A Control Swab Pack.....	38
BinaxNOW® Strep A Test Kit	38
BioStar® Acceava® Strep A Test Kit.....	38
Clearview® Strep A Exact II.....	37, 38
Colorcard® Streptozyme® Test Kit.....	38
Dual Rayon Swabs in Transport Tubes.....	39
ICON DS Strep A Test	36
ICON SC Strep A Test	37
LifeSign®- PYR Strep A Test Kits	38
OSOM® Strep A Test Kits.....	39
OSOM® Ultra Strep A Test Kits.....	39
QuickVue® Dipstick Strep A Tests.....	37
QuickVue In-Line® Strep A Tests.....	37
QuickVue+® Strep A Tests.....	37
QuStick™ Strep A Rapid Strip Test Kits	39
Status AccuStrep A™ Cassette Tests.....	38
Status Strep A™ Strip Tests	39
Strep A Rapid Test	36

RF Test Kits

Colorcard® RF Test Kit.....	3
RaPET® RF Latex Agglutination Test Kits	4
RF Direct Slide Test Kits	3
RF Latex Test Kits.....	3
RheumaJet RF (T) Control	3
RheumaJet RF Test Kits.....	3
Rheumatex™ Slide Test Kits.....	4
SLE Slide Test Kits.....	4

Product Index

Rotavirus Test Kits

Rotavirus Latex Test	32
Xpect® Rotavirus Control Kit	33
Xpect® Rotavirus Test	33

RPR/Syphilis Test Kits

BD Macro-Vue™ RPR Card Test Kits	43
Impact RPR® Card Test Kits for Syphilis Detection	43
Rapid Plasma Reagin Card Test Kit	44
Reagents for Syphilis Serology - Control Serum	44
RPR Carbon Antigen	42
RPR Card Test Kit	44
RPR Quicktest	44
RPR Syphilis Test Kits	42
Syphilis IgG 960 Test Kit	44
Syphilis IgG ELISA Test Kit	44
Syphilis Tri-Level Control	44

RSV Test Kits

BD Directigen™ EZ RSV Test Kit	36
BinaxNOW® RSV Flow Test	35
BinaxNOW® RSV Test Kit	35
BinaxNOW® RSV Test Kits	35
Clearview® RSV Test Kit	36
PathoDx® RSV Test Kit Control Slides	35
QuickVue® RSV Test Kits	35
Xpect® RSV Test Kit	35

Rubella Test Kits

RubaJet Rubella Test Kits	33
Rubella Latex Tests	33
Rubella-plus® Test Kit	33
Rubella Test Kits	33

S

Sediment Separator

Count-10™ Pipettes and Separators	54
---	----

Sexually Transmitted Disease

Chlamydia

Clearview® Chlamydia Test Kit	41
PathoDx® Chlamydia Trachomatis FA Direct Test Kit	41
QuickVue® Chlamydia Tests	41

Sexually Transmitted Disease (continued)

Herpes

IMAGEN™ Herpes Simplex Virus Test	41
PathoDx® Herpes Typing Kit	41

RPR/Syphilis

BD Macro-Vue™ RPR Card Test Kits	43
Impact RPR® Card Test Kits for Syphilis Detection	43
Rapid Plasma Reagin Card Test Kit	44
Reagents for Syphilis Serology - Control Serum	44
RPR Carbon Antigen	42
RPR Card Test Kit	44
RPR Quicktest	44
RPR Syphilis Test Kits	42
Syphilis IgG 960 Test Kit	44
Syphilis IgG ELISA Test Kit	44
Syphilis Tri-Level Control	44

Trichomonas

Trichomonas OSOM® Trichomonas Rapid Test Kits	44
---	----

Sickle Cell

Sickle Cell Test Kits	45
-----------------------------	----

Slides

Count-10™ Acryli-Slides	54
Count-10™ Super Packs	54
Count-10™ Wide-Scan Acryli-Slide	54
KOVA® System Pacs	53
KOVA® System Slides	53

Slide Test Kits

Hema-Screen Stat™ Slide Tests for Fecal Occult Blood	22
Hema-Screen™ Slide Tests for Fecal Occult Blood	22
Hemoccult II Dispensapak Plus Guaiac Slide Test Kit for Fecal Occult Blood	19
Hemoccult II SENSА Dispensapak Plus Slide Test Kit	20
Hemoccult II Triple-Slide Test	20
Hemoccult SENSА Slide Tests	20
Hemoccult Slide Tests for Fecal Occult Blood	19

Stains, Urinalysis

Count-10™ Urine Controls and Stains	47
KOVA® System Components	53

Strep A Test Kits

BD Chek™ Group A Strep Test Kit	38
BinaxNOW® Strep A Control Swab Pack	38
BinaxNOW® Strep A Test Kit	38
BioStar® Acceava® Strep A Test Kit	38
Clearview® Strep A Exact II	37, 38
Colorcard® Streptozyme® Test Kit	38
Dual Rayon Swabs in Transport Tubes	39
ICON DS Strep A Test	36
ICON SC Strep A Test	37
LifeSign®- PYR Strep A Test Kits	38
OSOM® Strep A Test Kits	39
OSOM® Ultra Strep A Test Kits	39
QuickVue® Dipstick Strep A Tests	37
QuickVue In-Line® Strep A Tests	37
QuickVue+® Strep A Tests	37
QuStick™ Strep A Rapid Strip Test Kits	39
Status AccuStrep A™ Cassette Tests	38
Status Strep A™ Strip Tests	39
Strep A Rapid Test	36

Strips

Glucose Strips

ACCU-CHEK® Aviva Plus Blood Glucose Monitoring System	9
ACCU-CHEK® Comfort Curve Test Strips and Controls	9
Assure® Blood Glucose Monitoring Supplies	10
FreeStyle Lite® Institutional Blood Glucose Test Strips	8
Glucose Test Strips for use with StatStrip® and StatStrip® Xpress™ Glucose Meters	10
Point-of-Care Blood Glucose Test Strips	8
Precision Xtra® Institutional Blood Glucose Test Strips	8
Test Strips and Controls for CONTOUR® Blood Glucose Meter	9
Test Strips and Control Solutions for CONTOUR™ TS Meter	9

Urinalysis Strips

Accutest® Urine Reagent Strips - 10 Parameters	52
CHEK-STIX® Control Strips for Urinalysis	49
Chemstrip® Micral® Urine Test Strips	50
Chemstrip® Urine Test Strips	50
Clarity Urocheck 2GP Urine Reagent Strips	51
Clarity Urocheck 4OB Urine Reagent Strips	51
Clarity Urocheck 5OB Urine Reagent Strips	51
Clarity Urocheck 7 Urine Reagent Strips	51
Clarity Urocheck 10SG Urine Reagent Strips	51

Strips (continued)

Urinalysis Strips

DiaScreen® Reagent Strips and Liquid Controls	51
Siemens Urinalysis Reagent Strips	49
Single Reagent Test Strips and Tablet Test for Urinalysis	49
Single Reagent Test Strips and Tablet Tests for Urinalysis	50
vChem™ 10 SG Urine Test Strips	52

T

Tape Test Kit

Hemoccult Tape Test Kit for Fecal Occult Blood	19
--	----

Trichomonas Test Kits

OSOM® Trichomonas Rapid Test Kits	44
---	----

Tubes

Count-10™ Super Packs	54
Count-10™ Urine Collection Packs	54
KOVA® System Components	53
KOVA® System Pacs	53
Urin-Tek® Urine Collection System	52

U

Urinalysis

Analyzers

Accessories and Supplies for CLINITEK® Analyzers	46
CLINITEK Advantus™ Urine Analyzer	46
CLINITEK Status®+ and CLINITEK Status® Connect Urine Analyzers	46
CLINITEK Status® Connector Platform	46
CLINITEK Status® Connect Upgrade Kit	46
Urisys 1100® Urine Analyzer	46

Controls

Count-10™ Liquid Urine Controls	47
Count-10™ Urine Controls and Stains	47
DipandSpin® Urine Dipstick/Microscopics Control	48
Dipper® Urine Dipstick Controls	48
Dropper® Plus POC Urine Dipstick Controls	48
Dropper® Urine Dipstick Controls	48
KOVA® System Urinalysis Quality Controls	47
QuantScopics Urine Microscopics Controls	48
Sentry Urine Dipstick Control	47

Product Index

Urinalysis (continued)

Strips

Accutest® Urine Reagent Strips - 10 Parameters.....	52
CHEK-STIX® Control Strips for Urinalysis.....	49
Chemstrip® Micral® Urine Test Strips.....	50
Chemstrip® Urine Test Strips.....	50
Clarity Urocheck 2GP Urine Reagent Strips.....	51
Clarity Urocheck 4OB Urine Reagent Strips.....	51
Clarity Urocheck 5OB Urine Reagent Strips.....	51
Clarity Urocheck 7 Urine Reagent Strips.....	51
Clarity Urocheck 10SG Urine Reagent Strips.....	51
DiaScreen® Reagent Strips and Liquid Controls.....	51
Siemens Urinalysis Reagent Strips.....	49
Single Reagent Test Strips and Tablet Test for Urinalysis.....	49
Single Reagent Test Strips and Tablet Tests for Urinalysis.....	50
vChem™ 10 SG Urine Test Strips.....	52

Supplies

Clarity Paper Rolls.....	52
Count-10™ Acryli-Slides.....	54
Count-10™ Pipettes and Separators.....	54
Count-10™ Super Packs.....	54
Count-10™ Urine Collection Packs.....	54
Count-10™ Wide-Scan Acryli-Slide.....	54
KOVA® System Components.....	53
KOVA® System Pacs.....	53
KOVA® System Slides.....	53
Urin-Tek® Urine Collection System.....	52

Urine Collection System

Count-10™ Urine Collection Packs.....	54
Urin-Tek® Urine Collection System.....	52

W

White Blood Cell

WBC Analyzer.....	55
-------------------	----

Women's Health

Amniotic Fluid

Amniotest™ Rapid Swab Test for Amniotic Fluid.....	59
--	----

Bacterial Vaginosis

OSOM® BVBLUE® Test Kits.....	56
------------------------------	----

Pregnancy

Alere™ hCG Test Kits.....	57
BioSign One Step Pregnancy Tests.....	58
Clarity PLUS25 Pregnancy Test Cassettes.....	58
Clarity Urine/hCG Controls.....	58
Clearview® hCG Combo.....	57
Clinitest® hCG Test Kit.....	57
hCG Controls.....	59
hCG Control Set-Urine.....	56
hCG Rapid Tests.....	56
ICON 20 hCG Test for hCG in Urine and Serum.....	56
ICON 25 hCG Test for hCG in Urine and Serum.....	57
OSOM® Card Pregnancy Tests.....	59
OSOM® hCG Dipstick Pregnancy Tests.....	59
QuickVue® One-Step hCG Combo Test Kits.....	57
QuickVue® One-Step hCG Combo Tests.....	56
QuickVue® One-Step hCG Urine Tests.....	56
QuPID® hCG Pregnancy Test Sets.....	59
Status hCG™ Pregnancy Tests.....	58
Status hCG™ Strip Pregnancy Tests.....	58
Target hCG Serum Controls.....	58
Target hCG Serum/Urine Calibrator Control Set.....	58
Target hCG Urine Controls.....	58
True® 20 and True® 20 Plus hCG Pregnancy Tests.....	59

0

050000KAA1.....38

1

10-0441.....54

10-0920.....54

10-0925.....54

10-FP-050.....11

10-FP-075.....11

10-FP-100.....11

10-LL-050.....11

10-LL-075.....11

10-LL-100.....11

10-O-050.....11

10-O-075.....11

10-O-100.....11

110705.....10

110706.....10

111715.....25

111716.....25

1144747516.....6

120314.....25

120706.....10

121135.....25

121422.....10

121721.....25

123001.....55

1364A.....49

139075.....10, 25

14-203.....6

14-204.....6

1430-050.....59

1440-01.....48

1440-02.....48

1440-04.....48

1440-050.....59

1442-61.....48

1470-01.....48

1481-41.....48

1482-41.....48

1780A.....46

1782A.....46

1790A.....46

1797A.....46

2

24052B.....2

256045.....28

256055.....28

3

300929.....5

34130.....39

35035.....58

35135.....58

3520-32.....44

37030.....24

371002SP.....23

395100-A.....30

4

4036025A.....34

416-022A.....28

4356031.....38

4356050.....28

4528638001.....9

4532279001.....9

460050.....10

460100.....10

4625315160.....7

4625382160.....7

4805640001.....7

4805658160.....7

4837975001.....7

5

500006.....10

500100A.....10

5021537001.....7

5075US.....12

5213231160.....6

5213312160.....6

5219957001.....6

5346754160.....6

5530199160.....7

560006.....10

560050.....10

5882869001.....9

5949050001.....9

6

665-000.....29

665-025.....29

7

70550-05A.....8

70906-01.....8

70932-01.....8

71026-70.....8

76025AA2K.....16

8

800-7007.....52

80063-02.....8

85011.....34

85053.....34

85064.....34

85072A.....34

9

99662-03.....8

99695-15.....8

A

ACCGAS50A.....38

ACCHP.....24

ADHP.....18

ADHPFG.....18

B

B1038-129.....24

B1038-138.....44

B1038-139.....44

B1041-85.....2

B1042-47.....21

B1042-48.....24

B1042-49.....24

B1042-51.....21

B1042-52.....21

B1042-6.....59

B1042-61A.....59

B1042-92.....21

B1043-100.....21

B1043-40.....21

B1044-6.....30

B1044-7.....30

B1044-8.....31

B1049-00A.....30

B1049-141.....39

B1049-175A.....24

B1049-176.....24

B1049-181.....44

B1049-182.....44

B1049-183.....56

B1049-184.....56

B1049-30A.....37

B1049-33.....37

B1049-34.....37

B1049-35.....37

B1049-36.....37

B1049-40.....37

B1049-4A.....39

B1049-72.....39

B1049-86.....37

B1050-190.....28

B1050-191.....28

B1053-25.....27

B1057-33.....26

B1057-33B.....26

B1057-33C.....26

B1059-10.....41

B1059-2.....41

B1077-12.....42

B1077-13.....42

B1077-14.....42

B1077-16.....33

B1077-17.....33

B1077-18.....33

B1077-19.....3

B1077-21.....56

B1077-22.....56

B1077-23.....56

B1077-24.....56

B1077-25.....23

B1077-27.....36

B1077-28.....29

B1077-63.....42

B1077-64.....42

B1077-9.....29

B2495-1B.....11

B2495-2B.....11

B2495-4B.....11

B2495-5B.....11

B2495-6B.....11

B2495-7B.....11

B2495-9B.....11

B3160-138.....11

B3160-139.....11

B3167-50.....56

B3167-60.....23

B395098A.....36

B400-065.....28, 35

B416-080.....28

B416-110.....28

B430-000.....35

B430-080.....35

B430-100.....35

B430-122.....35

B4523.....25

B4523-2.....25

B4523-4.....25

B5371-3.....9

B5371-4.....9

B5373-172G.....9

B5373-173G.....9

B5373-174C.....9

B5373-175A.....9

B5373-176B.....9

B5373-177B.....9

B5373-178.....9

B5373-2309.....49

B5374-32A.....9

B5374-33.....9

B5374-34.....9

B5374-36.....9

B5376-1B.....12

B5376-4.....12

B5376-5.....12

B5376-6.....12

B5379-4.....11

B5379-5.....11

B5379-6.....11

B5379-7.....11

B5379-8.....11

B5675-10.....12

B5675-20.....12

B5675-26.....9

B5675-27.....9

B5675-28.....9

B5826-14A.....15

Catalog No. Index

B5826-22..... 15	B6756-12..... 39	B6940-110..... 43	C4100-14..... 6	HIV92111..... 26
B5826-28A..... 15	B6756-2A..... 59	B6940-111..... 43	C4100-15..... 6	HIV92112..... 26
B5826-86..... 15	B6756-4..... 59	B6940-112..... 43	C4100-16..... 6	HS-100A..... 22
B5826-92..... 15	B6756-5..... 59	B6940-113..... 43	C4100-2..... 6	HSTAT-50..... 22
B5827-13..... 15	B6775-109A..... 36	B6940-115..... 43	C4100-377..... 6	
B5827-14..... 15	B6775-14..... 56	B6940-116..... 43	C4100-6..... 6	I
B5827-16..... 15	B6775-2..... 35	B6940-117..... 43	C4100-788..... 6	IDXA110714..... 15
B5827-20..... 15	B6775-26..... 57	B6940-119..... 43	C4100-93..... 6	IDXA187016..... 15
B5827-21..... 15	B6775-27..... 57	B6940-120..... 43	C88769..... 6	INR2-QS5..... 7
B5827-23..... 15	B6775-28..... 57	B6940-13..... 43	CINR2LDXLG..... 6	
B5827-24..... 15	B6775-50..... 56	B6940-19..... 43		K
B5827-36..... 15	B6775-51..... 56	B6940-2..... 43		K610511-2..... 27
B5827-42..... 15	B6775-61A..... 57	B6940-20..... 43		K610611-2..... 41
B5827-53..... 15	B6775-62A..... 57	B6940-21..... 43	D11000A..... 51	
B5827-55..... 15	B6775-63A..... 57	B6940-26..... 43	D11500..... 51	M
B5827-61..... 15	B6775-64A..... 57	B6940-27..... 43	D13400A..... 51	MED11200..... 51
B5827-63..... 15	B6775-65A..... 38	B6940-3..... 43	D76004..... 51	MONO092401A..... 31
B5827-64..... 15	B6775-67B..... 31	B6940-4..... 43	DS-45CM501..... 16	MONO92404..... 31
B5827-67..... 15	B6775-68A..... 24	B6940-5..... 43	DS135..... 16	MONO92407..... 31
B5827-68..... 15	B6775-78..... 57	B6940-6..... 43	DTG-10SG..... 51	
B5827-70..... 15	B6775-88A..... 57	B6940-9..... 43	DTG-2GPA..... 51	N
B5827-71..... 15	B6776-3..... 58	B6943-5..... 43	DTG-4OB-A..... 51	NB41741..... 10
B5827-72..... 15	B6776-7..... 58	B6943-8..... 43	DTG-5OB..... 51	NB41743..... 10
B5827-73..... 15	B6776-8..... 58	B6944-19..... 36	DTG-PLUS25..... 58	NB42214..... 10
B5827-74..... 15	B6778-1..... 59	B6948-2..... 27	DTG-UAPPR..... 52	
B5827-75..... 15	B6778-2..... 59	B6948-5..... 27	DTG-UHCONT..... 58	P
B5827-76..... 15	B6778-3..... 59	B6948-6..... 27	DTG-UHCTLS..... 58	PL901..... 59
B5827-77..... 15	B6778-4..... 59	B700-C-1..... 21	DTG-URO7..... 51	PREPCKCM25..... 21
B5827-78..... 15	B6778-5..... 59	B730-010..... 38		
B5827-79..... 15	B6778-6..... 59	B730-025..... 38	F	R
B6254-1..... 45	B6830-43..... 32	B852-000..... 29	FBPU..... 22	R16302..... 44
B6254-10..... 4	B6848-15..... 32	B8611-25A..... 47	FBT-POC..... 22	R16303..... 44
B6254-12..... 30	B6848-4A..... 32	BO951A..... 10	FOB-RACK..... 22	R16305..... 44
B6254-15..... 2	B6849-50..... 31	BSP121..... 58	FOB50..... 22	R16307..... 44
B6254-16..... 2	B6854-30..... 38	BSP402..... 31	FOBBTL..... 22	R16309..... 44
B6254-19..... 33	B6857-1..... 40		FOBSTR..... 22	R16310..... 44
B6254-2..... 45	B6858-3..... 30	C		R16314..... 44
B6254-21..... 3	B6869-5..... 33	C11-785..... 6	H	R24400..... 29
B6254-24..... 42	B6894-1..... 2	C12-807..... 6	H110302..... 25	R24600..... 27
B6254-25..... 42	B6895-1..... 4	C13-013..... 6	H139001..... 10	R24600S..... 27
B6254-26..... 42	B6895-11..... 3	C13-014..... 6	HCG92210..... 57	R24601..... 35
B6254-27..... 42	B6940-10..... 43	C13-015..... 6	HI100139..... 7	R246012..... 35
B6254-28..... 42	B6940-100..... 43	C13-037..... 6	HI200431..... 7	R246110..... 57
B6254-55..... 4	B6940-101..... 43	C14-446..... 6	HIINR2-6PK..... 7	R246210..... 37
B6254-6..... 40	B6940-102..... 43	C4100-11..... 6	HIINR2-QS1..... 7	R246310..... 37
B6254-8..... 4	B6940-109..... 43	C4100-12..... 6	HIINR2-QS3..... 7	R24655..... 33
B6254-9..... 4	B6940-11..... 43	C4100-13..... 6	HINR2-12EZ..... 7	R246551..... 33
			HIV92110..... 26	

R246710.....24	SP21025.....17	SP702641.....14	U2315-63.....18	U2723.....49
R246910.....30	SP232749.....25	SP702642.....14	U2315-71.....21	U3035-1.....54
R25416.....27	SP232753.....25	SP702643.....14	U2315-72.....21	U3035-100.....47
R25418.....27	SP232754.....25	SP71125AA.....16	U2315-73.....21	U3035-11.....54
R25430.....35	SP232755.....25	SP84M30.....32	U2315-79.....21	U3035-12.....54
R25438.....35	SP232756.....25	SP84W10.....32	U2315-82.....21	U3035-15A.....54
R30269301A.....31	SP232757.....25	SP84W30.....32	U2316-1A.....18	U3035-17.....54
R30269302A.....31	SP250105.....17		U2318-1.....23	U3035-18.....54
R30269400A.....3	SP25135.....17	T	U2318-2.....23	U3035-2.....54
R30269401A.....3	SP28010.....17	T1CT50-HOL.....21	U2318-3.....23	U3035-20.....54
R30269402A.....3	SP280100.....17	U	U2318-4.....23	U3035-22.....54
R30269501A.....33	SP28025.....17		U2318-5.....23	U3035-3.....54
R30269502A.....33	SP303000.....11	U2200-3.....52	U2318-6.....23	U3035-6.....54
R30269600A.....40	SP34025.....38	U2205-1.....52	U2318-7.....23	U3035-61.....47
R30269601A.....40	SP35235.....58	U2205-2.....52	U2318-8.....23	U3035-82.....47
R30269700A.....2	SP50060.....38	U2229-1A.....50	U2318-9.....23	U3035-90.....54
R30269701A.....2	SP6000-025.....39	U2230-2B.....50	U2319-1.....22	U3035-98.....47
R30852501.....5	SP6000-050.....39	U2232-3.....46, 50	U2319-2.....22	U3035-99.....47
R42067020.....26	SP600596.....13	U2232-4.....46, 50	U2319-3.....22	U3050-1.....53
R62220.....41	SP600597.....13	U2234-1A.....50	U2319-5.....22	U3050-10.....53
R62250.....41	SP600635.....13	U2235-2.....50	U2319-6.....22	U3050-11.....53
R62251.....41	SP600686.....14	U2237-1.....46	U2319-8.....22	U3050-16.....53
R62375.....35	SP600716.....14	U2238-1C.....46, 50	U2330.....49	U3050-17.....53
R62400.....40	SP601585.....14	U2238-2.....50	U2386.....49	U3050-18.....53
R62407.....40	SP601591.....14	U2239-1.....46	U2400-3A.....49	U3050-2.....53
RPS-ADA.....26	SP601598.....14	U2241.....50	U2460-1C.....50	U3050-24A.....47
RPS-ADSTD.....26	SP601599.....13	U2261-18.....46	U2509-1.....50	U3050-25A.....47
	SP601607.....13	U2261-502.....46	U2509-2.....50	U3050-26.....47
S	SP601622.....14	U2261-63A.....46	U2509-7.....50	U3050-27A.....47
SP0325-006.....25	SP601629.....14	U2261-64A.....57	U2511-1.....50	U3050-28A.....47
SP101183.....13	SP601636.....14	U2300.....21	U2511-2.....50	U3050-3.....53
SP101829.....13	SP601638.....14	U2315-1.....20	U2515-1.....49	U3050-30A.....47
SP101830.....13	SP601672.....14	U2315-10A.....19	U2604-11.....49	U3050-35A.....47
SP102137.....14	SP601673.....13	U2315-11.....19	U2604-12.....49	U3050-36A.....47
SP1125-050.....40	SP601674.....14	U2315-2.....19	U2604-2.....49	U3050-37A.....47
SP1125-100.....40	SP601675.....14	U2315-20.....20	U2604-3.....49	U3050-38A.....47
SP1130-050.....2	SP601677.....14	U2315-30A.....19	U2604-4.....49	U3050-4.....53
SP1130-100.....2	SP602100.....14	U2315-31.....19	U2604-5.....49	U3050-5.....53
SP1155-050.....4	SP602119.....14	U2315-32.....19	U2604-6.....49	U3050-8.....53
SP1155-100.....4	SP604018.....14	U2315-33.....20	U2604-9.....49	U3050-9.....53
SP1170-100.....44	SP604019.....14	U2315-35.....20	U2605-1.....49	U3051-1A.....47
SP1175-305.....44	SP604020.....14	U2315-36.....20	U2620-2A.....50	U3051-2A.....47
SP12135.....17	SP604022.....14	U2315-37A.....20	U2620-3A.....50	U3051-3A.....47
SP200013.....24	SP60B02.....16	U2315-38.....20	U2700-1.....49	U3051-4A.....47
SP200014.....32	SP68147.....26	U2315-60.....18	U2711.....49	UA710.....52
SP20935.....17	SP68364.....32	U2315-61.....18	U2721.....49	
SP21010.....17	SP702340.....14	U2315-62.....18	U2722.....49	W
				WBC005.....55

Terms and Conditions of Sale

The following sets forth the terms and conditions of sale for Cardinal Health 200, Inc., the Healthcare Supply Chain Services – Medical Group of Cardinal Health with principle offices located at 6000 Parkwood Place, Dublin, Ohio 43017. ("Cardinal Health"). By placing an order, Customer agrees to the terms and conditions below to the extent not inconsistent with any specific written agreement between Cardinal Health and Customer.

Prices

For up-to-the-minute price and availability, call your local Cardinal Health Customer Service Representative or sign in to www.cardinalhealth.com. Minimum order quantities and/or special handling and/or delivery fees may apply. Please confirm at time of order placement.

Some products distributed by Cardinal Health may not be available for sale outside the U.S. and Puerto Rico.

Payment Terms

Payment terms are net 30 days, provided that Cardinal Health may at any time cancel, increase or decrease such credit limit, place Customer on C.O.D. or hold products from shipping based upon Customer's payment performance, changes in Customer's financial condition or other credit considerations deemed relevant by Cardinal Health. Any invoice that is paid past its due date will be assessed interest at a 1½% monthly (or 18% annual) rate or the highest amount allowed by law, if lower. Failure or delay by Cardinal Health to bill Customer for any such service charge will not waive Cardinal Health's right to receive the same.

Any invoice dispute must include the following along with the partial payment of any undisputed portion from such invoice:

- (1) Invoice number, (2) Product code, (3) Amount disputed, and
- (4) Specific details as to the nature of the dispute.

Until products are paid for in full, Cardinal Health retains, and the Customer hereby grants Cardinal Health, a security interest in the products. Cardinal Health shall have a security interest in any deposit(s) to secure payment of all of Customer's obligations, now existing, and arising in the future, to Cardinal Health or any entities affiliated with Cardinal Health. If Customer defaults on any payment due to Cardinal Health, Cardinal Health may exercise a right of setoff against any deposit held by Cardinal Health or any amounts owed by any affiliate of Cardinal Health to Customer.

Returned Goods Policy

Return Procedure

All returns must be authorized by your Cardinal Health Sales or Customer Service Representative, who will advise you of the proper mode of transportation for the shipment. Authorization will be valid for only 30 days.

Each return must include the following information:

- (1) Return Goods Authorization, (2) Purchaser name and address,
- (3) Cardinal Health invoice number, (4) Invoice date, (5) Purchaser purchase order number, (6) Quantity, catalog number and description of item,
- (7) Reason for return, and (8) Signed Ongoing Assurance Statement for prescription drugs or other products specified by Cardinal Health.

Return Policy

Cardinal Health will authorize the return of all products in salable condition with the following exceptions:

- Products not purchased from Cardinal Health. By offering product for return to Cardinal Health, Customer warrants and certifies that the products were purchased by the Customer directly from Cardinal Health.
- Products purchased more than 3 months prior to the return request.
- Products with expiration date less than 60 days.
- Products that are regulated hazardous chemicals or reagents.
- Instruments that have been used to analyze human body tissue.
- Sterile eaches of low unit of measure product.
- Special or custom products made to customer specifications.
- Products returned in defaced or other than original packaging.
- Drug products that are shipped outside the United States (reimport prohibited).
- Flu Vaccine.
- Any controlled substance product that is regulated by the DEA.
- Prescription drugs or other products specified by Cardinal Health that are returned without a customer-signed Cardinal Health Ongoing Assurance Statement.
- Prescription drugs that are returned that do not achieve Cardinal Health protective service and protective packaging guidelines.
- Refrigerated, frozen or temperature-controlled products with the exception that Cool Room coded product ("C" coded) can be accepted back from customers and returned to stock only if ALL circumstances noted below apply to the return.

1. The product is returned within a 5-day transit time window.
2. The external outdoor air temperature is less than 86 degrees Fahrenheit (86°F).
3. The only acceptable reasons for the return are a picking error or an ordering error.

All return items not locally stocked will be subject to locally determined restocking fee. All returns not due to Cardinal Health error will be subject to a minimum of 15% restocking fee. In the event that an unauthorized return is accepted, there will be a minimum of 25% restocking fee.

Freight Claims

Shortages and damages must be reported to Customer Service within 72 hours from receipt. Customer must inspect all shipments the same day they are received (visible damage). Visible damage must be noted on the delivery and inspection requested from delivery carrier or claim will be disallowed. Concealed damage requires a request of inspection from the delivering carrier, which will be made within five (5) days of notification of the damage.

During the inspection, an *Inspection Report of Loss or Damage* will be filled out for signature by both Customer and the applicable carrier. Customer should take exception to any statement by the inspector with which they do not agree and retain a copy of the inspection report. Customer must retain the merchandise, carton(s) and inside packaging at Customer's facility until the inspection has been made and Customer has been given instructions for disposition of damaged merchandise.

Due to medical product licensing constraints, carriers are not entitled to salvage of damaged product. Obtain a *Certificate of Destruction* from the carrier. In the event an inspection is waived, an internal *Certificate of Destruction* is acceptable with approval from Cardinal Health.

Product Delivery

Shipments are FOB Destination. Cardinal Health shall use its reasonable efforts to fill orders, but Cardinal Health shall not be liable for nonperformance or delays caused by a shortage of raw materials, manufacturing problems, delivery or labor problems, acts of regulatory agencies, discontinuation of a product line, Acts of God or causes beyond its control. Customer agrees that, in such events, Cardinal Health may allocate products among all purchasers, without liability.

Warranty

CARDINAL HEALTH WARRANTS THAT ANY PRODUCT IT MANUFACTURES IS, AS OF THE DATE OF SHIPMENT, FIT FOR THE PURPOSES AND INDICATIONS DESCRIBED IN THE LABELING. UNLESS THE PRODUCT IS USED IN ACCORDANCE WITH ITS INSTRUCTIONS, THESE WARRANTIES ARE VOID AND OF NO EFFECT. OTHER PRODUCTS DISTRIBUTED BY CARDINAL HEALTH CARRY ONLY THOSE WARRANTIES MADE FOR THEM BY THEIR MANUFACTURER. THERE ARE NO OTHER EXPRESSED OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. CARDINAL HEALTH'S SOLE OBLIGATION AND CUSTOMER'S EXCLUSIVE REMEDY FOR BREACH OF ANY WARRANTY SHALL BE, AT CARDINAL HEALTH'S OPTION, TO REPAIR OR REPLACE THE PRODUCT. CARDINAL HEALTH SHALL NOT BE LIABLE FOR PROXIMATE, INCIDENTAL OR CONSEQUENTIAL DAMAGES. MORE SPECIFIC WARRANTIES MAY ACCOMPANY INDIVIDUAL PRODUCTS.

Publicity

Customer will not make any press release or other public announcement regarding its purchases of products from Cardinal Health without Cardinal Health's express prior written consent.

Compliance with Law

By placing an order, Customer represents and warrants that it has all required local, state and federal licenses, permits and approvals required to purchase, use and/or store the products it elects to purchase from Cardinal Health and that all purchases from Cardinal Health are for Customer's "own use", as such term is defined in judicial or legislative interpretation. Customer acknowledges that Cardinal Health may suspend sales to Customer immediately if it reasonably determines that Customer has breached this "own use" limitation. If Customer receives from Cardinal Health any "discounts or other reductions in price" under Section 1128 b(b)(3)(a) of the Social Security Act (42 U.S.C.1320-7b(b)(3)(a)), Customer shall disclose the discounts or reductions in price under any state or federal program which provides cost or charge-based reimbursement to such customer for the products or services it purchases from Cardinal Health.

Governing Law

The agreement resulting from these Terms and Conditions of Sale shall be governed by the laws of the State of Ohio, applicable to contracts made and to be performed in that state.

Effective Date: February 1, 2007. All terms and conditions contained herein are subject to change without notice.



We are your lab partner.

Expertise. Choice. Efficiency. Savings.

For more information or to order,

contact your Cardinal Health sales representative or
call **800.964.5227** or visit **cardinalhealth.com**.

cardinalhealth.com