

IBM DDS Generation 5 USB Tape Drive offers a reliable, economical, and versatile tape backup subsystem

Table of contents

- 1 Overview
- **2** Key prerequisites
- 2 Planned availability date2 Product positioning

- 2 Product number
- 5 Prices
- 6 AP distribution

At a glance

The DDS Generation 5 USB Tape Drive brings performance and capacity in a 5.25-inch, half-high form factor to entry and midrange System x® systems. Key features include:

- Up to 36 GB native capacity, and up to 72 GB in compressed mode¹
- Up to 3.0 MB/s native backup rate, and up to 6 MB/s in compressed mode
- USB interface
- Support from leading operating systems and popular backup software
- Backward compatibility with DDS 3, DDS 4, and DDS Gen 5

Overview

IBM Digital Data Storage (DDS) Generation 5 USB Tape Drive Option (46C5399)

The new IBM® DDS Generation 5 USB Tape Drive maintains the competitive total cost of ownership (TCO) of Digital Data Storage. Its USB interface supports internal plug-and-play capability with the latest System x systems, as well as external attachment in one of IBM's external tape drive enclosures. This option complements the existing IBM DDS Generation 5 SATA tape drive, and in some cases, provides better overall value as no separate SAS HBA is required when configuring in select system x servers.

Key messages:

- New USB interface allowing for direct internal connections with select System x systems
- Complementary offering for DDS Gen 5 SATA drive
- 5.25-inch half-high form factor

Features and functions:

- Capacity: 36 GB, up to 72 GB compressed
- Performance: Up to 3.0 MB/s (up to 6 MB/s compressed) transfer rate
- Backward compatibility: Read/write compatible with DDS 3, DDS 4, and DDS Gen $_{\rm 5}$
- Interface: USB
- Service and support: One-year parts only

The DDS Generation 5 USB Tape Drive complements the IBM System x server product line.

This tape drive is reliable as:

- An internal installation in select System x servers
- A tabletop tape enclosure or in a rack environment when coupled with a 1U rackmount enclosure

It provides convenience and ease-of-use features, while supporting high-speed tape backup.

This option, used in conjunction with one of IBM's external enclosures, provides an economical and convenient method of attaching USB-based tape drives externally to your IBM System x system.

In this case you would:

- Determine the internal USB drive or drives you wish to make external
- Match this number to the appropriate IBM base enclosure (8767HHX, 87651UX)

¹ Based on using the onboard hardware data compression feature and assuming a 2:1 compression ratio. Data compression is dependent on many factors and is often less than stated.

Key prerequisites

- Available internal or external USB port
- Available 5.25-inch half-high bay for internal installations
- Supported external tape enclosure for external attachment

Planned availability date

October 30, 2009

Product positioning

This DDS Generation 5 USB tape product joins the DDS tape drive family to create a comprehensive family of tape backup solutions.

IBM provides a breadth of performance and capacity solutions to satisfy your server tape backup requirements.

This tape drive is positioned similarly to the DDS-5 SATA tape drive, but offers lower overall cost of ownership in select system x servers.

Product number

Description IBM DDS Generation 5 USB Tape Drive Part number

46C5399

Technical information

Performance specifications

- Capacity of 72 GB (compressed) per cartridge, transfer rate up to 6.0 MB/s (compressed)
- USB interface

Physical specifications

- Approximate height: 42.6 mm (1.68 in)
- Approximate width: 146.0 mm (5.5 in)
- Approximate depth: 152.0 mm (5.7 in)

Operating environment

- Temperature: 5 to 45 (C) 41 to 113 (F)
- Relative humidity: 20% to 80%, non-condensing

Agency approvals

UL, cUL, TUV, CE C-Tick

Energy Star compliance

Is this product Energy Star compliant? No

Note: The Energy Star emblem does not represent EPA endorsement of any product or service.

Hardware requirements

IBM Systems: The DDS Generation 5 USB Tape Drive, P/N 46C5399 is supported on the following IBM platforms.

System Name	x3200 M3 x3200 M2 x3250 M2 x3250 M3	Machine Type		Model	A]] A]] A]] A]]
	х3400 х3400 м2		7973, 74, 75,	76	A11
	x3500		7977		A]]
	x3500 M2 x3550 M2				A11
	х3650 х3650 M2		7979		A]]
	43v5959		ТЕК		
	49Y9883 8767HHX/H 87651UX/1		тек 3650		A]]

Note: System support does periodically change. For the latest compatibility matrix, visit

http://www-03.ibm.com/servers/eserver/serverproven/compat/us/index.html

Then choose "System x Compatibility," then choose "Tape Backup Units."

Non-IBM Systems: The DDS Generation 5 Tape Drive is not supported on non-IBM platforms.

Software requirements

The DDS Generation 5 tape drive is supported on numerous operating systems and backup applications. The complete list can be found at the site referenced in the following section.

Compatibility

The best place to view the most current hardware and software support matrix is at

http://www-03.ibm.com/servers/eserver/serverproven/compat/us/index.html

Limitations

None

Planning information

Additional cable orders required: No

Approximate installation time: 30 minutes

Packaging

One box

Shipment group

- DDS Generation 5 USB Tape Drive
- Package of mounting screws
- Multilingual User Manual CD
- Quantity four internal USB cables
- Cleaning cartridge

Retail only

Packaging dimensions and weight

```
Single box (HxDxW): 158.8 mm (6.25 in) x 342.9 mm (13.5 in) x 279.4 mm (11.0 in)
```

Publications

Description	Order	Part	Distribution
	number	number	location
User Guide CD	49Y9888	49Y9888	SDS

Security, auditability, and control

This product uses the security and auditability features of the host hardware, host software, and application software.

Terms and conditions

Features and options only

Field Installable	Yes
Customer Setup	Yes
Warranty Period	1 year * parts only
Service Type (IOR/IOE/CCE/CCR)	CRU **
Maintenance Agreement	NO
Optional Upgrade	NO
Licensed Programs	Yes

Note:IBM programs are licensed under the terms and conditions of the IBM License Agreements that ship with the product. Non-IBM programs are available from IBM as distributed by the program supplier. All other terms and conditions are the same as those applicable to the IBM machine type in which the feature is installed.

* Optional features initially installed with a System x server carry the same warranty classification as the system. If installed after the initial system installation, they carry the balance of the system or the optional feature warranty, whichever is greater.

** This optional feature is designated as Customer Replacement Unit (CRU).

Copies of the IBM Statement of Limited Warranty can be obtained by contacting your reseller or accessing the online services listed in the Help and Service Information section of this announcement.

Help and service Information -- Features and options

During the warranty period, technical support can be obtained by accessing IBM's online services or calling 24 hours a day, 7 days a week, to answer any questions regarding your new IBM option. Response time will vary depending on the number and nature of calls received. If you need warranty service, return or exchange is available. In addition, if your IBM option is installed in an IBM computer, you may be entitled to service at your location. Your technical support representative can help you determine the best alternative.

Accessing IBM online services

Visit

http://www.ibm.com/planetwide

Placing the call to IBM

Contact your IBM $\mathsf{HelpWare} \circledast$ number, your place of purchase, or your local IBM office.

Prices

For all local charges, contact your IBM representative.

IBM Global Financing

IBM Global Financing offers competitive financing to credit-qualified customers to assist them in acquiring IT solutions. Offerings include financing for IT acquisition, including hardware, software, and services, from both IBM and other manufacturers or vendors. Offerings (for all customer segments: small, medium, and large enterprise), rates, terms, and availability can vary by country. Contact your local IBM Global Financing organization or visit

http://www.ibm.com/financing

IBM Global Financing offerings are provided through IBM Credit LLC in the United States, and other IBM subsidiaries and divisions worldwide to qualified commercial and government customers. Rates are based on a customer's credit rating, financing terms, offering type, equipment type, and options, and may vary by country. Other restrictions may apply. Rates and offerings are subject to change, extension, or withdrawal without notice.

Country/Region	Announced
AP IOT	
ASEAN*	Yes
India/South Asia**	Yes
Australia	Yes
People's Republic of China	a Yes
Hong Kong S.A.R of the PRO	C Yes
Macao S.A.R of the PRC	Yes
Taiwan	Yes
Korea	Yes
New Zealand	Yes
Japan IOT	
Japan	Yes
Republic, Malaysia, Phi	onesia, Cambodia, Lao People's Democratic lippines, Singapore, Thailand, and Vietnam lia, Sri Lanka, Maldives, Nepal, and

Trademarks

System x, IBM and HelpWare are registered trademarks of IBM Corporation in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.

Terms of use

IBM products and services which are announced and available in your country can be ordered under the applicable standard agreements, terms, conditions, and prices in effect at the time. IBM reserves the right to modify or withdraw this announcement at any time without notice. This announcement is provided for your information only. Reference to other products in this announcement does not necessarily imply those products are announced, or intend to be announced, in your country. Additional terms of use are located at

http://www.ibm.com/legal/us/en/

For the most current information regarding IBM products, consult your IBM representative or reseller, or visit the IBM worldwide contacts page

http://www.ibm.com/planetwide/