

# PIXMA MX925

High productivity,  
powerful Office  
All-In-One with Wi-Fi  
and XXL ink option

Powerful and productive 5-ink All-In-One offering XL and XXL ink options, Wi-Fi, Ethernet and 35-page 2-sided ADF. Advanced media handling with 250-sheet paper tray, 2-sided printing and Direct Disc Print.



PIXMA MX925

you can

- Powerful and productive Office All-In-One
- 35-page 2-sided Auto Document Feeder for scanning, copying and faxing
- Superior prints using 5 individual ink system with optional XL capacity ink tanks
- Print up to 1000 monochrome pages with optional XXL monochrome ink
- Convenient, high-capacity 250-sheet paper tray
- Large, user-friendly 7.5cm (3.0") colour TFT display with Dual Function Panel
- Fast printing with A4 ISO ESAT 15 ipm mono/10 ipm colour
- Print from, and scan to, smartphones/tablets. Apple AirPrint supported
- Google Cloud Print support and internet printing using PIXMA Cloud Link
- Advanced media handling with Direct Disc Print and 2-sided printing

## Product Range



PIXMA MX925



PIXMA MX525



PIXMA MX455

**PIXMA MX925**  
PIXMA MX525  
PIXMA MX455  
PIXMA MX395

**Canon**



PIXMA XXL Ink



Google Cloud Print Ready



3.0" (7.5cm) TFT



250-Sheet Cassette



Direct Disc Print



Wi-Fi CERTIFIED



AirPrint

# General Specifications

# PIXMA MX925

AVAILABLE FUNCTIONS	Print, Copy, Scan & Fax with Wi-Fi & Ethernet connectivity, mobile printing, AirPrint support, printing via internet, direct printing with 7.5cm TFT display, 2-sided printing, photo-lab quality photos, direct disc print, scan to cloud & 2-sided 35-page ADF.
WHAT'S IN THE BOX	All-In-One printer, 5 ink cartridges, CD tray, Power cord, Telephone cable Setup guide, Software and User's manual CD
PRINTER Print Resolution Print Engine  Mono Document Print Speed Colour Document Print Speed Photo Print Speed Two Sided Printing Borderless Printing Direct Disc Printing Other Print Features	Up to 9600 <sup>[1]</sup> x 2400 dpi Inkjet, 5 Single Inks, 5-colour system with minimum 1pl droplet size, FINE print head & ChromaLife100+ system ESAT: Approx. 15.0 ipm <sup>[2]</sup> ESAT: Approx. 10.0 ipm <sup>[2]</sup> Automatic 2-sided printing Borderless 10x15cm: Approx. 21 seconds (Standard) <sup>[3]</sup> Automatic 2-sided printing Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm) Yes (Software included) Normal size print, Borderless printing, Fit-to-Page print, Scaled print, Multiple page per sheet print, Booklet print, Poster print, Collate <sup>[4]</sup>
INKS Standard Ink Cartridges	5 separate ink tanks: PGI-550PGBK (Pigment Black) CLI-551BK (Black) CLI-551C (Cyan) CLI-551M (Magenta) CLI-551Y (Yellow)
Optional Ink Cartridges	Optional high yield XL ink tanks: PGI-550PGBK XL (Pigment Black) PGI-555PGBK XXL (Pigment Black) CLI-551BK XL (Black) CLI-551C XL (Cyan) CLI-551M XL (Magenta) CLI-551Y XL (Yellow)
Ink Tank Life - Document Printing	A4 Document <sup>[5]</sup> Pigment Black: 375 pages Pigment Black XL: 620 pages Pigment Black XXL: 1000 pages Black: 1645* pages Black XL: 5,000* pages Cyan: 332 pages Cyan XL: 700 pages Magenta: 333 pages Magenta XL: 670 pages Yellow: 329 pages Yellow XL: 700 pages * Estimated supplemental yield
PAPER SUPPORT Paper Type	Plain Paper, Envelopes, Photo Paper Pro Platinum (PT-101), Photo Paper Plus Glossy II (PP-201), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-gloss (SG-201), Glossy Photo Paper "Everyday Use" (GP-501), Matte Photo Paper (MP-101), High Resolution Paper (HR-101N), T-shirt Transfer (TR-301), Photo Stickers (PS-101)
Maximum Paper Input	Lower cassette: Max. 250 sheets (plain paper) Upper cassette: Max. 20 sheets (photo paper) Direct Disc Print Tray: 1 printable CD, DVD or Blu-ray
Paper Sizes	Lower cassette: A4, A5, B5, Letter, Legal, Envelopes (DL size or Commercial #10), 20x25cm Upper cassette: 10x15cm, 13x18cm
Paper Weight	Lower cassette: Plain paper: 64 - 105 g/m <sup>2</sup> , Photo paper up to approx. 300 g/m <sup>2</sup> (Canon special media, PT-101) Upper cassette: Photo paper up to approx. 300 g/m <sup>2</sup> (Canon special media, PT-101)

## Footnotes

[1] Ink droplets can be placed with a minimum pitch of 1/9600 inch. [2] Document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard. [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer. [4] Some features available in Windows driver only. [5] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing. [6] Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions. [7] Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the scan size is restricted (maximum optical resolution for A4 scan is 600dpi). [8] Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. [9] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. [10] Requires connection over Wi-Fi network and installation of free Canon application: EPP for Android, Windows RT and iEPP for iOS. Not available in certain countries or regions. [11] Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later). [12] Easy-WebPrint EX requires Internet Explorer 7 or later [13] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings. [14] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

FAX Standalone Fax PC Fax	Yes Win: Via Fax modem (in MFP)* Mac: n/a *1 location, B/W transmission only
Colour Fax Transmission Speed Mono/colour	Yes Mono: Approx. 3 sec./page (33.6kbps) (based on default setting using ITU-T No.1 chart) <sup>[6]</sup> Colour: Approx. 1 min./page (33.6kbps) (based on default setting using Canon Colour Fax Test Sheet) <sup>[6]</sup> Maximum 33.6kbps (Automatic fall back) Mono: MH, MR, MMR Colour: JPEG
Modem Speed Compression Method Mono/colour Memory transmission Fax Resolution	Yes Mono: 8pels/mm x 3.85 lines/mm (Standard), 8pels/mm x 7.7 lines/mm (Fine), 300dpi x 300dpi (Extra Fine) Colour: 200 x 200 dpi (Photo)
Greyscale / Colour Gradation Fax Memory	Mono: 256 levels Colour: 24 bit (full colour) (RGB each 8 bit) Up to 250 pages (Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1) Max. 100 locations Max. 99 locations
Coded Dials Group Dial Redial FAX/TEL Auto Switch Answering Machine Hook-up Error correction mode (ECM) Telephone handset Reports	Yes Yes Yes Yes, ITU-T T.30 compatible No Activity report, User's data list, Telephone number list, Memory list, Rejected number list, Caller history list
SCANNER Scanner Type Film Scanning Scanner Resolution - Optical A4 Scan Speed Colour Scanning Depth HalfTone/Greyscale Compatibility Effective Scanning Width Text Recognition - OCR	Flatbed, ADF and CIS colour scanner n/a Up to 2400 x 4800 dpi <sup>[7]</sup> Approx. 14 seconds <sup>[8]</sup> Flatbed scan 48bit input / 24bit output (RGB each 16bit/8bit) Flatbed scan 16bit input / 8bit output TWAIN / WIA Flatbed: A4/LTR (216x297mm) ADF: A4,LTR, LGL Yes (My Image Garden)
COPIER Copy Speed Colour Document	sFCOT: Approx. 12 seconds <sup>[9]</sup> sESAT: Approx. 8.4 ipm <sup>[9]</sup> 1 to 99 pages 25-400% , preset ratios Document Copying, Photo Copying, Fit-to-Page Copying, Borderless Copying
Multiple Copy Zoom Copy functions & enhancements	
INTERFACE Display Type & Size Display languages	7.5cm colour TFT display with Dual Function Panel 30 Languages Selectable: Japanese/English/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovak/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian Hi-Speed USB ('B' Type Port) Wi-Fi: IEEE802.11 b/g/n Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP Bluetooth v2.0(OPTION): Maximum Speed 1.44Mbps (JPEG, PNG only, OPP, BIP)
Interface Type - PC / Mac	USB flash memory ('A' Type Port) EPP-Android & Windows RT devices, iEPP-iPhone, iPod touch and iPad <sup>[10]</sup> Apple AirPrint PIXMA Cloud Link Google Cloud Print PictBridge (LAN & Wireless LAN)
Interface Type - Non PC	
SOFTWARE Supported Operating System	Windows 8 (32 and 64-bit) Windows RT Windows 7 (32 and 64-bit) Windows Vista (32 and 64-bit) Windows XP (32-bit) Mac OS X v10.6.8 or later
Software Included	My Image Garden with HD Movie Print <sup>[11]</sup> , Scanning Utility, Easy-WebPrint EX <sup>[12]</sup> (download) and Quick Menu with CREATIVE PARK PREMIUM access
PHYSICAL FEATURES Automatic Document Feeder (ADF) Dimensions (W x D x H) Weight Temperature Range Humidity Acoustic Noise Levels Power Source Power Consumption	2-sided up to 35-sheets Approx. 491 x 396 x 231 mm Approx. 11.7 kg Operating environment: 5-35°C Operating humidity: 10-90%RH (no dew condensation) Approx. 44.0 dB(A) <sup>[13]</sup> AC 100-240V, 50/60Hz Standby: Approx. 1.0 W (USB connection to PC, scanning lamp off) Off: Approx. 0.4 W (USB connection to PC) Copying: Approx. 17 W <sup>[14]</sup>

## Standard disclaimers

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield). Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. All brand and product names are trademarks of their respective companies. Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries. For more information on ChromaLife100+ please visit [www.canon-europe.com](http://www.canon-europe.com)

# PIXMA MX925



## High productivity, powerful Office All-In-One with Wi-Fi and XXL ink option

Powerful and productive 5-ink All-In-One offering XL and XXL ink options, Wi-Fi, Ethernet and 35-page 2-sided ADF. Advanced media handling with 250-sheet paper tray, 2-sided printing and Direct Disc Print.

**Sales start date** March 2013

**Positioning:** Powerful 5-ink Wi-Fi All-In-One with XL and XXL inks for high productivity offices

Product	Mercury Code	EAN Code	Recommended Retail Price
MX925 EUR	6992B008AA	4960999922751	£179.00

Consumables	Mercury Code	EAN Code	Recommended Retail Price
PGI-550 PGBK	6496B001AA	4960999904580	£12.99
CLI-551 BK	6508B001AA	4960999905235	£10.99
CLI-551 C	6509B001AA	4960999905556	£10.99
CLI-551 M	6510B001AA	4960999905242	£10.99
CLI-551 Y	6511B001AA	4960999905563	£10.99

Optional Consumables and accessories	Mercury Code	EAN Code	Recommended Retail Price
PGI-555PGBK XXL	8049B001AA	4960999965376	TBC
PGI-550PGBK XL	6431B001AA	4960999904504	£15.99
CLI-551BK XL	6443B001AA	4960999904948	£14.99
CLI-551C XL	6444B001AA	4960999904931	£14.99
CLI-551M XL	6445B001AA	4960999904924	£14.99
CLI-551Y XL	6446B001AA	4960999904917	£14.99
CLI-551 C/M/Y/BK Multipack	6509B009AA	8714574584416	£38.99
Glossy Photo Paper 'Everyday Use' GP-501 (A4)	0775B001AB	4960999293929	£19.99
Glossy Photo Paper 'Everyday Use' GP-501 (4"X6")	0775B003AA	4960999293967	£8.99
High Resolution Paper HR-101N A4 200 SH	1033A001AB	4960999869131	£22.99
High Resolution Paper HR-101N A4 50 SH	1033A002AB	4960999867090	£6.99
Luster Paper LU-101 A4 20 SH	6211B006AA	4960999843995	£16.99
Matte Photo Paper MP-101 A4 50 SH	7981A005AB	4960999174839	£11.99
Photo Paper Plus Glossy II PP-201 4"X6" 50 SH	2311B003BA	4960999484198	£8.99
Photo Paper Plus Glossy II PP-201 5"X7" 20 SH	2311B018BA	4960999537276	£5.99
Photo Paper Plus Glossy II PP-201 A4 20 SH	2311B019BA	4960999537269	£9.99

# PIXMA MX925

Photo Paper Plus Semi-gloss SG-201 4”X6” 50 SH	1686B015AA	4960999405339	£8.99
Photo Paper Plus Semi-gloss SG-201 8”X10” 20 SH	1686B018AA	4960999405353	£11.99
Photo Paper Plus Semi-gloss SG-201 A4 20 SH	1686B021AA	4960999405377	£11.99
Photo Paper Pro Platinum PT-101 4”X6” 20 SH	2768B013AB	4960999575254	£7.99
Photo Paper Pro Platinum PT-101 A4 20 SH	2768B016AB	4960999575285	£15.99
Photo Stickers PS-101 4”x6” 5 SH	0001C001AA	4960999252957	£4.99
T-Shirt Transfers TR-301	8938A001AA	4960999195186	£10.99
Pro Variety Pack PVP-101 A4 10 SH	TBC	TBC	TBC
Mix Variety Pack MVP-101 4”x6” & A4 20 SH	TBC	TBC	TBC
Variety Pack VP-101 4”X6” 20 SH	TBC	TBC	TBC
Photo Frame/Calendar Pack PFC-101 5”x7” 20 SH	2311B054AA	8714574595597	TBC
Greeting Card Pack GCP-101 4”x6” 10 SH	0775B077AA	8714574595559	TBC

## Logistics information

Pack Description	Qty	Dimensions (L x W x H in mm)	Weight (Net/Gross in kg)
Individual	1	570.5 x 308 x 520.5	14.5/11.7
Pallet (Upper)	12	1147 x 930 x 1045	175.8/174
Pallet (Bottom)	12	1147 x 930 x 1045	175.8/174

## What's in the box?

- Printer
- Inks: 5 individual ink tanks PGI-550PGBK (Pigment Black), CLI-551BK (Black), CLI-551C (Cyan), CLI-551M (Magenta), CLI-551Y (Yellow)
- CD tray
- Power cord
- Telephone cable
- Multilingual set-up guides, set-up software and user manual
- Software: My Image Garden and CREATIVE PARK PREMIUM
- Warranty Sheet
- Ink Leaflet

