



Weatherproof Camera with 92° Wide Angle Lens & 10m IR Night Vision

SVA035-2

**User Guide** 

# CONTENTS

Safety Advice	3
1. Overview	4
Contents	4
2. Installation	5
3. OSD Options	6
4-Specifications	7

# **CAUTION**

RISK OF ELECTRIC SHOCK DO NOT OPEN

# DO NOT REMOVE THE COVER REFER SERVICING TO QUALIFIED SERVICE PERSONNEL



Please unpack the box carefully and identify that all the parts are present.



The camera is NOT suitable for indoor or outdoor use.



Make sure you use the recommended power input. Damage caused to the camera by incorrect voltage is not covered by the warranty.



Do not attempt to open the casing to access the camera. Damage caused to the camera by tampering with the camera casing is not covered by the warranty.

#### **WARNING:**

DO NOT EXPOSE PRODUCT TO RAIN OR MOISTURE

## 1. OVERVIEW

The SVA035-2 is a durable external vehicle CCTV rear view camera with a 20cm cable that terminates in a BNC socket (for video output) and a DC socket (for power input). The camera has a heavy duty design and features a 92° wide angle lens.

In addition to this, the camera is equipped with 10m IR Night Vision for clear pictures in complete darkness.

The camera is ideal for use as a:

Rear View (Reversing) on types of commercial vehicles

#### Features:

- Wide Angle Lens: 92°
- 20cm Cable for video and power
- 10m IR Night Vision
- Heavy Duty Design
- With Line Control OSD

## **Contents**



1x SVA035-2 Camera




1x User Manual



1x Installation Pack

## 2. INSTALLATION



Connect to any camera input device that supports BNC (as shown above)\*.

<sup>\*</sup>Accessories may be required to convert BNC Socket.

# 3. OSD Options

White Balance	AWB1/AWB2/AWB-SET/ CRR/ MW
2DNR	ON/OFF
Image Adjustable	Lens shading compensation /H.mirror/ Font color/Display/ Neg.image
DWDR	DWDR/ON/OFF
BLC	BLC/HLC/OFF
AGC	High/ Mid/ Low/ OFF
Day/Night	B/W, COLOR, AUTO
Privacy Zones	ON/OFF(8 zones )
Motion Detection	ON/OFF(4 zones)
Mirror	HMirror/ OFF
Gamma	0.45/ USER(0.05-1.0 adjustable)
Display mode	CRT/LCD/USER
OSD Menu	8 supported languages

# 4. SPECIFICATIONS

Image Sensor	1/3" Sony Super HAD II CCD
Lens	2.8mm
Angle of View	92°
Video Resolution	700TVL
Minimum Illumination	0 Lux (IR On)
Night Vision	Up to 10m IR Night Vision
White Balance	Auto
Electronic Shutter	Auto
Power Supply	DC 12V ±10%
Size (WxHxD) in mm	76x80x68
Weight	0.85 KG
Operation Temp	-20°C ~ +55°C
Weatherproof	IP66 Rated

### **Technical Support**

For Technical Support, please contact your local distributor.

### **Limited Warranty**

This product is supplied with a 2 year warranty. The Warranty excludes products that have been misused, (including accidental damage) and damage caused by normal wear and tear. In the unlikely event that you encounter a problem with this product, it should be returned to the place of purchase.

## **Manufactured Exclusively for:**



www.smartwitness.com