

Regulatory reporting

User Manual - TAF MiFID v1.2 Interface via www.bourse.lu

Version 1.4

1	"T	TAF GUI" or "TAF MiFID interface"	- 3
2	. Ac	cessing the portal	-4
3	TA	AF MiFID declaration	- 7
	3.1	Opening the TAF MiFID declaration form	7
	3.2	Filling in the form	7
		3.2.2 The list of transactions	8
	3.3	Importing an existing xml file	12
4	TA	AF MiFID cancellation forms	13
	4.1	Opening one of the TAF MiFID Cancellation forms	13
	4.2	Filling in the 'Transaction declaration cancellation (TAF MiFID)'	13
	4.3	Filling in the 'All transactions declaration cancellation (TAF MiFID)'	
5	Se	ending a TAF MiFID report	15
6	Fo	ollow-up of a TAF MiFID report and finding CSSF	
f		ack	17
	6.1	Accessing e-file.lu	17
	6.2	Follow-up and search of TAF MiFID reports	17
	6.3	Feedback files from the CSSF	19



## 1 "TAF GUI" or "TAF MiFID interface"

The Luxembourg Stock Exchange makes available to entities a web-based interface to input TAF reporting (Transactions in Financial Instruments reporting) under MiFID norms via its website portal at <a href="https://www.bourse.lu">www.bourse.lu</a>.

Input is carried out via 3 PDF forms covering all CSSF instructions (Recueil d'instructions TAF - Electronic Reporting Instructions (version 1.2 April 2008):

- <u>Transaction declaration:</u> This form allows users to complete and send the TAF MiFID transaction report to the CSSF. Users may provide information on several transactions. In addition, an xml file that conforms to CSSF specifications (CSSF circular 07/306 and 08/365) may be imported to fill in the form directly.
- <u>Transaction cancellation:</u> This form allows users to complete and send to the CSSF a request to cancel one or several transactions of a previously submitted TAF MiFID report.
- Report cancellation: This form allows users to complete and send to the CSSF a request to cancel one or several previously submitted TAF MiFID reports. All transactions in the report(s) will be cancelled.

On the other hand, the CSSF send back a feedback file to the entities. The Luxembourg Stock Exchange makes available these feedback files to the entities from its <a href="https://www.e-file.lu">www.e-file.lu</a> site.




# 2 Accessing the portal

Users should have a login/password to access to this functionality via <a href="www.bourse.lu">www.bourse.lu</a> . For more details, please contact our Client Relationship Management:

Client Relationship Management


Tel.: (+352) 47 79 36 **529** Fax: (+352) 26 26 51 269 info@bourse.lu

If you already have a login name, please launch your navigator (Internet Explorer, Firefox, ...), go to www.bourse.lu and point to 'SIGN UP | LOGIN':






Fill in your login/user name and password in the window that appears, and click on 'LOGIN':



Once you are connected, you can access the TAF reporting by pointing 'PRODUCTS AND SERVICES' then clicking 'E-FILE & REGULATORY REPORTING' in the menu:






#### The following page appears, choose 'TAF-MIFID', in the left menu:



#### There, you can choose your report:





# 3 TAF MiFID declaration


## 3.1 Opening the TAF MiFID declaration form

From the choice page, click on the 'Form...' link corresponding to the desired 'Transaction declaration (TAF MiFID)' function.

## 3.2 Filling in the form

This form is composed of two parts:

- <u>The header:</u> the main parameters of the report (including the parameters used to generate the name of the report file),
- The list of transactions.



#### 3.2.1 The header

PDF field	XML CSSF	Definition	Format	Required
Report Identification	1 · · · · · · · · · · · · · · · · · · ·	This field is automatically filled in by the form when you fill in the main parameters.		yes
BIC Code (from Reporting parameters)	ReportIdentificationBIC	BIC code of the entity generating the report.	11 characters	yes
Sequence number (from Reporting parameters)		This is the sequence number used to generate the Report identification field. This number is automatically initialized by the form.	6 digits	yes



Creation date (from Reporting parameters)	CreationDate	This field is automatically by the form when you open it.	YYYY-MM-DD	yes
Creation time (from Reporting parameters)	CreationLocalTime	This field is automatically by the form when you open it.	HH:MM:SS	yes

#### Note regarding the Sequence Number:

It is possible to change this field with a higher number than that initialised.

The sequence number is common to all three TAF MiFID forms.

## 3.2.2 The list of transactions

To fill in the transactions, use the "edit" links to go to the transaction details and the "+" / "-" buttons to add or remove transactions lines.

### **Transaction details:**

Transaction (*):	<u>i ransaction</u>	identification:
		Buy/Sell (*):
Declarant BIC Code :		Capacity (*):
Transaction date (*):		
Transaction time (*):	15:29:58	Unit price (*):
Underlying ISIN code :		
Counter party Identificati	on:	Trading venue:
	<u> </u>	1.ading venue.
counter party identification		
BIC Code :		○ BIC Code:



#### <u>Transaction identification:</u>


PDF field	XML CSSF	Definition	Format	Mandatory
		Unique identification of the		
Transaction	TransactionIdentification	transaction	15 characters	Yes
Declarant BIC Code		The BIC code of the branch that		
	DeclarationIdentificationBIC	executed the transaction.	11 characters	No
Transaction date	TradingDay		YYYY-MM-DD	Yes
Transaction time	TradingLocalTime		HH:MM:SS	Yes
Buy/Sell	BuySellIndicator	Buy or Sell	List of choices	Yes
Capacity	TradingCapacity	Agent or Principal	List of choices	Yes
Quantity	Quantity	Number of units of the instrument or nominal value of bonds.	19 digits (with 5 after decimal point)	Yes
Quantity unit	Notation (Quantity)	'U'nits or 'V'alue.	List of choices	Yes
Unit price	Unit Price	Price per instrument, excluding commission.	19 digits (with 5 after decimal point)	Yes
Currency	Notation (Unit Price)		List of choices	Yes

## <u>Instrument identification:</u>

Within this part, you need to choose between three modes:

- ISIN
- Alternative code
- or Other.

If you want to identify the instrument using its ISIN Code, click on  $\underline{\text{"}ISIN }$  and fill in those fields:



PDF field	XML CSSF	Definition	Format	Mandatory
Type CFI	InstrumentTypeCFI		6 characters (UPPERCASE)	Yes
	1.	The ISIN code of the financial		
ISIN code	InstrumentIdentificationISIN	instrument.	11 characters	Yes
Underlying ISIN code	UnderlyingInstrumentIdentificationISIN	Underlying ISIN Code	11 characters	non



If you want to identify the instrument using its ISIN Code, click on  $\underline{\text{``other "}}$  and fill in those fields:

		Instrument identification :	
ISIN	<ul><li>Other</li></ul>	○ Alternatif code	
Type CFI (*)			
Instrument lab	el (*):		
Contra	ct's informations :		
Instrument lab	el:		
ISIN Code :			
Strike price :			
Expiry date :			
Price multiplie			

PDF field	XML CSSF	Definition	Format	Mandatory
Type CFI	InstrumentTypeCFI	The ISO 10962 CFI code.	6 characters (UPPERCASE)	Yes
Instrument label	InstrumentIdentificationLabel	Full textual description.	Maxi 120 characters	Yes
Instrument label (Contract's Informations)	UnderlyingInstrumentIdentificationLabel	Full textual description.	Maxi 120 characters	No
ISIN Code (Contract's Informations)	UnderlyingInstrumentIdentificationISIN	Underlying ISIN Code	11 characters	No
Strike price (Contract's Informations)		The strike price of an option or other financial instrument.	19 digits (with 5 after decimal point)	No
Expiry date (Contract's Informations)		Exercise date / Maturity date of the derivative contract	YYYY-MM-DD	No
Price multiplier (Contract's Informations)	PriceMultiplier	The number of derivatives represented by one contract.	19 digits (with 5 after decimal point)	No

If you want to identify the instrument using its ISIN Code, click on  $\underline{\text{`` Alternative code ``}}$  and fill in those fields:



Instrument identification :					
ISIN	Other	<ul><li>Alternatif code</li></ul>			
Exchange MIC	code (*):				
Exchange pro (*):	duct code				
Underlying ISI	IN code :				
Derivative typ	e (*):				
Put/Call ident	ifier:	•			
Expiry date (*)					
Strike price :					

PDF field	XML CSSF	Definition	Format	Mandatory
Exchange MIC		MIC code of the regulated market		
code	ExchangeCode	that admits the derivative to trading	4 characters	Yes
Evelopes and dust		Code maintained by the derivative exchanges and freely and		
Exchange product		generally available		
code	ProductCode	to all parties	Max. 12 characters	Yes
Underlying ISIN code	UnderlyingInstrumentIdentificationISIN	Underlying ISIN Code	11 characters	No
Derivative type	DerivatedType	Option or Future	List of choices	Yes
Put / Call identifier	PutCallIdentifier	P(put) or F(future) or C(call)	List of choices	No
Expiry date (Contract's Informations)	MaturityDate	Exercise date / Maturity date of the derivative contract	YYYY-MM-DD	Yes
Strike price (Contract's Informations)	StrikePrice	The strike price of an option or other financial instrument.	19 digits (with 5 after decimal point)	No

## **Counterparty identification:**

BIC code, MIC code or Customer field must be provided:

PDF field	XML CSSF	Definition	Format	Mandatory
		The BIC code identifying the		_
		counterparty to the transaction.		
		Required if the counterparty is an		
BIC code	CounterPartyIdentificationBIC	investment firm.	11 characters	No
		The MIC code identifying the		
		counterparty to the transaction.		
		Mandatory if the counterparty is a		
		regulated market or an MTF		
MIC code	CounterPartyIdentificationMIC	(Multilateral Trading Facility).	4 characters	No
		Default value. Required if the		
		counterparty is not an investment		
	CounterPartyCustomer	firm, a regulated market, an MTF		
		or an entity acting as a central		
Customer		counterparty.	-	No

## Trading venue:


BIC code, MIC code or Off market field must be provided:



PDF field	XML CSSF	Definition	Format	Mandatory
	TradingVenueldentification	The BIC code of the trading venue		
BIC code	BIC	where the transaction was executed.	11 characters	No
MIC code		The MIC code of the trading venue where the transaction was executed.	4 characters	No
Off market	TradingVenueXOFF	Default value. The transaction was made off market.	-	No

## 3.3 Importing an existing xml file

A button named 'Import XML', near the header, allows you to import data from an existing TAF MiFID Declaration XML file (it works as a simple upload functionality):





## 4 TAF MiFID cancellation forms

## 4.1 Opening one of the TAF MiFID Cancellation forms

From the choice page, click on the 'Form...' link corresponding to one of the two following functions, depending on your needs:

- 'Transaction declaration cancellation (TAF MiFID)': This form allows you to complete and send to the CSSF a request to cancel one or several transactions of a previously submitted TAF MiFID report.
- 'All transactions declaration cancellation (TAF MiFID)': This form allows you to complete and send to the CSSF a request to cancel one or several previously submitted TAF MiFID reports. All transactions in the report(s) will be cancelled.

## 4.2 Filling in the 'Transaction declaration cancellation (TAF MiFID)'

This form allows you to cancel a list of transactions. It is composed of two parts:

- <u>The header:</u> the main parameters of the report (including the parameters used to generate the name of the report file). This part is similar to the header of the declaration form,
- The list of transactions to cancel.



Within the list of transactions, use the "+" / "-" buttons to add or remove transactions. For each line, you must fill in the two following fields:

- 'Declarant BIC code' (11 characters),



- 'Transaction' (15 characters).

## 4.3 Filling in the 'All transactions declaration cancellation (TAF MiFID)'

This form allows you to cancel a list of reports. It is composed of two parts:

- <u>The header:</u> the main parameters of the report (including the parameters used to generate the name of the report file). This part is similar to the header of the declaration form,
- The list of reports to cancel.



Within the list of reports to cancel, use the "+" / "-" buttons to add or remove reports to cancel. For each line, you must fill in the 'Report ID' field in accordance with the following convention:

ReporterIdentificationBIC\_Date\_SequenceNumber

#### where

ReporterIdentificationBIC: BIC code of the entity sending the report to cancel (11 characters),

Date: date on which the file was generated using the YYYY-MM-DD format,

SequenceNumber: the sequence number of the report to cancel (6 digits).

#### Example:

BANKLULLXXX\_2007-07-10\_000142.




# 5 Sending a TAF MiFID report

You will find a button named "Send" on each of the 3 TAF MiFID forms. When you have finished filling in a report, click on the "Send" button to transmit the report to the CSSF.

The page below will appear. You then need to fill in the sending parameters (required fields are Subject and Text) and click on the "Send" button.

For your reference, transmission is carried out via the e-file.lu portal.

Please note that at the bottom on this page you can see the name of the generated report. (Here, TAFREP\_BANKLULLXXX\_2008-04-01\_00010.xml).



To encrypt the report, enter the password of the encryption key:







When the transfer is completed, a confirmation message will appear:





# 6 Follow-up of a TAF MiFID report and finding CSSF feedback

Follow-up of transfers and feedback of the CSSF can be done from www.e-file.lu portal.

This part of the manual provides an overview of these functionalities. However, if you require more details on the use of e-file.lu, you are advised to read the User Manual of e-file (available online). The instructions in this part also imply an understanding of the base concepts of e-file.lu, such as files, procedures, envelopes and documents. These are explained din the User Manual.

## 6.1 Accessing e-file.lu

Users should have a login/password to access to www.e-file.lu.

For more details, please contact our Client Relationship Management:

Client Relationship Management

Tel.: (+352) 47 79 36 **529** Fax: (+352) 26 26 51 269 info@bourse.lu

If you already have a login, please launch your navigator (Internet Explorer, Firefox, ...), go to <a href="https://www.e-file.lu">www.e-file.lu</a>. The login page will be displayed.

Please note that your login name and password to the 2 portals (e-file.lu and bourse.lu) may be different)




## 6.2 <u>Follow-up and search of TAF MiFID reports</u>

Once you are connected to www.e-file.lu, the homepage appears.


To find a TAF MiFID report that you have previously sent, you first have to choose the correct context by selecting "Rapport TAF MiFID - ..." in the drop-down list located in the top-right of the homepage.

Next, click on the link 'Use file and procedure search...' under 'Advanced search'.





#### The search screen appears:



Fill in your criteria and click on "Validate" to launch the request.

<u>Note concerning 'File status':</u> the default value of this field is "In progress". If you are looking for an 'old' transfer, change this criterion to 'all statuses'.

The search result is a list of files and procedures corresponding to your previous criteria. You can then open a procedure by clicking on the links.



#### **Procedure statuses:**

A procedure always has a status as described below : created, started, closed or cancelled.

- "Created" status: The procedure is created but no envelope has yet been sent.
- □ <u>"Started" status:</u> At least one envelope was sent by the filing entity or by the authority. The sending date of the first envelope becomes the starting date of the procedure
- □ <u>"Closed" status:</u> The procedure was closed by the Authority. This is the normal end of a procedure. The CSSF will then enter your report on their database and send you a feedback file via the same procedure. (You will find this feedback file on the 'Envelopes & Documents' tab).

#### 'Envelopes & Documents' tab:

This tab enables you to send and receive envelopes and documents for the procedure.

You can then access the received and sent envelopes.

## 6.3 Feedback files from the CSSF

Feedback files (XML files) are generated at the CSSF to monitor both transmission correctness and data quality. The CSSF sends this XML file via <a href="www.e-file.lu">www.e-file.lu</a> using the procedure of the original transfer.

All envelopes sent to the user are displayed on the homepage until they are read. After they have been read they can always be found via the search functionalities.

