

## Gigaset CX470 isdn

The attractive phone for advanced calls with up to 10 numbers

- [Description](#)
- [Features](#)
- [Technical Data](#)
- [Accessories](#)



### Highlights

- Manages up to 10 ISDN numbers (MSN)
- Expandable to up to 6 handsets
- Date and time automatically synchronized via D-channel
- ECO DECT – for 60% less energy use<sup>1</sup> and variable reduction of transmitting power

### Product support

- [Manual](#)
- [FAQ](#)
- [Compatibility database](#)

## Gigaset CX470 isdn - Technical Data

### Front Features

---

<b>Screensaver</b>	Display of digital clock or color picture as screensaver (selectable and settable by user)
<b>Operations controlled</b>	Via menu
<b>Navigation key</b>	Yes
<b>LED signalling</b>	Yes
<b>Field strength displayed</b>	Yes
<b>Charging status displayed</b>	Yes
<b>Date and time displayed</b>	Yes
<b>Call duration per call displayed</b>	Yes

### Special Features

<b>Handsfree talking</b>	Yes with superior sound quality
<b>Caller announcement by voice</b>	No
<b>Baby phone / room monitoring</b>	Yes
<b>Ringer melodies</b>	5 polyphonic sounds and 10 melodies (composed by musician); 5 loudness levels + off + crescendo; selectable internal call melody
<b>Alarm call and date reminder</b>	Yes
<b>Vibracall</b>	No
<b>Paging</b>	Yes
<b>Wall mountable</b>	Yes
<b>Multilingual menu</b>	20 languages
<b>Support for Gigaset Repeater</b>	-
<b>Phonebook transfer</b>	Yes, between handsets

### Dialing Features

<b>Redialing function</b>	Last 20 different dialling numbers
<b>Phone directory</b>	Directory with up to 150 numbers and names; VIP-entries (a specific melody can be assigned to each directory entry)
<b>Pre-dialing</b>	Yes, with correction facility
<b>Automatic redialing</b>	Yes
<b>Pre-selection of Netprovider</b>	Yes, automatic
<b>Call list with time stamps and dialling facilities</b>	Yes

<b>Transmission</b>	Sending and receiving with up to 612 characters (provider dependent) - concatenation of up to 8 SMS
---------------------	---

<b>Personalized SMS Inbox</b>	up to 10 MSN specific SMS-inboxes
-------------------------------	-----------------------------------

<b>Transmission of e-mails</b>	Yes (Country / customer specific and provider dependent)
--------------------------------	--

<b>Easy-Text-Input-Method</b>	Yes
-------------------------------	-----

## Download

## ISDN features

<b>Connection</b>	Connection in the exchange (ECT)
-------------------	----------------------------------

<b>Administration of telephone numbers</b>	Up to 10 MSNs (auto MSN recog.)
--	---------------------------------

<b>Clock feature</b>	Date/time with synchronizing via ISDN
----------------------	---------------------------------------

<b>Call functions</b>	hold, consultation, toggle, waiting, accept/reject, forwarding
-----------------------	--

<b>CLIP (depending on country and network)</b>	Yes
--	-----

<b>CW (call waiting)</b>	Yes
--------------------------	-----

<b>CCBSR/CCNRS (call completion on busy subscriber/no reply)</b>	Yes
--	-----

<b>ECT (exclusive call transfer)</b>	Yes
--------------------------------------	-----

<b>MCID (malicious call identification)</b>	Yes
---	-----

<b>AOC (advice of charge)</b>	AOC-D, -E, -S
-------------------------------	---------------

## Features with more than 1 handset

<b>simultaneous calls (conferencing)</b>	4 calls simultaneously (2 external/2 internal); 3 party conference (1 external/2 internal participants)
--	---

<b>Transfer of external calls to another handset</b>	Yes
--	-----

<b>Phonebook transfer between handsets</b>	Yes
--	-----

## Features of integrated answering machine

<b>Recording time</b>	-
-----------------------	---

<b>Predefined announcements (plug &amp; play)</b>	-
---	---

<b>Time-controlled change between announcement and advisory message</b>	-
---	---

Live recording	-
Voice control commands	-
Protection of recordings against power failure	-
PIN protected mailboxes	-
Time control of answering machine	-
Announcements	-
Direct access to answering machine via separate key	-

### ECO DECT Base station

60% less power consumption with energy-saving power supply*	Yes
Transmitting power reduced to almost zero when handset is docked**	Yes
ECO Mode: reduces transmitting power by 80%***	Yes

### ECO DECT Handset

60% less power consumption with energy-saving power supply*	Yes
Variable reduction of transmitting power****	Yes

\* In comparison to our conventional cordless phones; \*\* With only 1 registered handset; \*\*\* For all registered handsets – in comparison to when ECO Mode is not activated and our conventional cordless phones; \*\*\*\* Dependent on distance from base station

### Technical specifications

Interfaces	Point-to-multipoint S0 (DSS1)
DECT/GAP	Yes
Handset extension	Up to 6 handsets can be registered or 4 handset + 1 M34
Standby time	Up to 150h
Talk time	Up to 10 hours
Battery system	2 x NiMH AAA
Range indoor	Up to 50 meters

<b>Dimensions Basestation (L x W x D) in mm</b>	66 x 121 x 93
<b>Available colours</b>	Black
<b>Available accessories</b>	1 Handset, 1 Belt clip, 1 Base station, 2 AAA batteries, 1 Power supply unit, 1 Telephone cord, 1 User manual

Disclaimer

Subject to changes in technology, design and availability. The product names mentioned in this document are trademarks or registered trademarks of their respective owners.

CORDLESS HOME COMMUNICATION

**Gigaset**

© 2009 Gigaset Communications GmbH - All rights reserved. Gigaset Communications GmbH is a trademark licensee of Siemens AG. - [Corporate Information](#) / [Privacy Policy](#) / [Terms of Use](#)