

Model 14T967DC



Feature	Benefit
5-4-3-2 Stitch Configuration	Different stitch types ensure the perfect stitch, regardless of the project: Coverlock Stitching, Chain-stitching, Rolled Hems & Flatlocking are just a few of the 14 built-in stitches.
Color Coded Lay-in Threading	Follow the color-coded diagram on the machine for effortless threading
1,300 Stitches-Per-Minute	Complete projects more quickly than with a standard sewing machine.
Fully Automatic Self-Adjusting Tension System	Sew a perfectly balanced stitch on many types of fabrics as the simple turn of a dial
Differential Feed	Ensures an even feed for perfect seams on every fabric—no breaking or puckering
Cover Hem and Lower Looper Automatic Threaders	Automatic threaders make threading tight spots trouble-free
Electronic Speed Control	Guarantees consistent sewing speed with no jump starts
Moveable Upper Knife	Roll the upper knife into the nonworking position and the machine will stitch, but not trim the fabric
Adjustable Stitch Length	Effortlessly adjust the length of a stitch pattern
25 Year Limited Warranty	25-year manufacturer's defects; 2-year electric and electronic components; 90-day parts and labor



Model 14T967DC

Feature	Benefit
Extra-High Presser Foot Lifter	There are 2 heights to the Presser Foot Lifter. The second height offers extra clearance, which is needed when placing multiple layers of bulky fabric under the presser foot.
Tension Release	Raising the Presser Bar Lifter releases tension on the threads, allowing for the threads to easily be pulled through the threading system.
Portable	The built-in carrying handle makes it trouble-free to transport the machine.
Free Arm Sewing	Makes it easy to sew hard-to-reach areas such as armholes and trouser cuffs
Accessories	Tweezers, Screwdrivers, Anti-Spill Nets, Spool Caps, Needles, Brush, Seam Guide Plate, Seam Ripper, Oil, Cone Adapters, Dust Cover, extra Stationary Knife and Accessory Case
Attachable Clean Pocket	Keeps the sewing area clean by catching the trimmed fabric
Built-In Rolled Hem	Effortlessly switch to rolled hem sewing mode
STITCH TYPES: (listed below)	Because of the 5-4-3-2 thread stitch configuration there are 14 different stitch types (10 stitches, some which can be changed to sew narrow or wide)ensure the perfect stitch, regardless of the project. The complete tension set-up for all of these stitch configurations is achieved with a simple turn of the Automatic Tension System dial.
Triple-Cover Stitch	For exquisite seams with a truly professional look. This innovative stitch provides a 5.6mm professional and creative triple topstitch to sewing projects.
Double-Cover Stitch	This professional cover hem stitch is a "must have" for today's sewing. It is often seen in ready-to-wear garments or as a decorative accent to many types of projects. Depending on which needle position is selected, the width of the double-cover stitch can be either 5.6mm wide or 2.8mm wide.



Model 14T967DC

Feature	Benefit
Chainstitch	This stitch is suitable for straight seams or for topstitching with decorative threads.
Five-Thread Safety Stitch	This stitch is suitable for woven fabrics and provides a durable seam for heavy weight fabrics such as denim and terrycloth. Using this strong safety stitch eliminates the need to reinforce the seam with a standard sewing machine straight stitch.
Four-Thread Safety Stitch	The stitch is appropriately used when sewing a medium weight woven fabric, such as linen or cotton. Because one less thread is being used, the stitch is less bulky. However the stitch is still strong enough not to require straight stitch reinforcement from a standard sewing machine.
Four-Thread Ultra Stretch Stitch	This four-thread stitch is a favorite when sewing knit fabric because the stitch stretches as the fabric stretches. This provides for neat and professional finishes that will not "pop" when the fabric is stretched. It can also be used as a seam and seam finish for medium to lightweight
Three-Thread Overlock Stitch	It is beneficial in preventing loosely woven fabrics from unraveling, an it offersunlimited decorative capabilities. Depending on which needle position is selected, the width of the stitch can be either 4.0mm wide or 6.0mm wide.
Two-Thread Overlock Stitch	This two-thread overlock stitch is used as a lightweight seam finish or a lightweight seam on woven fabrics. This stitch creates less bulky seams andseam finishes, which is ideal for sheer or lace fabrics. Depending on which needle position is selected, the width of the Two-Thread Overlock Stitch can be either 4.0mm wide or 6.0mm wide.
Rolled Hem Stitch	By simply moving the Stitch Finger lever, the QuantumLock is converted to the rolled hem sewing mode. Beautiful three- or two-thread rolled hems can be created to add an elegant fine finish to table linens, scarves, and much more.
Flatlock Stitch	Special decorative threads can be used to add texture and a dramatic embellishment effect. Depending on which needle position is selected, the width of flatlock stitch can be either 4.0mm wide or 6.0mm wide.