



# Air Purification System





## **Congratulations on your purchase of a Cli~Mate Air Purification System**

This Air Purifier improves the quality of the air in your home by helping to eliminate airborne matter such as allergens and unpleasant odours.

---

**Note: Please read through the instructions carefully before using or installing the product and ensure that the manual is kept in a safe place for future reference.**

**The system must be properly installed and located in accordance with the installation instructions before it is used.**

**During the set up of this product if you have any questions / comments / issues DO NOT RETURN TO STORE. FOR SERVICE AND TECHNICAL ADVICE ON THIS PRODUCT, FREE CALL 1300 764 325.**

---

### **CUSTOMER HOTLINE: 1300 764 325**

Register your warranty online at  
[www.cli-mate.com.au/warranty-and-registration](http://www.cli-mate.com.au/warranty-and-registration)

Aquaport Corporation Pty Ltd  
PO Box 81 Findon SA 5023 Australia

Telephone: 08 8354 0711

Facsimile: 08 8354 0722

Email: [aquaport@aquaport.com.au](mailto:aquaport@aquaport.com.au)

Web: [www.cli-mate.com.au](http://www.cli-mate.com.au)

Social: [f/climatebrand](https://www.facebook.com/climatebrand) [t@climatebrand](https://twitter.com/climatebrand)



N 23934

Electrical Requirements:

Australia / New Zealand 240V / 230V 50Hz  
Due to manufacturing alterations product may vary slightly from the pictured.

## SAFETY PRECAUTIONS


Read all instructions carefully.

- All components need to be installed in accordance with the user manual instructions for correct performance of unit.
- This appliance should be used in conjunction with a safety switch.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Do not operate any appliance with a damaged cord or plug or after the appliance malfunctions, or has been damaged in any manner.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
- Children should be supervised to ensure that they do not play with the appliance.
- Do not use appliance for other than intended use.
- Do not disassemble, repair or re-form the unit, it may cause injury, fire or other malfunctions. A qualified service agent must make all service adjustments. Removing any part or attempting to service the dryer will void the warranty.
- Unplug from outlet when not in use and before cleaning. Never plug in or unplug unit with wet hands.
- Do not use unit outdoors or expose to greasy or damp environments.





- Keep the rear air inlet and outlet is free from air blocking materials such as clothing, plastic bags or papers. Air flow is required for the unit to operate effectively.
- Place unit on a flat location at least 30cm from wall or other appliances.
- Unit must be placed on a stable flat surface to reduce possible excessive vibration and noise.
- Keep the dryer away from fire, flammable gas, combustible products or vapours, and corrosive substances.
- Do not wash or reuse the filters.
- Do not operate the unit without filters.
- To protect against fire, electric shock and personal injury, do not immerse cord, plugs, or appliance in water or other liquid.
- Do not place on or near a hot gas, electric burner or heating appliance.
- Check voltage to be sure that the voltage indicated on the nameplate agrees with your voltage.


Air Purifier	
Model Code	CLI-AP20
Product Dimensions	H394 x W310 x D139mm
Coverage area	Up to 20m <sup>2</sup>
Power consumption	35 watts
Net weight / Gross Weight	3.5 kg / 4.2 kg
Air Change / Hr	30m <sup>2</sup> x 4.5
Air Flow /Hr	133m <sup>2</sup>
Clean air Delivery rate	75cbm (smoke)
Power cord length	1.8m
Noise level in Turbo Mode	58dB
Noise level in Sleep Mode	28dB
Replacement Filter	CLIRF-AP20

## OPERATION INSTRUCTIONS

1. Plug unit into power socket, unit will beep and control panel lights will illuminate before extinguishing. Unit is now in standby mode.
2. Press POWER button  to turn unit on. The unit will beep and display panel lights will illuminate indicating current settings.

**Note:** The purification default setting is at LOW speed mode.

3. To select speed, press  until LED Light is on desired speed- LOW, MEDIUM, HIGH, SLEEP respectively.
4. To set automatic off timer, press  until LED light is on desired time 1/4/8 hours. Unit will automatically switch off once selected time duration has lapsed
5. To select AUTO-MODE, press  and the AUTO led light will be lit. The unit will now start purifying in a loop cycle on these settings: HIGH speed for 2 hours MEDIUM speed for 2 hours LOW speed for 2 hours.
6. To activate CHILD-LOCK function, hold down AUTO MODE  for 3 seconds or until CHILD LOCK light is lit.

**Note:** To deactivate the CHILD LOCK function, hold down AUTO MODE  for 3 seconds or until CHILD LOCK light extinguishes.

During the set up of this product if you have any questions / comments / issues DO NOT RETURN TO STORE FOR SERVICE AND TECHNICAL ADVICE ON THIS PRODUCT FREE CALL 1300 764 325

## DISPLAY PANEL



**HIGH | MEDIUM | LOW | SLEEP** - Indicates the Fan speed

**POWER:** Power Indicator: Illuminates green when power is turned ON.

Filter change indicator: Light will flash when the filter needs to be changed.

**AUTO:** Automatic Mode

**Child Lock:** Child safety lock

**1hr | 4hr | 8hr:** Timer indicator

## CONTROL PANEL/BUTTONS



### POWER

Turns unit ON/OFF

### SPEED

Allows selection for desired fan speed setting: SLEEP, LOW, MEDIUM and HIGH

### AUTO MODE


Operates in a loop cycle on these settings: HIGH speed for 2 hours - MEDIUM speed for 2 hours - LOW speed for 2 hours

### TIMER

To set automatic OFF timer at 1,4,8 hour settings

## COMPONENT IDENTIFICATION

1. **Front Cover**
2. **Air Inlet**
3. **Triple Layer Filter**  
(Initial Filter, HEPA filter and active carbon filter)
4. **Display Panel**
5. **Control Buttons**
6. **Handle**
7. **Air Outlet**
8. **Wall Mounts**




## FILTERS

The dual layer filter contains a pre-filter, a HEPA filter and an activated carbon filter.

The pre-filter traps larger particles such as dust, pet hair and large-sized allergens.

The HEPA filter (grade H12) removes 99.5% of particles as small as 0.3 microns and greater from the air. It is capable of removing smoke, dust, pollen, pet dander, mold spores, bacteria and allergens in the air.

The Activated carbon filter absorbs common household odours, VOCs, cigarette odours, chemical fumes and smoke.



## CLEANING AND MAINTENANCE

Before carrying out any maintenance or cleaning of the unit, make sure that the power to the unit is turned off and power cord is unplugged from the power socket.

External cleaning of unit:

- Do not clean unit with any abrasive cleaning agents or solvents
- Do not apply any water directly onto the unit
- Only use a soft clean cloth for all cleaning purposes
- Clean the air inlet and outlet with a dry cloth, soft brush or vacuum cleaner

## CLEANING THE PRE-FILTER

It is recommended that the Pre-filter (the removable white layer) is cleaned every 1-2 weeks of unit operation, depending on the air quality of the room

To clean the Pre-filter:

1. The removable Pre-filter is attached by Velcro. Gently peel away the Pre-filter.
2. Fill the sink with lukewarm water and gently hand wash the Pre-filter under the water for 2-3 minutes or until it is completely clean.
3. Rinse the Pre-filter with clean tap water.

4. Use a towel to remove any excess water from the Pre-filter
5. Allow the Pre-filter to dry for 12-24 hours
6. When the Pre-filter is completely dry, re-attach and place back into the air purifier. Note: When placing the filters back into the air purifier, ensure that the white belts are facing outwards and that the Pre-filters are facing towards the air inlet

### **CLEANING THE HEPA AND ACTIVATED CARBON FILTER**

It is recommended that the HEPA and activated carbon filters are cleaned every 100-500 hours of unit operation, depending on the air quality of the room.

To clean the HEPA and Activated Carbon Filter:

1. Turn off unit and disconnect the power
2. Place both hands at the bottom corners of the front cover, and pull out
3. Pull out the filter by the white belt attached
4. Gently peel away the Pre-filter layer
5. Run a vacuum cleaner with a nozzle or brush attachment on low power setting along the HEPA (white side) and Activated Carbon (black side) filters to pick up the dust and various particles.
6. Re-attach the Pre-filter layer and place back into the air purifier.


**Note:** When placing the filters back into the air purifier, ensure that the white belts are facing outwards

### **REPLACING FILTER**

When the lifespan of the 3-layer filter reaches its end, the POWER light will flash green indicating that it needs to be changed. Discard the old filter and replace with a new one. It is not reusable.  
Cli~Mate Replacement Filter Product Code: CLI-RF-AP20

The lifespan and duration of the dual layer filter depends on the air quality and surrounding environment. The higher level of pollutants, the shorter the filter lifespan. It is advisable to change the 3-layer filter at least every 8 months or 1500 hours of unit operation.

### **HOW TO REPLACE THE FILTER**

1. Turn off unit and disconnect the power.
2. OPEN THE FRONT COVER: Place both hands at the bottom corner of the front cover, press down the buttons on the sides while pulling out.
3. REMOVE THE FILTER: Pull out the filter by the white belt attached and discard
4. INSTALL NEW FILTER: Replace with new filter. Ensure that the white belt is facing outwards
5. Line up the top of the front cover first and then snap in the lower part of the front cover. Ensure that the front cover is firmly intact.
6. Hold down Speed  button on the unit to reset the filter timer.

## TROUBLE SHOOTING

### BEFORE YOU CALL FOR SERVICE PLEASE REVIEW THE TROUBLE SHOOTING TIPS FIRST.

Problem	Possible Causes	What To Do
No Power	<ol style="list-style-type: none"> <li>1. Unit is not plugged into wall socket.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check connection to wall socket.</li> </ol>
Unit overheating	<ol style="list-style-type: none"> <li>1. Air ventilation around unit not sufficient</li> <li>2. Air inlet or air outlet is being obstructed or blocked by foreign objects</li> <li>3. Internal malfunction</li> </ol>	<ol style="list-style-type: none"> <li>1. There must be at least 30cm between unit and wall or other appliances</li> <li>2. Ensure there are no object obstructing the air inlet or air outlet</li> <li>3. Return unit to service agent. Call customer care</li> </ol>
The unit is not effective	<ol style="list-style-type: none"> <li>1. Filters may be heavily soiled and due for replacement</li> </ol>	<ol style="list-style-type: none"> <li>1. Replace filter</li> </ol>
Excessive/loud noise	<ol style="list-style-type: none"> <li>1. Unit is on an uneven surface</li> <li>2. Foreign objects have fallen into the unit</li> <li>3. Faulty internals</li> </ol>	<ol style="list-style-type: none"> <li>1. Ensure the unit is placed on a level surface</li> <li>2. Ensure that no foreign objects have fallen into the unit via the air outlet.</li> <li>3. Call customer care</li> </ol>



### **Your Aquaport 12 Month Repair or Replacement Warranty**

Aquaport warrants this appliance to the first purchaser and subject to the stated conditions:

Warranty covers any defects in material or workmanship in the manufactured product within the first twelve months from the date of purchase.

To make a warranty claim you must call Aquaport on toll free number 1300 764 325 for instructions. If a product is found to be faulty there is a 90 day return policy from the date of purchase.

For warranty claims outside of 90 days from date of purchase, product will be repaired or replaced at our discretion. Repair or replacement costs of the product will be covered under warranty by Aquaport.

Goods presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

Warranty does not cover filters which are consumable unless proven to have defects in material or workmanship in the manufactured product.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if goods fail to be of acceptable quality and the failure does not amount to a major failure.

### **Conditions of this Warranty:**

1. This product has been fully installed in accordance with the user manual installation instructions.
2. The warranty extends only to repairing or replacing any component that proves to be defective in material or workmanship.
3. The warranty does not cover defects occasioned by misuse, alterations, accidents, or used for other than the intended purpose.
4. The warranty does not cover damage to the product caused by accident, fire, or floods.
5. Proof of purchase is required for warranty claims.

### **Please keep purchase receipt in a safe place.**

To enable us to register your warranty and provide service should a problem occur, we recommend you register your warranty online at:

**[www.cli-mate.com.au/warranty-and-registration](http://www.cli-mate.com.au/warranty-and-registration)**

### **Aquaport Corporation Pty Ltd**

5 John Street Flinders Park,  
South Australia 5025

**Customer Care 1300 764 325**







**CUSTOMER HOTLINE: 1300 764 325**

Aquaport Corporation Pty Ltd  
PO Box 81 Findon SA 5023 Australia  
Telephone: 08 8354 0711  
Facsimile: 08 8354 0722  
Email: [aquaport@aquaport.com.au](mailto:aquaport@aquaport.com.au)  
Web: [www.cli-mate.com.au](http://www.cli-mate.com.au)  
Social: [f](https://www.facebook.com/climatebrand)/climatebrand [t](https://www.twitter.com/climatebrand)@climatebrand