

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Kodak	Logo
Company name *	Eastman Kodak Company	
Contact information *	Greg Batts Kodak Limited,Headstone Drive, Harrow, UK HA1 4TY gregory.n.batts@kodak.com	Kodak
Internet site *	www.kodak.com/go/sustainability	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statement	ts given in this declaration.			
Type of product *	Inkjet AiO			
Commercial name *	Kodak ESP All in One Printers			
Model number *	3.2			
Issue date *	30th May 2012			
Intended market *	☐ Global ⊠ Europe ☐ Asia, Pacific & Japan ⊠ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		$\boxtimes$

Model number *	3.2		
Issue date *	30th May 2012	Logo	Kodak

Product environmental attributes - Legal requirements				t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.kodak.com/eknec/PageQuerier.jhtml?pq-path=2879/7196/2300281/2300282/15180&pq-locale=en_US&_requestid=576	$\boxtimes$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medion data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	$\boxtimes$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$	П	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\boxtimes$	П	П
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🖂		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	l 🖂		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	3.2		
Issue date *	30th May 2012	Logo	Kodak

Product	duct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\square$				
P7	Design					
D7 1*	Disassembly, recycling  Parts that have to be treated congretally are easily congreble.		_			
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>		
P7.2*	Plastic materials in covers/housing have no surface coating.		<u> </u>	<u>Ц</u>		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		ᆜ	<u>Ц</u>		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ш			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$				
P7.9.	Spare parts are available after end of production for: years					
P7.10	Service is available after end of production for: years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: <i>Polystyrene (PS)</i> Material type: Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.	<u>Ш</u>				
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		$\boxtimes$			
	Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:		Ш			
P7.17	Alt. 1  Chamical appointance of flame retardants in printed circuit boards > 25g (without components):					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):  TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:	Ш	Ш	Ш		
	TBBFA (additive), TBBFA (reactive), Other, chemical hame. , CA3 #.					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according					
	ISO 1043-4:					
P7.18	Alt. 1					
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	Ш	Ш	$\boxtimes$		
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #:					
	Alt. 2  Chamical appointant of flame retardants in plactic parts a 25g according ISO 1043 4:					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	П	П			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	$\overline{\boxtimes}$	Ħ	Ħ		
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш	Ш		
P7.20	Of total plastic parts' weight >25g, recycled material content is <b>0%</b> .					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sources are free from mercury	$\boxtimes$				
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8.1*	Batteries Battery chemical composition: <i>MgO2-Li</i>					
P8.2	Batteries meet the requirements of the following voluntary program/s:			<u> </u>		
1 0.2	batteries meet the requirements of the following voluntary program/s.			1 1		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	3.2		
Issue date *	30th May 2012	Logo	Kodak

Product environmental at	environmental attributes - Market requirements (continued) Requirement m				met			
Item						١	es No	n.a.
P9 Energy consumpt	Energy consumption							
9.1 For the product the	9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / S modes and test r	Standard fo method *	r energy	
Ready	W	3.15 W	3.22 W		Energy Star			
Standby/Off	W	0.24 W	0.24		Energy Star			
	W	W	W					
	W	W	W					
	W	W	W					
	W	W	W					
EPS No-load (External power supply /	W	0.27 W	0.27 W					
charger plugged in the wall outlet but disconnected from								
the product.)								
PTEC * Typical Energy Consumption	W	W	W					
Typical Energy Condamption								
TEC *	kWh/week	kWh/week	kWh/we	ek				
Typical Energy Consumption								
ETEC *	kWh/year	kWh/year	kWh/yea	ar				
Annual Energy Consumption								
Display resolution* : 480 x 234	colution*: 480 x 234 Megapixels							
Print Speed * : 8 in blac	nt Speed * : 8 in black, 5.5 in color Images per minute							
Default time to enter energy sa	efault time to enter energy save mode: 60 minutes							
P9.2* Information about t	he energy save functio	n is provided with th	e product.					
	the energy requirement version: <b>1.2</b> Tier: <b>na</b> P					1		
Others specify:	version. I.Z ner. IIa P	roduct category. <b>W</b>	nununcuonai de	vice			4 H	H
P10 Emissions								
	Declared according to	ISO 9296						
P10.1 Mode N	Mode description		Declared A-weighted		Declared A sound pressure I	-	(dB)	
			sound power level $L_{W\!Ad}$ (B)	Ope	rator position	Bystande	r positions	
					Desktop	(amb of man		
					or Desk side 🗌	(only if pro- operator	attended)	
	Idle	ė.				7.2	,	
-	Operating	ķ	•		56	6.5		
Other mode								
Measured according	_	ECMA-74	by ECMA 74 cells	h I	manaura	ntonoo	m)	
P10.2 The product meets	Other the acoustic noise req	(only if not covered					m)	$\vdash$

Issue date	sue date * 30th May 2012		Logo	Kodak			
	environn	nental attributes - Market requirements (continued)		Re	equire		
Item					Yes	No	n.a.
	Chemica	al emissions from printing products					
P10.3*	Test perf	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				$\boxtimes$	
P10.4	Typical e	emission rate (print phase) is (mg/h):					
		Dust Ozone Styrene Benzene TVOC					
P10.5	Chemica	Il emission requirements of the following voluntary program/sare met for :	_				
		<u> </u>	TVOC				
		nagnetic emissions					
P10.6	Compute program/	er display meets the requirement for low frequency electromagnetic fields of the foll /s:	owing volu	untary			$\boxtimes$
P11	Consum	able materials for printing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see l	P4.3).	$\boxtimes$		
P11.2*	EN1228		e requirer	ments of	$\boxtimes$		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						
P12		nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technological	gies.		$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$		
P13	Packagi	ng and documentation					
P13.1*		packaging material type(s): <i>Plastic - PS</i> weight (kg): <i>0.07</i>					
		packaging material type(s): <i>Plastic - LDPE</i> weight (kg): <i>0.046</i>					
D40.0*		packaging material type(s): <i>Paper - Corrugated</i> weight (kg): <i>0.700</i>				_	_
P13.2*		plastic packaging is free from PVC.					<u>Ц</u>
P13.3*		nedia for user and product documentation (tick box): c ⊠, Paper ⊠, Other ⊠					Ш
P13.4*	For pape fiber: <b>0</b> 5	er user and product documentation, please specify contained percentage of post-co	onsumer re	ecycled			
P14	Addition	al information (See Note B4)					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Model number \* 3.2

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19