

User's Manual



30029 Research Dr New Hudson, MI 48165

1-888-499-9831

www.pipelinepaddleboards.com



User's Manual



30029 Research Dr New Hudson, MI 48165

1-888-499-9831

www.pipelinepaddleboards.com



User's Manual



30029 Research Dr New Hudson, MI 48165

1-888-499-9831

www.pipelinepaddleboards.com

The Pipeline family:



Congratulations on your purchase of Pipeline Paddle Board's Stand Up Paddle Board! This product has been designed to perform and last. Please review the following information to better acclimate you to its use, storage and care:

<u>Part # Model Name and Dimensions</u>	<u>UPC #</u>
--	---------------------

- R106H Riptide Island Navigator 10'6" (10'6" x 29 "x 4.25") w/pad UPC: 850309005004
- R115H Riptide Cross Cruiser 11'5" (11'5" x 32" x 4.75") w/pad UPC: 850309005011
- R126H Riptide Flat Water Voyager 12'6" (12'6" x 32" x 4.5") w/pad UPC: 850309005028
- F106H Frontside Island Navigator 10'6" (10'6" x 29 "x 4.25") w/pad UPC: 850309005066
- F115H Frontside Cross Cruiser 11'5" (11'5" x 32" x 4.75") w/pad UPC: 850309005059
- F126H Frontside Flat Water Voyager 12'6" (12'6" x 32" x 4.5") w/pad UPC:
850309005042
- W106H Woodrow Island Navigator 10'6" (10'6" x 29 "x 4.25") w/pad UPC:
850309005073
- W115H Woodrow Cross Cruiser 11'5" (11'5" x 32" x 4.75") w/pad UPC: 850309005080
- W126H Woodrow Flat Water Voyager 12'6" (12'6" x 32" x 4.5") w/pad UPC:
850309005097



30029 Research Dr New Hudson, MI 48165

1-888-499-9831


www.pipelinepaddleboards.com

Part # Model Name and Dimensions

UPC #

- R106/F106/W106: Weight Capacity Island Navigator 165lbs for Beginner
- R106/F106/W106: Weight Capacity Island Navigator 190lbs for Advanced
- R115/F115/W115: Weight Capacity Cross Cruiser 210lbs for Beginner
- R115/F115/W115: Weight Capacity Cross Cruiser 240lbs for Advanced
- R126/F126/W126: Weight Capacity Flat Water Voyager 250lbs for Beginner
- R126/F126/W126: Weight Capacity Flat Water Voyager 280lbs for Advanced

Contents (shown below, Row 1 may vary): SUP, removable fins (1 middle and 2 side fins), leash and paddle if purchased. The middle fin is installed by sliding it in the fin rail. Simply tighten the screw through the fin to the sliding metal rectangle fastener to secure the fin. Using the red tool, side fins should be inserted by loosening the set screws (2) and tightening once the fins are inserted into slots. Row 2 shows handle in up and down position and Go-Pro Camera Mount.



Construction: Pipeline Paddle Boards are engineered to be the most technologically advanced boards in the market. Our exclusive Variable Layer Technology (VLT) allows us to construct a board that is the perfect balance of weight and strength. Using a carefully chosen combination of EPS Foam, dual 6 oz. fiberglass and bamboo layers, Pipeline Paddle Boards have been designed to be the lightest and stiffest boards available. The polished gloss gel coat helps protect your Pipeline Paddle Board in all water conditions.





GLASS SCHEDULE	
DECK	2 Full Layers 6 oz + 1 Full Layer Bamboo
BOTTOM	2 Full Layers 6 oz
FINISH	Gloss - Polished Clear Coat

How to SUP!: Before proceeding, be sure to read all safety cautions and warnings at the end of this manual and navigate to www.pipelinepaddleboards.com for additional help. Lay paddle across board and start on knees. Slowly stand up placing feet shoulder length apart in approximately the center of the board. As you become balanced you may change your position on the board to suit the conditions and increase your speed or turning radius. The paddle is gripped at the top with one hand and about 24-36" below with the other hand. To maintain a straight course, switch between paddling on left and right sides by switching top and bottom hands and paddling on opposite sides evenly, accounting for any conditions such as wind and wake. Paddling forward on one side will cause the SUP to change course to the opposite side. Paddling backwards will cause SUP to turn sharply on the same side. This can be a useful maneuver in tight areas. Dismount the board in the opposite fashion of starting. Be careful in shallow water or near shore or docks.

Maintenance: SUP should be dry before storing. Do not leave exposed to direct sunlight or elements for extended periods. The one-way vent plug near top of deck side **MUST NOT** get covered! It helps the Styrofoam inside the board exhaust gases. "Blistering" is not covered under warranty and is caused by excessive exposure to sun and heat.



Warranty: See www.pipelinepaddleboards.com for most recent warranty details. Paddle boards carry a six (6) month limited warranty from date of purchase, from an authorized distributor only, covering manufacturer defects due to materials or workmanship but NOT end user abuse or miss-use, normal wear and tear of the product, modifications, repairs, accidents, heat, excessive exposure to weather elements (“blistering” is not covered under warranty and is caused by excessive exposure to sun and heat), improper storage or handling, incorrect set-up, use in commercial activities and minor cosmetic flaws that do not affect performance. The warranty is only for the original purchaser and is not transferable. Claims should be made in writing to: info@pipelinepaddleboards.com. End user is responsible for expenses related to the return of the defective product. Pipeline Paddle Boards has the sole discretion to replace or repair any warranty claims after product inspection.

Usage Warnings:



WARNING

DISREGARDING ANY OF THE SAFETY PRECATIONS AND INSTRUCTIONS CONTAINED IN THE OWNER’S MANUAL, WEBSITE (WWW.PIPELINEPADDLEBOARDS.COM) OR ON THE PRODUCT MAY RESULT IN INJURY INCLUDING THE POSSIBILITY OF DEATH.

- PADDLE BOARD IS INTENDED FOR RECREATIONAL AND HEALTH AND FITNESS USE ONLY
- REVIEW THE WEIGHT CAPACITY LIMITATION OF PADDLE BOARD AND NEVER EXCEED IT
- ALWAYS WEAR A COAST GUARD APPROVED PERSONAL FLOTATION DEVICE (PFD)
- DO NOT USE PADDLE BOARD WITHOUT A THIRD PARTY OBSERVING OR KNOWING YOUR TIMING AND WHEREABOUTS
- DO NOT USE DURING SEVERE WEATHER OR DURING ROUGH CONDITIONS
- ALWAYS USE LEASH AND STAY CONNECTED WIND AND CURRENT CAN POSSIBLY CARRY PADDLE BOARD FASTER THAN YOU CAN SWIM
- NEVER DIVE HEAD FIRST FROM PADDLE BOARD



30029 Research Dr New Hudson, MI 48165

1-888-499-9831

www.pipelinepaddleboards.com

- USE CAUTION AROUND REEFS, BARRIERS AND OBSTRUCTIONS
- DO NOT USE IN SHALLOW WATER
- DO NOT USE IN ROUGH AND/OR FAST CURRENTS
- DO NOT PULL PADDLE BOARD WITH BOAT OR MOTORIZED VEHICLE
- DO NOT LET MINORS USE PADDLE BOARD WITHOUT PROPER SUPERVISION AND USAGE TRAINING
- DO NOT USE PADDLE BOARD AFTER CONSUMING ALCOHOL OR SUBSTANCES WHICH INDUCE IMPAIRMENT
- DO NOT USE PADDLE BOARD BEYOND TRAINING AND SKILLS
- DO NOT USE PADDLE BOARD BEFORE DAWN OR AFTER SUNSET OR IN POOR LIGHTING
- CHECK LOCAL LAWS AND REGULATIONS FOR PROPER AND SAFE USAGE OF PADDLE BOARD
- DO NOT LEAVE PADDLE BOARD EXPOSED TO DIRECT SUNLIGHT
- MAKE SURE PADDLE BOARD IS DRY BEFORE STORING
- REGULARLY INSPECT PADDLE BOARD FOR CRACKS



30029 Research Dr New Hudson, MI 48165

1-888-499-9831

www.pipelinepaddleboards.com



30029 Research Dr New Hudson, MI 48165

1-888-499-9831

www.pipelinepaddleboards.com