


HUAWEI G3512 GSM HANDSET PRODUCT DESCRIPTION





Date 2010-07-07



HUAWEI G3512 GSM Handset Product Description

Document Version 01

Product Version V100R001

Huawei Technologies Co., Ltd. provides customers with comprehensive technical support and service. Please feel free to contact our local office or company headquarters.

Huawei Technologies Co., Ltd.

Address: Huawei Industrial Base

Bantian, Longgang Shenzhen 518129

People's Republic of China

Tel: +86-755-28780808

Global Hotline +86-755-28560808

Website: www.huawei.com

E-mail: mobile@huawei.com

Author

Prepared by	Gaoxin	Date	2011-06-13
Reviewed by	Heyanbin	Date	2011-06-20
Approved by		Date	



Copyright © 2009 Huawei Technologies Co., Ltd.

All Rights Reserved.

No part of this manual may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

Trademarks

and other Huawei trademarks are the trademarks or registered trademarks of Huawei Technologies Co., Ltd. in the People's Republic of China and certain other countries.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The information in this manual is subject to change without notice. Every effort has been made in the preparation of this manual to ensure accuracy of the contents, but all statements, information, and recommendations in this manual do not constitute the warranty of any kind, express or implied.



Table of Contents

Chapter 1 Product Overview	5
1.1 Introduction	
1.2 G3512 ID/MD	
Features	
1.3 Main Functions	<i>6</i>
1.4 Technical Specifications	6
1.4.1 Hardware Specifications	6
1.4.2 Software Specification	
Chapter 2 Packing List	Error! Bookmark not defined
Chapter 3 Terminology	



Chapter 1 Product Overview

1.1 Introduction

HUAWEI G3512 is a GSM dual-band handset developed by HUAWEI. It is an entry-level multimedia phone, supporting GSM 900/1800 or 850/1900MHz.

The HUAWEI G3512 adopts most useful functions and power efficiency feature etc, including:

- Efficiency tools such as Stopwatch, Calculator, Alarm clock, Calendar, E-book, Flashlight.
- Entertainment functions such as Camera, WAP Brower, MP3 player, Video Player, FM(optional), Bluetooth(optional) and game.
- Dual-SIM and SD card slot make you have more choices.
- Colorful cover makes it look vivid and fashionable.

Bedsides, HUAWEI G3512 provides you user-friendly people-machine interface, and most efficiency features. More reliable performance and easier options of the phone make it possible for you to experience more in the wireless network.

1.2 G3512 ID/MD



(Please refer color and shape to product)



Features

1.3 Main Functions

The G3512 supports the following:

- GSM900/1800 MHz or 850/1900MHz networks
- Single-SIM (Dual-SIM is optional)
- Speech codec HR/FR/EFR/AMR
- Polyphonic: 64-chord MIDI,MP3
- SMS & Phonebook stored in handset
- Message: SMS,MMS
- VGA camera
- WAP Browser
- MP3 Player
- Video Player
- Flashlight
- FM(optional)
- Vibration(optional)
- Bluetooth(optional)
- Support Super Smart Dail;
- Support dynamic wallpapers and Screensaver;
- Support incoming call /SMS Blacklist;
- Support Reminder of miss calls or unread SMS.
- Support colorful dail number.
- Support SD card slot, and support 8GB T-Flash card
- Support 10 PIN Mini USB interface
- More choices of Battery. 650mAh(Default), 800mAh(optional) and 1000mAh(optional)

1.4 Technical Specifications

1.4.1 Hardware Specifications

The hardware specifications of the G3512 are as follows:

Hardware specifications of the G3512

Items	Description
Shape	Bar-type
Dimensions	109mmx46mmx14.4mm
LxWxH	
Weight	74 (with battery)



Technical	GSM: 3GPP R97	
standards		
Frequency band	GSM 900MHz:	
	• Uplink: 880MHz~915MHz	
	Downlink: 925MHz~960 MHz	
	GSM 1800MHz:	
	• Uplink: 1710MHz~1785MHz	
	• Downlink: 1805MHz~ 1880MHz	
	GSM 850MHz:	
	• Uplink: 824MHz~849MHz	
	• Downlink: 869MHz~894 MHz	
	GSM1900MHz:	
	• Uplink: 1850MHz~1910MHz	
	• Downlink: 1930MHz~ 1990MH	
External interface	10 pin-mini I/O	
Memory	64+0Mbits	
Battery	Type: Li-ion	
	Default :	
	• Capacity:650mAh(Default)	
	Standby time: Max About 300 Hours	
	Talk time: 180 Minutes	
	• Charging time: About 3 hours	
	Option I:	
	• Capacity:800mAh(Optinal)	
	Standby time: Max About 400 Hours	
	Talk time: 220 Minutes	
	Charging time: About 4 hours	
	Option II:	
	• Capacity:1000mAh(Optinal)	
	Standby time: Max About 500 Hours	
	• Talk time: 260 Minutes	
	• Charging time: About 5 hours	
LCD	Type: TFT	
	• Size: 1.5'	
	• Color: 65K	
	• Resolutions: 128 x 128	
Camera	VGA	
Bluetooth	Default is no BT. BT as an optional	



FM	Default is no FM. FM as an optional .There are two ways : choose	
	embeded antenna or Earphone as the antenna.	
TV out	NO	
Antenna	Embedded antenna	
	Dual-Frequency: GSM900MHz, DCS1800MHz	
	Or GSM850MHz, DCS1900MHz	
Maximum	• GSM: 33dBm (+/-2dBm)	
Transmit Power	• DCS: 30dBm (+/-2dBm)	
Static sensitivity	● GSM 900MHz: better than -102 dBm/200KHz	
	DCS 1800MHz: better than -100 dBm/200KHz	
	● GSM 850MHz: better than -102 dBm/200KHz	
	DCS 1900MHz: better than -102 dBm/200KHz	
Power supply	100V to 240V AC	
Ambient	● Working: -10°C to +55°C	
temperature	• Transporting: -20° C to $+60^{\circ}$ C	
	• Storage: -20° C to $+70^{\circ}$ C	
Ambient humidity	Working: 5% to 95% Rh	

1.4.2 Software Specification

The software specifications of the G3512 are as follows:

Items	Description	
Language	English& one of other languages	
Speech codec	HR/FR/EFR/AMR	
Image Format	BMP/JPG/ GIF	
Audio Recorder	YES	
Video Recorder	YES	
WAP browser	WAP2.0	
OTA-Provision	N/A	
MMS	MMS1.2	
SMS	 Supporting long messages, up to 4 pages English characters Supporting SMS storage in both the SIM card and the phone memory Supporting Voice mailbox Supporting a maximum storage of 400 messages in Phone 	
Phonebook	 Supporting PB storage in both the SIM card and the phone memory Supporting a storage of 300 contacts in the phone 	
Media player	Audio player: mp3,midi.	
	Video player :mp4, 3gp	
Ring tone	• midi,mp3	
JAVA	NO	



Supplementary service	Call waiting, Call barring, Call forwarding
USSD Service	GSM 02.90 USSD Phase 2
SIM/STK	 Specification of the SIM Application Toolkit for the subscriber identity Module-Mobile Equipment 3GPP TS 11.14 3GPP TS 11.11
Call record	 Supporting a maximum record of 20 missed calls, 20 received calls, and 20 dialed calls Supporting access to the call record screen by press the send key in the standby mode
Photo taking	Photo taking: Yes
And	Video recorder :Yes
Video recording	
Micro SD card	Support 8 GB TF card
Tools	Alarm clock, calendar, calculator, to do list, stopwatch, e-book
Input method	supporting smart input (C-star)
Profiles	General,Silence;Meeting;Outdoor ,My profile
	Headset(optional),Bluetooth(optional),
Settings (Menu of Single-SIM. This is just the reference of setting menu, and maybe there are some changes in the further version)	Supporting local settings, including: 1>Phone settings 1>Time and date 2>Language 3>Schedule power on/off 4>Pref. input method 5>Direction key setup 6>LCD backlight 7>Greeting text 2>Display settings 1> Wallpaper 2> Screen saver 3> Show date and time 4> Display operator name 5> Show owner number 3>Security settings 1>SIM security 2>Phone security



3>Auto keypad lock
• 4>Network settings
1>Network selection
2>Preferences
3>GPRS connection
• 5>Restore factory settings



A HUAWEI G3512 package box contains the following items:

Item	Quantity	Remarks
HUAWEI G3512	1	Mandatory
Travel charger	1	Mandatory
Battery	1	Mandatory
User manual	1	Mandatory
Earphone	1	Optional



Chapter 2 Terminology

A	
ARPU	Average Revenue Per User
С	
CS	Circuit Switched Domain
G	
GSM	Global System for Mobile Communications
GPRS	General Packet Radio Service
S	
SIM	Subscriber Identity Module
SMS	Short Message Service
U	
USB	Universal Serial Bus