



User's manual



Clamlight

Table of content

1. Safety instructions.....	3
2. Start up and important hints.....	4
2.1. How to appoint the lamp	4
3. Technical hints	5
3.1. Function.....	5
4. Technical Data	5

1. Safety instructions

FOR SAFE AND EFFICIENT OPERATION

Be careful with heat and extreme temperature. Avoid exposing it to direct rays of the sun or near a heating appliance.

Not put it in a temperature below 41°F /5°C, or exceeding 95°F /35°C.

Keep away from humidity, water and dust

Do not place the set in a location with high humidity or lots of dust.

Containers with water should not be placed on the set.

Keep away from sources of hum and noise

Such as transformer motor, tuner, TV set and amplifier.

To avoid placing on un-stable location

Select a level and stable location to avoid vibration.

Do not use chemicals or volatile liquids for cleaning

Use a clean dry cloth to wipe off the dust, or a wet soft cloth for stubborn dirt.

If out of work, contact sales agency immediately

Any troubles arose, remove the power plug soon, and contact with an engineer for repairing, do not open the cabinet by yourself, it might result a danger of electric shock.

Take care with the power cable

Never pull the power cable to remove the plug from the receptacle, be sure to hold the plug. When not using the player for an extended period of time be sure to disconnect the plug from the receptacle.

2. Start up and important hints

Please protect the item from humidity!!

Before opening the housing please unplug the item from the main power!!

To prevent danger, first of all read the manual carefully!

2.1. How to appoint the lamp

Possible Lamp types are:

Round Lux 800W (circle) or CP70 1000W (Point)

First of all open the lid. After that insert the lamp carefully with gloves. That's to prevent from touching the lamp with your bare fingers. Also consider the hints of the lamp producers.

After that close the lid. Make sure that the fan isn't blocked because of foreign bodies.

Only start up the item when the housing is closed!!

Important

This item is several times approved from the producer, and therefore it is in best condition regarding the security aspects. To prevent every danger, you have regard every security hint that is written in this manual.

Take special care with the main voltage of 230V!! it is dangerous to life to get in contact with conductors! The housing is becoming very hot while the item is working. When you mount this item make sure not to contact flammable clothes. Never touch the housing in working condition only with the hands.

Make sure to start this item only at room temperature (min 20°C). Never use it in cold condition, because the lamp may explode. The construction depends on the protection class 1.

Make sure to connect the earth conductor (yellow/green wire)

Only experts are allowed to do the electronic connections!!

Only change the lamps in cold condition, and make sure that the item is unplugged!!

Attention!!

It is dangerous to life to change the lamp while it is powered!!

3. Technical hints

During the first use of the fixture there is often some smoke or some bad smelling. That's no defect. You get the same effect when changing new lamps. To get a high life time of the lamp, you shouldn't flash the lamp, then the fan cannot get out enough heat.

Light effects shouldn't be used with dimmer packs.

Damaged fuses should be replaced by fuses of the same type.

Only replace parts by original spare parts.

To get a good ventilation you should clean the item regular.

Especially fans and fan holes shouldn't be dirty.

Working breaks rise up the lifetime.

We discontinue every guarantee when you do manual changes on the item.



Important Important Important Important

If you damage the item because of not considering the manual we discontinue every guarantee.

Also for the following damages we won't take any liability.

3.1. Function

Creates a beam thunderstorm in circle or point style.

4. Technical Data

Voltage 230V/50Hz

Fitting lamp s.a.

Weight 8kg

Socket GX 9.5

Importeur:

B & K Braun GmbH

Industriestraße 1

D-76307 Karlsbad

www.bkbraun.com

info@bkbraun.com

