

The listbib Package*

Volker Kuhlmann†

2000/03/17

Abstract

This package typesets a listing of a (possibly large) BibTeX input file. With old implementations of texmf the string space could easily be exceeded when trying to typeset large bibliographic databases. Contemporary implementations are usually big and have much higher limits. However, listbib works with arbitrarily large BibTeX database files.

In addition to that, listbib tries to show the full content of a BibTeX file without alterations introduced by the bibliographic style used. The entry fields ISBN, ISSN, annote, library are added to the standard ones.

Contents

1	License	1
2	History	1
3	User manual	2
3.1	Introduction	2
3.2	Additional BibTeX Entry Fields	2
3.3	Formatting of the entries in the resulting listing	3
3.4	Example	3
3.5	Site Configuration File	6
3.6	The listbib.tex Main Document Frame	6
3.7	Inheriting Field Entries	6
3.8	The listbib Shell Script	7
3.9	To Do and Bugs	7
4	Implementation	7
4.1	Main Document for Quick Use	7
4.2	Preliminary	8
4.3	The Bibliography	9
4.4	Library	10
4.5	Annotation	10
4.6	Citation Key	11
4.7	Defaults for \nocite and \bibliographystyle	11
4.8	Bibliographies and Title	11

*This file has version number v2.1, last modified 2000/03/17.

†Email: v.kuhlmann@elec.canterbury.ac.nz. For a postal address refer to the license section.

4.9	Page header	12
4.10	Site Configuration File	12
4.11	Finish	12

1 License

This package is copyright © 2000 by:

Volker Kuhlmann, c/o University of Canterbury, ELEC Dept, Creyke Road,
Christchurch, New Zealand
E-Mail: `v.kuhlmann@elec.canterbury.ac.nz`

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

To obtain a copy of the license, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307, USA, or browse <http://www.fsf.org/>.

2 History

This package is derived from `biblist`, version 1.4, 1992/01/13 by Joachim Schrod. J. Schrod's association with the university of Darmstadt seems to no longer exist. `biblist` is available from CTAN and is under the GNU general public license, version 1 or later.

`listbib` is the successor and will only work with $\text{\LaTeX} 2_{\epsilon}$. It uses the `docstrip` format for literate programming. The bibliography style was regenerated from `btbst.doc` (`unsrt`), and then enhanced to be suitable for `listbib`. The fully commented `.bst` file is in the distribution (extension `.doc`).

This documentation is an update of the original `biblist` documentation.

3 User manual

3.1 Introduction

This package facilitates printing of large $\text{\BIBTeX}$ files. With such large files — especially if the cite keys are long — the needed string space is often exceeded. Often a $\text{\BigTeX}$ is available which pushes the limits further out, but with this package any $\text{\TeX}$ will do it. Printing complete $\text{\BIBTeX}$ files as they are is useful for record-keeping.

`thebibliography` The `\nocite{*}` command and `thebibliography` environment from $\text{\LaTeX}$ are used to do the work. The `thebibliography` environment is modified and eliminates huge `.aux` files and a second $\text{\LaTeX}$ -run, although cross-references used in the bibliography entries themselves may still require a second $\text{\LaTeX}$ -run.

`\bibliography` A minimal $\text{\LaTeX}$ -document must be prepared which uses the article class, loads the `listbib` package, and specifies the bibliography to be printed with the `\bibliography` command. Other packages can be loaded as well, for example to set margins or language-specific definitions.

`\raggedbottom` Other classes can perhaps be used, but `listbib` works on the assumption that

`\raggedbottom` is in effect, which is why it probably won't work too well with `twocolumn` or `multicol`. A page break within an entry is not allowed and the flexibility at the page bottom is needed.

`\nocite`
`\bibliographystyle`

Unlike with normal L^AT_EX documents, use of `\bibliographystyle` is not required, although it is not prohibited. The default is the `listbib.bst` bibliography style. It is also not necessary to use `\nocite{*}` as that is the default. However `\nocite` can be used to select certain entries only to be printed.

A “bug” you may encounter is that `\cite` tags within BIB_TE_X entries will not be processed. Instead the cite key itself will be printed. Note that this is not a bug, this is a feature! You have to use `\nocite` for *all* entries that shall be included in the listing. If you do not give any `\nocite` tag at all, a listing with all entries is created.

`\BibTeX`

As a bonus, `listbib` defines the control sequence `\BibTeX` if it is not already defined. The definition is copied from `btldoc.tex`.

3.2 Additional Bib_TE_X Entry Fields

Some additional fields are recognised in addition to the standard ones. These are `ISBN`, `ISSN`, `annote` and `library`.

The `annote` field can be used for annotations or comments regarding this particular entry. The standard BIB_TE_X styles do not make use of this feature, however other styles might. With `listbib` it is useful to store a short summary of the contents of this entry. As for `note`, the first word should be capitalised. Punctuation at the end of the field is added by the style if appropriate.

The `library` field is not meant to be printed in final documents, and is supplied to store e.g. the library location of a book. Useful for database listings only.

All 13 entry types take the `library` and `annote` fields. They take the fields `ISBN` and `ISSN` as well, with these exceptions: `article` only takes `ISSN`, and `unpublished` takes neither `ISBN` nor `ISSN`.

3.3 Formatting of the entries in the resulting listing

```

cite key ..... (Library info)
  Author(s)/Editor(s).
  Title.
  Publication info.
  Notes.
    Annotation

```

I.e., an open format is used. Although this needs more space I think the enhanced legibility pays back.

Note that you will not get the ‘Library info’ and the ‘Annotation’ in the above format if you use a bibliography style other than `listbib` which does not supply this information with the assumed markup. The parenthesis around the library info are produced by this style option, not by BIB_TE_X.

3.4 Example

Suppose, there is a file `typography.bib` with references on typography.

```

% typography.bib                                13 Jan 92
% References on Typography, Typesetting, and Book Design
%

% make sure it's at least defined:
@preamble{"\providecommand\MF{\textsc{meta-font}}"}

@book{typo:tschichold:selected,
  author = {Jan Tschichold},
  title = {Ausgew\ahlte Aufs\atze \uber Fragen der Gestalt des
    Buches und der Typographie},
  publisher = {Birkh\auser},
  address = {Basel},
  year = 1975,
  isbn = {3-7643-1946-1},
  note = {A second, unchanged, edition appeared in~1987.},
  library = {},
  annote = {A collection of his ‘‘classic’’ papers. The best book on
    typographic principles read so far. A definitive ‘\emph{must
      read}’ for everyone interested in typography, book design,
      or typesetting.}
}

@article{typo:blostein:music,
  author = {Dorothea Blostein},
  title = {Justification of Printed Music},
  journal = cacm,
  volume = 34,
  number = 3,
  month = mar,
  year = 1991,
  pages = {88--99},
  annote = {Presents problems and solutions of the task to create a
    correct spacing while setting notes. The proposed method also
    takes the temporal relationship of notes into account.
    Handles two-dimensional layout, e.g., staves and texts.}
}

@book{typo:sta:zapf,
  title = {Herrman Zapf and his Design Philosophy},
  publisher = {Society of Typographic Arts},
  address = {Chicago},
  year = 1987,
  isbn = {0-941447-00-6},
  note = {},
  library = {Lib MQ .B77},
  annote = {A valuable book. A chapter on his work around \MF{} is
    included. Was among the most beautiful books of the year.}
}

```

Furthermore assume that the bibliography style `listbib` is available. Then the $\text{\LaTeX}$ file

```

\documentclass{article}
\usepackage{listbib}

```

```

\begin{document}
\bibliography{typography}
\end{document}

```

may be used to create a listing with all entries. You have to run $\text{\LaTeX}$, $\text{\BibTeX}$, and $\text{\LaTeX}$. (Careful readers will note that there will be a $\text{\BibTeX}$ warning about a missing author or editor in the Zapf entry.) You do *not* need to run $\text{\LaTeX}$ twice after the $\text{\BibTeX}$ run. The result looks like this:

References

- `typo:tschichold:selected`
 Jan Tschichold.
Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie.
 Birkhäuser, Basel, 1975. ISBN 3-7643-1946-1.
 A second, unchanged, edition appeared in 1987.
 A collection of his “classic” papers. The best book on typographic principles read so far. A definitive ‘*must*’ for everyone interested in typography, book design, or typesetting.
- `typo:blostein:music`
 Dorothea Blostein.
 Justification of Printed Music.
Communications of the ACM, 34(3):88–99, March 1991.
 Presents problems and solutions of the task to create a correct spacing while setting notes. The proposed method also takes the temporal relationship of notes into account. Handles two-dimensional layout, e.g., staves and texts.
- `typo:sta:zapf` (Lib MQ .B77)
Herrman Zapf and his Design Philosophy.
 Society of Typographic Arts, Chicago, 1987. ISBN 0-941447-00-6.
 A valuable book. A chapter on his work around `META-FONT` is included. Was among the most beautiful books of the year.

To use a bibliography style other than `listbib`, specify it in the usual way with `\bibliographystyle`. For example, `unsrt` gives:

References

<code>typo:tschichold:selected</code>	
Jan Tschichold.	
<i>Ausgewählte Aufsätze über Fragen der Gestalt des Buches und der Typographie.</i>	
Birkhäuser, Basel, 1975.	
A second, unchanged, edition appeared in 1987.	
<code>typo:blostein:music</code>	
Dorothea Blostein.	
Justification of printed music.	
<i>Communications of the ACM</i> , 34(3):88–99, March 1991.	
<code>typo:sta:zapf</code>	
<i>Herrman Zapf and his Design Philosophy.</i>	
Society of Typographic Arts, Chicago, 1987.	

Of course, the ISBN/ISSN numbers, annotations, and library information is missing, since `unsrt` does not extract them from the database. (Careful readers will notice another difference: The `listbib` bibliography style does not lower-case titles as the standard styles do.)

3.5 Site Configuration File

`listbib.cfg` The `listbib` package will input a site configuration file `listbib.cfg` if it exists. This is a good place for changing margins or the document title, etc. The configuration file is `\input` at the end of the `listbib` package.

3.6 The `listbib.tex` Main Document Frame

`\listbibs` The shortest way to to typeset a bibliography is to put something like this into a `<file>.tex` and to run it through $\text{\LaTeX}$, $\text{\BibTeX}$, and (possibly more than once) $\text{\LaTeX}$ again:

```
\newcommand\listbibs{<bibliographies>}
\AtBeginDocument{<preamblematerial>}
\input{listbib}
```

For `<bibliographies>` list everything to be printed. Any $\text{\BibTeX}$ files containing string definitions must also be specified (first).

`\AtBeginDocument` The use of `\AtBeginDocument` is completely optional. If used, `<preamblematerial>` will be inserted into the preamble of `listbib.tex`.

`vmargin` `listbib.tex` also loads the packages `vmargin` and `url` if it can find them.
`url` `vmargin` sets up the page margins, and `url` provides a `\url` command for typesetting urls.

A configuration file `<file>.cfg` will be loaded within the preamble of `listbib.tex`, if it exists.

This short document selects a document font size of 10pt, and double-sided printing. Unfortunately it is not possible to override that in any of the two configuration files.

3.7 Inheriting Field Entries

As BibTeX currently works, missing fields in all entries which crossreference another entry are inherited from the crossreferenced entry. To illustrate, in this .bib file

```
@incollection{chapter,
  crossref="book",
  author="..", title=".."
}
@book{book,
  editor="..", booktitle="..", note=".."
}
```

the chapter entry inherits the `note` field from the `book` entry. The same is true for all other fields which can possibly be inherited. BibTeX does not make the information of whether a field was inherited available in the style file, so the inheritance can not be detected directly.

`listbib` implements a workaround for this which can detect inherited fields. A field is assumed to be inherited by a crossreferencing entry if its value is identical to that of the crossreferenced entry. This assumption fails when the field values are in fact identical. Please let me know of any cases where that is a problem, and I will try and fix it or make a separate style which does not try to detect inherited fields. A quick fix might be to add something like a `{}` at the end of the field.

Currently inheritance is detected for the fields `note`, `annote`, `ISBN`, `ISSN`, and `library`. Inherited fields are ignored in the listing.

3.8 The listbib Shell Script

The `listbib` program can be used to quickly generate a listing of the bibliographies given on the command line. The program is a Unix shell script; sorry if you don't use Unix. You may still be able to port it, send me a copy of you do.

Here is its usage:

```
Usage: listbib [OPTIONS] FILE.bib [FILE.bib ..]
Version VK 1.0, 16 Mar 2000
```

Options:

<code>-h --help</code>	shows help
<code>-o --output FILE</code>	generates FILE.dvi / FILE.ps (default listedbibs)
<code>-p --ps --postscript</code>	generate PostScript as well as dvi
<code>-d --deltemp</code>	delete temporary files (all but .dvi)
<code>-P --psonly</code>	generate only PostScript (del all temp files but .ps)
<code>--</code>	stop option processing; only bib files remain

A temporary .tex file is created which makes use of `listbib.tex`. `latex`, `bibtex`, and possibly `dvips` are run on the .tex file to create the listing of all .bib files specified. The .bib extension can be left out. Remember to specify any .bib first which define any strings needed later.

By default, the name of the .tex file is `listedbibs.tex`, this can be changed with the `-o` option. Don't specify an extension here.

To generate PostScript as well, use the `-p` option. This currently only supports `dvips`. I can change that if there is demand. The `-d` option will delete all tem-

porary files when `listbib` is finished, and only leave the dvi file. `-P` will create a PostScript file and then delete all others.

An error is displayed if the .tex file to be created already exists.

3.9 To Do and Bugs

Inheritance is currently only checked for the fields `note`, `annote`, `ISBN`, `ISSN`, and `library`. Printing of these fields is suppressed for all entry types. Should printing of other inherited fields be suppressed as well? I am inclined to suppress `volume`, and I am not sure about `year`, `month`, etc. Please let me know what you think.

Add `URL` field? Add `totalpages` field? (Package `custom-bib` has them.)

As a future enhancement one could place a word from the starting and the finishing entry on each page into the page header, like in a dictionary.

4 Implementation

4.1 Main Document for Quick Use

The intended usage is this:

```
\newcommand\listbibs{\bibliographies}
\input{listbib}
```

```
1 \*maindoc)
```

```
2 \documentclass[10pt,twoside]{article}
```

Set document margins if package `vmargin` is installed. Load package `url` if available; this package provides an excellent `\url` command which can be used in bibliography entries.

```
3 %% Packages
```

```
4 \IfFileExists{vmargin.sty}{% use if available
```

```
5   \usepackage{vmargin}%
```

```
6   \setmarginsrb{25mm}{12mm}{22mm}{8mm}{10pt}{8mm}{0}{10mm}}{}%
```

```
7 \IfFileExists{url.sty}{\usepackage{url}}{} % load if installed
```

```
8 %% Layout
```

```
9 \fboxsep 0.8pt % normally 3pt
```

And yes, we want `listbib`...

```
10 %% Package listbib
```

```
11 \usepackage{listbib}
```

Further document setting can be placed into a per-job configuration file, which will be loaded if found.

```
12 %% Load per-job configuration file if it exists
```

```
13 \InputIfFileExists{\jobname.cfg}{\typeout
```

```
14   {*** listbib: per-job configuration file \jobname.cfg found. ***}}{}%
```

```
15 %\csname listbibpreamble\endcsname % call it if it is defined
```

`\listbibs` Main document part. The bibliographies to typeset are taken from `\listbibs`.

```
16 %% Main
```

```
17 \begin{document}
```

```
18 \bibliography{\listbibs}
```

```
19 \end{document}
```


20 `\maindoc`

4.2 Preliminary

21 `(*package)`

The main work is to supply the environment `thebibliography`; in fact, we implement it as a `description` environment. The environment has an unused argument. In addition we have to supply a correct definition for the `\bibitem` command which takes the cite key as its argument. Of course, this will result in an `\item`. After the `\bibitem` a `\library` tag may follow, with one parameter followed by a period. Then comes the reference, the (optional) annotation is a block of its own, enclosed in `\annote` and `\endannote`. After `\endannote` comes a period which should be discarded. (This should be done in the `BIBTEX` style, but nevertheless...)

Before we start we declare some shorthands for category codes. By declaring the underscore ‘`(_)`’ as letter we can use it in our macros. (I agree with D. KNUTH that `\identifier_several_words_long` is more readable than `\IdentifierSeveralWordsLong` and in every case better than `\p@@@s`.) As this is a `LATEX` style option the at sign is a letter anyhow; so we can use the “private” Plain and `LATEX` macros; and with the underscore we can make our own macros more readable. But as we have to restore this category code at the end of this macro file we store its former value in the control sequence `\uscode`. This method is better than using a group because not all macros have to be defined global this way.

```
22 \chardef\uscode=\catcode'\_
23 \catcode'\_ =11
```

4.3 The Bibliography

`thebibliography` Within an entry we use a ragged right margin. To break within an entry is always difficult and is made easier in this way. After all, the open format we use gives a ragged impression anyhow. Within an entry we disallow page breaks and we do not treat periods as full stops.

```
24 \def\thebibliography#1{%
25   \description
26     \rightskip \z@ plus 2em
27     \interlinepenalty\@M
28     \sfcode'\.=\@m
29   }
30 \let\endthebibliography=\enddescription
```

`\bibitem` should look for the next token: If a library info exists it must go in the same line, otherwise a line break must be issued.

`\@lbibitem` But `\bibitem` itself is not of interest, it looks only for the optional argument. We have to redefine `\@bibitem`. If a bibliography style like `alpha` is used, `\bibitem` will be supplied with an optional argument. We ignore this optional argument.

After the argument(s) of `\bibitem` a line end occurs in any case. The optional `\library` tag will follow on the next line. This means we first have to gobble the line end char `~M`, and have to check the next token afterwards. If this next token is `\library` we will do nothing since `\library` will itself end the line. Otherwise

we do a line break. Experiments have shown that the dotted line at the start of every entry helps with finding the different entries.

```

31 \def\@lbibitem[#1]{\@bibitem}
32 \def\@bibitem#1{%
33   \item[\texttt{\lb_sanitize{#1}}]\leavevmode
34   \null \dotfill
35   \begingroup
36     \obeylines
37     \afterassignment\prepare_check_library
38     \let\next          % gobble following ^^M
39   }
40 \def\prepare_check_library{%
41   \futurelet\next\check_library
42 }
43 \def\check_library{%
44   \ifx \next\library \else \break \fi
45 \endgroup
46 }
47 \def\lb_sanitize#1{{\escapechar=-1
48   \expandafter\string\csname#1\endcsname}}

```

4.4 Library

\library We assume that the library info and the cite key will fit into one line. If this is not true, a two line solution would have to be set up.

We add **\@highpenalty** instead of **\@M** after the library part to avoid an underfull hbox warning and an empty line if both author and editor are empty (in which case there is a **\newblock** immediately following the **\library{..}**. Alternatively, we could implement more **\futurelet** trickery.

```

49 \def\library#1{%
50   \quad\textsf{\small (#1)}\penalty -\@highpenalty
51 }

```

4.5 Annotation

\newblock A reference is divided into blocks starting with **\newblock**. Each block shall start a new line. We use **\newline** for this. A special block is the one with an annotation in it. Since we want to indent this block once more we must change the parshape. But then we have to finish the paragraph first. The annotation block starts with **\annote** and may be easily recognized in this way.

```

52 \def\newblock{%
53   \futurelet\next\@checkAnnote
54 }
55 \def\@checkAnnote{%
56   \ifx \next\annote \else \newline \fi
57 }

```

\annote The annotation is a paragraph on its own and indented by **\leftmargin**. Since it is not a paragraph in the logical sense we do not insert vertical glue (i.e., **\parskip**) at the top. The annotation is typeset in a smaller size. We assume that it consists of full sentences which might be made up in a proper way. Therefore we don't use a ragged margin here.

The change of `\parshape` has to be reset after the group — these changes are not local.

```

58 \def\annote{%
59     \endgraf
60     \vskip -\parsep
61     \begingroup
62         \reset@font\footnotesize
63         \rightskip\z@skip
64         \advance\linewidth -\leftmargin
65         \advance\@totalleftmargin \leftmargin
66         \parshape \@ne \@totalleftmargin \linewidth
67     }

```

`\endannote` The period in the definition is used to gobble the period placed by `BIBTeX`.

```

68 \def\endannote.{%
69     \endgraf
70     \endgroup
71     \parshape \@ne \@totalleftmargin \linewidth
72 }

```

4.6 Citation Key

`\@citex` In our documents `\cite` will print the cite key in typewriter with a framed box around. In fact, `\cite` expands to `\@citex`, which has an optional argument. The flag `\if@tempswa` shows if this optional argument is there. `\texttt{...}` will alter `\if@tempswa`. So might `\fbox` and `\ttfamily` in the future. `\fbox` does not work inside `\if`, and `\lb_sanitise` does not work inside a `\def`, so we save the flag in `\@cxt`.

```

73 \def\@citex[#1]#2{\if@tempswa\def\@cxt{y}\else\let\@cxt\relax\fi
74     \fbox{\ttfamily\lb_sanitise{#2}}}%
75     \if y\@cxt , \ttfamily\lb_sanitise{#1}\fi}}

```

4.7 Defaults for `\nocite` and `\bibliographystyle`

`\@nocite` First the original definitions of the to-be-redefined control sequences are saved.
`\@bibliographystyle` We define two macros which will issue the default given above. These macros are
`\@bibliography` not private, but protected; a knowing user may redefine the ‘default bibliography style’ in this way.

```

76 \let\@nocite=\nocite
77 \let\@bibliographystyle=\bibliographystyle
78 \let\@bibliography=\bibliography

```

`\nocite` If `\nocite` or `\bibliographystyle` is issued, the default tags are discarded, the
`\bibliographystyle` original meaning is restored, and the control sequence is reissued again.

```

79 \def\AddNocite{\nocite{*}}
80 \def\AddBibliographystyle{\bibliographystyle{listbib}}
81 \def\nocite{%
82     \let\AddNocite\relax
83     \let\nocite\@nocite
84     \nocite
85 }

```

```

86 \def\bibliographystyle{%
87   \let\AddBibliographystyle\relax
88   \let\bibliographystyle\@bibliographystyle
89   \bibliographystyle
90   }

```

4.8 Bibliographies and Title

`\bibliography` The `\bibliography` command will first issue the missing default tags, will produce a heading afterwards, will setup the headline, and will create the bibliography itself.

```

91 \def\bibliography#1{%
92   \AddNocite
93   \AddBibliographystyle
94   \section*{\refname}%
95   \mark_for_headline{#1}%
96   \@bibliography{#1}%
97   }

```

`\refname` The section heading text comes from `\refname`, which we give a new default.

```

98 \def\refname{\BibTeX{ } Database Listing}

```

`\BibTeX` Provide `\BibTeX` if it has not yet been defined. This definition is taken from `btldoc.tex` (compared with L^AT_EX's definition of `\TeX`, this one has the “E” not touch the “T” and “X”. Unfortunately the standard computer modern fonts do not supply a small caps bold, so we expect a NFSS warning when `\BibTeX` appears in the bold-faced section heading. That is, unless we do some trickery...

```

99 \providecommand\BibTeX{%
100   \textrm{B\kern-.05em%
101     {\@tempdima\fontsize{pt}\fontsize{0.83333\@tempdima}\z@\selectfont
102       I\kern-.025em B}%
103     \kern-.08em T\kern-.1667em\lower.7ex\hbox{E}\kern-.125emX}%
104   }
105 \providecommand\BibTeX{% one of the 2...
106   \textrm{B\kern-.05em\textsc{i\kern-.025em b}%
107     \kern-.08em T\kern-.1667em\lower.7ex\hbox{E}\kern-.125emX}%
108   }

```

4.9 Page header

The page header shows the database names given with the `\bibliography` command and the current date. We do not issue a warning if no file name is given; this will be done by `\@bibliography`. When a file name exists a comma and a space will be prepended at the very beginning of `\bib_list`. The comma is removed after the loop. When there was no file name `\bib_list` will expand to an empty list, the `\relax` serves as a catch-argument for `\@gobble`.

A `.bib` is no longer added to each bibliography filename to make the line shorter. If there are too many names the header won't fit on the page. This should be fixed somehow.

```

109 \def\mark_for_headline#1{%
110   \def\bib_list{ }%

```

```

111 \@for \bib_file :=#1\do {\edef\bib_list{\bib_list, \bib_file}}%
112 \edef\bib_list{\expandafter\@gobble\bib_list \relax}%
113 \markboth{{\reset@font\ttfamily\bib_list}}{\reset@font\ttfamily\bib_list}%
114 }
115 \def\@oddhead{\reset@font\rmfamily \hfil \leftmark \quad (\today)}
116 \def\@evenhead{\reset@font\rmfamily (\today)\quad \ignorespaces
117 \rightmark \hfil}

```

4.10 Site Configuration File

`listbib.cfg` Further document settings can be placed into a site configuration file, which will be loaded if found. This is a good place to put some default margin settings, for example.

```

118 \InputIfFileExists{listbib.cfg}{\typeout
119   {*** listbib: site configuration file listbib.cfg found. ***}}{}

```

4.11 Finish

We must restore our catcode and are finished.

```

120 \catcode'\_=\uscode
121 \endinput
122 \</package>

```