

Item
Model
ProjectName



T5E

The T5 E vegetable peeler is designed for kitchens where vegetables are prepared to guarantee the customer enjoys their freshness, whether they are served raw or cooked.

601261

FEATURES

- Simple to use and risk free.
- The T5 E can be placed on a work top.
- Easy to clean thanks to the removable parts that are dishwasher safe.
- Removable peeling chamber and peeling plate.
- Vegetables can be loaded directly into the peeling chamber, away from the machine.

- Stainless steel peeling chamber contains the abrasive plate which also serves as a container for carrying the vegetables. This assembly fits easily onto the base, with the drive shaft fitting into the centre of the plate.
- Cover equipped with a water inlet closes the cylinder during the peeling operations.
- Optional spinning basket.

Peelers



DITO**Electrolux**

- Integrated filter device.
- Timer: the peeling time is pre-set to 3', which is the average time required for 5 kg potatoes.
- Water supply designed to serve as a spray for cleaning the machine; the spray unit simply clips onto the cover.
- The electronic controls and the motor of the peeler have IP55 protection.
- Special version for mussels with a stainless steel proper plate.

Specifications

MODEL	T5E 601261	T5EFB 601302
External dimensions - mm		
width	424	424
depth	390	390
height	590	590
Total power - hp	1/4	1/4
RPM	305	305
Peeling capacity - kg/h		
potatoes	80	80
Power - kW		
installed-electric	0.12	0.12
Net weight - kg.	18.2	18.2
Supply voltage	220...240 V, 1N, 50	220...240 V, 1N, 50

Included accessories

CODE	DESCRIPTION	T5E 601261	T5EFB 601302
653316	ABRASIVE PLATE FOR 5KG VEGETABLE PEELER	1	1
653314	FILTER BASKET FOR 5KG VEGETABLE PEELER		1


Optional accessories

CODE	DESCRIPTION	T5E 601261	T5EFB 601302
653316	ABRASIVE PLATE FOR 5KG VEGETABLE PEELER	✓	✓
653315	DRYING BASKET FOR 5KG VEGETABLE PEELER	✓	✓
653314	FILTER BASKET FOR 5KG VEGETABLE PEELER	✓	✓
653496	S/S TABLE FOR 5/8KG VEGETABLE PEELERS	✓	✓



DITO**Electrolux**

Installation drawings

601261, 601302

MODEL	T5E 601261	T5EFB 601302
CWI - Cold water inlet	3/4"	3/4"
D - Water drain	1"1/4	1"1/4
EI - Electrical connection	220...240 V, 1N, 50	220...240 V, 1N, 50



Peelers

The manufacturer reserves the right to modify and make improvements to the products without giving prior warning. Dimensions, illustrations, technical data, weights, etc. are given as an indication only.



www.dito-electrolux.com



AFAB010