

Item
Model
ProjectName



602007

T25E

The T25E is part of the basic equipment for all kitchens catering over 400 place settings or for food processing plants. The new integrated flat control panel ensures an easy setting of the peeling cycle time, and a perfect and fast cleanability.

FEATURES

- The special abrasive material that covers the cylinder and the removable rotating plate guarantees a high quality finish to the peeled vegetables, with little waste. The peel is reduced to small pieces to facilitate the drainage process.
- The cylinder is lined with an abrasive material.

- The safety and reliability of these appliances are guaranteed by their complete stainless steel construction and by a series of devices which safeguard the operator and the functioning of the machine.

Peelers



DITO**Electrolux**

- The removable rotating plate and the inside of the cylinder are covered in a special abrasive vitreous material that has a practically unlimited lifespan, and can be restored after long use.
- The controls incorporate a reset button and a programmable timer.
- The electronic controls and the motor of the vegetable peelers have IP55 protection.
- Touch button control panel improves the ergonomics and the reliability against the humidity or water jets.

Specifications

MODEL	T25EF350 602007	T25EF360 602009	T25EF150 602010	T25EF160 602011
Capacity - kg	25	25	25	25
External dimensions - mm				
width	585	585	585	585
depth	785	785	785	785
height	1215	1215	1215	1215
Peeling capacity - kg/h				
potatoes	400	400	400	400
Power - kW				
installed-electric	0.9	0.9	1.1	1.1
Net weight - kg.	83	83	83	83
Supply voltage	230/400 V, 3, 50	208...240 V, 3, 60	220/240 V, 1N, 50	220...240 V, 1N, 60

Included accessories

CODE	DESCRIPTION	T25EF350 602007	T25EF360 602009	T25EF150 602010	T25EF160 602011
653506	ABRASIVE PLATE FOR 25KG VEGETABLE PEELER	1	1	1	1


Optional accessories

CODE	DESCRIPTION	T25EF350 602007	T25EF360 602009	T25EF150 602010	T25EF160 602011
653506	ABRASIVE PLATE FOR 25KG VEGETABLE PEELER	✓	✓	✓	✓
653302	MOBILE TROLLEY+FILTER TRAY-25KG PEELER	✓	✓	✓	✓
653509	WASTE DILUTION UNIT FOR 25KG VEG. PEELER	✓	✓	✓	✓



DITO**Electrolux**

Installation drawings

602007, 602011, 602010, 602009

MODEL	T25EF350 602007	T25EF360 602009	T25EF150 602010	T25EF160 602011
B - Cold water inlet	14	14	14	14
C - Water drain	80mm	80mm	80mm	80mm
I - Electrical connection	230/400 V, 3, 50	208...240 V, 3, 60	220/240 V, 1N, 50	220...240 V, 1N, 60



Peelers

The manufacturer reserves the right to modify and make improvements to the products without giving prior warning. Dimensions, illustrations, technical data, weights, etc. are given as an indication only.



www.dito-electrolux.com



AFAE010