

SPECIAL OFFERS













NEW PRODUCTS

INCLUDES BATTERY CARE, BRAKING, COOLING, LIGHTING, SUSPENSION, TORQUE, WORKSHOP TOOLS & MUCH MORE!

JANUARY - MARCH 2014



TORQUE





'Motorq' Heavy Duty Torque Multipliers

Features include:

- Single stage epicyclic gears, producing a 5:1 multiplication ratio
- Use with conventional torque wrenches for heavy duty applications
- Supplied with reaction bars, in plastic storage case



Part No.	Ratio	Input Drive	Max. Input	Output Drive	Output Range	Weight	Price
80060000	5:1	1/2" sq.dr. / 32mm hex	260Nm	3/4"	130 - 1300Nm	4.3kg	£643.00
80065500	5:1	3/4" sq.dr. / 36mm hex	540Nm	1″	270 - 2700Nm	4.5kg	£643.00





TORQUE




- Works in both directions of rotation
- LED's glow yellow when close to setting and change to green when desired setting is reached
- Audible notice when setting reached
- LED's glow red when setting exceeded

OFFER £99.95 SAVE £50.00 LIST PRICE £149.95







COOLING

63192500

Cooling System Thermometer

- Dual calibrated thermometer (°C and °F)
- Ranges from: -7°C to 120 °C and 20°F to 248°F



63190100

319 Series Pump & Gauge Assembly

- British made metal hand pump c/w flexible hose to pressurise cooling system via 319 and older 318 couplings
- Includes dual marked psi / bar pressure gauge

OFFER £99.50 SAVE £30.00 LIST PRICE £129.50



🏀 ОТС5609

£95.00

Watch us on

You Tube

Cylinder Leakage Tester

• Quickly diagnose internal engine problems such as piston rings, valves and leaking head gaskets

follow us on

- Dual Gauge 100psi scales c/w 24" flex hose
- Pressure Regulated Manifold

Find us on

Facebook

• 10mm, 12mm, 14mm, 18mm Threaded Adaptors



33195000

- **Combustion Leakage Tester**
- Accurate and fast diagnosis of cylinder head gasket leaks
- Quick connector for use with 315 / 316 / 317 Series Cap Adaptors
- Suitable for use with both Petrol & Diesel engines
- Supplied with both Standard & Sensitive Reaction Test Fluid (100ml)

Adaptors h both Petrol

_____)

£69.95

33190000

'319' Series Cooling System Pressure Testing Expansion Plug System Test Kit - Car Kit

- Features a self-testing metal hand pump and precision gauge, with specially designed pressure release valve for safe de-pressurising of cooling systems
- Suitable for Radiators & Expansion Tanks with neck apertures from 21-50mm
- Designed to cover 3 types of system test:
 - Leak Detection
- Thermostat Operation
- Temperature Testing

OFFER £325.00 SAVE £20.00 LIST PRICE £345.00



% 33190500

'319' Series Cooling System Pressure Testing Expansion Plug System Test Kit - HGV Kit

- Designed to cover 3 types of system test:
 - Leak Detection
 - Thermostat Operation
 - Temperature Testing
- Suitable for Radiators & Expansion Tanks with neck apertures from 33-65mm
- Uses air pressure for fast pressurisation & large capacity HGV & Plant Cooling Systems



OFFER £289.00 SAVE £16.00 LIST PRICE £305.00



COOLING



SAVE £50.00 LIST PRICE £285.00

33156100 Cap Adaptor -Mini Cooper S

• Suitable for Mini Cooper S 2002 onwards



3 FOR 2 DEAL ALL THREE HYDROMETERS FOR A SPECIAL OFFER PRICE OF £23.90 - SAVE £11.95!

632000SP

Antifreeze & Coolant Hydrometer

- (03200000)
- For testing Ethylene Glycol
- Temp range: -5°C to -40°C

Antifreeze & Coolant Hydrometer

(03200200)

- For testing Polypropylene Glycol
- Temp range: -5°C to -40°C

Battery Acid Hydrometer (03200500)

- Professional tester for measuring the state of charge in lead acid batteries
- Measures specific gravity and indicates battery condition with a red / green scale

🚮 331595V2

THE ORIGINAL **UPDATED '315' Series Cooling System Test Kit**

Recently updated kit to include Mercedes A Class & revised Ford applications

- The '315' series Cooling System Pressure Test programme from Sykes-Pickavant provides extensive coverage for both popular and less popular models and is constantly updated as new models are released. More than 20 specialist cooling system cap adaptors are available
- All components of the '315' range are fully compatible with older SP Cooling System Kits and can be used to upgrade previous generations of Cooling System Pressure Test Kits which are fitted with quick-release connectors
- For older systems with a threaded connection, an adaptor is available (03186870)
- Contents:
- Hand Pump with Pressure Gauge and Quick-Release fitting
- Hose Assembly c/w quick-release fitting
- 16 x Threaded Cooling System Cap Adaptors
- 3 x Bayonet Fitting Cooling System Cap Adaptors & 1 x Cap Adaptor wrench
- · Comprehensive applications listing provided with each kit

03265000

Universal Hose Clamp

- Clamping Range: 8 70mm
- 1/4" drive and thumb screw for
- adjustment





63250000

Heavy Duty Hose Clamp Plier

• Specially designed for releasing and refitting re-usable hose clips

> **OFFER £24.95 SAVE £5.00** LIST PRICE £29.95



Refractometer - NEW Model - Now with Internal Light

Tests Coolant, Battery Acid, Screenwash and AdBlue using an optical prism test technique • Now with NEW internal light feature for ease OFFER £69.50 SAVE £20.00 LIST PRICE £89.50

- of use in poor light • Coolant - tests both propylene and ethylene based anti-freeze coolant solutions and determines the freezing point
- Battery Acid indicates the specific gravity of the battery electrolyte
- Screen Wash shows the freezing point of screenwash fluids in °C
- NEW AdBlue Indicates % concentration of AdBlue additive



www.sykes-pickavant.com

OFFER £23.90

SAVE £11.95

LIST PRICE £35.85



BATTERY CARE

Keepower Intelligent Battery Care Battery Charging – Battery Boosting

- Microprocessor controlled for optimum efficiency
- Suitable for all battery types AGM / GEL / WET etc
- Spark free technology protects against overload & short circuits
- Intelligent charging regime 9 modes of charging

Additional Features:

- Flashlight enables you to clearly see connections
- iPod charger charge your iPod / Mobile phone via USB connection (XL-Pro only)
- Hook-free clamps avoids tangled cables
- IP protection rating suitable for use in damp conditions



88813400 - shown

Includes:

- 'Testing' phase for general battery condition
- 'Soft Charge' for deep discharged batteries
- 'Boost' phase to kick-start battery with low power
- 'Supply' mode use the charger as a power supply in order to keep battery fully charged

keepower®	88813200 Keepower Medium Charger - 8A	88813400 Keepower Large Charger - 15A	88813800 Keepower XL-Pro Charger - 30A	
Nominal Battery Charger	12v	12v	12v / 24v	
Charge Current	8A	15A	30A / 15A	
Battery Size	20Ah – 160Ah	40Ah - 300Ah	3Ah - 600Ah	
Max. Output Power	150W	275W	525W	
Input Voltage	230v/50hz	230v / 50hz	230v / 50hz	
Protection	IP65	IP44	IP44	
Charging Cable	2.50mm x 1.8mtrs	2.5mm x 1.8mtrs	4.00mm x 1.8mtrs	
Mains Cable	2mtrs	2mtrs	2mtrs	
Weight	0.90kg	0.90kg	1.36kg	
Price	£195.00	£275.00	£395.00	

Extend your batteries' lifetime with Accu-Smart® A totally automatic charger that works for you!

Accu-Smart[®], electronic "switched-mode" battery charger, offers a lighter, compact and greater power compared to old chargers using "linear-mode technology" with transformers. No need for handling or mode selection, the charger works automatically, without external intervention.

- Suitable for Wet (Lead Acid), AGM, Gel & Fleece type batteries
- Each charger is perfectly safe for the electronics of a vehicle, therefore it is not necessary to disconnect the battery from the vehicle before charging it. The charger can effectively retain memory settings within a vehicle while replacing a battery.
- Each charger includes inter-changeable end fittings that best suits the application. Choose from eyelets, cigarette lighter plug and crocodile clamps.



Part No.	Rating	List Price
845122SP	12 volts / 2 Amps	£47.00
845124SP	12 volts / 4 Amps	£62.00



- Bad Cell detection

Watch us on

You Tube

follow us on

twitter

- Starting & Charging system voltage
- Test discharged batteries down to 1 volt



Find us on

Facebook

BATTERY CARE

PRO-START &

PROPULSTATION

BOOSTER PACKS

INCLUDE

LIFETIME CASE

WARRANTY

8 **2 YEAR BATTERY**

A complete range of high quality Battery Booster Packs, covering a wide variety of applications including: Automotive, Agriculture, Plant, HGV, Marine & Aviation

All Sykes-Pickavant Pro-Start booster packs are perfectly safe for the on-board electronics on modern vehicles and are compatible with Petrol, Diesel & Hybrid vehicles

Features:

- AGM internal batteries deliver high amperage instantaneously
- Double insulated starting cables 1.30 / 1.35 mtrs length
- Illuminated voltmeter indicates booster charge level, booster & alternator function
- Internal fuse protects against short circuits
- Curved jaw clamps, fully insulated blue clamp with LED lamp for safe use in the dark*
- Single-piece, moulded case shock resistant (lifetime warranty on case)

Specifications: NEW

•						
Technical	Pro-Start 440 861044SP	Pro-Start 700 861001SP	Pro-Start 800 861002SP	Pro-Start Plus 1400 761001SP	Pro-Start Plus 1600 761006SP	Pro-Start Plus 2400 760008SP
Voltage	12v	12v	12v	12/24v	12/24v	12/24v
Cranking Amps	440	700	800	1400/700	1600/800	2400/1200
Peak Amps	1170	1860	2370	3720/1860	4740/2370	6200/3100
Price	£200.00	£275.00	£355.00	£650.00	£860.00	£1280.00

PROPULSTATION Booster Pack complete with Docking Station Eliminates the risk and frustration of an uncharged booster pack!

• Always in the right place

• Always charged 100%

THE BATTERY - This has an exceptionally high capacity to accumulate and disperse high-amperage energy. It uses pure lead plates and is an AGM (absorbed glass mat) type battery.

THE HOUSING - Robust shell case design with 5mm shatterproof polyethylene ensures a high level of shock and daily use resistance.

THE CABLES - Long and flexible with a double insulation offer a perfect resistance to extreme conditions.

THE CLAMPS - Robust, wide-opening clamps which are fully insulated and have a copper trace carrying the current to both of the bronze jaws and protecting the powerful spring against over-heating.

• 3 times longer lifetime





*Excludes 861044SP

Choose from:

• AC model: Supplied with mains AC charger for workshop / show room use

• DC model: Supplied with 5m cable and one-way diode for vehicle use

Specifications:

Technical	Propulstation 521001AC	Propulstation 521001DC	Propulstation 521002AC	Propulstation 521002DC	Propulstation 520006AC	Propulstation 520006DC	Propulstation 520008AC	Propulstation 520008DC
Voltage	12v AC	12v DC	12v AC	12v DC	12/24v AC	12/24v DC	12/24v AC	12/24v DC
Cranking Amps	700	700	800	800	1600/800	1600/800	2400/1200	2400/1200
Peak Amps	1860	1860	2370	2370	4740/2370	4740/2370	6200/3100	6200/3100
Price	£456.00	£415.00	£520.00	£480.00	£1100.00	£1100.00	£1520.00	£1530.00




Propulstation Docking Station - DC Model • One way diode to connect to the vehicle's battery

Propulstation Docking Station - AC Model

• Provided with an automatic electronic 12v charger to be connected to the mains

Technical	Propulstation Docking Station 5200AC12	Propulstation Docking Station 5200DC12	Propulstation Docking Station 52AC1224	Propulstation Docking Station 52DC1224	
Model Supported	521001AC / 521002AC	521001DC / 521002DC	520006AC / 520008AC	520006DC / 520008DC	
Price	£160.00	£120.00	£240.00	£240.00	





GLOW PLUG & INJECTOR SERVICE

617500V2

UPDATED Diesel Injector Seat Cleaner Set

- Cleans injector seats and chambers when changing or reconditioning diesel injectors
- Helps to avoid blow-back due to poorly seated injectors
- Now includes:

68581000

the cylinder head

6.4mm to 8.0mm

68585000

- Removal tool for copper washers
- Injector blanking plugs to avoid debris entering the cylinders
- Wire brush cleaning set for chamber walls
- Centralising stem to improve correct cleaning seating angle



Diesel Injector Seal Extractor

• Designed to remove the copper injector

base seal when it has become stuck in

• Simple adjustment – expands from

Speed of use – no more fiddling with

picks, hooks etc trying to retrieve

OFFER £175.00 SAVE £44.00 LIST PRICE £219.00

08565000 Combined FSI / PD / Common Rail Injector Puller & Service Tool Kit for VAG Group

- Suitable for VW, Audi, Seat and Skoda with direct injection engines and engines with pump-injector units
- For assembling and removal of FSI injectors
- Equivalent to VW OEM T10133 + T10163



OFFER £99.95 SAVE £25.05 LIST PRICE £125.00

68593000

Glow Plug Removal Kit

- For removing damaged and broken glow plugs from cylinder heads
- Ideal for use where a glow plug has sheared off just below the hex, or flush with the cylinder head
- Removes 8mm & 10mm glow plugs (M8 x 1.0 thread or M10 x 1.0 thread)
- Comprehensive kit includes all necessary adaptors, centering and thread cleaning tools to safely remove the damaged glow plug without damaging the cylinder head



OFFER £149.95 SAVE £35.00 LIST PRICE £184.95

68581500

Heavy Duty Injector Washer Removal Tool

Injector Puller for Mercedes CDi

 Specially designed contact area on the puller, to centre the impact of the slide hammer, maximise the impact force and

• Slide Hammer with special CDi puller

minimise the risk of damage

- Tapered threaded rod with Slide Hammer, for retrieving washers from the injector seat
- Suitable for both modern common rail & older applications
- Car / LCV / HGV

68550000

(Bosch) Injectors

OFFER £55.00 SAVE £14.95 LIST PRICE £69.95

OFFER £79.00 SAVE £20.00 LIST PRICE £99.00

Heavy Duty Slide Hammer Injector Remover Kit

- Heavy Duty Slide Hammer puller for removal of Bosch, Delphi, Denso and Siemens injectors
- Features a flexible u-joint adaptor for access in restricted areas
- Includes: 6 x Injector adaptors (M14-M27), 4 x Injector Solenoid removers (M25-M30) and 2 x Nozzle Extractors (6mm & 7mm)

Find us on

Facebook



Watch us on

You Tube



follow us on

stuck seals & washers OFFER £55.00 SAVE £14.95 LIST PRICE £69.95

INJECTOR REMOVAL

Hydraulic Injector Puller Systems

- A NEW concept for the removal of stubborn injectors
- GF THE ORIGINAL Provides controlled force to aid the removal of seized injectors where there is insufficient access for traditional slide hammers
- Uses a multi-position frame, with adjustable legs of different lengths and a selection of mounting adaptors to allow alignment of the tool with the injectors on a wide variety of modern diesel engines
- The combination of variable leg lengths and selection of the appropriate adaptor for the cylinder head, allows the tool to be correctly positioned on most cylinder heads
- Supplied with injector adaptors for most modern injector types M14 | M16 | M17 | M20 | M25 | M27

🚮 185800SP1

Hydraulic Injector Puller Kit

• 10 tonnes Hydraulic Hollow Cylinder provides the force – use with standard hydraulic pump (not supplied)

£995.00



can the QR code to watch a video the Injector Puller

🔏 185810SP1

hydraulic pump

Mechanical Hydraulic Injector Puller Kit

- As per 185800V2 kit above but includes a mechanical
- hydraulic ram • Allows use of the kit without the need for a separate

£1195.00





PURCHASE ANY ONE OF THESE THREE KITS **AND RECEIVE A**

RF

DIESEL INJECTOR SEAT CLEANER SET (017500V2)WORTH £219.00

See page 7 for details

185800PP1 Hydraulic Injector Puller Kit with Hydraulic Pump

• As per 185800SP kit above but includes aluminium bodied hand pump - 2 Speed, 10,000psi fitted with gauge, hydraulic hose and ¾" hydraulic coupler

£1350.00





• Useful additional plate and posts when working on M9R



engines



18583000 **PSA Adaptor Kit for 1858 Series** • A bespoke add on kit for use on PSA 2.0 & 2.2 litre HDi diesel engines





SUSPENSION

68085000

Suspension Wear Indicator

An innovative tool for detecting suspension and axle joint wear

OFFER £35.95

SAVE £37.00

LIST PRICE £72.95

- For detecting faults in:
- Wheel bearings
- Steering gear and links
- Stabilizers, bushes & ball-joints
- Suspension joints & suspension struts
- The tool creates a rocking motion in any direction (forward angle, side angle etc) in order to detect movement in steering and suspension components

Scan the QR code to watch a video of the Suspension Wear Indicator

68770000

Universal Press Support Block

- Universal Support for use with a workshop press
- Three point contact guarantees a perfect, safe support
- Easily press bearings on a wide variety of suspension arms Features:
- Adjustable height anvil bolts
- Swivel element for added versatility
- Safety Alignment brackets for security on press

OFFER £239.00 SAVE £60.00 LIST PRICE £299.00



08120000 Universal Wheel Bearing Kit

- Universal set for the removal and installation of flanges and wheel bearings, without the need for dismantling of suspension struts or wheel hubs
- For direct application on the vehicle
- Supplied in storage case



Universal Press & Pull Sleeve Kit - Car / LCV Kit

- Universal tool set for extracting and drawing-in of bushes, bearings, seals etc
- Contains 20x Press Sleeves in 2mm diameter steps
- Inside Diameter Range: 34 72mm
- Outside Diameter Range: 44 82mm
- 4x Step Plates / 4x Pulling Spindles with thrust bearings
- Supplied in moulded storage case
- Kit can be used on its own or with either the Universal Press Frame (187000V2) or the Universal C Clamp (18780200)
- Can also be used in conjunction with model specific press piece sets or the standard workshop press

OFFER £379.00 SAVE £166.00 LIST PRICE £545.00





68080000

Universal Suspension Arm Lever

- For lowering of the suspension arms and separation of suspension components
- Reduced effort required, due to unique design using leverage and body weight
- Adjustable swing point allows for variable LH & RH applications

Find us on

Facebook



follow us on

Watch us on

You Tube

\$187000V2

Universal Press Frame c/w SP 12 tonne Hydraulic Ram

- Updated unit to provide greater power
- Allows easier operation 50% more capable using the SP 12 tonne Hydraulic Ram
- Now includes adaptor ring for use with Universal Press & Pull Sleeve Kit (08780000 - see above)










SUSPENSION







68730400

Mondeo Rear Bush Tool Kit

Individual press piece set for dismantling and installing the rear wishbone / trailing arm bush

Removal

- Suitable for:
- Rear Ford Mondeo 2007-- Ford Mondeo (wishbone)
- Estate 2000 2007
- Ford S-Max & Galaxy 2006-
- Volvo XC70 & V70 2007-- Volvo XC60 2008-
- Volvo S60 & V60 2010-





187512V2

Suspension Ball Joint Removal Kit for LCV

- Opel Movano / Renault Master / VW T4
- Set of model specific tools for the dismantling and installation of suspension ball joints on the vehicle
- Kit for Upper and Lower Ball Joint removal and installation
- Contents:
- 187000V2 Universal Press Frame with 12 tonne Hydraulic Power Ram
- 187502V2 Press Piece Set Combined Set for Movano / Master / VW T4



OFFER £599.00 SAVE £190.95 LIST PRICE £789.95

608760300

Golf V Control / Trailing Arm Bush Kit

- Heavy Duty mechanical kit for replacing and removing control / trailing arm bushes
- Suitable for:
- VW Golf V, VI 2003-
- VW Golf Plus 2005-
- Audi A3 2003-
- Audi TT 2006-
- VW Eos 2006-
- VW Jetta III, IV 2005-
- VW Passat 2005-
- VW Tiguan 2007-
- VW Touran 2003-

£239.00

- VW Scirocco 2008-
 - VW Sharan 2010-
 - Seat Altea / Leon 2004-
 - Seat Toledo 2004 2009
 - Seat Alhambra 2010-
 - Skoda Octavia 2004-
 - Skoda Superb 2008-
 - Skoda Yeti 2009-

18741300

Suspension Ball Joint Removal Kit -Mercedes Sprinter / VW Crafter - LT

OFFER £375.00

- Set of model specific tools for the dismantling and installation of suspension ball joints on the vehicle
- Kit for Suspension Ball Joint removal and installation
- Contents:
 - 187000V2 Universal Press Frame with 12 tonne Hydraulic Power Ram
- 18740300 Press Piece Set -

Suspension Joints for Mercedes Sprinter 1996- and Volkswagen Crafter / LT







VW Polo Front Control Arm Bush Tool


- For removal and installation of the rear bush on the front control arm, as fitted on
 - VW Polo IV 2001-
 - Seat Cordoba III 2002-
 - Skoda Fabia 1999-
- **OFFER £149.50** SAVE £33.45 LIST PRICE £182.95

www.sykes-pickavant.com

10







SUSPENSION

READ MORE IN THE JANUARY ISSUE OF PMM MAGAZINE

£330.00

68254500

Ford Transit Hub & Front Wheel Bearing Remover Kit

- New tool for Ford Transit Mk6 & Mk7 Hub and complete front wheel bearing removal
- Features a heavy duty slide hammer which operates in two directions to achieve multiple operations in one tool
- Provides three different solutions in one kit:
 Can be used as a traditional hub puller
 - Use the slide hammer in the reverse direction to remove the outer bearing race
 - Remove the stubborn inner bearing race
- Designed and manufactured in the UK



Scan the QR code to watch an overview video of the Ford Transit Hub & Front Wheel Bearing Remover Kit



Scan the QR codes above to watch a video of the three different solutions this tool provides

65050000

Land Rover Drop Arm Puller

- Extra heavy duty puller for the removal of drop arms from the toughest of vehicle applications
- Ideal for Land Rover Discovery 1 & 2, Range Rover P38, Land Rover Defender and Ford Transit applications
- The puller is designed to be used with the steering box already removed from the vehicle
- Includes a force screw allowing a technician to effectively shock the drop arm to become loose from the steering box
- Jaw spread capacity 60mm
- Jaw reach capacity 80mm





68042000

Specialist VW Alloy 4 Link Suspension Bolt Remover Set

- Specialist kit for dealing with the tightest of bolts
- Can be used with 'Vibro-Impact' air hammer (90206000 see page 13)
- Includes specialist drills, drill guide and remover bits for removal of the tightest bolts where normal kits fail











Solution 2004 1000 VW Alloy 4 Link Suspension

Bolt Remover Set

- Simple tool to use with 'Vibro-Impact' air hammer (90206000 - see page 13) when bolt ends protrude from housing
- Sleeve guides the impact end to free off and push bolt through the housing
- Extension adaptor for removing bolts deep in the housing





3 IN 1

TOOL

BEARING REMOVAL / INSTALLATION



Sykes-Pickavant are committed to providing a comprehensive GEN2 Solution, with continuing development of the program and enhancing our position as UK market leader

Designed to distribute pressing force evenly through the outer bearing race and also allows for the suspension leg to remain in-situ on the vehicle when fitting new bearings





COMBINATION KITS: Massive savings over cost of purchasing individual kits

Part No.	Size	Applications	Price
08128000	78, 82 mm	Ford / Volvo / Land Rover / Mazda Combined Kit See below for individual applications	£425.00
08129000	62, 66, 72, 85mm	VW Group See below for individual applications	£725.00 SAVE £70.00
081220V2	62, 66, 72, 78, 82, 85mm	All Sizes Master Kit See below for individual applications	£1215.00

AVAILABLE KITS:

Note: Spare Parts are available for all kits via our website and new catalogue

Part No.	Size	Applications	Price
08123500	62mm	Audi A2, VW Lupo (Front)	£169.95 SAVE £75.05
08124500	66mm	Skoda Fabia, VW Fox (Front), Polo	£169.95 SAVE £75.05
08125500	72mm	Audi A1, Audi A2, Seat Cordoba, Ibiza, Skoda Fabia, Roomster, VW Polo (Front), VW Fox with PAS (Front)	£169.95 SAVE £75.05
08126500	78mm	Ford Focus II, C-Max, Volvo C30, C70, S40, V50 (Front), Mazda 3	£275.00
08128500	82mm	Ford Mondeo, Galaxy, S-Max, Land Rover Freelander 2, Volvo S80, V70, XC60, XC70	£295.00
08127500	85mm	VW Multivan, Touareg, Transporter (Front / Rear)	£325.00

UPGRADE KITS

The kits below contain the necessary parts to upgrade any existing 62, 66 or 72mm kit, to cover any of the other two sizes, without unnecessary duplication of parts. Upgrade kits are supplied in cartons, to fit within the toolbox of one of the standard kits. Each Upgrade Kit includes 2 x Back Plates and 2 x Adaptors









Scan the QR code to

watch a video of the

GEN2 Bearing Tool

AIR TOOLS

Müller-Werkzeug

Noise

High quality air tools that set the standard for Torque!



Max Torque

• Impact wrench with a smart design and ergonomically designed handle

• Single-switch can be changed for easy forward or reverse operation

- Easily adjustable torque regulator
- Can be configured for right and left handed use

Weight

Composite body

Air

90201500

Impact Wrench Specifications:

Part No.	Drive	Nm (Reverse)	Nm (Fwd)	(dBA)	Consumption (I / min)	(kg)	Price
90201000	1/2"	1600	1084	94.2	135	1.8	£179.00
90201500 (Mini)	1/2"	680	500	93.5	130	1.08	£169.00
90202000	3/4"	2600	2000	97	210	3.2	£499.00
90202500	3/8"	680	500	93.5	130	1.08	£169.00
90203500	1/4"	90	90	98.2	105	0.9	£139.00
90204500	1"	3100	2200	110	305	6.8	£849.00

Torque





6 90201100 Rubber Boot (For 90201000)

• Protects gun from accidental damage *Impact wrench not included

£16.99

90210000

Signal Hose - 10mm (3/8")

- Length: 10 metres
- High-visibilty hose to reduce trip hazard
- Abrasion resistant outer cover
- Working temp range -40°c to +65°c
- Working pressure 300psi
- Break pressure 1000psi

'Vibro-Impact' Air Hammer • Allows for the controlled application of force via air powered impact blows Built-in shock absorber minimises risk of

• Loosens seized components by gradually

• N.B. Hose supplied without fittings



90205000 **Air Drill**

£149.00

- Soft handle
 - Quick release chuck (13mm)

• 3/8" drive - 500rpm

• 2 component housing

• Forward / reverse switch

60207000 Air Die Grinder

£64.99

13

- Vibration absorbing handle
- Swivel exhaust and stepless trigger
- Can also be used for carbide cutters through high precision cycling

increasing the force applied

damage to components

60206000



code to watch a video of the Vibro-Impact Air Hammer



≪085900V2

Vibro Impact Glow Plug Remover Set

- For the safe, effective removal of 8, 9, 10, 11 & 12mm glow plugs • Uses controlled impact torque to create vibration in order
- to loosen seized glow plugs
- The Vibro-Impact tool 'loosens' the seized glow plug, making it safe and easy to remove without the risk of broken plugs and / or damaged cylinder heads
- Supplied with special long-reach glow plug sockets, long & short extensions and universal joint for ease of access

OFFER £215.00 SAVE £44.00 LIST PRICE £259.00

Sykes-Pickavant.

Watch us on Find us on follow us on Facebook You Tube

WORKSHOP TOOLS



Contains 8 x popular sizes of interchangeable coils

🚮 960200SP **SP Induction Heater +** with Coil Kit (96015000)



96015000

The SP Induction Heater + is a redesign and upgrade of the popular Mini-Ductor II, and uses new engineering technology for increased energy efficiency and ease of use.

Now you can use the power of technology with invisible heat to quickly release corroded or seized components and other metallic parts. All without the damage normally associated with gas torches. Heats in seconds!

Key features of the SP Induction Heater +

- Operates cooler for better efficiency, handling and product longevity
- Longer operating cycle time
- Carry Case; with storage for all attachments, fits in tool chests for security
- Integrated CE filter improves handling of product
- Specifically designed for the UK/EU: 230v/6 amp/1000 watt with full CE certification
- LED work light illuminates work area
- 1 year warranty Parts/Labour
- A true 1,000 watts max power available
- Kit includes rope, u-form and pre-formed coil

90803000

1/2" Cordless Impact Wrench c/w 1 x 18.0v batterv

- Powerful 1/2" Impact wrench c/w 1 x 18.0v battery
- Smart design and ergonomically designed handle
- Easily controlled forward / reverse switch
- Variable speed trigger

Specification:

- Weight: 3.08kg
- Length: 240mm
- Height: 265mm
- Breakaway Torque: 982Nm
- Battery: 18v 3.0Ah
- Charging time: 45 minutes
- EU Version: 90803200

Max Torque 982Nm





NEW

6015000

NEW

SP Induction Heater - Coil Kit

• Contains 8 x popular sizes of interchangeable coils

HIGHER QUALITY COILS AT NEW LOWER PRICE!

£99.95



NEW

% 90803100

1/2" Cordless Impact Wrench c/w 2 x 18.0v batteries

- As per 90803000 (left) but includes 2 x 18.0v batteries
- EU Version: 90803300



🔏 90803500

Replacement Battery for 1/2" Cordless Impact

£150.00

Wrench • 18.0v Lithium Ion

Battery



NEW



TPMS

306610V2 TPMS - Tyre Pressure Monitoring - Sensor Testing, Activation & Clone Valve **Programming Tool**

- Sensor Activation Sensor Checking Sensor Replacement All in One Single Tool !
- Re-programmable Clone Valve Features:
- Able to re-program Clone valves wirelessly without using a PC or docking station
- Fully compliant for EU frequency valves using 433Mhz & not just USA valves on 315Mhz
- Approved for use with Schrader & Alligator EU frequency re-programmable TPMS valves
- Step by step guidance for valve cloning
- Able to copy old valve ID or create new ones
- Monthly updates to add extra coverage as valve makers add new vehicle applications - Sensor replacement procedures
- Built-in sensor checking no exciter tool required
- Sensor re-programming information
- Test feature allows for checking operation of sensors and sensor batteries
- Includes OEM sensor part number for reference & OEM valve component references
- Includes sensor replacement, technical and tyre rotation procedures
- Displays procedures for new sensors to be synchronised with vehicle TPMS ECU (pairing)
- Print test results / file test results & update software / applications (via PC)

306615V2

TPMS PLUS - High Level Diagnostic TPMS Tool

All the features of the standard TPMS Tool (306610V2 - above), PLUS the following additional features:

Connects to TPMS ECU via EOBD diagnostic lead (Containing full multiplexing functionality)

- Sensor re-programming via the EOBD socket
- Sensor & TPMS ECU fault code reading / deletion



TPMS Complete Kits

£695.00

306612V2 TPMS TOOL -Complete Kit

Contents: - TPMS Tool (306610V2)

- Torque Tool Kit (80082000)

£875.00

- 1/4" Valve Core Tool

- 1/4" Torx Bit T20

- T-Handle Allen Key

Watch us on

You Tube

306617V2 TPMS PLUS TOOL -Contents:

- TPMS Tool (306615V2) - Torque Tool Kit (80082000)

£1475.00

Torque Tool Kit 80082000 Contents:

£1295.00

- 3/8" Sq Dr T-Bar Handle
- 1/4" Valve Core Tool
- 1/4" Torx Bit T10
- 1/4" Deep Socket 11mm
- 1/4" Deep Socket 12mm
- TPMS Grommet Tool Torque Screwdriver:
- 0.1Nm 3.0Nm
- Torque Screwdriver:
- 2.0Nm 10.0Nm

🕻 80083000

TPMS Comprehensive + Torque Tool Kit

- Contains all the appropriate tools for servicing and replacing **TPMS Valve Cores and TPMS Valve Nuts**
- Contents:

15

- Torque Screwdriver 0.1 3.0Nm
- Torque Screwdriver 2.0 10.0Nm

Find us on

Facebook

- 1/4" Torx Bit T10
- 1/4" Deep Socket 11mm
- TPMS Grommet Tool
- 1/4" one way ratchet for loosening valve stem
- 3/8" sq dr T-Bar Handle (For Torque Screwdriver 2.0-10.0Nm)

follow us on









SCAN THE QR CODE TO









0

NEW MODEL

CLONE CAPABLE FOR EZ SENSOR & SENS-IT

2cm/linch

PM

30)

WATCH A VIDEO OF THE TOOL PROGRAMMING AN ALLIGATOR SENS-IT VALVE

WORKSHOP EQUIPMENT



 SCAN THE QR CODE TO
 WATCH A VIDEO OF THE SUSPENSION
 WORKSTATION RANGE

£795.00

% 386800SP

Mechanical Coil Spring Compressor Workstation

Universal piece of equipment for assembling & disassembling struts and coil springs

- Standard workstation construction but with Heavy Duty Mechanical compression components in place of pneumatic parts
- Allows for use where air supply is limited, restricted or unavailable i.e. Mobile use
- High power mechanical spindle allows for the application of up to 1600kg of compression force onto contained spring
- Long main spindle achieves large 420mm of stroke even greater than our pneumatic workstations
- Powered by easy access 19mm hex drive on top of tool direct onto main spindle and can be used with either hand tools or even impact air tools
- Includes adjustable vice clamp as standard
- Compatible with all other Sykes-Pickavant workstation standard jaws, brackets & accessories
- Dimensions: 1400 x 520 x 300mm

Optional Accessories for use with Suspension Workstations



Protective cover

that fits over workstation







ENGINE SERVICE

616795V2

Alternator Free Wheel Pulley Set - 29 Piece

- Special set of Spline & Torx Socket Bits for the removal of free-wheel alternator pulleys
- Locks the alternator, allowing the central locking bolt of the pulley to be released
- Updated 29 piece set covers a wide range of popular applications including: BMW, Citroen, Fiat, Ford, Mercedes, Opel, Peugeot, Porsche, Renault, Toyota, VW Group, Vauxhall, Volvo
- Selection of 33 tooth reaction nuts and additional adaptors



61370300

Universal Clutch Alignment Tool Kit

- For modern front wheel drive vehicles with or without pilot / spigot bearings with flywheel fitting diameters from 12 20mm
- The tools main advantage is that it includes parallel expanding supports in place of more traditional tapered fittings that are hard to keep located
- Easy to swap over adaptors suitable for clutch centre sizes from 14.4 to 29mm
- OFFER £39.95 SAVE £10.00 LIST PRICE £49.95
- Includes small cone: 14.4 21mm, large cone: 20.9 29mm and sleeves: 12, 14, 15, 16, 17, 18, 19, 20mm

ᡒ MV5567

Mityvac Fuel Injection Cleaner System

- Quickly and cleanly removes and prevents deposits on fuel injectors as well as loosening and dissolving carbon build-up in the air induction system, including the throttle plate, intake manifold and valves
- Enhances engine performance, improves fuel economy, reduces maintenance and improves emissions
- Adjustable inlet pressure regulator for use on low and high pressure fuel systems
- Pressure gauge (0-150 PSi) (0-10 bar)
- Includes Fuel Injection Cleaner Assembly with pressure regulator, gauge, valves, fittings and 950ml canister, 1.2m long connection hose, 16 fuel injection system connectors, wall mount bracket and user manual

% 31427500

Diesel Engine Compression Test Kit -Common Rail Diesel (CRD)

- Comprehensive test kit specifically designed to cover a wide range of modern CRD diesel injected engines
- Checks engine compression under cranking conditions
- Enables cylinder access through dummy injector and glow plug adaptors
- Built-in pressure relief valve enables repeat tests without dismantling

Find us on

Facebook

17



Watch us on

You Tube





68550300

GM Gearbox Bearing / Race Remover

- For the removal of taper bearing cups from clutch housings in M32, MT 20-6 and MT 32-6 manual gearboxes
- Specifically designed to spread the load equally without danger of cracking the gearbox casing
- Applications: Widely used in GM, Saab and Fiat Group









BRAKING

614000 Air Assisted Caliper Piston

- Wind Back Tool Kit
- Air operated ram applies pressure to the caliper piston, while the handle is rotated by hand
- Easy to use works on standard workshop air supply
- Reversible works on both RH and LH applications
- Can be used on Wind Back and Push Back pistons
- Supplied with nine adaptors which cover a wide range of popular vehicles (applications list included)
- Also supplied with 3/8" converter to use with adaptors from manual kit (03619200)

34300100

warning

off valve

reached

level indication

• Stainless steel body



NEW



Automatic Brake Bleeder - 12v

5L reservoir with visible level and min

• Auto power OFF when min level

• 12V power cable with jack (L: 4m)

• Fluid cable for brake fluid with

quick coupling system (L: 4m)

• Includes fluid collection bottle and

European screw-on reservoir cap • Full range of caps available -

Contact Customer Services for details

• Compatible with ABS systems

Regulator from 0 to 3Bar

34201000

GATHE ORIGINAL Manual Pressure Brake Bleeder

- Compact solution for easy one man operation
- Portable unit no power or air supply required
- Combination of Mityvac pressure bleeder & SP aluminium pressure bleed cap
- OE recommended pressure brake bleeding solution
- Controllable output via hand pump and pressure gauge

£199.00



619200

Brake Caliper Piston Windback Kit

- Recently updated kit of Piston Windback adaptors
- Contents:
 - RH & LH Windback tools with hex drive
 - Reaction Plate
 - 12 application adaptors for a wide range of popular models: 2000 onwards
- Additional adaptors for older applications available individually - refer to website for details



30662000 Electronic Parking Brake (EPB) Service & Reset Tool

Coverage includes 24 vehicle manufacturers and over 120 individual models

An All-Makes Service Tool for electronically controlled **Brake Service functions**

- Functions include:
- EPB: Brake Pad Replacement CAL: Brake Pad Calibration
- Reset: Brake Service Reset
- Fluid Purge: ECU controlled brake fluid change
- Make & Model search facility
- Read & Clear Error Codes (EPB / ABS / ESP)
- Annual Update available for new models (£125.00)

OFFER £249.00 SAVE £246.00 LIST PRICE £495.00



627296SP

Flaremaster2 Kit for 4.75 & 6mm Brake Pipes

- Hand-held flaring tool for on-the-vehicle brake pipe flaring
- Includes:
 - 02725000: Flaremaster2
 - 02160000: Pipe Aid Pliers
 - 02210000: Pipe Cutter
 - 02730000: Pipe Deburring Tool

OFFER £185.95 SAVE £57.00

LIST PRICE £242.95



KIT PURCHASED

www.sykes-pickavant.com

 12v powering with reverse polarity New pump with automatic power



MV8550

Mityvac Silverline Elite Automotive Kit



£995.00

- Ideal for a wide variety of workshop tasks requiring vacuum and / or pressure
- Dual convertor to switch from vacuum to pressure
- Ideal for a wide variety of diagnostic tests which require a pressure source e.g. EVAP sensors, Cooling system leak tests etc
- Ideal for a wide variety of workshop tasks requiring vacuum and / or pressure e.g. Diagnostics, brake bleeding, fluid transfer, evacuation, sampling etc
- Includes:
- Silverline Die-Cast Aluminium Vacuum & Pressure Pump to 4bar (60psi) pressure
- Large 480ml Fluid Reservoir with quick connection to pump
- Selection of 12 vacuum caps - Diagnostic / Brake Bleeding Adaptor kit
- Tubing and Tube Connectors

MV5545E

Mityvac Fuel System Tester Kit

• Diagnose and pinpoint common fuel system failures including failing fuel pump, faulty pressure regulator, blocked filter(s), pinched fuel line and contaminated fuel

- Measures fuel system pressure and flow to accurately pinpoint fuel system failures
- Capable of testing both return and returnless fuel systems including electronic control
- Provides clear visualization of fuel to detect impurities and air bubbles
- Includes:
- 90mm high pressure gauge with rubber boot push-button relief valve and hanging hook
- 1.2m pressure test hose
- Inline pressure test hose with ¼ turn valve
- Pressure relief hose - User Manual
- 37 adaptors (Available individually on request)

MV7201

Mityvac Fluid Evacuator Plus

- For fluid evacuation AND dispensing
- Change from evacuation to dispensing at the press of a button
- 9ltr capacity reservoir with stabiliser base
- Automatic shut-off prevents accidental over filling
- Manual pump for mobility no air or electric supply
- required
- Supplied with evacuation / dipstick tubes and adaptors
- 1.5mtr x 5.7mm diameter
- 1.5mtr x 6.6mm diameter
- 1.5mtr x 10mm diameter





19





MV6403

Mityvac Fluid Dispensing

3 in 1 Kit

- A complete package for Automotive Fluid Dispensing
- Contains:
 - MV6400 Fluid Dispensing System
 - MV5800 ATF Refill Adaptors Set
 - MVA804 Brake Fluid Master Cylinder Cap Adaptor





TESTING



£1495.00



325200SP

Portable 4 Gas Analyser

Developed from the 32420000 gas analyser

- A truly portable hand-held gas analyser
- Ultra light weight only 1.1Kg
- Measures CO, HC, CO2, O2 (NOx model option available on request) - to class 1 accuracy - Suitable for both Petrol and LPG vehicles
- Ideal for both static and dynamic testing Fault diagnosis, tuning, pre-MOT testing
- Provides Lambda / AFR measurement and corrected CO
- Internal memory stores up to 250 test results Automatic and Manual recording options • Up to 4 hours internal battery life
- Pump speed control Improves battery life
- Bluetooth connectivity to PC (additional software required) Large graphic display

Scan the QR code

to watch a video

of the LEAKTAMER™

- Free analytical software available to download Includes AC & 12v chargers
- Includes printer

🏑 ОТС6522

LEAKTAMER™ Vapour Diagnostic Machine

Market Leading Vapour Technology - OEM Approved Using the latest technology this new machine produces 'Vapour' rather than 'Smoke' with significant benefits for the environment and the operator

- Solve problems such as heating, ventilation & air-conditioning performance
- Helps to diagnose fault codes & MIL light problems
- OE approved UltraTrace UV[®] Dye locates virtually any kind of leak quickly & easily
- New flow control adjusts for specific applications, helping to pinpoint leaks quickly
- Detects Microleaks[™] to and below 0.254mm

£895.00

🏀 PP319FTC **Power Probe 3** Probe – Connect – Detect!

- Connect to a vehicle battery and have a multitude of testers at your fingertips!
- Power-up components
- Continuity tester
- Voltmeter
- Positive / Negative indicator
- Bad ground indicator
- Measures from 0 70 DC volts in 1/10v increments

£129.95

- **Kit Contents:** Power Probe 3
- Cigarette Lighter adaptor
 - Battery clips with heavy duty 4mm connectors
 - 20' extension lead
 - Instruction manual

PPH1

The Hook – The Ultimate Circuit Tester

All the features of a Power Probe PLUS the following: • Activate Components

- Watch real time current and resistance
- Up to 100amps inrush current, 25amps constant
- Adjustable current protection, up to 65 amps
- Intermittent Circuit Testing
- Min / Max mode for current, voltage & resistance
- Hot Shot Mode
- Load Test Power and Grounds in only 7 milliseconds (Pass / Fail shown on screen)
- Voltage Drop
- See Battery voltage and voltage drop on screen
- Smart Tip Technology
 - Automatically selects the Ohmeter or Voltmeter function and selects the correct range

Examples of Applications for The Hook Module Replacement:

Operate injectors, coils, relays, solenoids and check the current draw

Fault Code Diagnostics:

Check voltage drop and then load the circuit with power or ground - see the current, voltage and resistance immediately Glow Plugs:

Power up glow plugs and watch current & resistance values live

Circuit Breaker:

Activate High Current devices by using The Hook as a Circuit Breaker



Voltage Display: min / max / average



www.sykes-pickavant.com

£399.95



LIGHTING & WORKSHOP TOOLS



OFFER £9.95

SAVE £5.00

LIST PRICE £14.95

follow us on

twitter

21

Find us on

Facebook

Watch us on

You Tube

- Robust handle with hardened steel probe
- 1.5m heavy duty insulated rubber lead
- Uses standard automotive bulb to indicate continuity



OFFER £12.95

SAVE £7.00 LIST PRICE £19.95

К СЈКТ405

Lee Cooper Polar Fleece Jacket - Black

- Polar fleece funnel neck jacket with woven panel design
- Includes elbow patches and anti-pill fabric
- Zip fastening with additional zip pockets and mobile phone pocket to chest
- 320gsm 100% polyester

Available sizes: M, L, XL, XXL

OFFER £24.99 SAVE £5.00 LIST PRICE £29.99

К LCJKT436

Lee Cooper Quilted Jacket - Black

- 100% nylon jacket with boxed quilt effect design
- 100% polyester light weight padding
- Zip fastening to both front & hand pockets
- Fully functional chest pocket with contrast zip

Available sizes: M, L, XL, XXL





🖌 LC022

Lee Cooper Hi-Top Safety Boot

- Available in UK sizes:
 7 12
- Lightweight & Flexible with modern styling
- Low profile anti-slip rubber sole
- Steel Toe Cap to ISO20345 standard
- PU Fabric Upper with textured rubber toe cap cover



% LCJKT433

Lee Cooper Padded Jacket - Black

- 100% polyester padded jacket with fixed hood
- Light weight insulation to provides an EN342 thermal grading
- Zip fastening to both front & hand pockets
- Fully functional chest pocket with contrast red zip
- Flat sleeve hem design with inner elasticated rib cuff detail
- Adjustable hem with bungee cord and toggle fastening details
 Available sizes:
- Toggle and bungee cord adjustable hood fastening

£54.99 NEW

AS-C4 Leather Composite WATERPROOF Safety Boot

- Available in UK sizes: 7 12
- Dual Density P.U.
- Oil Resistant & Anti-Static soles
- Water Resistant Uppers
- Penetration Resistant
 Mid-Sole
- Non-Metallic Composite
 Toe Cap



🖌 LCKP

Lee Cooper Knee Pads for Lee Cooper Cargo / Holster Trousers

- Suitable for use with LCPNT208
- trousers (right)
- Material: EVA flexible



£6.99

LCPNT208 Lee Cooper Cargo Trousers - Black / Grey

• Two colour trouser combining comfort & functionality

M, L, XL, XXL

- Extending velcro fastening tool belt loop
- Triple stitched seams
- Adjustable elasticated gripper waistband
- Top loader knee pad pockets
- High abrasion resistant contrast panelling to leg hem panels
- 2 x front pockets, 2 x bellow back pockets, 2 x pleated leg pockets, Pen pocket, Phone pocket
- 65% polyester / 35% cotton double warp double weft canvas fabric

Available in waist sizes: 32", 34", 36", 38", 40", 42" Available in leg lengths: Short (30"), Regular (32") Long (34")



WORKSHOP EQUIPMENT

A NEW range of Hydraulic Workshop Presses equipped with a two-speed manual pump, overload safety valve, automatic arm back-run system and V blocks



Technical Features:

- Welded, heavy duty steel frame
- Overload safety valve
- Pressure gauge
- Winch for table (For models 53436400 & 53436500)
- Piston over-travel limit stop



- Two speed pump
- Automatic arm return
- V blocks
- Manufactured in the EU

Part No.	Style	Rating	Height	Width	Depth	Bed Depth	Range	Weight (kg)	Price
53436100	Workshop	10T	1840	850	500	145	80 - 1000	135	£525.00
53436000	Workshop	15T	1930	920	650	170	85 - 950	150	£545.00
53436200	Workshop	20T	2030	940	650	180	65 - 1030	165	£645.00
53436300	Workshop	25T	2030	950	650	180	70 - 1030	170	£865.00
53436400	Workshop	30T	2060	1120	650	200	115 - 1020	230	£985.00
53436500	Workshop	50T	2290	1220	650	210	70 - 1065	370	£1545.00

Recommended for use with Universal Press Support Block - 08770000 - See page 9 for further details

36600500

- Retrieve fuel following a filling error, removal of tank sender unit, changing or checking the fuel gauge, rinsing the fuel tank during body work etc
- Operates from workshop compressed air (no risk of sparks)
- Mobile 45-litre tank (on wheels)
- Cleanly draws up or pushes out fuel via a venturi system
- Includes 2 anti-static ground cables, overflow line & 3 fuel probes
- Emptying via the tank filler neck or fuel lines
- Made of stainless steel

% 38360000

Universal Gearbox Support

- Designed to support the engine or gearbox when the engine mountings have been removed - e.g. when replacing timing / drive belts, water pumps etc
- Removes the need for using cranes, transmission jacks etc
- The unit is suspended from the chassis via the support hooks, the engine / gearbox is supported by the support pad
- Fully adjustable in all dimensions:
 Extension: Min 630mm / Max 960mm
 Support Plate Adjustment: 190mm





53390000

Pneumatic Oil Extractor

- Remove and extract waste fluids or oil from an engine with flexible PV tube and robust probe
- Powered from compressed air
- 70L tank capacity
- Adjustable 10L oil capture pan
- Visible fill level indicator
- 1 2 L/Min Suction capacity depending on nozzle used
- Working pressure 8-10 Bar
- Emptying with compressed air 1-2 bar
- CE Approved
- Includes selection of PV tubes to cater for different lengths and diameters of dipstick tubes

WARNING: Do not use with

£269.00





Sykes-Pickavant Ltd, Unit 4 Cannel Road, Burntwood Business Park, Burntwood, Staffs, WS7 3FU. United Kingdom Tel: +44 (0) 1543 679900 Fax: +44 (0) 1543 679901 e-mail: sales@sykes-pickavant.com www.sykes-pickavant.com