


Irene Woven Arm Chair Assembly and User Manual

Item # FRN-015289 M45932



The schematics in this manual are for assembly and operation illustration only. They may differ from the chair's actual appearance.





www.atleisure.com ATLANTA, GEORGIA

Customer Service Toll Free 1-855-880-7205 Monday through Friday from 8:00am-5:00pm

Monday through Friday from 8:00am-5:00pm (Eastern Time)

For additional product information, please contact our Customer Service Center toll free at 1-855-880-7205 between 8am and 5pm Eastern Time, Monday through Friday.





90-DAY WARRANTY

This product is covered under a manufacturer's 90-day warranty from date of purchase against defects in materials and workmanship. This warranty does not cover damage due to neglect, abuse or weather related damage. For full warranty disclosure, email us at customerservice@atleisure.com, call toll free at 1-855-880-7205 or send mail to 1040 Boulevard SE Ste. A, Atlanta GA 30312.

HOW TO FILE A CLAIM

If you are within your warranty you must have your receipt and pictures of your information to send to ATLeisure at customerservice@atleisure.com, or send by mail to 1040 Boulevard SE Ste. A, Atlanta GA 30312.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

6. Caring For Your New Furniture |

Package Contents 3.

| • | Use mild soap and warm water to clean the frames. Rinse with clean water |
|---|--|
| | and dry thoroughly. Be sure to drain any water accumulated inside the |
| | frames. To thoroughly drain frames, remove footcaps and tilt frames, if |
| | necessary, to remove all water. Water allowed to accumulate inside the |
| | frames and then exposed to sub-freezing temperatures can cause damage |
| | to the frame tubing. Such damage is not covered under warranty. Any rust |
| | spots should be lightly sanded and treated with rust inhibitor and followed |
| | with an application of touch-up paint. Small nicks and scratches can be |
| | covered with an application of touch-up paint. Use commercially available |
| | glass cleaners, do not use abrasive materials, cleansers or bleach products. |


| PART | DESCRIPTION | QTY(PC) |
|------|----------------------|---------|
| Α | Сар | 8pc |
| В | Bolt (M6x58) | 8рс |
| С | Washer | 8рс |
| D | Inner Hexagon Wrench | 1pc |
| E | Armrest (left) | 1pc |
| F | Armrest (right) | 1pc |
| G | Back of Chair | 1pc |
| Н | Seat of Chair | 1pc |
| 1 | Cushion | 1pc |
| | | |
| | | |
| | | |

4. Assembly Instructions |

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list. If any part is missing or damaged, contact our customer service toll free at **1-855-880-7205** for replacement parts or further instructions.


Caution: Do not use sharp objects such as a knife and scissors when removing the protective material, as it may damage the product.

Step 1: Place the back of chair (G) on a clean and soft level surface. Then insert left armrest (E) into the back of chair (G) using bolts (B) , washers (C), and tighten with inner hexagon wrench (D). Do not tighten bolts too much. Use same process for right armrest (F).



Assembly Instructions (cont.) 5.

Step 2: Attach the seat of chair (H) to the armrest (E) and back of chair (G)using bolts (B), washers (C), with inner hexagon wrench (D). Use same process for right armrest (F). Finally tighten up all the bolts(B) and place caps (A) onto all bolts (B).



Step 3: Turn the chair over and place cushion (I) in chair.

