

The Amusement Industry Parts Expert Innovations • Technology • Solutions

Wells-Gardner LCDs

Wells-Gardner Open Frame LED LCD with AUO PANEL (TN)

- Designed for excellent performance and value for Amusement and class II Gaming use
- Accepts CGA, EGA, or VGA input
- TN panel; L/C CGA/VGA
- Reference no. WGF1979-SDES38C
- Native Resolution: 1280 x1024
- Contrast Ratio: 1000:1 (typ)
- Viewing Angle: 170/170 degrees; Horizontal/ Vertical
- Video Interface: CGA/EGA/VGA 10-pin, 15-pin VGA
- OSD Video Select: Low/High Input
- Auto Size Adjust: 30 80KHz VGA
- Auto Size & Manual Adjust: 15 30KHz CGA
- Power Consumption: 40 watts; Power Input: 12Volts 4A Max.

| WELLS-GARDNER TECHNOLOGIES, INC. | |
|-------------------------------------|--|
| | |

| 0105 171 | | |
|-----------|-------------|---|
| | Part Number | Description |
| FC | 49-3223-00 | Wells-Gardner 19" Open Frame LED LCD with AUO PANEL (TN) CGA/VGA |
| CERTIFIED | 49-3224-00 | Wells-Gardner 19" Open Frame LED LCD with AUO PANEL (TN) with Optera Sensor and EETI Controler L/C |
| | | |

Wells-Gardner Open Frame LED Monitor with Samsung Panel

- Wells-Gardner standard 22" wide 16X10 flat panel display with Samsung TN panel
- Optera Sensor, and 3M Controler Available
- Designed for excellent performance and value for Class II and Class III gaming use
- This LCD accepts VGA and DVI-D inputs
- Tempered Clear Glass and Touch Screen options are available;
- Includes power supply with AC cord and VGA cables
- Max Resolution: 1680 x 1050
- Contrast Ratio: 1000:1; Brightness: 250 cd/m2
- Viewing Angle: Horiz./Vert. 160/160 degrees
- Video Interface: VGA/DVI-D
- Analog Scanning Freq: 30 80 kHz
- 1 year manufacturer warranty
- Wells-Gardner reference WGF2258-DDBS29C

| | Part Number | Description |
|----------|-------------|--|
| C | 49-3221-00 | 22" Wells-Gardner Open Frame LED Monitor with Samsung Panel |
| ERTIFIED | 49-3222-00 | 22" Wells-Gardner Open Frame LED Monitor with Samsung TN Panel, Optera Sensor, and 3M Controler |

Wells-Gardner CGA Adapter Kit for 27" LED LCD 49-2958-00

H

- Wells-Gardner CGA Adapter Kit for the 27" Wells-Gardner LED LCD with Samsung Panel VGA/DVI PR FHD (part number 49-2958-00)
- Converts VGA/DVI linput to run CGA/EGA
- Kit Includes, PALED9100-01 Board, 003A0733-001 connector, velcro tape, screws and instruction sheet.



| Part Number | Description |
|-------------|--|
| 49-2959-00 | Wells-Gardner CGA Adapter Kit for 27" LED LCD 49-2958-00 |



SUZO () HAPP

| ORDER 3 WAYS | CALL | FAX | WEB |
|--------------|--------------|--------------|--------------|
| | 888-289-4277 | 800-593-4277 | SUZOHAPP.COM |





Wells-Gardner LCDs

Wells-Gardner Open Frame LED LCD HD Panel with VGA and DVI Inputs

- Widescreen flat panel open frame display HD
- Supports VGA and DVI inputs
- Energy efficient LED technology
- Max. Resolution: 1366 x 768
- Widescreen aspect ratio: 16:9
- Contrast Ratio: 3000:1
- Viewing Angle (Horiz./Vert.): 178/178 degrees
- Video Interface: VGA and DVI
- Analog and Digital Scan
- Auto Size Adjust: 31 70KHz
- Can be used on Guitar Hero, Global VR Nascar, and Incredible Technologies Silver Strike Bowling arcade games

| 100 - 60.5 |
|--|
| |
| |
| A MARKATANA ANA |
| de la constante de |

| Part Number | Description |
|-------------|---|
| 49-3258-00 | Wells-Gardner 32" Open Frame LED LCD HD Panel with VGA and DVI Inputs |
| 49-4259-00 | Wells-Gardner 42" Open frame LED LCD HD Panel with VGA and DVI Inputs |

(RETIFIED FC

Wells-Gardner Open Frame LED LCD with Samsung FHD (PR) Panel

- Input type: FHD; 12V DC Input
- Energy efficient: LED back lighting for reduced power consumption
- Maximum Resolution: 1920 x 1080 @ 60Hz
- Contrast Ratio: 1000:1
- Viewing Angle (Horizontal / Vertical): 178 /178 degrees
- Video Interfaces: VGA, DVI-I (Analog and Digital)
- Horizontal Frequency Range: 28-83 KHz
- Vertical Frequency Range: 49 76 Hz
- AC Input Range (DC Brick): 100-240VAC
- Reference number WGF2359-SFBS09C

| Res Section of the | |
|--------------------|--|
| | |

| Part Number Description | |
|-------------------------|--|
| 49-02359-00 | Wells-Gardner 23" Open Frame LED LCD with Samsung FHD (PR) Panel |
| 49-2958-00 | Wells-Gardner 27" Open Frame LED LCD with Samsung Panel VGA/DVI (PR) FHD |

Wells-Gardner Bezel Kit for 27" LED LCD 49-2958-00

- Bezel kit is to be used with 49-2958-00 LED monitor for 25" and 27" sit down games
- Kit includes: bezel; brackets; sealing tape; gasket seal



| Part Number | ber Description | |
|-------------|--|--|
| 49-2960-00 | Wells-Gardner Bezel Kit for 27" LED LCD 49-2958-00 | |



| ORDER 3 WAYS | CALL | FAX | WEB |
|--------------|--------------|--------------|--------------|
| | 888-289-4277 | 800-593-4277 | SUZOHAPP.COM |



Pyramid Bill Validator

It Takes 7 Seconds To Make A Good First Impression. The Spectra Does It In 1.

Utilizing the power of ultra-bright LEDs, the Spectra captures your customer's attention from the moment they enter the room. The bright, multi-colored LEDs give operators the ability to customize the look of the bezel to match their machine color, a specific holiday or any other event. Spectra gives you the flexibility to show the world your true colors.

Design:

Venting holes at the bottom of the bezel allow for dirt and debris to pass through the acceptor, limiting the amount that ends up inside. This means less down time and more time spent accepting customer payments.

Reliability:

Built on the same platform as the time tested Apex line of acceptors, Spectra delivers on the tried and true reliability that you expect from PTI products.

Flexibility:

- Flash updateable.
- Bills up to 72 mm wide accepted.
- Automatic self-calibration; no user calibration required.
- 12VDC standard or optional 120VAC internal power supply.
- Multiple interfaces available (see below).

Security:


- The highest security against fraudulent bills.
- Dual-stage optical anti-stringing technology.

Under the Hood

- Customize LED patterns and colors
- Simple DIP switch and PC Configuration
- Dual-stage optical anti-stringing
- Easy to update
- High security against counterfeits
- Simple on-board diagnostics
- Accept bills up to 72mm wide
- Automatic self-calibration







4,06

Part Number Description 42-1476-00 Spectra, Upstacker, 67mm, \$1- \$20, 120 VAC, 500 Note Cashbox






CALL 888-289-4277

1.68

ORDER 3 WAYS



*For more information please contact your SuzoHapp Representative

Jumbo Round Illuminated Push Button with Clear Cap & Milky Translucent Bezel

This pushbutton changes color while you play!

- Add a dramatic effect and attract more attention to any game
- Perfect for any OEM application
- 4 Ultra bright multi-color RGB LED's
- Use a controller & wirelss remote (P/N 91-0536-00) to pre-program with 4 unique patterns and 8 different color combinations
- Colors Red, Green, Blue, Yellow, Orange, Purple, Light Blue, Light Purple
- Patterns Solid, Chase Pattern 1, Chase Pattern 2, Color Fade & Then Color Change
- 12vdc RGB LED (external power required)
- Made with highest quality materials
- Fits wood or metal control panels
- Polycarbonate lens cap for optical clarity
- Heat resistant plastic
- Microswitch reliability tested to 10,000,000 cycles
- Custom legend lettering designs and artwork available at nominal charge
- Replacement lampholder, RGB LED 12V, LED lens cap, with microswitch subassembly available (P/N 75-0019-00)



Images above show colors displayed when pushbutton in use.

Part NumberDescription75T-4L12-11ZLJumbo Round

Jumbo Round Illuminated Push Button with Clear Cap & Milky Translucent Bezel

SUZO () HAPP

ORDER 3 WAYS

CALL 888-289-4277

USB Charge 'N Play

Increase Machine Play with a USB Charge 'N Play Give your customers a reason to:



Install the New USB Charge 'N Play!

- Draw new customers to machines and keep them playing longer while their mobile phones and other USB devices charge
- Designed to mount easily to wood or plastic cabinet •
- Compatible with popular mobile devices
- Perfect for Family Entertainment Centers, Bowling Alleys, Restaurants, and Airports
- "Charge 'N Play" logo is backlit with a white LED for increased visibility (custom logos available)
- Maximum Output Current 2.1A DC (total)



| Part Number | Description |
|-------------|--------------------------------------|
| 95-1512-00 | USB Charge 'N Play Single System Kit |
| 95-1516-00 | USB Charge 'N Play 2 System Kit |
| 95-1521-00 | USB Charge 'N Play 4 System Kit |

| Kits Include: | USB Charge 'N Play Single System Kit (P/N 95-1512-00) | USB Charge 'N Play 2 System Kit (P/N 95-1516-00) | USB Charge 'N Play 4 System Kit (P/N 95-1521-00) |
|--------------------------------|---|--|--|
| USB Charge 'N Play Assembly | 1 | 2 | 4 |
| 12V 5 Amp 60W Power Adapter | 1 | 1 | 1 |
| Universal Power Cord | 1 | 1 | 1 |
| 2.5mm DC Extension Cable | 1 | 2 | 4 |
| 4-Way Adapter Cable / Splitter | 0 | 1 | 1 |
| Hardware Kit & Instructions | 1 | 2 | 4 |



SUZO (HAPP



Can be mounted easily to existing cabinets (Product enlarged to show mounting options)



96-1512-00 (only USB Charge 'N Play Assembly shown)

ORDER 3 WAYS CALL FAX 888-289-4277

800-593-4277

WEB SUZOHAPP.COM

TFT LCD Snaphot Push Button

The Snapshot LCD Button unit is a new and innovative addition to the SuzoHapp range of gaming devices, giving the game designer additional tools to enhance the content and player appeal for new gaming machine concepts.




Features:

- Integrated seal protects button LCD circuitry from liquid spills
- Aura accent lighting provided by single LED
- Aura accent lighting comes in a range of colors
- Option to customize LCD decal surround (Black standard)
- 24 frames per second animation
- Full color 128 x 128 Pixels
- USB interface, controller board controls from 1 to 16 buttons.
- RoHS compliant

Advantages:

- Economical alternative to OLED Buttons
- Individual Buttons allow your choice of placement
- If replacement required, you don't have to replace complete button deck, just the button
- No more printed legends
- Display text to enhance game play or multi-function selection





Button Physical Specifications for Reference Only:

| Button Bezel Size with Light Ring: | 49.5mm x 44.4mm |
|--|--------------------|
| Lens Cap size: | 38.40mm X 33.40m m |
| Viewing area of LCD: | 27.30mm x 26.30mm |
| Height above panel to top of Le ns Cap: | 11.5mm |
| Height below the button panel to the bottom of switch terminals: | 32mm |
| Panel Cut out size for each button: | 22mm x 22mm |

| Part Number | Description |
|--------------|---|
| 130-08019-01 | LCD Button, 1 White, Chrome, with Cable, without Controller |
| RS828-E02-01 | LCD Button Controller |

* For more information please contact your SuzoHapp Representative

Electronic Specifications:

| Contoller PCB: | 12VDC |
|---|-----------------------|
| Controller Board can drive: | 1 to 16 Buttons |
| Recommend Power Supply for 16 button panel: | 12Vdc 2A |
| Current Average | 12VDC 0.8A |
| Compliance | RoHS Compliant |

| | 1 | | |
|----|-------|--------------------|--|
| CT | ()) H | $\mathbf{\Lambda}$ | |
| | | | |
| | | | |

Redemption Products

Black Sport XD2 Camera With 2" LCD Screen

Specifications:

- Image sensor 5.0 MP CMOS
- Lens 100° wide angle
- LCD Monitor 2.0 inch TFT
- Storage up to 32 MB Micro SD (Sold Seperately)
- Interface Micro USB
- Microphone Yes
- Battery Life Up to 120 Minutes
- Photo Resolution 12 MP
- Video Resolution 1920 x 1080 30fps, 1280 x 720 60fps
- Auto Exposure, fixed focus
- Web Cam
- Operating Sys. Win. XP+, Mac 10.2+

Includes:

- Suction Mount
- Helmet Mount
- Bar Mount
- Adhesive Mount
- Waterproof Case
- Charging Cable
- User Manual

Dimensions:

- Camera Size 2.5cm x 6cm x 4cm
- Camera Weight 2.5 ounces
- Package 10cm x 13m x 23xm



Scan here to watch videos made with this camera

| Part Number | Description |
|-------------|-------------------------------------|
| 17-0020-00 | Sport XD2 Camera with 2" LCD Screen |

Dr Dre Beats Studio Headphones

- In Orange
- Color: Orange
- Licensed Beats Audio Product
- 3.5mm Stereo Jack
- 1 Year Factory Warranty



Part Number Description 17-0019-00 Dr Dre Beats Studio Headphones in Orange



- Licensed Samsung Product
- Re-certified, guaranteed in original box and packaging.
- Warranty up to 1 year for defects
 - Box Size: 3" x 6" x 8"



| Part Number | Description |
|-------------|-------------------------------|
| 17-0003-04 | Samsung Galaxy Tab4 7" Tablet |

SUZO () HAPP



| | Redemption Products |
|--|---|
| <section-header> Podigy Orb Bluetooth Speaker Wireless connectivity Bluetooth compatible Beat sensing LED lights USB 2.0 charging port iPhone, iPad, and iPod compatible Rechargeable Li-Battery Box Size: 4" x 5" x 6" </section-header> | Black Podigy WAV Headphones Noise Cancellation Driver unit: 40mm Impedance: 32 0hms Sensitivity: 108 +/-3dB Frequency response: 15Hz to 20kHz Plug: 3.5mm stereo plugs Straight cord: 1.5m Box Size: 3.5" x 7.5" x 9" |
| Part Number Description 17-0005-00 Podigy Orb Bluetooth Speaker Red Podigy Pups Earbuds | Part Number Description 17-0006-00 Black Podigy WAV Headphones Logitech UE 350 Noise Isolating |
| Tangle-Free Cord 3.5mm Audio Jack Mic for Smartphone connectivity Box Size: 2" x 5" x 7" | Noise-Isolating Earphone Tuned for extra Bass Durable, sweat-resistant design Box Size: 2" x 4" x 6.25" |
| Part NumberDescription17-0007-00Red Podigy Pups Earbuds | Part NumberDescription17-0008-00Logitech UE 350 Noise Isolating Earphones |
| Logitech UE 4000 Noise Isolating Headphone Licensed Logitech Product Noise-Isolating Earphone | 2GB Apple iPod Shuffle Licensed Apple Product Warranty up to 1 year for defects Box Size: 1.5" x 2" x 2" |

- Cable with on-cord mic and controls
- Zippered microfiber-lined travel pouch
- 2-person sharing splitter
- Box Size: 3" x 7" x 8"

| Part Number | Description |
|-------------|--|
| 17-0009-00 | Logitech UE 4000 Noise Isolating Headphone |





| Part Number | Description |
|-------------|------------------------|
| 17-0010-00 | 2GB Apple iPod Shuffle |



 ORDER 3 WAYS
 CALL
 FAX
 WEB

 888-289-4277
 800-593-4277
 SUZOHAPP.COM

ELO Touch Solutions

ELO Tablet

- Rugged & Connected
- Windows / Intel Architecture
- Integrated MSR, Barcode Reader, Smart Card Reader
- Docking Station

Benefits:

Reliable

- Ruggedized to survive retail environments
- Centralized security and management
- Quality touch from a trusted retail supplier

Integrated

- MSR, Barcode Reader, and Smart Card Reader
- Designed for EMV
- Wi-Fi, Bluetooth, NFC and RFID wireless
- Docking station with battery charging location, Ethernet, 3 x USB, and VGA

Compatible

- Windows / Intel support for your existing applications
- USB connectivity to external peripherals
- Deployable in cloud, thin-client, or client-server environments

Purpose Built

- Mobile Point-of-Service
- Omnichannel Insight
- Endless Aisle



2244L 22" Open-Frame Touchmonitor

- Multi-touch performance with "Built for Touch" reliability
- 55% energy savings using LED technology
- Commercial durability
- 3 year standard warranty

Applications:

- Gaming Machines
- Kiosks
- Point-of-information
- Sell-service and ticketing

* For more information on ELO products please contact your SuzoHapp Representative



 ORDER 3 WAYS
 CALL
 FAX
 WEB

 888-289-4277
 800-593-4277
 SUZOHAPP.COM



ELO Touch Solutions

2740L 27" Open-Frame Touchmonitor

- Thin Bezel Style with "Built for Touch" Reliability
- Pure-glass touchscreen for optimal image quality
- 54% energy savings using LED technology

Applications:

- Kiosks
- Point-of-information Displays
- Gaming Systems
- Ticketing Machines





2440L 24" LED Open-Frame Touchmonitor

- True-flat designs with "Buil for Touch" reliability
- Pure-glass touchscreen for optimal image quality
- Energy savings and slim farm factor by usuing LED technology

Key Applications:

- Kiosks
- Point-of-information Displays
- Gaming Systems
- Ticketing and self-service

* For more information on ELO products please contact your SuzoHapp Representative




 ORDER 3 WAYS
 CALL
 FAX
 WEB

 888-289-4277
 800-593-4277
 SUZOHAPP.COM

8mm Flexible LED Light Strips

- Easily installs in and around your machines for an updated look
- Great for amusement parks, games, arcades, family entertainment centers, theaters, backlighting, decorative lighting etc.
- Very thin continuous length flexible SMD LED strips on a reel with 120° wide angle illumination
- 16.4 ft. rolls can be separated or connected every 3 LEDs
- Adhesive tape on back for simple installation
- Solid state, high shock / vibration resistant
- Controlled by wireless remote & controller (sold separately)
- Each controller can run 65.62 ft. of LED strips
- 50,000 hour life
- Uses less power than traditional lights
- No RF interference
- Sold in Reels of 16.4 feet





| Part Number | Description |
|-------------|---|
| 91-0162-00 | 16.4 ft. Warm White Flexible LED Light Strip |
| 91-0163-00 | 16.4 ft. Cool White Flexible LED Light Strip |
| 91-0257-00 | 16.4 ft. Green Flexible LED Light Strip |
| 91-0531-00 | 16.4 ft. Blue Flexible LED Light Strip |
| 91-0532-00 | 16.4 ft. Yellow Flexible LED Light Strip |
| 91-0533-00 | 16.4 ft. Red Flexible LED Light Strip |
| 91-0534-00 | 16.4 ft. RGB Flexible LED Light Strip |
| 91-0815-00 | 16.4 ft. 10mm RGB flexible LED light strip (60 larger LEDs per meter) |
| 91-0813-00 | 16.4 ft. Brightest White flexible LED light strip (24v) |
| 91-0572-00 | 16.4 ft. 5mm Bright White flexible LED light strip |
| 91-0643-00 | 16 ft. Bright White flexible LED light strip (120 LEDs) |
| 91-0816-00 | 16.4 ft. 10 mm ROB (Red, Orange, Blue) flexible LED light strip |
| 80-0414-10 | 12vdc power supply, 2.5A, for light strips |
| 91-0536-00 | Controller & wireless remote for light strips |







SUZOHAPP IL location

1743 Linneman Road Mount Prospect, IL 60056 Phone 847-593-6130 | Fax 847-593-6137 Toll Free Phone 888-289-4277 Toll Free Fax 800-593-4277

SUZOHAPP NV Location 1385 Pama Lane Unit 100 Las Vegas, NV 89119 Phone 888-289-6137 I Toll Free Phone 888-289-4277 Toll Free Fax 800-593-4277

