

Xerox® Phaser® 6600 Colour Printer and WorkCentre™ 6605 Colour Multifunction Printer



	Phaser 6600N	Phaser 6600DN	WorkCentre 6605N	WorkCentre 6605DN
Output Speed - Colour and Black and White				
One-sided	Up to 35 ppm A4 (210 x 297 mm)			
Automatic Two-sided	N/A	Up to 24 ppm A4 (210 x 297 mm)	N/A	Up to 24 ppm A4 (210 x 297 mm)
Paper Handling - Input				
Duplex Automatic Document Feeder (DADF)				
Capacity¹	N/A		50 sheets	
Sizes			Custom Sizes: 140 x 140 mm to 216 x 356 mm	
Weights			Simplex: 50 to 125 gsm Duplex: 60 to 125 gsm	
Multipurpose Tray				
Capacity¹	150 sheets			
Sizes	Custom Sizes: 76.2 x 127 mm to 216 x 356 mm			
Weights	60 to 216 gsm			
Media Types	Plain paper Hole punched Letterhead Coloured Lightweight Card stock Lightweight Glossy Card stock Heavyweight Card stock Heavyweight Glossy Card stock Labels Envelopes			
Tray 1				
Capacity¹	550 sheets			
Sizes	Sizes: 148 x 210 mm to 216 x 356 mm			
Weights	60 to 216 gsm			

¹ Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.

Xerox® Phaser® 6600 and WorkCentre™ 6605

Media Types	Plain paper Hole punched Letterhead Coloured Lightweight Card stock Lightweight Glossy Card stock Heavyweight Card stock Heavyweight Glossy Card stock			
Tray 2 (Optional)				
Capacity¹	550 sheets			
Sizes	Sizes: 148 x 210 mm to 216 x 356 mm			
Weights	60 to 216 gsm			
Media Types	Plain paper Hole punched Letterhead Coloured Lightweight Card stock Lightweight Glossy Card stock Heavyweight Card stock Heavyweight Glossy Card stock			
Paper Input Capacity				
Standard Capacity¹	700 sheets			
Maximum Capacity¹	1250 sheets			
Paper Output	Phaser 6600N	Phaser 6600DN	WorkCentre 6605N	WorkCentre 6605DN
Output Capacity¹	250 sheets			
Automatic Two-sided Output	N/A	Standard	N/A	Standard
Print				
First-Page-Out Time	As fast as 9 seconds black and white / 10 seconds colour			
Print Resolution	Up to 600 x 600 x 4 dpi (1200 x 1200 enhanced image quality)			
Maximum Print Area	4.1 mm from all edges			
Memory (Std/max)	256 MB / 768 MB		512 MB / 1 GB	
Optional Hard Drive	160 GB			
Processor	533 MHz			
Language Support	True Adobe® Postscript® 3™ PCL® 5 PCL® 6 XPS PDF Emulation			
Connectivity	USB 2.0 10/100/1000Base-TX Ethernet Optional Wi-Fi (802.11 n/g/b)			

¹ Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.

Xerox® Phaser® 6600 and WorkCentre™ 6605

Printing Features	PANTONE® Colour calibrated solid-colour simulations Saved settings Earth Smart settings Colour Corrections N-up Booklet layout Watermark Photo mode Collation Secure Print ² Saved Print ² Font/Form/Macro Storage ³
Supported Operating Systems	Windows® XP SP1, Vista, 7, 2008 Server, 2003 Server Mac OS® 10.5 and later Various Linux and Unix distributions, including: IBM® AIX 5 HP-UX® 11i v2 Open SUSE 11 Red Hat Fedora Core 11-14 Ubuntu
Print Drivers	Windows® XP and later Mac OS® 10.5 and later Xerox® Global Print Driver® Xerox® Mobile Express Driver®
Font Capability	176 PostScript® fonts 88 PCL® fonts
Xerox® Mobile Express Driver® (X-MED)	Makes it easy for mobile users to find, use and manage Xerox® and non-Xerox devices in every new location. Plug into a new network, and X-MED automatically discovers available printers and provides status and capability information. Save a list of “favourite” printers for each location, store application print settings for use on any printer in any network and greatly reduce mobile support calls to IT. <ul style="list-style-type: none"> • Printers are automatically discovered • Printer list can be managed based on location • Gives Bidirectional feedback device status, supplies, queue management
Xerox® Global Print Driver® (X-GPD)	A truly universal print driver that lets IT administrators install, upgrade and manage Xerox® and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management. <ul style="list-style-type: none"> • Printers are automatically discovered • Printer list can be managed based on location • Gives Bidirectional feedback device status, supplies, queue management

² Standard on WorkCentre 6605, requires optional Productivity Kit on Phaser 6600

³ Requires Productivity Kit (with 160 GB Hard Drive)

Xerox® Phaser® 6600 and WorkCentre™ 6605

Copy		Phaser 6600	WorkCentre 6605
Copy Speed	N/A		Simplex: Up to 35 ipm (images per minute) A4 Duplex: Up to 24 ipm A4
Document Scanner			Duplex Automatic Document Feeder with 50-sheet capacity
Document Scanner Size			Platen: Up to A4 DADF: Up to 216 x 356 mm
Sides (input:output)			1:1, 1:2, 2:2 and 2:1
Quantity			1 to 99
Resolution			Up to 600 x 600 dpi
First-copy-out Time			As fast as 13 seconds black and white / 16 seconds colour
Copy Features			Reduce/Enlarge (25% - 400%) Lighter/Darker Colour Saturation Sharpness Colour Balance Auto Exposure 2-up Output AutoFit Cloning Collate (up to 50 pages)
Fax		Phaser 6600	WorkCentre 6605
Fax Speed	N/A		33.6 Kbps
Memory			4 MB
Resolution			Up to 300 x 300 dpi (Super Fine / Photo) resolution Up to 203 x 196 dpi (Fine) resolution Up to 203 x 98 dpi (Standard) resolution
Compression			MH, MR, MMR, JBIG
Walk-up Fax Features ⁴			Reject Junk Fax Distinctive Ring Pattern Detection Fax Forwarding and Local Print Polling Receive Delayed Start (up to 24 hours) Broadcast Sending (up to 200 destinations) Fax Address Book (up to 200 speed dials) Secure Fax Receive
LAN Fax Features			Delayed Start (up to 24 hours) Broadcast Sending (up to 30 destinations) Zoom Auto Fit Rotation N-up Watermark Phonebook (Up to 500 speed dial numbers, up to 500 group dials, phonebook stored on PC)

⁴ Analogue phone line required

Xerox® Phaser® 6600 and WorkCentre™ 6605

Scan	Phaser 6600	WorkCentre 6605
Capability	N/A	Black and white and colour scanning
Input Speed - B/W		Simplex: Scan up to 22 ipm – A4 Duplex: Scan up to 7 ipm – A4
Input Speed - Colour		Simplex: Scan up to 13 ipm – A4 Scan up to 4 ipm – A4
Resolution (maximum)		Up to 1200 x 1200 dpi
Bit Depth		48-bit colour, 16-bit greyscale
Maximum Scan Area		Platen: Up to A4 DADF: Up to 216 x 356 mm
Network Filing Protocol		FTP SMB
File Formats		PDF TIFF (single and multi-page) JPEG
Scan Driver Compatibility		WIA TWAIN
Supported Scan Destinations		Scan to Computer via SMB Scan to Server via FTP Scan to Email with LDAP support Scan to USB Memory Device WSD Scanning
Scanning Solutions		
Xerox® Scan to PC Desktop Personal Edition	N/A	<p>A desktop and server-based offering that provides document imaging, archiving, editing and organisation tools</p> <ul style="list-style-type: none"> • Nuance PaperPort – image viewing and file management software • Nuance OmniPage (for desktop/client installation) – OCR and file format conversion software • Image Retriever – provides fully automated retrieval of scanned images direct from a scan enabled Xerox® WorkCentre to individual desktops. <p>For a complete list of scanning solutions, visit www.xerox.com</p>
Security		
Security Features	Secure Fax Receive (WorkCentre 6605 only) Secure Print ⁵ 256-bit disk encryption and overwrite ⁶ Secure HTTPS (SSL, Secure LDAP ⁶) IPsec 802.1X Authentication IPv6 SNMPv3 Audit Log IP Filtering	

⁵ Standard on WorkCentre 6605, requires optional Productivity Kit on Phaser 6600

⁶ Requires Productivity Kit (with 160GB Hard Drive)

Xerox® Phaser® 6600 and WorkCentre™ 6605

Wi-Fi Security			
	Authentication Method	Encryption	Hard Drive Required
	Open WPA PSK WPA PSK / WPA2 PSK	WEP 64/128 ASCII/HEX TKIP AES	No
	WPA Enterprise WPA Enterprise / WPA 2 Enterprise WPA Enterprise AuthenticationMethod options: PEAPVO MS-CHAPV2 EAP-TLS EAP-TTLS PAP EAP-TTLS CHAP	TKIP AES	Yes
Device Management			
Xerox CentreWare® Web			
	<ul style="list-style-type: none"> • A Web-based server application for network administrators that permits web browser-based device management from any workstation, whether running Windows or UNIX or any other operating system • Works with any SNMP-managed printer from any manufacturer • Provides help with device discovery and installations, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management 		
Xerox® CentreWare® Internet Services - Integrated Device Web Page			
Device Status	Web server embedded <ul style="list-style-type: none"> • Tray status/contents • Consumables status 		
Print Queue Viewing	Complete job print queue management – hold, release, promote and delete		
Job Submission	Print-ready files (PS, PCL, TIFF, PDF) Output feature selection		
Device Administration	Allows simple, remote installation setting of configuration options and management of the device		
Browsers	Microsoft® Internet Explorer 7 Firefox® version 4 and above		
Xerox® Mobile Solutions			
Xerox® PrintBack	PrintBack takes the capabilities of the printer you already use, and extends them beyond your computer and out to your Apple iOS- or Android-based mobile device. When you're working offsite or away from your desk and receive an important document via your mobile device, simply use PrintBack to print it with your default printer back at your office or desk. Plus, it supports the most common office file types (Microsoft® Office documents, PDF, etc.) with uncompromised print quality.		
Xerox® Mobile Express Driver®	The Xerox® Mobile Express Driver is a single, universal printer driver that can be downloaded to a PC and used to print to virtually any PostScript device on the network, including printers made by other manufacturers. Instead of downloading individual printer drivers for each product in each office, users can download the single, simple, Mobile Express Driver.		
Device Specifications			
Duty Cycle			
	Up to 80,000 pages per month ⁷		
Recommended Monthly Print Volume			
	Up to 5,000 pages per month ⁸		

⁷ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

⁸ Average monthly print volume - expected regular monthly throughput.

Xerox® Phaser® 6600 and WorkCentre™ 6605

Power Consumption		Phaser 6600	WorkCentre 6605		
220-240 VAC, 50/60 Hz, 5A					
Printing (average operations)	520 watts	560 watts			
Standby Mode	64 watts	72 watts			
Sleep Mode	4 watts	5.9 watts			
Warm up (from sleep)	As fast as 21 seconds	As fast as 25 seconds			
Warm up (from power on)	As fast as 40 seconds	As fast as 44 seconds			
Storage Temperature Range	0° to 35° C				
Operating Temperature Range	10° to 32° C				
Operating Humidity	10% to 85%				
Storage Humidity	5% to 85%				
Operating Altitude	Up to 3,100 metres				
Shipping Altitude	Up to 15,000 metres when pressurised at 70.9275 KPa or greater				
Sound Pressure Levels		Phaser 6600	WorkCentre 6605		
Printing / Copying	53 dB(A)	52 dB(A)			
Standby	29 dB(A)	29 dB(A)			
Sound Power Levels					
Printing / Copying	6.9 B	6.8 B			
Standby	4.5 B	4.4 B			
Dimensions and Weights (Unpackaged)		Width	Depth	Height	Weight (with CRUs)
Phaser 6600	430 mm	488 mm	384 mm	25.5 kg	
WorkCentre 6605	430 mm	528 mm	560 mm	32.5 kg	
550-sheet Feeder	427 mm	485 mm	138 mm	2.6 kg	
Dimensions and Weights (Packaged)		Width	Depth	Height	Weight
Phaser 6600	570 mm	686 mm	526 mm	30.5 kg	
WorkCentre 6605	570 mm	686 mm	706 mm	37.5 kg	
550-sheet Feeder	590 mm	544 mm	241 mm	5.2 kg	

Xerox® Phaser® 6600 and WorkCentre™ 6605

Certifications

FCC Part 15 Class B, RoHS Directive 2002/95/EC, WEEE Directive 2002/96/EC, Low Voltage Directive 2006/95/EC, EN 60950-1, EN 60825-1 – Class 1 Laser Product, EMC Directive 2004/108/EC, EN 55022, Class B, EN 55024, Listed to UL/CSA 60950-1, FDA 21 CFR Part 1010, 1040 – Class 1 Laser Product, CB Report, IEC 60950-1, IEC 60825-1 – Class 1 Laser Product, Section 508 ADA

ENERGY STAR® (DN configuration), Microsoft WHQL, Adobe® PostScript®, PANTONE®, ECMA 370 Declaration (Nordic), GOST/NOM, GS Mark, Environmental Choice, Xerox® Green World Alliance, USB 2.0 Hi-Speed, WiFi Alliance (option), WLAN certified (option), Apple® Bonjour, IPv6 Ready logo, Citrix Ready, SAP, PTT (WorkCentre 6505 only)

What Comes in the Box

Phaser 6600 or WorkCentre 6605
 Starter Toner Cartridges – One of each (Cyan, Magenta, Yellow: 2,000 print capacity⁹; Black: 3,000 print capacity⁹)
 Quick Use Guide, Quick Install Guide
 Software and Documentation CD (with Drivers, User Manual and Warranty Statement)
 Scan Software (WorkCentre 6605 only)
 Power cord
 Fax cord (WorkCentre 6605 only)

Supplies and Options	Description	Order Number
Standard-Capacity Print Cartridges ⁹	Black: 3,000 pages	106R02248
	Cyan: 2,000 pages	106R02245
	Magenta: 2,000 pages	106R02246
	Yellow: 2,000 pages	106R02247
High-Capacity Print Cartridges ⁹	Black: 8,000 pages	106R02232
	Cyan: 6,000 pages	106R02229
	Magenta: 6,000 pages	106R02230
	Yellow: 6,000 pages	106R02231
Routine Maintenance Items ¹⁰	Imaging Unit Kit: Up to 60,000 pages	108R01121
	Waste Cartridge: Up to 30,000 pages	108R01124
	550-sheet Feeder	097S04400
	512 MB memory	097S04269
	Productivity Kit (160 GB Hard Drive)	097S04403
	Wireless Networking Adaptor	097S04409

⁹ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

¹⁰ Approximate pages. Declared yield based on an average job size of three A4 pages. Yield will vary depending on job run length and media size and orientation.

