
electronic
**CONTROLLED
DRUG**
register



ECDR Manual Documentation

Release 2.14

Microlink PC Medical

February 17, 2009

ii

CONTENTS

1.1	Sales	3
1.2	Support	3
1.3	Website	3
2	License	5
2.1	Term	5
2.2	Limitations of Liability	6
2.3	Product Serial Number and Required Activation	6
2.4	General	6
2.5	Administrator responsibilities	6
3	Installation	7
3.1	Running the installer	7
3.2	The installation wizard	7
4	Getting Started	9
4.1	Setting up the Pharmacy	9
4.2	Logging In	9
4.3	Changing Passwords	9
5	Administrator Responsibilities	11
5.1	Closing the software	11
5.2	Backing Up	11
5.3	Passwords	11
5.4	Printing Reports	11
5.5	Tampering With Software	11
5.6	Training	12
5.7	Online Updates	12
5.8	Newsletters	12
5.9	After Sales	12
6	Manual Stock Entry	13
7	The Register	17
7.1	Viewing a Drugs Register	17
7.2	Printing a Drugs Register	17
7.3	Saving a Drugs Register	18
7.4	Creating an inspection	18
8	Stock Management	21

- 8.1 Viewing Stock 21
- 8.2 Receiving Stock 21
- 8.3 External Transfers 23

- 8.4 Stock Taking 24
- 8.5 Daily Methadone Stock Overages and Underages 25
- 9 Dispensing 29
 - 9.1 Patient Details 29
 - 9.2 Prescriber Details 31
 - 9.3 Drug Details 31
 - 9.4 Dispensing Details 33
 - 9.5 Collection Details 33
 - 9.6 Completing Dispensing 33
- 10 Scheduling 35
 - 10.1 Creating a Schedule 35
 - 10.2 Dispensing a Scheduled drug 37
 - 10.3 List Schedules 38
- 11 Reporting 41
 - 11.1 Viewing Reports 41
 - 11.2 Previewing Reports 41
 - 11.3 Printing Reports 41
 - 11.4 Saving Reports 42
- 12 Cancellations 45
- 13 Drug Destruction 47
 - 13.1 Viewing Destruction Logs 47
- 14 Managing Suppliers 51
 - 14.1 Adding Suppliers 51
 - 14.2 Searching for a supplier 52
- 15 Changing Passwords 53
- 16 User Management 55
 - 16.1 Adding a User 55
 - 16.2 Editing a User 57
- 17 System Back Up 59

17.1	Creating a Back Up	59
17.2	Restoring From a Back Up.	59
18	Quick Guide	61
18.1	Register	61
18.2	Receiving	61
18.3	Dispensing	61
18.4	Reporting	64
18.5	Destruction	64
19	Indices and tables	67

Author Microlink PC Medical medical@microlinkpc.com

Contact Details

Contents

- Contact Details
 - Sales
 - Support
 - Website

These are important contact details that you should keep at hand.

1.1 Sales

Microlink PC Medical.

Microlink House, Brickfield Lane, Chandlers Ford, Hampshire SO53 4DP

02380 240 340

medical@microlinkpc.com

1.2 Support

Microlink PC Medical.

Microlink House, Brickfield Lane, Chandlers Ford, Hampshire SO53 4DP

02380 240 340

medical@microlinkpc.com

1.3 Website

<http://controlled-drugs.co.uk/>

Contents

- License
 - Term
 - Limitations of Liability
 - Product Serial Number and Required Activation
 - General
 - Administrator responsibilities

This is a legal agreement between you, the end user and MicrolinkPC Medical and the software developers. The Software is the intellectual property of MicrolinkPC Medical and the software developers, it is protected by European and United Kingdom Copyright laws. MicrolinkPC Medical and the software developers grants to you a license to use this software: On one machine only.

To make a back-up copy of the program for support of its use on one machine.

To modify and use the program in conjunction with another program for use on one machine.

You may not rent or lease the software but you may transfer your rights under this agreement.

To transfer the program to another party, if that party agrees to accept the terms and conditions of this License, and you do not keep any copies of the program. If you decide to retain any copies of this program you must not transfer it to another party.

If a site license has been granted for use of this program on several machines additional copies may be made for the licensees use equal to the number of licenses purchased.

YOU MAY NOT MODIFY, REVERSE ENGINEER, TRANSLATE, DISASSEMBLE, ACCESS DATA SOURCES THROUGH ANY OTHER MEDIUM, OR DE-COMPILE THE SOFTWARE, OR ANY COPY, IN WHOLE OR PART.

2.1 Term

You may cancel this license at any time by removing the program from your machine together with destroying all copies of the program, its modifications, and merged portions. The license will also be cancelled upon conditions set out elsewhere in these Terms and Conditions, also MicrolinkPC Medical and the software developers may terminate your license if you fail to comply with this License. You agree, that should termination be required for any reason, you will destroy the program together with all copies, modifications, and merged portions.

This license is effective until it is terminated.

ECDR Manual Documentation, Release 2.14

2.2 Limitations of Liability

The software is supplied and licensed “as is” without warranty or representation, either expressed or implied, with respect to the software and its documentation including, without limitation, their merchantability and suitability for any purpose. Under no circumstances will MicrolinkPC Medical and the software developers or any appointed agents be liable for damages whether direct, indirect, consequential or incidental arising from

the use or misuse of the software. MicrolinkPC Medical and the software developer's liability to you or any third party shall not exceed the purchase price paid for this product.

Thirty-day limited warranty on disks. MicrolinkPC Medical and the software developers guarantee the enclosed disks to be free of defects in material and workmanship under normal use for 30 days after purchase. During the 30-day period, you may return a defective disk to MicrolinkPC Medical and the software developers with proof of purchase, and it will be replaced without charge, unless the disk is damaged by accident or misuse. Replacement of a disk is your sole remedy in the event of a defect. This warranty gives you specific legal rights, and you may also have other rights which may vary from time to time.

2.3 Product Serial Number and Required Activation

This program may contain a serial number and activation system; the software may also be protected against installing it on more than one computer and be designed to prevent unlicensed or illegal use of the software. If this software contains such a system you agree that MicrolinkPC Medical and the software developers may use these measures to protect MicrolinkPC Medical and the software developers against software piracy. It may be that if you do not complete the activation of the software within the prescribed time the software may cease to function. In the event that you are not able to activate the software over the Internet, you may contact MicrolinkPC Medical and the software developers Customer Service via the telephone to complete the activation process, using the information provided by MicrolinkPC Medical and the software developers during activation, or as may be set forth in the documentation.

2.4 General

This Agreement will be governed by the laws of the United Kingdom, and you agree that any claims regarding the software shall be brought in the UK.

2.5 Administrator responsibilities

The software administrator will be responsible for maintaining backups of the system on removable and paper media. MicrolinkPC Medical take no responsibility from loss of data due to failure to backup.

Contents

- Installation
 - Running the installer
 - The installation wizard

The installation procedure involves a standard installer, and should be familiar to anyone having installed software before.

3.1 Running the installer

Firstly, enter the CDROM in the CDROM drive of the computer, and click the icon for the drive in Windows Explorer.

Click the icon `ecdr_install.exe` (numbered with the version of the software you are installing).

3.2 The installation wizard

The installation wizard will guide you through the installation.

- Click *next* to commence the installation
- Read the license carefully, and agree to continue the installation
- Enter the location you would like to install the application. The default location is preferred, and will be presented by the installer
- Select the name of the program group for the start menu. The default location is preferred, and will be presented by the installer
- You will then be asked whether you want to create an icon on the desktop. To place an icon on the desktop tick the box labelled *create a desktop icon*
- The installer is now ready to commence installation
- Click the *install* button or back to change settings
- The installer will install the application
- Once completed, the installer will present a dialogue to confirm this
- The application can optionally be launched at this stage by ticking the box labelled *launch Controlled Drug Register*.

Getting Started

Contents

- Getting Started
 - Setting up the Pharmacy
 - Logging In
 - Changing Passwords

How to get started with the Electronic Controlled Drug Register. This chapter includes setting up the pharmacy and logging in to the application for the first time.

4.1 Setting up the Pharmacy

On first use of the application, the administrator will be prompted to enter the pharmacy details. These should be entered carefully, as they can only be entered once and are not changeable afterwards.

Once entered, the *ok* button should be clicked, and the application will start as normal, and the user will be prompted to log in.

4.2 Logging In

In order to log in, the user will be presented with a login dialogue:

Enter login details, and click the *ok* button.

The initial account is setup for the administrator, with:

Username:	admin
Password:	admin


You have 3 attempts to log in before the application exits.

Pressing the *cancel* button will exit the application.

The administrator **MUST** change their password when first logging in to the system. This is a feature of security.

4.3 Changing Passwords

For full information on changing passwords, see User Management.



FIVE

Administrator Responsibilities

The software administrator will be responsible for maintaining backups of the system on removable and paper media.

MicrolinkPC Medical take no responsibility from loss of data due to failure to backup.

5.1 Closing the software

The administrator must ensure the software is closed at the end of each working day.

5.2 Backing Up

The administrator is responsible for ensuring that regular backups are made onto removable media, such as USB Drive, or CDROM.

In the event of hardware failure, such as hard-drive failure, the Electronic Controlled Drug Register will be able to restore itself from backup.

The use of regular backups to a safe location will ensure that the data can never be lost.

5.3 Passwords

The administrator and all newly added users must change their password on first logging into the system.

Warning: Keeping the default password is a security hazard.

5.4 Printing Reports

The administrator is responsible for printing and maintaining regular printed reports of the data using the report printing functionality of the application.

5.5 Tampering With Software

The application must not be tampered with in any way. No files in the application directory should be edited, moved or deleted. Doing this may result in permanent loss of data.

5.6 Training

All users of the application must undergo training in order to have the competence to use it. This training should at the minimum include reading this manual.

5.7 Online Updates

The online updater can be found in the backup/archive tab. You can choose to check manually daily for new updates or sign up for the optional newsletter that will inform you of new updates and any new features that have been added to the software.

5.8 Newsletters

If you prefer to download and install updates yourself, the Electronic Controlled Drug Register newsletter will inform you of any new update, all the latest features and news.

5.9 After Sales

This operation is only to be done after purchase of the software has been completed.

To generate a key:

- Click the *backup / archive* tab
- Click the *generate passport* button
- A window will appear with a long letter and number passport key
- Copy and paste the whole key that appears in the new window into an email
- Email to medical@microlinkpc.com

To enter an activation key:

- Click the *backup / archive* tab
- Select the *enter key* button
- Now copy and paste the key that has been sent to you from Microlink PC Medical (including = signs) into the blank field in the *enter key* window
- Click *ok* and the key should be saved

Note: This can be a very tricky process and if you come across any problems we strongly encourage you to phone our technical support team.

SIX

Manual Stock Entry

Contents

- | |
|--|
| <ul style="list-style-type: none">• Manual Stock Entry |
|--|

The Electronic Controlled Drug Register allows you to manually enter current stock details when initially installing the application. It should be noted that this can only be done once, and is an irreversible action. This is to ensure reliability of data in the system.


It is expected that the administrator will enter the manual items on first using the application, and once the stock has been aligned, the Electronic Controlled Drug Register will be responsible for calculations of stock and generation of reports.

Note: You can only enter the existing stock once. Make sure you have all the information at hand before you start.

- Select the tab labelled *Manual Entry*
- Click the *start manual entry* button
- Enter the value for each drug in the table by clicking the value and editing it in place
- Once completed, click the *finish manual entry* button.

You will be presented with a confirmation dialogue to confirm whether you really want to exit.

The stock recorded in the Electronic Controlled Drugs Register will now reflect the current stock in the pharmacy and the manual entry function will become permanently inactive.



Electronic Controlled Drugs Register

Logged in as: **admin (no registration)** [About the ECDR](#)

Drug	Quantity
Actiq (Lozenge 200mcg)	50
Actiq (Lozenge 400mcg)	50
Actiq (Lozenge 600mcg)	50
Actiq (Lozenge 800mcg)	50
Actiq (Lozenge 1.2mg)	50
Actiq (Lozenge 1.6mg)	50
Alfentanil (Solution 1mg/2ml)	50
Alfentanil (Solution 5mg/10ml)	50
Alfentanil (Solution 5mg/1ml)	50
Cannabidiol (Spray 2.7mg)	50
Cocaine (Powder 1mg)	50
Cocaine Hydrochloride (Powder 1mg)	50
Codeine (Ampoule 60mg/1ml)	50

The Register

Contents

- The Register
 - Viewing a Drugs Register
 - Printing a Drugs Register
 - Saving a Drugs Register
 - Creating an inspection

A register can be viewed and printed for each drug showing all activity, and a running balance.

7.1 Viewing a Drugs Register

To view the register for a drug:

- Click the *register* tab
- Enter the drug name into *drug name* OR
- Select a drug name from the drug name drop down
- Select the correct dosage and formulation of the drug from the drug list
- Click *open drug in a new window*
- The register will appear in a separate window

7.2 Printing a Drugs Register

To print a drugs register:

- View a drug register (as above)
 - Click the *print this register* button
 - Select the dates you wish to print in the date chooser and click *ok*
 - Confirm the print dialogue and your register will be printed
-



7.3 Saving a Drugs Register

To save a drugs register:

- Open the drug in a new window
- Click the *save this register* button
- Enter your required dates into the date chooser
- The file save dialogue will appear



- Enter the name you wish to call your saved report
- Click the *save* button.

This register is now saved to your hard drive.

7.4 Creating an inspection

To create an inspection:

- View a drug (as above)
- Click the words *inspection details* in the bottom left of the new window
- The inspection log will open
- Enter inspector name, ID and any notes into the relevant fields
- Click the *add inspection* button



Contents

The inspection is now saved to the log.

Inspectors can also print, preview and save drugs registers. For instructions see above.

After an inspector has added all the drug inspections, the Electronic Controlled Drugs Register suggests creating a new backup. For instruction on how to backup, please see the System Backup section of this manual.

Stock Management

The Electronic Controlled Drug Register records all changes in stock for controlled drugs. Items should be entered into the register when stock is received into the pharmacy, and transferred out of the pharmacy. Additionally, the software records stock takes for these drugs.

8.1 Viewing Stock

To view the stock:

- First select the *stock* tab
- Followed by the tab labelled *current stock*

All the stock will be visible.

To narrow down the items that are displayed, either type a drug name into the entry labelled *drug name*, or select a drug from the drop down box.

You can also print, preview and save your stock.

To print:

- Select the drug you wish to print a report for
- Choose the dates between which you wish to print
- Click the *print report* button
- Accept the print dialogue.

To preview:

Click the *preview* button and a report preview will be generated.


To save:

- Click the *save report* button
- Choose what report(s) you want to save and press *ok*
- Select where you want to save your report and what you want to call it
- Press the *save* button.


8.2 Receiving Stock

You must ensure that you have added one or more suppliers before you receive stock.

To access the stock receiving functions:



- First select the *stock* tab
- Followed by the *receive stock* tab



- Select the drug to receive. Either type the name into the entry labelled *drug name*, or select a drug name in the drop down box
- Once the drug name is selected, select the correct preparation and dose of the drug from the available dosages and preparations listed below
- If the drug has been received from a supplier, select the supplier in the list labelled *name and address from whom received* and the invoice number for the receipt. Otherwise, for internal transfers between branches, select the check box labelled *internal transfer* and the branch from which the drug was received
- Enter the quantity received in the entry labelled *quantity received*, and the date which it was received (which is defaulted to the current date) in the entry labelled *date received*
- Click on the *save* button.

You have now successfully added stock to the Electronic Controlled Drug Register.

You may clear the entered data at any time by pressing the *clear* button.

- First select the *stock* tab

8.3 External Transfers

Transfers of drugs may be made between branches of a pharmacy.

To access the External Transfer functions:

Then select the *external transfer* tab

- Select the drug to transfer. Either type the name into the entry labelled *drug name*, or select a drug name in the drop down box
- Once the drug name is selected, select the correct preparation and dose of the drug from the available dosages and preparations listed below in the drug list
- Enter the details in the entries labelled *signed order date*, *signed order by*, and *signed order profession* of the signed order covering the transfer
- Enter the quantity in the *quantity supplied* entry
- Enter the date of the transfer in the *date transferred* entry
- Enter the target of the transfer in the entry labelled *name and address of person or firm supplied*
- Click the *save* button.

- First select the *stock* tab

•


You have now successfully transferred stock out of the pharmacy in the Electronic Controlled Drug Register.

You can clear the details at any time by clicking the *clear form* button.

8.4 Stock Taking

To access the stock taking functions:

Then select the tab labelled *stock take*.



- Click the *start stock take* button. The list of drugs, the expected stock, the actual stock, and the discrepancy is listed.
- For each drug, enter the actual stock in the *actual* column. Values are edited by double-clicking them.
- When the stock-take is completed, click the *finish stock take* button. The stock take will be added to the system.

A stock take may be cancelled at any time by clicking the *cancel stock take* button. You will lose all the data entered for that stock take.

- First select the *stock* tab

-


Note: Stock takes can be made easier by printing out the current stock list before hand and then entering all the data at once. Instructions for printing current stock lists can be found in the viewing stock section.

8.5 Daily Methadone Stock Overages and Underages

In case of overages and underages in Methadone dispensing, the Electronic Controlled Drug Register has the facility to modify the stock levels of Methadone mixture. When this alteration takes place, there is an entry made in the register which can be reviewed later by inspectors.

To compose a daily Methadone stock take:

- Click the *daily methadone stock* tab.



- Select the form of Methadone you wish to record in the form scroll down
- Select the date you wish to make a record of
- Enter the quantity of Methadone you have in stock
- Click *save* to store the details you have entered

If your quantity of stock differs from the expected stock you will be asked to enter a reason for the discrepancy. Usually this will be an “underage” or and “overage”. The expected stock will change to show the amount you have declared.

You can clear the entered data at any time by pressing the *clear* button.

Dispensing

Contents

- Dispensing
 - Patient Details
 - Prescriber Details
 - Drug Details
 - Dispensing Details
 - Collection Details
 - Completing Dispensing

To access the dispensing page, select the *dispensing* tab.

Dispensing is divided into 5 sets of information for entry. These are:

- Patient details,
- Prescriber details,
- Drug details, • Dispensing details,
- Collection details.

9.1 Patient Details

Firstly you will need to choose a patient to dispense to.



The patient should be selected from the list. A name can be searched for by entering the name in the *search* entry.


If the patient is not present in the system, the patient must be added.

To add a patient:

- Click the *new patient* button
- Enter the patient details in the patient editor dialogue
- Click the *ok* button to confirm.

Step 1: Patient

 New Patient  Edit Patient

Search  Clear

Name	Address
F. Pascoe	Trowbridge Devon
F. Godfree	23, Oak Drive Littletown

Edit Patient Details 

Name:

Address:

Post Code:

Telephone:

NHS Number:

 Cancel  OK

The new patient is now added to the list. You can cancel adding a new patient at anytime by clicking the *cancel* button.

For security purposes, Patient cannot be edited, if details are changed a new profile must be made.

Once selected the patient details will appear in the dispensing details area.

9.2 Prescriber Details

Next you will have to choose a prescriber.

Step 2: Prescriber

New Prescriber Edit Prescriber

Search Clear

Name	Registration
F. Handle	123456
I. Potter	123456
J. O'Toole	123456

The prescriber should be selected from the list. A name can be searched for by entering the name in the *search* entry. Once selected, the prescriber will appear in the *dispensing details* area.

If the prescriber is not present in the system, the prescriber must be added.

To add a prescriber:

- Click the *new prescriber* button
- Enter the prescriber details in the prescriber editor
- Click the *ok* button to confirm

The new prescriber is now added to the list. You can cancel adding a prescriber at anytime by clicking the *cancel* button.

For security purposes, Prescribers cannot be edited, if details are changed a new profile must be made.

9.3 Drug Details

Now you will need to enter the drug details.

- Select the drug name from the drug selector drop down or enter part of the name, or the entire name in the drug selector drop down
 - Select the form and dose of the drug from the drug list
 - The selected drug will appear in the *dispensing details* field.
-

Contents

ECDR Manual Documentation, Release 2.14

Step 3: Drug Details

Drug Name:

Name	Form	Strength	Stock
Actiq	Lozenge	200mcg	90
Actiq	Lozenge	400mcg	50
Actiq	Lozenge	600mcg	50
Actiq	Lozenge	800mcg	50
Actiq	Lozenge	1.2mg	50
Actiq	Lozenge	1.6mg	50

Step 4: Dispensing Details

Patient: **F. Godfree**

Selected Drug: **Actiq (Lozenge 600mcg)**

Prescriber: **F. Handle**

Date Supplied:

Quantity Supplied:

Private Prescription

9.4 Dispensing Details

The dispensing details contain a confirmation of the Patient, Prescriber and Drug selected in the previous stages. In addition the following must be entered:

- Enter the date in the *date supplied* box
- Enter the quantity of drug to dispense in the *quantity supplied* box.

If it is a private prescription you will need to click the *private prescription* check box.

9.5 Collection Details

Step 5: Collection Details

Patient Name of person collecting. (Must also enter address if Healthcare Professional):
 Other

ID Shown? ID Type:
 Discretion Used? Reason for discretion:

If the patient collected the drug themselves:

- Ensure *person collecting* is set to *patient*

Record whether the identification is shown:

- Select *ID shown*
- Select the type of identification in *ID type* or
- Enter the type of identification manually.

If no identification is shown, and discretion is used:


- Select *discretion used*
- Enter the reason for using discretion.

If the patient is not collecting the prescription themselves:

- Ensure that *person collecting* is set to *other*
- Enter the name of the collecting person in the *name of person collecting*
- Complete steps above for identification.

9.6 Completing Dispensing

To complete the dispensing, click the *dispense drug* button.



To clear the form at any time, click the *clear form* button.

Contents

Scheduling

Contents

- Scheduling
 - Creating a Schedule
 - Dispensing a Scheduled drug
 - List Schedules

The Scheduling functions are specially designed for pharmacies with large amounts of Methadone patients. By creating a schedule for each patient you can save the time that would have been taken up entering the information into the dispensing section every day.

For all scheduling functions, select the *Scheduling* tab.

10.1 Creating a Schedule

To create a new schedule you should:

- Click the ** tab
- Select *New schedule*
- Enter the patient details or add a new patient

- Followed by the prescriber details (as for dispensing)

For security purposes, patients and prescribers cannot be edited, if details are changed a new profile must be made.

- Select the drug formulation from the drop down
- Choose the start date of the schedule. This is preset to today's date.
- Select the number of days (1-48) you wish to schedule for by sliding the bar right and left



For every day in the schedule, an item is added to the schedule list.


- You can set all items to a single dose by selecting the dose and clicking the set button or type each dose individually and press return
-

- Once you are satisfied, click the *save* button.

ECDR Manual Documentation, Release 2.14


Step 1: Patient


 New Patient  Edit Patient

Search  Clear

Name	Address	Post
A. George	8 Apple Cottage Trowbridge Devon	TO1
A. Pacey	6 Lilly Cottage Trowbridge Devon	TO1
	1 Rose Cottage	

Step 2: Prescriber

 New Prescriber  Edit Prescriber

Search  Clear

Name	Registration
F. Handle	123456
I. Potter	123456
J. O'Toole	123456
J. Samuel	123456
K. Butcher	123456

Private Prescription

Step 3: Schedule

Drug Name:

Start Date:

Number of Days:

Set all doses to:

Edit each dose:

Date	Amount
17/02/2009	10
18/02/2009	10
19/02/2009	10
20/02/2009	10
21/02/2009	10
22/02/2009	10
23/02/2009	10
24/02/2009	10
25/02/2009	10
26/02/2009	10
27/02/2009	10
28/02/2009	10

10.2 Dispensing a Scheduled drug

You can only dispense a scheduled drug if a schedule has already been created

To dispense a scheduled drug you should:

- Click the *scheduling* tab
- Select *dispense schedule*
- Enter the name of the patient in the patient search box

Step 1. Select Patient

Search

Name	Address	Postcode
F. Godfree	23, Oak Drive Littletown Hampshire	
E. Hicks	11 Orchard Cottage Trowbridge	TO1 2WW

- The available dose for the current day will be shown

Note: On Fridays doses for both Saturday and Sunday will be shown and dispensable.


Step 2. Select available dose

Tue 01 Jul 2008
 Methadone
 (Mixture 1mg/ml)
 5 ml

- Select required scheduled item

Contents

ECDR Manual Documentation, Release 2.14



Step 3: Collection Details


Person Collecting: Other

Name of person collecting.

H. Georges

(Must also enter address if Healthcare Professional):

- Enter details for collection
- Followed by the details for identification



Step 4: Identification Details

ID Shown? Discretion Used?

ID Type: Other

ID Type if Other:

Bill

Reason for discretion:

- Click the *save* button.

10.3 List Schedules

To view all schedules:

- Click the *list schedules* tab
- Select the *show all* button to list all schedules

To cancel schedules:

- Follow the instructions as above to view all schedules
 - Select the schedule you wish to cancel
 - Click the *cancel schedule* button
 - A message asking you to confirm the cancellation will appear
-

- After confirming a tick will appear in the cancelled column

38 Contents ECDR Manual Documentation, Release 2.14

Register	New Schedule	Dispense Scheduled Item	List Schedules
Stock	Show All		Cancel Schedule
Dispensing	Created Patient	Cancelled	
Scheduling	17/02/2009 PATEL Oliver St. James Lane Winford	<input type="checkbox"/>	Sat 28 Feb 2009 Cannabidiol (Spray 2.7mg) 10
Reporting	FREEMAN Lynda Road		Sun 01 Mar 2009 Cannabidiol (Spray 2.7mg) 10
Destroy	17/02/2009 FREEMAN Lynda Town/City County	<input checked="" type="checkbox"/>	Mon 02 Mar 2009 Cannabidiol (Spray 2.7mg) 10
Suppliers	FREEMAN Lynda Road		Tue 03 Mar 2009 Cannabidiol (Spray 2.7mg) 10
Change Password	17/02/2009 Davis George Road	<input type="checkbox"/>	Wed 04 Mar 2009 Cannabidiol (Spray 2.7mg) 10
Add / Edit Users	17/02/2009 Davis George Town/City County	<input type="checkbox"/>	Thu 05 Mar 2009 Cannabidiol (Spray 2.7mg) 10
Backup / Archive	17/02/2009 &THATCHER Maggie Road	<input type="checkbox"/>	Fri 06 Mar 2009 Cannabidiol (Spray 2.7mg) 10
Manual Entry	17/02/2009 &THATCHER Maggie Town/City County	<input type="checkbox"/>	Sat 07 Mar 2009 Cannabidiol (Spray 2.7mg) 10
Log Out			Sun 08 Mar 2009 Cannabidiol (Spray 2.7mg) 10
			Mon 09 Mar 2009 Cannabidiol (Spray 2.7mg) 10

Contents

Reporting

Contents

- Reporting
 - Viewing Reports
 - Previewing Reports
 - Printing Reports
 - Saving Reports


All reports can be viewed, and printed.

For all reporting functions, select the *reporting* tab.

11.1 Viewing Reports

To view reports click the *show all* button.

To ration down your search enter a drug name and/or date.



The screenshot shows a reporting interface with the following elements:

- Buttons: "Show All", "Cancel", "Print", "Preview", and "Save".
- Search fields: "Drug:" followed by a text input field, and "Date:" followed by a dropdown menu set to "Any".
- Additional controls: An "Eind" button with a magnifying glass icon, and "From:" and "To:" date range selectors with dropdown menus.

11.2 Previewing Reports

To preview a report simply click the *preview* button at the top of the reports page

11.3 Printing Reports

In order to print a report you should:

- Select the drug for which you wish to print a report
- Choose the dates between which you want to print



Dispensed Items Report

Medical Pharmacy

Medical Pharmacy Glenhaven Practice Towbridge Devon TO1 23W

Date	Drug	Quantity Supplied	Dispensed By	Pharmacist on Duty	Name and Address of Person or Firm Supplied	Authority to Possess or License Holder Details	Private	Name and Registration of Pharmacist Supplying	Name of Person Collecting (and ID Shown)	Collected By	Collector Name	ID Checked	ID Type	Other ID	Discretion Used	Discretion Reason	Cancelled	Cancellation Reason	Cancelling User
30.04.2008	Cyclophosph (Ampoule 15mg/ml)	15 2	admin (123456)	admin (123456)	S. Hunt (S. Dandyton Cottage Towbridge Devon TO1 23W)	J. O'Toole (123456)	False	admin (123456)	S. Hunt	Patient		True	Passport		False		False		
30.04.2008	Cocaine (Ampoule 60mg/ml)	2	admin (123456)	admin (123456)	F. Pascoe (4 Linc Cottage Towbridge Devon TO1 23W)	V. Gargulan (123456)	False	admin (123456)	F. Pascoe	Patient		True	Passport		False		False		
30.04.2008	Cocaine (Powder 1mg)	3	admin (123456)	admin (123456)	A. George (8 Apple Cottage Towbridge Devon TO1 23W)	J. Samuel (123456)	False	admin (123456)	A. George	Patient		True	Other	Utility Bill	False		False		
30.04.2008	Diclofen (Tablet 10mg)	3	admin (123456)	admin (123456)	A. George (8 Apple Cottage Towbridge Devon TO1 23W)	I. Potter (123456)	False	admin (123456)	A. George	Patient		True	Driving License		False		False		
30.04.2008	Methadone (Mixture 1mg/ml)	3	admin (123456)	admin (123456)	C. Reid (2 Daffodil Cottage Towbridge Devon TO1 23W)	J. O'Toole (123456)	False	admin (123456)	C. Reid	Patient		False		True	Known to pharmacy				


- Click the *print report* button
- Accept the print dialogue.

Note: Printing large reports is liable to take a long time.

11.4 Saving Reports


To save your report to your computer before backing up:

- Click the *save report* button
- Choose what report(s) you want to save and press *ok*
- Select where you want to save your report and what you want to call it
- Press the *save* button.



Contents

ECDR Manual Documentation, Release 2.14



Cancellations

Contents

- Cancellations

As part of the legal requirement for the Electronic Controlled Drugs Register, entries may not be modified after entry for audit purposes. It is for these reasons that in order to remedy any mistakes, any entry can be cancelled.

The following will be recorded:

- A reason for cancellation
- The user making the cancellation
- The date and time of the cancellation.

The effect of the cancelled operation will then be reversed, and the cancelled item will appear as *cancelled* in the register for the relevant drug.

All cancellations are made from the reports page.

To cancel a report:

- Enter the date of the report or name of the drug you wish to cancel
- Highlight the specific report you wish to cancel by clicking on it
- Now click the *cancel* button
- You will be asked for a reason for cancellation
- Click *ok* and you will see a message confirming your cancellation.

Drug Destruction

Contents

- Drug Destruction
 - Viewing Destruction Logs

The Electronic Controlled Drug Register can log destruction of drugs which are:

- Returned by patients from this or any pharmacy
- Expired Stock

To access the destruction functions, select the *destroy* tab, and follow the procedure for marking drugs as destroyed.

If a patient has returned a drug select *patient return* or if an expired product is to be destroyed select *expired product*.

- Enter the drug name or select or the drug from the *drug name* drop down
- Select the strength and form of the drug from the drug list

If the drug is returned by a patient:

- Enter the name of the patient in *patient name*
 - Enter the date the drug was returned *date returned*
 - Enter the quantity destroyed in *quantity destroyed* (if this is an expired product, the amount will be limited by the current stock)
 - Enter the destruction date in *date destroyed*
 - Enter the name of the authorized officer in *name of authorized officer* field
 - Enter the witnessing party in *destruction witnessed by*
 - Click the *save* button
 - The procedure may be cancelled at any time by clicking the *clear form* button.
-

13.1 Viewing Destruction Logs

Logs of all destructions are viewable in the *pharmacy stock destruction log* and the *patient returns destruction log* tabs on the Destroy page.

ECDR Manual Documentation, Release 2.14

Electronic Controlled Drugs Register

Logged in as: **admin (169248)** [About the ECDR](#)

Register | Destruction | Pharmacy Stock Destruction Log | Patient Returns Destruction Log

Patient Return Expired Product

Drug Name:

Name	Form	Strength	Stock
Actiq	Lozenge	200mcg	90
Actiq	Lozenge	400mcg	50
Actiq	Lozenge	600mcg	50
Actiq	Lozenge	800mcg	50
Actiq	Lozenge	1.2mg	50
Actiq	Lozenge	1.5mg	50

Patient Name: Date Returned:

Quantity Destroyed: Date Destroyed:

Name of Authorised Officer:

Destruction Witnessed By:

The screenshot displays the 'Electronic Controlled Drugs Register' application window. The user is logged in as 'inspector (no registration)'. The interface includes a sidebar menu with options like Register, Stock, Dispensing, Methadone, Reporting, Destroy, Suppliers, Change Password, Backup / Archive, Manual Entry, and Log Out. The main area shows a 'Destruction' log table with the following data:

Date Destroyed	Drug Destroyed	Name Of Authorised Officer	Destruction Witnessed By	User
2008-04-30	Cyclimorph-15 (Ampoule 15mg)	newuser	admin	inspector (no registration)
2008-05-16	Codeine (Ampoule 60mg)	newuser		inspector (no registration)
2008-07-02	Medikinet (Tablet 5mg)	inspector	admin	inspector (no registration)
2008-07-02	Hydromorphone (Capsule 8mg)	inspector	admin	inspector (no registration)


Contents

50



Managing Suppliers

Suppliers of controlled drugs must be added to the system in order that the system accurately audits where all supplies are received from.



14.1 Adding Suppliers

Before stock can be received, suppliers must be added to the system.

To add a supplier:

- Select the *suppliers* tab
- Click the *create new supplier* button
- The supplier details should then be entered into the dialogue

- Click *ok* button to save the details.



The screenshot shows a dialog box titled "Edit Supplier Details". It has a blue header bar with a close button (X) on the right. The dialog contains the following fields:

- Name: Medical Supplies
- Address: Medical Supplies, Carmen Road, Wolverton, Devon
- Post Code: TO32 1W
- Telephone: (01234) 567890

At the bottom of the dialog are two buttons: "Cancel" (with a red X icon) and "OK" (with a green checkmark icon).

The new supplier is now shown in the list of suppliers. You can cancel adding a supplier at anytime by clicking the *cancel* button.

For security purposes, Suppliers cannot be edited, if details are changed a new profile must be made.

14.2 Searching for a supplier


The supplier list can be searched by entering text into the text entry labelled *search*. Searching will automatically take place, and list the results in the item list. To stop searching, press the *clear* button. All the suppliers will now be visible in the supplier list.

FIFTEEN

Changing Passwords

Contents

- Changing Passwords



Only the current user can change their password.

The following procedure should be followed:

- Select the *change password* tab
- Enter current password in *current password*
- Enter new password in *new password*
- Confirm new password in *repeat password*
- Click *change password* button.

The new password must be used next time the user logs in.

To log out:

- Select the *log out* tab
- Click the *click here to log out* button

The log in window will automatically appear.

- Now log back in with your new password.

User Management

Contents

- User Management
 - Adding a User
 - Editing a User

Users of the Electronic Controlled Drug Register are classified under categories. They are:

- Administrators,
- Pharmacists,
- Technicians,
- Doctors,
- Inspectors.


16.1 Adding a User

A user may only be added by the administrator user. Once the administrator is logged in, you can add a user by:

- Select the *add / edit users* tab
- The user list will be displayed
- Click the *create a new user* button
- The user edit dialogue will be displayed

- Enter the user name in the *name* field
- Enter the user's registration credentials into the *registration* field
- Select whether the user is an "Administrator", "Pharmacist", "Technician", "Doctor" or "Inspector"
- Click the *ok* button.

Note: The user must change their password when first logging in to the system.



16.2 Editing a User

In order to edit a user's details:

- Select the *add / edit users* tab
- The user list will be displayed
- Select a user from the user list
- Click the *edit user* button
- The user edit dialogue will be displayed
- Modify the user's details as required
- Click the *ok* button.

System Back Up

Contents

- System Back Up
 - Creating a Back Up
 - Restoring From a Back Up.

Warning: It is a legal professional requirement to make backups of the system. Please read this section carefully.

The system should be backed up regularly onto some kind of removable media. It can then be restored from such media at any time in the event of unavoidable hardware failure. The Electronic Controlled Drugs Register recommends backing up at least 4-5 times a day.

17.1 Creating a Back Up


To create a backup:

- Select the *backup / archive* tab
- Select the file name for the backup
- Click the *save* button on the save dialogue.

17.2 Restoring From a Back Up.

To restore the system from a backup:

- Select the *backup / archive* tab
 - Click the *restore from backup* button
 - You will be prompted to enter a reason for restoring
 - The open dialogue appears
 - Select the file name for the backup to restore from
 - Click the *ok* button on the open dialogue
 - The system will restart and the user must log in again.
-



Quick Guide

A quick and simple guide to getting started with the Electronic Controlled Drug Register.

18.1 Register

The screenshot displays the ECDR software interface. The top window shows the 'Register' screen with a sidebar on the left containing navigation options: Register, Stock, Dispensing, Methadone, Reporting, Destroy, Suppliers, Change Password, Add / Edit Users, Backup / Archive, Manual Entry, and Log Out. The main area shows a search for 'Effentora' with a table of results:

Name	Form	Strength	Stock
Effentora	Tablet	100mcg	53
Effentora	Tablet	200mcg	100
Effentora	Tablet	400mcg	90
Effentora	Tablet	600mcg	100
Effentora	Tablet	800mcg	74

Annotations on the screenshot indicate the following steps:

- Step 1:** Enter the drug you wish to view (pointing to the search input).
- Step 2:** Click the Open in new window button (pointing to the 'Open Drug in a new window' button).
- Step 3:** Drug register is opened in a new window (pointing to the detailed view window).

The detailed view window shows the following information:

Name: Effentora, Strength: 100mcg, Form: Tablet
 Opening Balance Stock Entry: 0, Expected Balance: 53, Actual Balance: 53

Date Supply Received; or Date supplied	Name and address from whom received	Quantity Received	Name and Address of Person or Firm Supplied	Details of Authority to Possess, Prescriber or Licence Holder's Details	Name and Registration of Pharmacist Supplying	Per Sch cor (pa rep, pro and pro nan ad)
2009-01-20	Conference Drug Suppliers Ltd. (32A Prospect Road Alresford, Hants SO24 3GQ 01962 861734)	100				
2009-01-20			Clayton Pharmacy, Alresford Pond Hampshire SO26 4ED	SO: Jo Richardson SO: Pharmacist	admin (172432)	Ext
2009-01-20			HARRIS Kerry 35 Grange Road ALRESFORD	Dr. Gina Dean (731867)	admin (172432)	HAI

18.2 Receiving

18.3 Dispensing

Logged in as: **admin (172432)** About the ECDR

Register | Current Stock | **Receive Stock** | External Transfer | Stock Take | Methadone

Stock
Dispensing
Methadone
Reporting
Destroy
Suppliers
Change Password
Add / Edit Users
Backup / Archive
Manual Entry
Log Out

Select Drug
Drug Name:

Step 1
Enter the details of the drug you have received

Selected Drug:
Number in Stock:

Name	Form	Strength	Stock
Effentora	Tablet	100mcg	53
Effentora	Tablet	200mcg	100
Effentora	Tablet	400mcg	90
Effentora	Tablet	600mcg	100
Effentora	Tablet	800mcg	74

Step 2
Enter the supplier and invoice number

Name and address from whom received:

Invoice Number:

Internal Transfer? Transfer from:

Quantity Received:

Date Received:

Step 3
Enter the quantity you have received

Step 4
Confirm receipt by clicking Save button

Logged in as: **admin (172432)** About the ECDR

- Register
- Stock
- Dispensing
- Methadone
- Reporting
- Destroy
- Suppliers
- Change Password
- Add / Edit Users
- Backup / Archive
- Manual Entry
- Log Out

Step 1: Patient

Search

Name	Address
CARLISLE Wendy	23 Windsor Road ALRESFORD
DALES Carrie	8 Jesty Road ALRESFORD
DAVIDS Daniel	4 Ashburton Close ALRESFORD
DAVIS Fiona	76 Grange Road ALRESFORD
DAVIS Karl	76 Grange Road ALRESFORD
DAY Zoe	Pathways Rehab Centre ALRESFORD
DEAN Hannah	6 Ashburton Road ALRESFORD
FREDRICK Callum	13 Windemere Gardens ALRESFORD
GREGORY Danielle	23 Windsor Road ALRESFORD
HARDING George	6 Ashburton Road ALRESFORD

Step 2: Prescriber

Search

Name	Registration
Dr. Andrew Edwards	731856
Dr. Gina Dean	731867
Dr. James Turner	731866
Dr. Kate Fisher	731569
Dr. Sarah Lane	731868
Dr. Stephen Philips	752193
Nurse Conner Stevens	731877
Nurse Gillian Crow	769123
Nurse Sean Dennis	731943

Step 3: Drug Details

Drug Name:

Name	Form	Strength	Stock
Effentora	Tablet	100mcg	53
Effentora	Tablet	200mcg	100
Effentora	Tablet	400mcg	90
Effentora	Tablet	600mcg	100
Effentora	Tablet	800mcg	74

Step 4: Dispensing Details

Patient:

Selected Drug:

Prescriber:

Date Supplied:

Quantity Supplied:

Private Prescription

Step 5: Collection Details

Person: Patient Other
Name of person collecting. (Must also enter address if Healthcare Professional):

Collecting: ID Shown? Discretion Used?

ID Type:

Reason for discretion:

Step 1
Select a patient to dispense to

Step 2
Select a prescriber

Step 3
Enter the details of the drug you wish to dispense

Step 4
Enter the quantity you are dispensing

Step 5
Enter the details of the person collecting

Step 6
Enter the ID shown or a reason for discretion

Step 7
Confirm the drug has been dispensed

Contents

18.4 Reporting

The screenshot shows the ECDR Reporting interface. The top navigation bar includes 'Register', 'Dispensing', 'Receipts', 'External Transfers', and 'View Stock Takes'. The 'Reporting' tab is selected. A sidebar on the left contains menu items: Register, Stock, Dispensing, Methadone, Reporting, Destroy, Suppliers, Change Password, Add / Edit Users, Backup / Archive, Manual Entry, and Log Out. The main area displays a table of transactions with columns: Date, Drug, Summary, Quantity, User, and Supplier. The table lists various drugs like Actiq and Alfentanil. Three callout boxes provide instructions: 'Step 1: Select the tab for the report you want to view' (pointing to the Reporting tab), 'Step 2: Click the Show All button' (pointing to the 'Show All' button), and 'Step 3: All transactions are listed' (pointing to the table content).

Logged in as: admin (172432) About the ECDR

Register Dispensing Receipts External Transfers View Stock Takes

Show All Cancel

Print Preview Save

Step 1
Select the tab for the report you want to view

Step 2
Click the Show All button

Step 3
All transactions are listed

Date	Drug	Summary	Quantity	User	Supplier
2009-01-05	Actiq (Lozenge 200mcg)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	24	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Actiq (Lozenge 400mcg)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	24	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Actiq (Lozenge 600mcg)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	24	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Actiq (Lozenge 800mcg)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	48	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Actiq (Lozenge 1.2mg)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	24	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Actiq (Lozenge 1.6mg)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	48	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Alfentanil (Solution 1mg/2ml)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	50	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Alfentanil (Solution 5mg/10ml)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	25	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Alfentanil (Solution 5mg/1ml)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	25	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Cannabidiol (Spray 2.7mg)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	10	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Cocaine (Powder 1mg)	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	40	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han
2009-01-05	Cocaine Hydrochloride	United Drug Supplies Ltd. (Unit 6 Thurmond Indust. Estate Southampton, Hants SO12 9GA 02380 273196)	40	admin (172432)	United Drug Supply (Unit 6 Thurmond I Southampton, Han

18.5 Destruction

ECDR Manual Documentation, Release 2.14

Logged in as: **admin (172432)** [About the ECDR](#)

Register Destruction Pharmacy Stock Destruction Log Patient Returns Destruction Log

Patient Return Expired Product

Drug Name:

Step 1
Enter the details of the drug to destroy

Name	Form	Strength	Stock
Effentora	Tablet	100mcg	53
Effentora	Tablet	200mcg	100
Effentora	Tablet	400mcg	90
Effentora	Tablet	600mcg	100
Effentora	Tablet	800mcg	74

Step 2
Record the name of the person returning the drugs

Patient Name: Date Returned:

Quantity Destroyed: Date Destroyed:

Step 3
Enter the name of the person returning the drug

Name of Authorised Officer:

Destruction Witnessed By:

Step 4
The witnessing staff member should log in

Step 5
Click Save to confirm drug destruction

Contents

Indices and tables

- *Index*
- *Module Index*
- *Search Page*