

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Toshiba	Logo		
Company name *	Toshiba Europe GmbH			
Contact information *	Toshiba Europe GmbH	TOSHIBA		
	Anke Strangfeld			
	Hammfelddamm 8, 41460 Neuss	Leading Innovation >>>		
	e-mail: anke.strangfeld@toshiba-teg.com			
Internet site *	http://eu.computers.toshiba-europe.com/innovation/generic/environment-home/			
Additional information				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Portable Computer					
Commercial name *	Portege Z930 series					
Model number *	PT234, PT235					
Issue date *	2012-07-05					
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	lc lc	

Model number *	PT234, PT235 - Portégé Z930 series		
Issue date *	2012-07-05	Logo	TOSHIBA

Product	environmental attributes - Legal requirements	Requirement met			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://eu.computers.toshiba-europe.com/innovation/generic/environment-greening-of-products/#Management-of-Chemicals				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	ıl 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	PT234, PT235 - Portégé Z930 series		
Issue date *	2012-07-05	Logo	TOSHIBA Leading Innovation >>>

Product	luct environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes					
P7	Design Disassembly recycling						
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		_				
P7.1*		\square		井			
P7.2 P7.3*	Plastic materials in covers/housing have no surface coating.			井			
	Plastic parts >100g consist of one material or of easily separable materials.			ᄴ			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		_Ц	_Ц			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		_ <u>Ц</u>	_Ц			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш				
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		_ <u>_</u> _			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9.	Spare parts are available after end of production for: 5 years						
P7.10	Service is available after end of production for: See P14 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type:						
D7.40	Material type: MgAl9Zn1(A) Material type: Mg Material type:						
P7.12	Electrical cable insulation materials of power cables are PVC free.	뿌		-			
P7.13	Electrical cable insulation materials of signal cables are PVC free	<u>Ц</u>		<u>Ц</u>			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			_Ц			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)						
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	П		\boxtimes			
	Marking:						
P7.17	Alt. 1						
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	Ш					
	TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:						
	Alt. 2						
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according						
	ISO 1043-4: <i>FR(40)</i>						
P7.18	Alt. 1						
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			\boxtimes			
	Comment: No legal limits exist, this is a market requirement.						
	1. Chemical name: , CAS #:						
	2. Chemical name: , CAS #:						
	3. Chemical name: , CAS #:						
	Alt. 2						
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			\square			
P7.19	FR(40) Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	\forall	H				
17.10	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	<u> </u>	Ш				
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.						
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.						
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	\boxtimes					
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg						
P8.1*	Battery chemical composition: Main battery:Li-ion, RTC battery:NiMH						
P8.2	Batteries meet the requirements of the following voluntary program/s: Do not use Ni-Cd batteries, Pb-free			\dashv			
]	avent primary batteries			ш			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	PT234, PT235 - Portégé Z930 series		
Issue date *	2012-07-05	Logo	TOSHIBA Leading Innovation >>>

	environmental	attributes - Market re	equirements (cor	ntinued)				luiremei	
Item								Yes No	o n.a.
P9	Energy consum								
9.1	For the product	the following power levels	or energy consum	ptions are repor	ted:				
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	l at	Reference / S modes and test		or energ	у
Idle mod	e	W	W	5.18 W		ENERGY STAR			
Sleep mo	ode with WOL	W	W	0.949 W		ENERGY STAR			
Off mode	e witout WOL	W	W	0.313 W		ENERGY STAR			
		W	W	W					
		W	W	W					
charger p	power supply / lugged in the wall disconnected from	W	W	W		ENERGY STAR			
PTEC * Typical E	nergy Consumption	n W	W	W					
TEC * Typical E	nergy Consumption	kWh/week	kWh/week	kWh/we	eek				
ETEC * Annual E	nergy Consumption	kWh/year	kWh/year	16.1 kWh/yea	ar	ENERGY STAR			
Display re	esolution* :	Megapixels							
Print Spe	ed * :	Images per minute							
Default tir	me to enter energy	save mode: 10(to Displa	ay off), 15(to Sleep) minutes					一一
P9.2*		ut the energy save function							╅
P9.3*		ets the energy requirement ® version: 5.2 Tier:	nts of the following Product category			ł			<u>- </u>
P10	Emissions								
D40.4		n - Declared according to	ISO 9296		1				
P10.1	Mode	Mode description		Declared A-weighted sound power level L_{WAd} (B)	Oper	sound pressure	A-weighted level $L_{p{\sf Am}}$ Bystande		ıs
						Desktop Or Desk side	(only if pro	oduct is no r attended	
	Idle	* ISO7779 Idle		* 2.45 (B)					
	Operation	* ISO7779 Operation-F	HDD	* N/A (No HDD)					
	Other mode	ISO7779 ODD (When	ODD operates)	N/A(No ODD)					
	Other mode								
	Measured accor	Other	ECMA-74 (only if not covered					m)	
P10.2		ets the acoustic noise required normal office use.	uirements of the fo	llowing voluntary	progra	am/s: Less than	43dB		

Issue date	late * 2012-07-05 Logo				TOSHIBA Leading Innovation >>>			
Product 6	nvironn	mental attributes - Market requirements (continued)		Re	quire	ment	met	
Item		market requirements (continued)			Yes	No	n.a.	
ROIII	Chemic	al emissions from printing products			100	110		
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard , other sp	ooifv:			П	\square	
P10.4		emission rate (print phase) is (mg/h):	echy.					
P 10.4		Dust Ozone Styrene Benzene TVOC	;				M	
P10.5	Chemica	al emission requirements of the following voluntary program/s are	e met for :				\boxtimes	
		Oust Ozone Styrene Benzene	TVOC]				
		magnetic emissions						
P10.6	Compute	er display meets the requirement for low frequency electromagnetic field /s:	is of the following vol	untary		\boxtimes		
P11	Consum	nable materials for printing products						
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not l	legally required (see	P4.3).			\square	
P11.2*	Paper co	ontaining post-consumer recycled fibers can be used, provided that i	it meets the require	ments of				
P11.3*		(duplex) printing/copying is an integrated product function.				П	\square	
P12		mics for computing products						
P12.1*		play meets the ergonomic requirements of ISO 9241-307 for visual display	av technologies				\boxtimes	
P12.2*		sical input device meets the requirements of ISO 9995 and ISO 9241-41	•			+		
		· · · · · · · · · · · · · · · · · · ·	<u>. </u>					
P13 P13.1*		ing and documentation packaging material type(s): Cardboard weight (kg): 0,519						
	Product	packaging material type(s): <i>Plastics</i> weight (kg): <i>0,049</i>						
P13.2*		plastic packaging is free from PVC.			\boxtimes			
P13.3*		media for user and product documentation (tick box): ic ☑, Paper ☑, Other ☑						
P13.4*	For pape	ee P14%	e of post-consumer re	ecycled				
Rev.		d product documentation do not contain chlorine bleached paper			\boxtimes	$\overline{}$	\neg	
P13.5		· · · · · · · · · · · · · · · · · · ·					Ш	
P14		nal information (See Note B4)						
P7.10		period depends on service agreement.	(100 (DT 1)					
P7.3/P7. 4/P7.14		nousing are made from magnesium. The product has no plastic lindication (P7.4). No cover/housing plastic parts > 25g (P14)	part >100g (P7.4),	no piastic	parts	> 25	g tor	
P7.19		inition of plastic parts in this item does not include cables in harmo s R40 substances.	onization with TCO.	AC cable	comm	only		
P9	Energy standar	Efficiency information published on The Eco Declaration represent to configuration meeting ENERGY STAR specifications. Use of differs the energy efficiency data listed above.						
P10	Acousti	ic noise information published on The Eco Declaration represents to tration. Characteristics of models with different configurations may		f a model v	with st	andar	d	
P13.4	Paper fo	or documentation for Europe is made of 100% FSC mixed sources. If well managed forests, recycled material and/or controlled wood w	The wood for the pa					
		tion contained in this document is approximate and provided for in						
	Toshiba	a provides this information without warranties of any kind neither exanties for a particular purpose.	xpressed nor implie	ed includir	g but	not lin	nited	
	Toshiba	a does not warrant that the content will be error free. All information a's knowledge at the time of completion, and Toshiba has no obliga				best	of	

Model number * PT234, PT235 - Portégé Z930 series

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19