

# **TexSpray**<sup>™</sup> **HTX**<sup>™</sup> **2030**Graco's Most Powerful and Versatile Texture Sprayer




### UNMATCHED



**Texture Applications**Get the Interior and Exterior Texture Finish You Want – with Aggregate Size up to 2.5 mm!





Acoustic (Popcorn)

Acrylics, Elastomerics

Stucco, Finish Coats

Skim Coat, Level 5, (Airless)

**Paints** (Airless)

**TexSpray** HTX 2030 Complete PLUS+

Part #: 258741

## One Machine can Complete all Your Interior and Exterior Jobs!

The all new TexSpray HTX 2030 is Graco's most powerful and versatile texture sprayer to date. Designed for today's demanding exterior aggregate and smooth coatings, the HTX 2030 offers extreme durability and simple operation. Capable of applying exterior smooth and aggregate textures, elastomerics, and acrylic

materials, it can also spray drywall mud in an orange peel, splatter or knockdown finish. Combine this with the available MaxLife™ Endurance™ High Pressure Pump and you can spray a wide variety of interior and exterior smooth materials including primers and paints.

#### **High-Output Texture Pump**

- Uniquely designed pump with extra large passages allows pumping aggregated materials up to 2.5 mm
- Innovative soft seal in the foot valve ensures consistent and optimal performance
- Produces delivery rates to 3.0 gpm at 1000 psi for time-saving production rates
- Easily sprays smooth and aggregate textures, elastomerics and acrylic materials



No-tools hose connections at pump and gun

#### Exclusive PowerFlo™ Control System

- Innovative design remotely stops and starts material flow right at the pump, eliminating the need for a downstream valve
- Offers a smooth, controlled material flow to prevent pack-out conditions
- Ensures a soft start, eliminating the material blast that can impact finish quality
- Full-range flow control from .6 to 3 gpm




Remote on/off switch electronically engages pump, eliminating the need for a gun valve

#### Exclusive StraightThru™ Fluid Path

- StraightThru design eliminates turns and corners from pump to gun
- Puts less stress on material to virtually eliminate pack-out conditions
- Enables the spraying of today's more demanding and aggressive aggregate materials

#### Wide Variety of Applicators

- NEW FreeFlo™ Inline Gun offers oversized, unobstructed fluid passages to provide maximum flow
- Sprays air-assisted in either a round pattern or wide fan pattern for fast, consistent material coverage



- Flex Head Pole Gun\* offers greater control in tight areas, such as on scaffolding and around architectural detail
- Both new Pole Guns can spray in a wide fan pattern – an industry first!



FreeFlo Inline Gun



Pole Gun with Fine Finish Kit (included with Pole Gun Applicators; Patent Pending)

\*Sold Separately

### **Exclusive Convert-A-Pump™ System**

(Included with TexSpray HTX 2030-Complete PLUS+)

- Innovative system allows user to convert unit to a high pressure airless sprayer for applying the wide range of heavier smooth coatings including skim coat in a Level 5 finish, primers and paints
- System automatically recognizes installed pump and converts it to an airless sprayer
- One machine can complete all your interior and exterior jobs!
- Allows you to upgrade your TexSpray HTX 2030-Complete to a TexSpray HTX 2030-Complete Plus+ at any time (with the Maxlife Endurance High-Pressure Pump Kit), to expand your job capabilities!







Tool-less ProConnect<sup>™</sup> Pump System allows you to change pumps in seconds



Expand your capabilities and spray a wide variety of materials

#### **TEXTURE PRODUCT SPECIFICATIONS**

#### **SPRAYER CONFIGURATIONS**







A COURT OF THE PARTY OF THE PAR		
MODEL:	TexSpray HTX 2030-Complete	TexSpray HTX 2030-Complete Plus+
PART NUMBER:	258740	258741
FOR SPRAYING:	For exterior aggregate and smooth finishes as well as common interior texture finishes such as orange peel, splatter, knockdown and simulated acoustic.	For exterior aggregate and smooth finishes as well as common interior texture finishes. Can also airlessly apply the wide range of heavier smooth coatings, Level 5, primers and paints.

#### INCLUDES

INOLODES.		
High-Output Piston Texture Pump	✓	<b>*</b>
FreeFlo™ Inline Gun	✓	✓
3/4 in x 50 ft (19 mm x 15 m) Hose	✓	<b>*</b>
55 Gallon Suction Set	✓	✓
Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in and 3/8 in nozzles	✓	<b>*</b>
4,6,8,10 mm Nozzles	✓	✓
RAC X <sup>™</sup> 671 Airless Tip	✓	✓
MaxLife Endurance High Pressure Airless Pump	Optional (Pump Kit 24B140)	<b>*</b>
HD Blue Texture Gun		✓
1/4 in x 3 ft (6.4 mm x .9 m) Whip Hose		<b>*</b>
RAC X 643 Airless Tip		<b>V</b>

#### **TECHNICAL SPECIFICATIONS**

	lexture Pu		Pressure Pump		
Maximum Tip Size	0.071	0.071	0.048		
Maximum gpm/lpm	3.0 gpm (11 lpm)	3.0 gpm (11 lpm)	2.2 gpm (8.3 lpm)		
Maximum Working Pressure	1000 psi (70 bar) 1000 psi (70 bar		3300 psi (227 bar)		
Engine	200cc Honda® (6.5 hp at 3600 rpm)	d air compressor some texture finishes. r compressor rating 25 if (708 lpm @ 6.2 bar)  User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm @ 90 psi (708 lpm @ 6.2 bar) for best results			
Compressor	User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm @ 90 psi (708 lpm @ 6.2 bar) for best results				
Weight	155 lbs (70 kg)				
PUMP:					
Intake	QuikAccess™	QuikAccess	QuikAccess		
Rod			ChromeX™		
Cylinder			MaxLife™		
Packings HD Poly		HD Poly	V-Max Blue		

**High-Output Texture Pump** 

#### **HTX ACCESSORIES**

#### **GUNS**

40.10	
24B327	FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 30 Mesh Filter, RAC X 671 Tip, RAC X Guard
24B944	Pole Gun 3 ft (1 m) with 6 mm, 8 mm, 9.5 mm, 11 mm, 13 mm Nozzles, Cap, Fine Finish Adapter
24B945	Flex Head Gun with 6 mm, 8 mm, 9.5 mm, 11 mm, 13 mm Nozzles, Cap, Fine Finish Adapter
241705	HD Blue Texture Gun

#### **NOZZLES**

#### Nozzle Selection Guide\*

Nozzle Size	Exterior Aggregate Material	Nozzle Size	Interior Smooth Material
3 mm	up to 1 mm (max)	3 mm	Fine Finish Orange Peel/Fog
4 mm	up to 1.25 mm (max)	4 mm	Fine Finish Orange Peel/Fog
5 mm	up to 1.5 mm (max)	5 mm	Orange Peel, Small Splatter
6 mm	up to 2.0 mm (max)	6 mm	Orange Peel, Small Splatter
8 mm	up to 2.5 mm (max)	8 mm	Splatter, Small to Medium Knockdown
9.5 mm	up to 2.5 mm (max)	9.5 mm	Acoustics/Popcorn, Splatter, Medium Knockdown
10 mm	up to 2.5 mm (max)	10 mm	Acoustics/Popcorn, Large Knockdown
11 mm	up to 2.5 mm (max)	11 mm	Acoustics/Popcorn, Large Knockdown
13 mm	up to 2.5 mm (max)	13 mm	Acoustics/Popcorn, Large Knockdown
14 mm	up to 2.5 mm (max)	14 mm	Acoustics/Popcorn, Large Knockdown

10 mm	up to 2.5 mm (max)	10 mm	Acoustics/Popcorn, Large Knockdown
11 mm	up to 2.5 mm (max)	11 mm	Acoustics/Popcorn, Large Knockdown
13 mm	up to 2.5 mm (max)	13 mm	Acoustics/Popcorn, Large Knockdown
14 mm	up to 2.5 mm (max) 14 mm Acoustics/Popcorn, Large Knockdown		Acoustics/Popcorn, Large Knockdown
FreeFlo Inline Gun			
287227 Fine Finish Kit (includes 3 mm, 6 mm, 8 mm, 9.5 mm Spray			
Discs, retaining nut and adapter)			
248888 3 mm Nozzle			
249524 4 mm Nozzlo			

#### Pole Gun and FlexHead Gun

6 mm Nozzle

8 mm Nozzle

10 mm Nozzle

. oro darr arra r rozeroda darr			
16A443	5 mm Nozzle		
16A444	6 mm Nozzle		
16A445	8 mm Nozzle		
16A446	9.5 mm Nozzle		
16A447	11 mm Nozzle		
16A448	13 mm Nozzle		
16A449	14 mm Nozzle		
16A420	Cap, Nozzle-Soft		
16A405	Cap, Nozzle-Medium		
16A421	Cap, Nozzle-Hard		
16A246	Fine Finish Adapter		





248525

248526

248527

24B300 3/4 in x 50 ft Fluid Hose (with Remote on/off switch)

24B326 3/4 in x 50 ft Extension Fluid Hose

#### **CONVERT-A-PUMP KIT**

24B140 MaxLife Endurance High Pressure Pump Kit

with High Pressure Lower,

HD Blue Texture Gun, 3/8 in x 50 ft Hose, 1/4 in x 3 ft Whip Hose, RAC X 643 Tip



#### **ADDITIONAL ACCESSORIES**

	287987	25 Gallon (95 L) Texture Hopper			
	243380	Cam-Lock Hose Adapter–Connects Texture Hopper to the HTX 2030 High-Output Texture Pump	P		
	24C414	Ball Valve Material Shutoff Kit			
	119282	Cleaning Ball (25 mm)	Atomizer Kit shown with HD		
	244052				
244223 HD Blue Texture Gun Air Atomizer Kit without Air Hose (Minimum air compressor rating of 15 cfm at 90 psi)					

\*Nozzle size requirement could vary based on material viscosity, desired finish, production rate and air settings

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

with High-Output

Call today for product information or to request a demonstration.  $800.690.2894 \ \ \text{or visit us at www.graco.com}$ 



