

PowerLite® 1770W

MULTIMEDIA PROJECTOR



The slim ultraportable with ultra bright, widescreen performance.

The PowerLite 1770W sets a high standard for widescreen projectors with its ultra sleek design and energy-efficient lamp. It delivers value, convenience and performance. The PowerLite 1770W features native WXGA (1280 x 800) resolution — a must-have for delivering HD video content or high-resolution images from your widescreen notebook. Couple that with 3000 lumens color light output and 3000 lumens white light output,¹ and the results are truly amazing. Weighing just 3.7 lb and just 1.7" tall, the PowerLite 1770W is ready to travel when you are! Projecting is simple, on a Mac® or PC, with many connection options including USB, HDMI, PC-free or optional wireless. Automatic vertical keystone correction makes setup easy. The PowerLite 1770W is also equipped with a UHE lamp that lasts up to 4000 hours.² So you get amazing performance, ease of use and brilliant output — all from one ultra-thin projector.

 $\textbf{Lightweight and travel friendly} - \textbf{thin as a laptop, weighs just } 3.7 \ \textbf{lb}$

Ultra bright, widescreen performance — 3000 lumens color/white light output;¹ native WXGA (1280 x 800) resolution (16:10)

Flexible connectivity — connect via USB, HDMI, VGA or Composite video either from a Mac or PC Wireless capable — use the optional wireless LAN module to wirelessly project content from a computer or access a network to monitor and control the projector

PC-free presentations — simply insert a USB memory device and project



PowerLite® 1770W multimedia projector

The best-selling projectors in the world.

Epson understands business and education and has a solution no matter what your situation. Built with image quality and reliability in mind, Epson projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From long-throw projectors to ultra-short-throw and all-in-one solutions, Epson has the model made for you.




3LCD technology — for quality and color that's beyond amazing

- 3 chips for full-time, vibrant color
- 25% less electricity required per lumen of brightness when compared to 1-chip DLP projectors³
- Road-tested reliability from a company with over 20 years of experience







Bright light output

- 3000 lumens color light output and 3000 lumens white light output¹
- Bright, balanced, colorful images
- Incredible image quality and performance to meet your expectations
- White light output that's measured using ISO 21118 (a more rigid standard than the outdated ANSI lumens rating used by competitive products)







High color light output

Low color light output

Actual photographs of images taken from two competing projectors run in default mode. Price, resolution and brightness (white light output) are the same for both projectors.

Ultraportable design







Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com



Eco Features

- Energy-efficient 3LCD light engine
- RoHS compliant
- Designed to be recycled4
- Epson America, Inc. is a SmartWaySM Transport Partner⁵





USB Plug 'n Play instant setup — compatible

- No more computer function keys or bulky VGA cables
- Just plug in a standard USB cable and instantly project
- Instantly view images on both the screen and your computer; one standard USB cable does it all!

Fast, easy setup and control

with Windows and Mac

- Automatic vertical keystone correction makes setup and placement a snap
- Instant Off® no cool down time required, so it's ready to shut down when you are
- A/V Mute Slide control your presentation; it's right at your fingertips
- Sleep Mode set from 1 to 30 minutes to save energy when the A/V Mute Slide is closed or no signal is detected
- 1.2x optical zoom offers great positioning flexibility to fit large or small rooms
- **Direct Power On/Off** power the projector on and off with the flip of a wall switch

Convenient web remote control feature (with optional wireless LAN card)

- Virtual projector remote control via a web browser (works when projector is connected to the network)
- Control power on/off, source, volume, page up/down functions and more from your computer
- Supports multiple web browsers (Windows and Mac compatible)
- No special applications or software necessary

Quick reference — choose the right model

PowerLite Model	PowerLite 1750	PowerLite 1760W	PowerLite 1770W	PowerLite 1775W
Native Resolution	XGA	WXGA	WXGA	WXGA
Light Output (Color/White)	2600/2600¹	2600/2600¹	3000/3000¹	3000/3000¹
Weight	3.7 lb	3.7 lb	3.7 lb	3.8 lb
USB	v	v	•	v
HDMI	_	~	~	~
Horizontal Keystone	Manual	Manual	Manual	Auto
Vertical Keystone	Auto	Auto	Auto	Auto
Auto Screen Fit	_	_	_	~
Wireless Networking	_	Optional	Optional	Included
Quick Connect Wireless via USB Key	_	Optional key and wireless LAN card required	Optional key and wireless LAN card required	Included

PowerLite 1770W Features

- Wireless capabilities with the optional Quick Connect wireless USB key and optional wireless
 802.11 b/g/n LAN card
- PC-free presentations convenient USB connectivity allows you to display directly from a USB memory device
- HDMI connectivity makes connecting to HDMI devices a snap
- Added features, no added cost built-in closed captioning capabilities and 1 W speaker
- Carrying case included for easy portability and protection when stored
- Message broadcasting with optional wireless LAN card broadcasts customized images/alerts over the network for announcements or instructions
- Filters to protect your investment with easy access for hassle-free maintenance

Protect your investment with Epson

Because we know how important it is to protect your valuable investment, Epson 3LCD projectors have a long-lasting filter that gives you added peace of mind. The filter helps limit the amount of dust that can settle on the internal components and reduce the lamp life or dull the image. When the time comes to clean or change the filter, just open the door, vacuum the dust off or replace the filter, close the door, and you're done.

WXGA (1280 x 800), 16:10 resolution — for remarkable detail and widescreen convenience

The PowerLite 1770W, with WXGA resolution, is ideal for use with the latest-generation widescreen computers and great for projecting a wide variety of content. Its native 16:10 aspect ratio allows you to fully utilize the capabilities of your widescreen computer.

SVGA



800 x 600 Meets basic projection needs

XGA



1024 x 768 Ensures sharper

WXGA




1280 x 800 Offers higher quality and is ideal for widescreen (16:10) display



PowerLite® 1770W

Multimedia Projector

Product Name Product Code PowerLite 1770W 0 10343 87995 9 V11H362020 Genuine Epson Lamp V13H010L65 0 10343 88054 2 Replacement Air Filter V13H134A31 0 10343 88053 5



Specifications

Projection System

Epson 3LCD, 3-chip technology

Projection Method

Front/rear/ceiling mount

Driving Method

Epson Poly-silicon TFT Active Matrix

Pixel Number

1,024,000 dots x 3 (1280 x 800) LCDs

White Light Output¹

3000 lumens (ISO 21118 standard)

Color Light Output¹

3000 lumens

Aspect Ratio

16:10 (supports 4:3 and 16:9)

Native Resolution

1280 x 800 (WXGA)

Resize

640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+),

1680 x 1050 (WSXGA+), 1600 x 1200 (UXGA)

Lamp Type 230 W UHE

Lamp Life²

4000 hours (ECO Mode)

4000 hours (Normal Mode)

Throw Ratio Range

1.04 - 1.26

Size (projected distance)

30" - 300" 16:10 (2.2' - 26.8') Keystone Correction (automatic)

Vertical: ± 30 degrees (± 45 manual) Horizontal: ± 30 degrees manual

Contrast Ratio

Up to 2000:1

Color Reproduction 16.77 million colors

Plug 'n Play

Projector is compatible with PC & Mac computers

Projection Lens

Type

Manual focus/Manual zoom

F-number

1.58 - 1.7

Focal Length

13.52 - 16.22 mm

Zoom Ratio

Optical zoom 1.0 - 1.2

Other

Display Performance

NTSC: 480 line

PAL: 576 line

(depends on observation of the

multi-burst pattern)

Input Signal

NTSC/NTSC4.43/PAL/M-PAL/N-PAL/

PAL60/SECAM SDTV/HDTV

Interfaces

Computer/component video: Mini D-sub HD 15 pin x 1

Composite video: RCA x 1

Audio in: Mini stereo x 1 in or out user selectable Variable audio out: Mini stereo x 1 in or out user

selectable USB connector: Type B x 1(USB display with

audio and mouse/keyboard control) Type A x 1 (for USB memory device)

Wireless port 802.11 b/g/n (optional module sold separately)

Audio Output

1 W mono speaker

Audio Signal

500mV rms/47K ohm

Operating Temperature

41 ° to 95 °F (5 ° to 35 °C)

Power Supply Voltage

 $100 - 240 \text{ V} \pm 10\%, 50/60 \text{ Hz AC}$

Power Consumption

322 W (Normal Mode)

212 W (ECO Mode)

7.4 W Standby (Communication on) 0.38 W Standby (Commuication Off)

Fan Noise

40 dB (Normal Mode)

30 dB (ECO Mode) Security

Kensington®-style lock provision

Dimensions (W x D x H)

Including feet: 11.5" x 8.3" x 2.1" Excluding feet: 11.5" x 8.3" x 1.7" Weight: 3.7 lb

Remote Control

Features

Power, source search selection, computer, video, A/V mute, freeze, user ID, auto, aspect, color mode, num, page up and down, E-zoom, volume, help, menu, enter, esc and pointer functions

Operating Angle

Right/left:

Front: ± 60 degrees Rear: ± 30 degrees

Upper/lower:

Front: ± 30 degrees

Rear: ± 30 degrees **Operating Distance**

19.7 ft

Support

The Epson ConnectionSM

Pre-sales support U.S. and Canada 800-463-7766

Internet website www.epson.com

Service Programs

Two-year limited warranty, Epson Road Service program, Epson PrivateLine dedicated toll-free support (U.S. and Canada only) and 90-day limited lamp warranty

What's In The Box

PowerLite 1770W projector, power cable, computer cable (VGA), projector remote control with batteries, USB cable, audio adapter, soft carrying case, user manual CD, Quick Setup Sheet, PrivateLine support card, registration card, password protection sticker and security screw

Accessory Part Numbers

Genuine Epson Lamp V13H010L65 Replacement Air Filter V13H134A31 Image presentation camera

(ELPDC06) V12H321005 DC-10S document camera ELPDC10S

DC-11 document camera

(ELPDC11) V12H377020 Replacement wireless LAN module V12H418P12

Quick Connect wireless USB key V12H005M08 Component to VGA video cable ELPKC19 Duet[™] screen ELPSC80

ES3000 ultraportable Projector Screen V12H002S3Y Replacement Remote Control 1507996

Packaging Specifications

PowerLite 1770W

Dimensions 11.2" x 17.1" x 4.8" (W x D x H) Weight 8.1 lb

Genuine Epson Lamp

Dimensions 5.1" x 5.5" x 5.6" (W x D x H) Weight 0.6 lb Master Carton

Dimensions 11.5" x 26.1" x 6.8" (W x D x H) Weight 7.2 lb

Units Per Master Carton 10

Replacement Air Filter Dimensions 3.5" x 4.8" x 1.9" (W x D x H)

Weight 0.1 lb Master Carton

Dimensions 7.3" x 10.1" x 5.7" (W x D x H) Weight 1 4 lb

Units Per Master Carton 10

- 1 Light output varies depending on modes (color and white light output). White light output measured using ISO 21118 standard.
- Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time Data source: ProjectorCentral.com, Jan. 2010. Average of 910 shipping models for which the manufacturers provided lumens and total power data, all resolutions and brightness levels.

See our website for convenient and reasonable recycling options at www.epson.com/recycle 5 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Epson Canada, Ltd. Epson America, Inc. 3840 Kilroy Airport Way, Long Beach, CA 90806 3771 Victoria Park Avenue, Toronto, Ontario M1W 3Z5 www.epson.com www.epson.ca

Epson and Instant Off are registered trademarks, Epson Exceed Your Vision is a registered logomark, and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PowerLite and PrivateLine are registered trademarks, Duet is a trademark and Epson Connection is a service mark of Epson America, Inc. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2010 Epson America, Inc. CPD-32390R2 11/10