

Effective March 18, 2013

Effective March 18, 2013					
Kantech	Description	MSRP	Category	Warranty	Notes
Part Number All in One Solutions		(USD)			
INTEVO					
INTEVO-ADV-3TB	ALL-IN ONE Hardware Platform, 3TB HDD, 32GB SSD, i3 Processor, Windows 7 embedded, 12VDC 80W external power supply. Pre-loaded with: EntraPass Corporate Edition & AD IP Video for up to 32 IP	\$3,800.00	М	3 years hardware	
INTEVO-IPCAM01	cameras. One year of software updates included.  INTEVO Single IP camera channel licence. Email delivery	\$200.00	0	only n/a	
Accessories INTEVO-ADV-RM	INTEVO rack mount kit	\$85.00	0	n/a	
Software Support Agreement (SSA)  INTEVO-ADV-SSA	INTEVO one year Support Software Agreement (SSA). Email delivery	\$300.00	М	n/a	
Starter Kits					
SK-CE402	Starter kit includes: EntraPass Corporate Edition software USB key, KT-400 controller (1), P225XSF reader (3), P225KPXSF reader (1), USB-485 converter (1), TR1675 transformer (1), KT-BATT-12 battery (1) and P40KEY keyfob (5). (US and Canada)	\$3,416.00	R	refer to individual part	
SK-CE403	Starter kit includes: EntraPass Corporate Edition software USB key, KT-400 controller (1), P325XSF reader (3), P325KPXSF reader (1), USB-485 converter (1), TR1675 transformer (1), KT-BATT-12 battery (1) and P40KEY keyfob (5). (US and Canada)	\$3,416.00	R	refer to individual part	
SK-SE402	Starter kit includes: EntraPass Special Edition software USB key, KT-400 controller (1), P225XSF reader (3), P225KPXSF reader (1), USB-485 converter (1), TR1675 transformer (1), KT-BATT-12 battery (1) and P40KEY keyfob (5). (US and Canada)	\$2,900.00	М	refer to individual part	
SK-SE403	Starter kit includes: EntraPass Special Edition software USB key, KT-400 controller (1), P325XSF reader (3), P325KPXSF reader (1), USB-485 converter (1), TR1675 transformer (1), KT-BATT-12 battery (1) and P40KEY keyfob (5). (US and Canada)	\$2,900.00	М	refer to individual part	
SK-SE302	Starter Kit, includes: EntraPass Special Edition software USB key, KT-300/128K controller (1), P225XSF (2), USB-485 converter (1), TR1640P/UL transformer (1), KT-BATT-12 battery (1), KT-RM1 relay (2) and P40KEY (5). (US Only)	\$1,378.00	М	refer to individual part	
Expansion Kits	. (-, (-, -,				
EK-400	KT-400 Expansion kit includes: KT-400 controller (1), TR1675 transformer (1) and KT-BATT-12 battery (1). (US and Canada)	\$2,110.00	М	refer to individual	
EK-402	KT-400 Expansion kit includes: KT-400 controller (1), P225XSF reader (4), TR1675 transformer (1) and KT-BATT-12 battery (1). (US and Canada)	\$2,726.00		refer to individual	
EK-403	KT-400 Expansion kit includes: KT-400 controller (1), P325XSF reader (4), TR1675 transformer (1) and KT-BATT-12 battery (1). (US and Canada)	\$2,726.00		refer to individual	
EK-302	2 door Expansion Kit, includes: KT-300/128K controller (1), P225XSF (2), TR1640P/UL transformer (1), KT-BATT-12 battery (1) and KT-RM1 relay (2). (US Only)	\$1,203.00	М	refer to individual	
EK-IP302	2 door Expansion Kit / IP, includes: KT-300/128K controller (1), P225XSF (2), VC-485 converter (1), TR1640P/UL transformer (1), KT-BATT-12 battery (1), KT-RM1 relay (2) and KT-IP communication device (1), (US Only)	\$1,940.00	М	refer to individual part	
EK-IP300	2 door Expansion Kit / IP, includes: KT-300/128K controller (1), VC-485 converter (1), TR1640P/UL transformer (1), KT-BATT-12 battery (1), KT-RM1 relay (2) and KT-IP communication device (1). (US Only)	\$1,630.00	М	refer to individual part	
EK-DU302	2 door Expansion Kit / modem, includes: KT-300/128K controller (1), P225XSF (2), TR1640P/UL transformer (1), KT-BATT-12 battery (1), KT-RM1 relay (2) and DU-MODEM-RS modem (1). (US Only)	\$1,630.00	М	refer to individual part	
EK-DU300	2 door Expansion Kit / modem, includes: KT-300/128K controller (1), TR1640P/UL transformer (1), KT-BATT-12 battery (1), KT-RM1 relay (2) and DU-MODEM-RS modem (1). (US Only)	\$1,325.00	М	refer to individual	
Multi-Door Controller Kits					
EK-4RDR-8	4-Door Kit, 8-Door Enclosure Multi-Door Controller Kit includes: KT-CAB3000LDR 28'enclosure with door cover (1), KT-MP300 mounting plates (2), KT-BB100/BB101 battery brackets (2), KT-300PCB128 controller - PCBs only (2), KT-300-ACC accessory kits (2), ioProx P225XSF readers (4), TR1640P/UL transformers (2), KT-BATT-12 rechargeable batteries (2), KT-RM1 relays (4), ioProx P40KEY keytags (25), KT-TAMPER tamper switch (1), KT-LOCK lock and keys (1). UL certified kit.	\$2,700.00	М	refer to individual part	
EK-4D-8	4-Door Kit, 8-Door Enclosure Multi-Door Controller Kit includes: KT-CAB3000LDR 28'enclosure with door cover (1), KT-MP300 mounting plates (2), KT-BB100/BB101 battery brackets (2), KT-300PCB128 controller - PCBs only (2), KT-300-ACC accessory kits (2), TR1640P/UL transformers (2), KT-BATT-12 rechargeable batteries (2), KT-RM1 relays (4), KT-TAMPER tamper switch (1), KT-LOCK lock and keys (1). UL certified kit. NO READERS	\$2,085.00	М	refer to individual part	
EK-4RDR-12	4-Door Kit, 12-Door Enclosure Multi-Door Controller Kit includes: KT-CAB4000LDR 42* enclosure with door cover (1), KT-MP300 mounting plates (2), KT-BB100/BB101 battery brackets (2), KT-300PCB128 controller - PCBs only (2), KT-300-ACC accessory kits (2), ioProx P225XSF readers (4), TR1640P/UL transformers (2), KT-BATT-12 rechargeable batteries (2), KT-RM1 relays (4), ioProx P40KEY keytags (25), KT-TAMPER tamper switch (1), KT-LOCK lock and keys (1), UL certified kit.	\$2,760.00	М	refer to individual part	
EK-4D-12	4-Door Kit, 12-Door Enclosure Multi-Door Controller Kit includes: KT-CAB4000LDR 42" enclosure with door cover (1), KT-MP300 mounting plates (2), KT-BB100/BB101 battery brackets (2), KT-300PCB128 controller - PCBs only (2), KT-300-ACC accessory kits (2), TR1640P/UL transformers (2), KT-BATT-12 rechargeable batteries (2), KT-RM1 relays (4), KT-TAMPER tamper switch (1), KT-LOCK lock and keys (1). UL certified kit. NO READERS	\$1,970.00	М	refer to individual part	
Multi-Door Expansion Kit EK-4RDR-ADD	Multi-Door Expansion Kit includes: KT-MP300 mounting plates (2), KT-BB100/BB101 battery plates (2), KT-	\$2,400.00	M	refer to	
<u> </u>	Multi-Door Expansion Kit includes: K1-MP300 mounting plates (2), K1-BB100/BB101 battery plates (2), K1-300PCB128 controller - PCBs only (2), KT-300-ACC accessory kits (2), ioProx P225XSF readers (4), TR1640P/UL transformers (2), KT-BATT-12 rechargeable batteries (2), KT-RM1 relays (4). UL certified kit.	\$2,400.00	IVI	refer to individual part	
EK-4D-ADD	Multi-Door Expansion Kit includes: KT-MP300 mounting plates (2), KT-BB100/BB101 battery plates (2), KT-300PCB128 controller - PCBs only (2), KT-300-ACC accessory kits (2), TR1640P/UL transformers (2), KT-BATT-12 rechargeable batteries (2), KT-RM1 relays (4). UL certified kit. NO READERS	\$1,840.00	М	refer to individual part	



Kantech Part Number	Description	MSRP (USD)	Category	Warranty	Notes
Accessories		(++-/			
KT-CAB3000LDR	28-inch enclosure with door cover for up to four KT-300 PCB controllers, or up to three KT-400-PCB controllers	\$224.00	0	n/a	
KT-CAB4000LDR	42-inch enclosure with door cover for up to six KT300 PCB controllers, or up to four KT-400-PCB controllers	\$287.00	0	n/a	
KT-MP200	Mounting plates (15.24 x 10.16 cm/6 x 4 in) for KT-MOD-INP16, KT-MOD-OUT16, KT-MOD-REL8, KT-PC4108 and KT-PC4216 modules. Compatible with enclosure KT-CAB3000LDR and KT-CAB4000LDR (Package of 4)	\$74.00	0	n/a	
KT-MP300	Mounting plates (15.24 x 20.32 cm/6 x 8 in) for KT-300PCB and KT-PC4204 module. Compatible with enclosure KT-CAB3000LDR and KT-CAB4000LDR (Package of 2)	\$40.00	0	n/a	
KT-MP400	Mounting plate (15.49 x 29.87 cm/6 x 11.75 in) for KT-400-PCB and KT-NCC-PCB. Compatible with enclosure KT-CAB3000LDR and KT-CAB4000LDR	\$34.00	0	n/a	
KT-MP500	Mounting plate (34.92 x 34.92 cm/13.75 x 13.75 in) for KT-400-PCB and KT-NCC-PCB. Compatible with enclosure KT-CAB3000LDR [up to (2) KT-MP500] and KT-CAB4000LDR [up to (3) KT-MP500]	\$53.00	0	n/a	
KT-BB100	Battery bracket (right side). Compatible w/ enclosure KT-CAB3000LDR and KT-CAB4000LDR	\$24.00	0	n/a	
KT-BB101	Battery bracket (left side). Compatible w/ enclosure KT-CAB3000LDR and KT-CAB4000LDR	\$24.00		n/a	
oor Hardware Kit					
DK-1	Door accessories kit includes: T.REX-LT, GRI steel door recessed magnetic contact (1"), color white and RCI-41U59 electric door strike (12 VAC/DC, 200 mA, fail locked and 3 faceplates: 1-1/4"W x 4-7/8"H square corner and 1-1/4"W x 4-7/8"H round corner faceplates for HM frames, 1-7/16"W x 7-15/16"H square corner faceplate for aluminum / wood frames. Color polished stainless steel)	\$225.00	0	refer to individual part	
ftware	comer raceptate for autifilitum / wood frames. Color polished staffless steer)				
ntraPass Special Edition					
oftware					
E-SPE-EN-V6	EntraPass Special Edition v6 USB key, includes: English User manual. One year of updates included	\$315.00	М	n/a	NEW
E-SPE-FR-V6	EntraPass Special Edition v6 USB key, includes: French User manual. One year of updates included	\$315.00	М	n/a	NEW
E-SPE-V6	EntraPass Special Edition v6 USB key. One year of updates included	\$289.00	М	n/a	NEW
E-SPE-V6-LIC	EntraPass Special Edition v6, license only. One year of updates included. Email delivery	\$289.00		n/a	NEW
E-SPE-UPG-V6	Entrapass Special Edition USB key upgrade from v3.xx to v6. Requires Kantech Advantage Program (token) for future updates	\$236.00		n/a	NEW
E-SPE-UPG-V6-LIC	Entrapass Special Edition upgrade license only from v3.xx to v6. Requires Kantech Advantage Program (token) for future updates. Email delivery	\$215.00	М	n/a	NEW
E-SPE-EN-V5	EntraPass Special Edition v5 USB key, includes: English User manual. One year of updates included				Discontinued Replaced by E-SPE-EN-V6
E-SPE-FR-V5	EntraPass Special Edition v5 USB key, includes: French User manual. One year of updates included				Discontinued Replaced by E-SPE-FR-V6
E-SPE-V5	EntraPass Special Edition v5 USB key. One year of updates included				Discontinued Replaced by E-SPE-V6
E-SPE-V5-LIC	EntraPass Special Edition v5, license only. One year of updates included. Email delivery				Discontinued Replaced by E-SPE-V6-LIC
E-SPE-UPG-V5	Entrapass Special Edition USB key upgrade from v3.xx to v5. Requires Kantech Advantage Program (token) for future updates				Discontinued Replaced by E-SPE-UPG-V6
E-SPE-UPG-V5-LIC	Entrapass Special Edition upgrade license only from v3.xx to v5. Requires Kantech Advantage Program (token) for future updates. Email delivery				Discontinued Replaced by E-SPE-UPG-V6-LI
KAP (Kantech Advantage Prog					
	Kantech Token for EntraPass Special (1). Email delivery	\$150.00	M	n/a	
E-SPE-KTK-1 <b>lanuals</b>	Named Token of Entra and openia (1). Email delivery				
	EntraPass Special Edition User manual, English	\$65.00		n/a	



Effective March 18, 2013 MSRP Kantech Description Category Warranty Notes Part Numbe (USD) EntraPass Corporate Edition Software E-COR-EN-V6 EntraPass Corporate Edition v6 USB key, includes: one server workstation and 2 additional workstations \$893.00 NEW R n/a license, one gateway license, one WebStation license, English User manual. One year of updates included E-COR-FR-V6 EntraPass Corporate Edition v6 USB key, includes: one server workstation and 2 additional workstations \$893.00 R NEW license, one gateway license, one WebStation license, French User manual. One year of updates included E-COR-V6 EntraPass Corporate Edition v6 USB key, includes: one server workstation and 2 additional workstations \$866.00 NEW na license, one gateway license and one WebStation license. One year of updates included E-COR-V6-LIC EntraPass Corporate Edition v6 license only, includes: one server workstation and 2 additional \$866.00 R NEW na workstations license, one gateway license and one WebStation license. One year of updates included. Email delivery E-COR-UPG-EN-V6 EntraPass Corporate Edition USB key upgrade from v3.xx to v6, includes: English User manual. Requires NEW \$667.00 R n/a Kantech Advantage Program (tokens) for future updates E-COR-UPG-FR-V6 EntraPass Corporate Edition USB key upgrade from v3.xx to v6, includes: French User manual. Requires \$667.00 R n/a NEW Kantech Advantage Program (tokens) for future updates E-COR-UPG-V6-LIC EntraPass Corporate Edition upgrade license only from v3.xx to v6 Requires Kantech Advantage Program \$649.00 n/a (tokens) for future updates. Email delivery E-COR-EN-V5 EntraPass Corporate Edition v5 USB key, includes: one server workstation and 2 additional workstations Discontinued license, one gateway license, one WebStation license, English User manual. One year of updates included Replaced by E-COR-EN-V6 E-COR-FR-V5 EntraPass Corporate Edition v5 USB key, includes: one server workstation and 2 additional workstations Discontinued license, one gateway license, one WebStation license, French User manual. One year of updates included Replaced by E-COR-FR-V6 EntraPass Corporate Edition v5 USB key, includes: one server workstation and 2 additional workstations F-COR-V5 Discontinued license, one gateway license and one WebStation license. One year of updates included Replaced by E-COR-V6 E-COR-V5-LIC EntraPass Corporate Edition v5 license only, includes: one server workstation and 2 additional workstations license, one gateway license and one WebStation license. One year of updates included Discontinued Replaced by E-COR-V6-LIC Email delivery E-COR-UPG-EN-V5 EntraPass Corporate Edition USB key upgrade from v3.xx to v5, includes: English User manual. Requires Discontinued Replaced by E-COR-UPG-EN-V6 Kantech Advantage Program (tokens) for future updates Discontinued E-COR-UPG-FR-V5 EntraPass Corporate Edition USB key upgrade from v3.xx to v5, includes: French User manual. Requires Kantech Advantage Program (tokens) for future updates Replaced by E-COR-UPG-FR-V6 EntraPass Corporate Edition upgrade license only from v3.xx to v5 Requires Kantech Advantage Program (tokens) for future updates. Email delivery F-COR-UPG-V5-LIC Discontinued Replaced by E-COR-UPG-V6-LIC Additional Gateway and Workstation Licenses E-COR-WS1 EntraPass Corporate Edition, license for 1 additional workstations (v3.xx and higher), Email delivery \$300.00 R n/a E-COR-WS6 EntraPass Corporate Edition, license for 6 additional workstations (v3.xx and higher). Email delivery \$1,250.00 n/a E-COR-COM EntraPass Corporate Edition, license for 40 additional Multi-Site gateways (v3.xx and higher). Email \$625.00 R delivery Options E-COR-RDN EntraPass Corporate Edition option, license for one Redundancy Server (v3.xx and higher). Email delivery \$4,500.00 R n/a E-COR-SQL EntraPass Corporate Edition option, license for one Card Gateway (Oracle/MS-SQL HR interface) (v3.xx \$4,500.00 n/a and higher). Email delivery E-COR-VVM EntraPass Corporate Edition option, license for one EntraPass Video Vault (v3.xx and higher). Email \$2,100.00 R n/a E-COR-WEB-1 EntraPass Corporate Edition option, license for 1 concurrent WebStation (v4.xx and higher). Email delivery \$600.00 R n/a E-COR-WEB-3 EntraPass Corporate Edition option, license for 3 concurrent WebStation (v4.xx and higher). Email delivery \$1,500.00 n/a F-COR-DVR-1 EntraPass Corporate Edition option license for single 3rd party recorder (v5.02 and higher). See datasheet \$500.00 R n/a for integration capabilities. Email delivery KAP (Kantech Advantage Program see note 1 (end of list)) E-COR-KTK-1 Kantech Token for EntraPass Corporate (1). Email delivery \$300.00 n/a Kantech Tokens for EntraPass Corporate (2). Email delivery E-COR-KTK-2 \$600.00 R n/a E-COR-KTK-3 Kantech Tokens for EntraPass Corporate (3). Email delivery \$900.00 n/a E-COR-KTK-5 Kantech Tokens for EntraPass Corporate (5). Email delivery \$1.500.00 n/a E-COR-KTK-10 Kantech Tokens for EntraPass Corporate (10), Email delivery \$3,000,00 R n/a Manuals F-COR-MAN-FN EntraPass Corporate Edition User manual, English \$85.00 М n/a

\$85.00

М

n/a

E-COR-MAN-FR

EntraPass Corporate Edition User manual, French



Effective March 18, 2013 MSRP Kantech Description Category Warranty Notes Part Numb (USD) EntraPass Global Edition Software E-GLO-EN-V6 EntraPass Global Edition v6 USB key, includes: one server workstation and 4 additional workstations \$3,675.00 NEW G n/a license, one gateway (Windows NCC) license, one WebStation license, English User manual. One year of updates included . EntraPass Global Edition v6 USB key, includes: one server workstation and 4 additional workstations E-GLO-FR-V6 \$3.675.00 G NEW license, one gateway (Windows NCC) license, one WebStation license, French User manual. One year of updates included E-GLO-V6 EntraPass Global Edition v6 USB key, includes: one server workstation and 4 additional workstations \$3,649.00 G NEW n/a license, one gateway (Windows NCC) license and one WebStation license. One year of updates included E-GLO-V6-LIC EntraPass Global Edition v6 license only, includes: one server workstation and 4 additional workstations \$3,649.00 G NEW n/a license, one gateway (Windows NCC) license and one WebStation license. One year of updates included. Email delivery EntraPass Global Edition USB key upgrade from v3.xx to v6, includes: English User manual. Requires E-GLO-UPG-EN-V6 NEW \$2,756.00 G n/a Kantech Advantage Program (tokens) for future updates E-GLO-UPG-FR-V6 EntraPass Global Edition USB key upgrade from v3.xx to v6, includes: French User manual. Requires \$2,756.00 G n/a NEW Kantech Advantage Program (tokens) for future updates E-GLO-UPG-V6-LIC EntraPass Global Edition upgrade license only from v3.xx to v6. Requires Kantech Advantage Program \$2,737.00 G n/a (tokens) for future updates. Email delivery E-GLO-EN-V5 EntraPass Global Edition v5 USB key, includes; one server workstation and 4 additional workstations Discontinued license, one gateway (Windows NCC) license, one WebStation license, English User manual. One year of Replaced by E-GLO-EN-V6 updates included E-GLO-FR-V5 EntraPass Global Edition v5 USB key, includes: one server workstation and 4 additional workstations Discontinued license, one gateway (Windows NCC) license, one WebStation license, French User manual. One year of Replaced by E-GLO-FR-V6 updates included E-GLO-V5 EntraPass Global Edition v5 USB key, includes: one server workstation and 4 additional workstations Discontinued license, one gateway (Windows NCC) license and one WebStation license. One year of updates included Replaced by E-GLO-V6 E-GLO-V5-LIC EntraPass Global Edition v5 license only, includes: one server workstation and 4 additional workstations Discontinued Replaced by E-GLO-V6-LIC license, one gateway (Windows NCC) license and one WebStation license. One year of updates included. Email delivery E-GLO-UPG-EN-V5 EntraPass Global Edition USB key upgrade from v3.xx to v5, includes: English User manual. Requires Discontinued Kantech Advantage Program (tokens) for future updates Replaced by E-GLO-UPG-EN-V6 E-GLO-UPG-FR-V5 EntraPass Global Edition USB key upgrade from v3.xx to v5, includes: French User manual. Requires Discontinued Kantech Advantage Program (tokens) for future updates Replaced by E-GLO-UPG-FR-V6 E-GLO-UPG-V5-LIC EntraPass Global Edition upgrade license only from v3.xx to v5. Requires Kantech Advantage Program Discontinued (tokens) for future updates. Email delivery Replaced by E-GLO-UPG-V6-LIC Additional Gateway and Workstation Licenses EntraPass Global Edition, license for 1 additional workstation (v3.xx and higher). Email delivery \$1,000.00 G E-GLO-WS1 n/a E-GLO-WS8 EntraPass Global Edition, license for 8 additional workstations (v3.xx and higher). Email delivery \$6,000.00 n/a F-GLO-COM-WIN EntraPass Global Edition, license for 16 additional Global gateways (Windows NCC) (v3.xx and higher) \$800.00 G n/a E-GLO-CORCOM EntraPass Global Edition, license for 40 additional Multi-Site gateways (v3.xx and higher). Email delivery \$625.00 G n/a Options E-GLO-RDN EntraPass Global Edition option, license for one Redundancy Server (v3.xx and higher). Email delivery \$2,000.00 G n/a E-GLO-SQL EntraPass Global Edition option, license for one Card Gateway (Oracle/MS-SQL HR interface) (v3.xx and \$2,000.00 G n/a E-GLO-VVM EntraPass Global Edition option, license for one EntraPass Video Vault (v3.xx and higher). Email delivery \$2,000.00 G E-GLO-WEB-1 EntraPass Global Edition WebStation option, license for 1 web concurrent (v4.xx and higher). Email G \$900.00 n/a E-GLO-WEB-3 EntraPass Global Edition WebStation option, license for 3 web concurrent (v4.xx and higher). Email \$2,100.00 G n/a delivery E-GLO-INFVID EntraPass Global Edition option, license for Entrapass InfiniView remote video process (v5.01 and higher). \$2,500.00 G n/a Email delivery EntraPass Global Edition option license for single 3rd party recorder (v5.02 and higher). See datasheet for E-GLO-DVR-1 \$500.00 G n/a integration capabilities. Email delivery E-GLO-DVR-UNL EntraPass Global Edition option license for unlimited 3rd party recorder (v5.02 and higher). See datasheet \$10,000.00 G n/a for integration capabilities. Email delivery KAP (Kantech Advantage Program see note 1 (end of list)) E-GLO-KTK-1 Kantech Token for EntraPass Global (1). Email delivery \$300.00 n/a Kantech Token for EntraPass Global (2), Email delivery E-GLO-KTK-2 \$600.00 n/a Kantech Token for EntraPass Global (3). Email delivery E-GLO-KTK-3 \$900.00 G n/a E-GLO-KTK-5 Kantech Token for EntraPass Global (5). Email delivery \$1,500.00 G n/a Kantech Token for EntraPass Global (10). Email delivery E-GLO-KTK-10 \$3,000.00 G n/a Ğ E-GLO-KTK-20 Kantech Token for EntraPass Global (20). Email delivery \$6,000.00 n/a Manuals E-GLO-MAN-EN EntraPass Global Edition User manual, English \$95.00 М n/a E-GLO-MAN-FR EntraPass Global Edition User manual, French \$95.00 M n/a **Embedded Network Communication** KT-NCC Embedded network communication controller (NCC) includes: black metal cabinet (KT-NCC-CAB). \$3,085,00 G 5 years accessory kit (KT-NCC-ACC) w/ lock (KT-LOCK) and tamper switch (KT-TAMPER), compatible w/ EntraPass Global Edition V3.17 and higher KT-NCC-PCB Embedded network communication controller (NCC) PCB only, includes: accessory kit (KT-NCC-ACC), \$2,879.00 G 5 years battery and ground cables, hardware to affix the ground cable and the PCB Accessories KT-NCC-ACC Embedded network communication controller (NCC) accessory kit includes: RS-232 to VC-485 flat cable w/ \$32.00 G n/a RJ-12 male connectors, and screwdriver KT-NCC-CAB Embedded network communications controller (NCC) accessory, black metal cabinet w/ KT-LOCK and \$289.00 G n/a

ground cable



Effective March 18, 2013 Kantech Part Number	Description	MSRP (USD)	Category	Warranty	Notes
Codebench PIVCheck		(030)			
KT-PVCP-DS	PIVCheck Plus Desktop software, Audit Trail software, with EntraPass interface. Compatible w/ Entrapass	\$11,000.00	0	n/a	
	Global and Corporate Edition	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
KT-PVC-DS	PIVCheck Desktop software only	\$4,435.00	0	n/a	
KT-OMNPR-MS	Omnicheck with PACS Registration for mobile devices. Includes EntraPass interface. Compatible w/	\$11,000.00		n/a	
	Entrapass Global and Corporate Edition	, , , , , , , , ,			
KT-OMN-MS	OmniCheck Mobile software only	\$4,435.00	0	n/a	
KT-PVC-CM	PIVCheck Certificate Manager software	\$12,500.00		n/a	
KT-PVCAT-D	PIVCheck Desktop Audit Trail software	\$1,272.00		n/a	
KT-MSO350	MorphoTrak MSO 350 Contact smart card reader w/ fingerprint sensor (for high traffic)	\$1,500.00		n/a	
KT-MSO350e	MorphoTrak MSO 1350e Contact smart card reader w/ higgsprint sensor	\$700.00		n/a	
	Datastrip DSV2+turbo mobile biometric terminal; includes contact/contactless smart card reader, fingerprint	\$7,000.00			
KT-DSV2+	sensor, WiFi, charging cradle			n/a	
KT-PVCP-DS-SSA	PIVCheck Plus Desktop software, Audit Trail software, with Plug-in. Technical service plan	\$1,900.00		n/a	
KT-OMNPR-MS-SSA	Omnicheck with PACS Registration for mobile devices. Technical service plan	\$1,900.00		n/a	
KT-PVC-DS-SSA	PIVCheck Desktop software only. Technical service plan	\$630.00	0	n/a	
KT-PVC-CM-SSA	PIVCheck Certificate Manager software. Technical service plan	\$2,345.00	0	n/a	
KT-PVCAT-D-SSA	PIVCheck Desktop Audit Trail software. Technical service plan	\$230.00	0	n/a	
or Controllers					
-400 Four Door Controller					
ontrollers					
KT-400	KT-400 four door controller, IP ready, accessory kit (KT-400-ACC), metal cabinet (KT-400-CAB) w/ lock (KT-LOCK)	\$2,060.00	М	5 years	
KT-400-PCB	KT-400 four door controller PCB only, IP ready, accessory kit (KT-400-ACC)	\$1,952.00	М	5 years	
Accessories					
KT-400-ACC	KT-400 accessory kit, includes: four 1.0K ohm, thirty two 5.6K ohm resistors, ground wire, battery connector and screwdriver	\$32.00	М	n/a	
KT-400-CAB	KT-400 black metal cabinet w/ lock (KT-LOCK)	\$158.00	М	n/a	
KT-400-CON	KT-400 shakk motal cashlet Whook (KT 200K) KT-400 removable terminal block spare kit	\$95.00		n/a	
KT-ACPW-LED	UL AC power LED indicator				
	•	\$53.00		n/a	
KT-3LED-PLATE	UL alarm, three color LED indicator mounted on a single-gang box	\$74.00		n/a	
KT-LOCK	Lock for KT-400-CAB, KT-MOD-CAB, KT-300CAB, KT-NCC-CAB, KT-4051CAB, KT-CAB3000LDR and KT-CAB4000LDR metal cabinets, two keys	\$26.00	М	n/a	
KT-TAMPER	Tamper switch for KT-400-CAB, KT-MOD-CAB, KT-300CAB, KT-NCC-CAB, KT-4051CAB, KT-	\$21.00	М	n/a	
	CAB3000LDR and KT-CAB4000LDR metal cabinets				
Expansion Modules					
KT-MOD-INP16	KT-400 expansion module 16-zone input with SPI cable (KT-MOD-SPI-16)	\$250.00	M	5 years	
KT-MOD-OUT16	KT-400 expansion module 16-output with SPI cable (KT-MOD-SPI-16)	\$250.00	M	5 years	
KT-MOD-REL8	KT-400 expansion module 8-relay with SPI cable (KT-MOD-SPI-16). Compatible w/ KT-200 door controller but requires 12 VDC power supply	\$250.00		5 years	
KT-MOD-SPI-16	KT-400 SPI cable 40.64 cm (16 in) for expansion modules, with connector at one end	\$26.00	М	n/a	
KT-MOD-SPI-36	KT-400 SPI cable 91.44 cm (36 in) for expansion modules, with connector at one end	\$37.00		n/a	
KT-MOD-CAB	KT-400 expansion module cabinet, black, with 36" SPI cable (KT-MOD-SPI-36) & lock (KT-LOCK)	\$158.00	M	n/a	
Power Supplies					
TR1675	KT-400 transformer, wire-in, 110 VAC/ 16.5 VAC (75 VA), UL approved	\$80.00	0	1 year	
Γ-300 Two Door Controller					
ontrollers KT-300/128K	KT-300 two door controller, 128KB memory, accessory kit (KT-300-ACC), metal cabinet (KT-300CAB) w/	\$850.00	М	5 years	
111 000/12011	lock (KT-LOCK)	ψοσσ.σσ		o youro	
KT-300/512K	KT-300 two door controller, 512KB memory, accessory kit (KT-300-ACC), metal cabinet (KT-300CAB) w/ lock (KT-LOCK)	\$994.00	М	5 years	
KT-300PCB128	KT-300 two door controller PCB only, 128KB memory, accessory kit (KT-300-ACC)	\$810.00	М	5 years	
KT-300PCB512	KT-300 two door controller PCB only, 512KB memory, accessory kit (KT-300-ACC)	\$954.00		5 years	
ccessories	it could do	φουσο	•••	o youro	
	KT 200 accessory bit includes two 1.0V above to 5.6V above two 120 above and of line resistance DCD	<b>#22.00</b>		2/2	
KT-300-ACC	KT-300 accessory kit, includes: two 1.0K ohm, ten 5.6K ohms, two 120 ohms end-of-line resistors, PCB	\$32.00	М	n/a	
KT 200CAB	standoff, lock hole cover, ground wire, battery connector and screwdriver	600.00		2/2	
KT-300CAB KT-LOCK	KT-300 accessory, black metal cabinet w/ lock (KT-LOCK) Lock for KT-400-CAB, KT-MOD-CAB, KT-300CAB, KT-NCC-CAB, KT-4051CAB, KT-CAB3000LDR and KT-	\$63.00 \$26.00		n/a n/a	
KT-TAMPER	CAB4000LDR metal cabinets, two keys Tamper switch for KT-400-CAB, KT-MOD-CAB, KT-300CAB, KT-NCC-CAB, KT-4051CAB, KT-	\$21.00	М	n/a	
KI-TAWPER	CAB3000LDR and KT-CAB4000LDR metal cabinets	φ21.00	IVI	II/a	
KT-300FLASH	KT-300 accessory, replacement firmware	\$33.00	M	n/a	
KT-RM1	KT-300 accessory, external isolation relay, single pole, double through (SPDT) for output RL1/RL2	\$11.00	0	n/a	
xpansion Modules					
KT-4051CAB	KT-300 expansion module cabinet, black, order lock separately (KT-LOCK), two keys	\$89.00	M	n/a	
KT-PC4108	KT-300 expansion module, 8-zone input module	\$105.00		5 years	
KT-PC4204	KT-300 expansion module, 4-relay and COMBUS additional power supply	\$105.00		5 years	
	KT-300 expansion module, 4-relay and Combos additional power supply  KT-300 expansion module, 16-output module	\$105.00		5 years	
	101 000 oxpansion module, 10-output module				
KT-PC4216	KT 200 expansion module I CD time and data display:	\$210.00	U	5 years	
KT-PC4216 KT3-LCD	KT-300 expansion module, LCD time and date display				
KT-PC4216 KT3-LCD ower Supplies				4	
KT-PC4216 KT3-LCD lower Supplies TR1637W/CSA	KT-300 transformer, wire-in, 110 VAC/ 16 VAC (37 VA), CSA approved	\$15.00		1 year	
KT-PC4216 KT3-LCD lower Supplies TR1637W/CSA TR1640P/UL	KT-300 transformer, wire-in, 110 VAC/ 16 VAC (37 VA), CSA approved KT-300 transformer, plug-in, 110 VAC/ 16 VAC (40 VA), UL approved	\$15.00 \$15.00	M	1 year	
KT-PC4216 KT3-LCD Power Supplies TR1637W/CSA	KT-300 transformer, wire-in, 110 VAC/ 16 VAC (37 VA), CSA approved	\$15.00	M M		



Γ-200 Two Door Controller	Description	MSRP (USD)	Category	Warranty	Notes
ontrollers					
KT-200	KT-200 two door controller, accessory kit (KT-200G-ACC), EPROM (EP-ENTRA3), metal cabinet (KT-	\$1,210.00	М	5 years	
KT-200CSA	200BO) w/ lock (KT-200-CAMLO)	£4 220 00		Evente	
K1-200CSA	KT-200 two door controller, accessory kit (KT-200G-ACC), EPROM (EP-ENTRA3), metal cabinet (KT- 200BO) w/ lock (KT-200-CAMLO), CSA approved	\$1,238.00	М	5 years	
KT-200NB	KT-200 two door controller, PCB only, w/ accessory kit (KT-200G-ACC), EPROM (EP-ENTRA3)	\$1,111.00	М	5 years	
accessories	K1-200 two door controller, FOB only, w/ accessory kit (K1-2000-Acc), El Now (E1-ENTIAG)	Ψ1,111.00	IVI	J years	
KT-200G-ACC	KT-200 accessory kit, includes: two keys, end of line resistors, battery leads	\$21.00	М	n/a	
KT-200BO	KT-200 accessory, metal cabinet	\$158.00	М	n/a	
KT-200-CAMLO	KT-200 accessory, lock for metal cabinet (KT-200BO), two keys	\$25.00	M	n/a	
PROMs					
EP-ENTRA3	KT-200 EPROM, one per KT-200 required for use w/ EntraPass Special, Corporate, Global (Windows	\$26.00	M	n/a	
	NCC) Edition, WinPass, EntraPass RS and LS				
ower Supplies					
TR2475	KT-200 transformer, wire-in, 110 VAC (75 VA), CSA and UL approved	\$100.00	M	1 year	
pare Parts					
SP-BAT5186	KT-200 spare part, replacement lithium battery	\$21.00	M	n/a	
FUSE3A2AG	KT-200 spare part, fuse, 3 amps, 2AG, package of 5	\$11.00	M	n/a	
MICRO2A	KT-200 spare part, micro fuse, 2 amps, package of 5	\$11.00	M	n/a	
MICRO5A	KT-200 spare part, micro fuse, 5 amps, package of 5	\$21.00	M	n/a	
SP-CON3	KT-200 spare part, one set of seven connectors, charcoal	\$58.00	М	n/a	
Γ-100 Single Door Controller					
Controller	I/T 400 11 L A III C A III C	0555		_	
KT-100	KT-100 mini door controller, for two readers one door	\$536.00	М	5 years	
ALICE AWAIT	KT 100 coccess plastic surface mounting box with-	640.00	_	n/o	
MUSB-1WHT	KT-100 accessory, plastic surface mounting box, white	\$16.00	0	n/a	
Pass Stand-Alone Door Control	IIEI/ Reader				
ntegrated Reader	ioPass stand-alone door controller, w/ integrated ioProx reader, up to 5,000 users, ten keytags (P40KEY),	\$315.00	N.4	1 year	
SA-500-EN	ioPass stand-alone door controller, w/ integrated ioProx reader, up to 5,000 users, ten keytags (P40KEY), one relay module (SA-RM56), English manual	\$315.00	М	1 year	
xternal Reader	one relay module (On-Nivido), English Mahlah				
SA-600-EN	ioPass stand-alone door controller, w/ external ioProx reader, up to 5,000 users, ten keytags (P40KEY),	\$315.00	М	1 voor	
SA-600-EN	one relay module (SA-RM56), English manual	φ315.00	IVI	1 year	
ccessories	one relay module (SA-Niviso), English manual				
SA-RM56	ioPass accessory, additional/ replacement relay module for SA-500 or SA-600 units	\$40.00	0	1 year	
aders, Keypads & Cards	ion ass accessory, additional replacement roley module for one or occording	ψ+0.00		i yeai	
oximity Readers, Cards & Acce	essories				
Prox Readers, Cards & Access					
Readers XSF (eXtended Secure					
P225XSF	ioProx reader, XSF, mullion size, up to 16.5 cm (6.5 in) read range, black	\$154.00	М	Lifetime	
P225KPXSF	ioProx reader, XSF, mullion size, up to 16.5 cm (6.5 in) read range, w/ integrated keypad, black	\$364.00	М	Lifetime	
P325XSF	ioProx reader, XSF, single-gang size, up to 20.5 cm (8 in) read range, black	\$154.00	М	Lifetime	
P325KPXSF	ioProx reader, XSF, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black	\$364.00	M	Lifetime	
Readers 26-bit Wiegand					
P225W26	ioProx reader, 26-bit Wiegand, mullion size, up to 16.5 cm (6.5 in) read range, black	\$164.00	M	Lifetime	
P225KPW26	ioProx reader, 26-bit Wiegand, mullion size, up to 16.5 cm (6.5 in) read range, w/ integrated keypad, black	\$390.00	M	Lifetime	
		£40400	M	Lifetime	
P325W26	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, black	\$164.00	IVI		
P325W26 P325KPW26	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, black ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad,	\$164.00	M	Lifetime	
				Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black t Wiegand Selectable		М		
P325KPW26 Reader Long Range XSF/ 26-bit P600	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable  ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black			Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support	\$390.00 \$550.00	М	Lifetime	
P325KPW26 Reader Long Range XSF/ 26-bit P600	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in)	\$390.00	М		
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345MTR	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black	\$390.00 \$550.00 \$270.00	M M O	Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in)	\$390.00 \$550.00	М	Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345MTR  P345KPMTR	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black	\$390.00 \$550.00 \$270.00	M M O	Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  Readers OEM	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black	\$390.00 \$550.00 \$270.00 \$600.00	M M O	Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black ioProx reader module only, XSF, for OEM need	\$390.00 \$550.00 \$270.00 \$600.00	M M O O	Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225W26OEM	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black	\$390.00 \$550.00 \$270.00 \$600.00	M M O	Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225W26OEM Reader Covers	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$135.00	M O O	Lifetime Lifetime Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225W26OEM Reader Covers P225-COVER	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225XSF or P225W26, black	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$135.00	M O O M M M	Lifetime Lifetime Lifetime Lifetime Lifetime n/a	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225XU26OEM Reader Covers P225KP-COVER	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P225KPXSF or P225KPW26, black	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$135.00 \$32.00	M O O M M M M	Lifetime Lifetime Lifetime Lifetime n/a n/a	
P325KPW26  Reader Long Range XSF/ 26-bit P600 Multi-Technology Reader with i P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225WGOEM Reader Covers P225-COVER P325-COVER P325-COVER	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P225XSF or P225KPW26, black ioProx reader cover, for P325XSF or P325W26, black	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$135.00 \$32.00 \$32.00 \$37.00	M O O M M M M M	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225XV26OEM Reader Covers P225-COVER P2325KP-COVER P325KP-COVER P325KP-COVER	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader cover, for P225XSF or P225XP6, black ioProx reader cover, for P225KPXSF or P225KPW26, black ioProx reader cover, for P325KPXSF or P325W26, black ioProx reader cover, for P325KPXSF or P325W26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$135.00 \$32.00	M O O M M M M M	Lifetime Lifetime Lifetime Lifetime n/a n/a	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225XV26OEM Reader Covers P225-COVER P325-COVER P325-COVER P325-COVER Cards Dual Encoded XSF/ 26-bit	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P325XSF or P325W26, black ioProx reader cover, for P325XSF or P325W26, black ioProx reader cover, for P325XSF or P325W26, black ioProx reader cover, for P325XSF or P325KPW26, black ioProx reader cover, for P325XSF or P325KPW26, black	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$135.00 \$32.00 \$37.00	M O O M M M M M M M M M M M M M M M M M	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a	
P325KPW26  Reader Long Range XSF/ 26-bit P600 Multi-Technology Reader with i P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225W260EM Reader Covers P225-COVER P325COVER P325KP-COVER P325KP-COVER Cards Dual Encoded XSF/ 26-bit P10SHL	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225KPXSF or P225W26, black ioProx reader cover, for P325KPXSF or P325W26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50)	\$390.00 \$550.00 \$270.00 \$600.00 \$135.00 \$32.00 \$37.00 \$37.00	M O O M M M M M O O O O O O O O O O O O	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225XV26OEM Reader Covers P225-COVER P325-COVER P325-COVER P325-COVER Cards Dual Encoded XSF/ 26-bit	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225XFxSF or P225KPW26, black ioProx reader cover, for P225XFs or P325W26, black ioProx reader cover, for P325XFs or P325W26, black ioProx reader cover, for P325XFxSF or P325KPW26, black ioProx reader cover, for P325XFxSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, thin credit card size, glossy front/ back for dye-sub printing (Minimum	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$135.00 \$32.00 \$37.00	M O O M M M M M M M M M M M M M M M M M	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225XV26OEM Reader Covers P225-COVER P225KP-COVER P325-COVER P325-COVER P325KP-COVER Cards Dual Encoded XSF/ 26-bit P10SHL P20DYE	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P225KPXSF or P225KPW26, black ioProx reader cover, for P325XSF or P325W26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50)	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$135.00 \$32.00 \$37.00 \$37.00 \$2.64	M O O M M M M M O O O	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600 Multi-Technology Reader with i P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225W260EM Reader Covers P225-COVER P325COVER P325KP-COVER P325KP-COVER Cards Dual Encoded XSF/ 26-bit P10SHL	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225KPXSF or P225W26, black ioProx reader cover, for P325KPXSF or P325W26, black ioProx reader cover, for P325KPXSF or P325W26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy	\$390.00 \$550.00 \$270.00 \$600.00 \$135.00 \$32.00 \$37.00 \$37.00	M O O M M M M M O O O O O O O O O O O O	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with in P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225W26OEM Reader Covers P225-COVER P225KP-COVER P325KP-COVER P325KP-COVER P325KP-COVER P325KP-COVER P325KP-COVER P325KP-COVER P10SHL P20DYE P30DMG	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225KPSF or P225KPW26, black ioProx reader cover, for P225KPSF or P225KPW26, black ioProx reader cover, for P325KPSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, who blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, who blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50)	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$2.64 \$5.44	M O O M M M M O O O O O O O O O O O	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with it P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225XV26OEM Reader Covers P225-COVER P2325KP-COVER P325KP-COVER P325KP-COVER Cards Dual Encoded XSF/ 26-bit P10SHL P20DYE P30DMG P40KEY	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need  ioProx reader cover, for P225XSF or P225KPW26, black ioProx reader cover, for P325XSF or P325KPW26, black ioProx reader cover, for P325XSF or P325KPW26, black ioProx reader cover, for P325XSF or P325KPW26, black ioProx card, xSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx card, xSF/ 26-bit Wiegand, (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 55, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 55, Increment Qty 50)	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$2.64 \$5.44	M O O M M M M O O O M M M M M M M M M M	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600 Multi-Technology Reader with i P345MTR  P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225W260EM Reader Covers P225-COVER P325-COVER	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225KPXSF or P225W26, black ioProx reader cover, for P225KPXSF or P225W26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 55) ioProx self-adhesive round tag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50)	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$2.64 \$5.44	M O O M M M M O O O O O O O O O O O	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225KP6OEM Reader Covers P225-COVER P225KP-COVER P325-COVER P325	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P225XSF or P225WP06, black ioProx reader cover, for P325XSF or P325W26, black ioProx reader cover, for P325XSF or P325W26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, whin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, whin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 55, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 55, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 55, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 55, Increment Qty 50) ioProx self-adhesive round tag, XSF/ 26-bit Wiegand (Minimum Qty 55, Increment Qty 50)	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$55.44 \$6.00 \$3.09	M O O M M M M M M M M M M M M M M M M M	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600 Multi-Technology Reader with i P345MTR  P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225W260EM Reader Covers P225-COVER P325-COVER	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225KPXSF or P225KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 25, Increment Qty 25) ioProx self-adhesive round tag, XSF/ 26-bit Wiegand selectable, indoor/ outdoor use, including one standard ioProx receiver, 4-channel, XSF/ 26-bit Wiegand selectable, indoor/ outdoor use, including one standard	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$2.64 \$5.44	M O O M M M M O O O M M M M M M M M M M	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XY26OEM Reader Covers P225-COVER P325-COVER P325-COVER P325KP-COVER Cards Dual Encoded XSF/ 26-bit P10SHL P20DYE P30DMG  P40KEY P50TAG ioProx Receiver, Transmitters in P700WLS	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, XSF, for OEM need ioProx reader cover, for P225KPXSF or P225W26, black ioProx reader cover, for P225KPXSF or P225W26, black ioProx reader cover, for P325KPXSF or P325W26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand, (Minimum Qty 50, Increment Qty 50) ioProx self-adhesive round tag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50)  & Accessories ioProx receiver, 4-channel, XSF/ 26-bit Wiegand selectable, indoor/ outdoor use, including one standard whip antenna (P-WLS-A1)	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$2.64 \$5.44 \$6.00 \$3.09	M  M O O M M M M O O O M M O O O O O	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime Lifetime Lifetime Lifetime Lifetime Lifetime	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with i P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225KPCOVER P225COVER P325COVER P325COVER P325KP-COVER Cards Dual Encoded XSF/ 26-bit P10SHL P20DYE P30DMG  P40KEY P50TAG ioProx Receiver, Transmitters in P700WLS P72WLS	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need  ioProx reader module only, 26-bit Wiegand, for OEM need  ioProx reader cover, for P225XSF or P225W26, black  ioProx reader cover, for P225XSF or P225W26, black  ioProx reader cover, for P325XFXSF or P325W26, black  ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50)  ioProx card, XSF/ 26-bit Wiegand, which redit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50)  ioProx card, XSF/ 26-bit Wiegand, which high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50)  ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50)  ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50)  ioProx receiver, 4-channel, XSF/ 26-bit Wiegand selectable, indoor/ outdoor use, including one standard whip antenna (P-WLS-A1)  ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10)	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$5.44 \$6.00 \$3.09 \$5.00 \$35.00		Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a lifetime Lifetime Lifetime Lifetime Lifetime 1 year	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with in P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225W26OEM Reader Covers P225-COVER P325KP-COVER P325KP-COVER P325KP-COVER P325KP-COVER P305KP-COVER P305KP-COVER P305KP-COVER P305KP-COVER P305KP-COVER P305KP-COVER P305KP-COVER P305KP-COVER P305KP-COVER P300KE P700KE P700WLS P72WLS P72WLS	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225KPXSF or P225KPW26, black ioProx reader cover, for P225KPXSF or P225KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 25) ioProx self-adhesive round tag, XSF/ 26-bit Wiegand selectable, indoor/ outdoor use, including one standard whip antenna (P-WLS-A1) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10)	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$5.44 \$6.00 \$3.09 \$250.00 \$35.00 \$35.00	M	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime Lifetime Lifetime Lifetime 1 year 1 year 1 year	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with it P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225W26OEM Reader Covers P225-COVER P325-COVER P325-COVER P325KP-COVER Cards Dual Encoded XSF/ 26-bit P10SHL P20DYE P30DMG  P40KEY P50TAG ioProx Receiver, Transmitters in P70WLS P72WLS P72WLS P72WLS P72WLS P72WLS	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  It Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  IoProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need ioProx reader module only, XSF, for OEM need ioProx reader cover, for P225KPXSF or P225W26, black ioProx reader cover, for P225KPXSF or P225W26, black ioProx reader cover, for P325KPXSF or P325W26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx reader cover, for P325KPXSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50) ioProx self-adhesive round tag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50)  & Accessories  ioProx receiver, 4-channel, XSF/ 26-bit Wiegand selectable, indoor/ outdoor use, including one standard whip antenna (P-WLS-A1) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 4-button (Minimum Qty 10, Increment Qty 10)	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$2.64 \$5.44 \$6.00 \$3.09 \$250.00 \$38.00 \$38.00 \$38.00	M	Lifetime Lifetime Lifetime Lifetime n/a n/a n/a n/a Lifetime Lifetime Lifetime Lifetime 1 year 1 year 1 year 1 year	
P325KPW26  Reader Long Range XSF/ 26-bit P600 Multi-Technology Reader with in P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225XCOVER P225COVER P325COVER P325KP-COVER P325KP-COVER P325KP-COVER P325KP-COVER P325KP-COVER P30DMG  P40KEY P50TAG ioProx Receiver, Transmitters in P700WLS P72WLS P72WLS-TAG P74WLS P74WLS-TAG P74WLS P74WLS-TAG	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P325XFVSF or P325W26, black ioProx reader cover, for P325XFVSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx keyfag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 25) ioProx self-adhesive round tag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50)  & Accessories ioProx receiver, 4-channel, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 10) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 4-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 4-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 4-button (Minimum Qty 10, Increment Qty 10)	\$390.00 \$550.00 \$270.00 \$125.00 \$125.00 \$32.00 \$37.00 \$37.00 \$37.00 \$37.00 \$35.00 \$35.00 \$35.00 \$35.00 \$35.00 \$35.00	M	Lifetime Lifetime Lifetime Lifetime  n/a n/a n/a n/a n/a Lifetime Lifetime Lifetime Lifetime 1 year 1 year 1 year 1 year 1 year	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with in P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225KP-COVER P225KP-COVER P325-COVER P325KP-COVER P325KP-COVER P325KP-COVER P305KP-COVER P30DMG  P40KEY P50TAG IoProx Receiver, Transmitters in P700WLS P72WLS P74WLS P74WLS P74WLS-TAG P-WLS-TAG P-WLS-TAG P-WLS-TAG P-P74WLS-TAG P-WLS-TAG P-P000  Multi-Technology Reader with in P3600  Reader Covers	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need  ioProx reader cover, for P225XSF or P225W26, black  ioProx reader cover, for P225XSF or P225W26, black  ioProx reader cover, for P325XSF or P325W26, black  ioProx reader cover, for P325XSF or P325W26, black  ioProx reader cover, for P325XPXSF or P325W26, black  ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50)  ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50)  ioProx keytag, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 25)  ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 25)  ioProx self-adhesive round tag, XSF/ 26-bit Wiegand selectable, indoor/ outdoor use, including one standard whip antenna (P-WLS-A1)  ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10)  ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10)  ioProx transmitter, 4-button w/ integrated ioProx tag (Minimum Qty 10, Increment Qty 10)  ioProx accessory, standard whip antenna for P700WLS	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$5.44 \$6.00 \$3.09 \$250.00 \$38.00 \$38.00 \$38.00 \$35.00	M	Lifetime Lifetime Lifetime Lifetime  n/a n/a n/a n/a Lifetime Lifetime Lifetime Lifetime 1 year	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with in P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XZSFOEM Reader Covers P225-COVER P325-COVER P325-COVER P325-KP-COVER P325-KP-COVER P325-KP-COVER Cards Dual Encoded XSF/ 26-bit P10SHL P20DYE P30DMG  P40KEY P50TAG ioProx Receiver, Transmitters in ioProx	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P325XFVSF or P325W26, black ioProx reader cover, for P325XFVSF or P325KPW26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx keyfag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 25) ioProx self-adhesive round tag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50)  & Accessories ioProx receiver, 4-channel, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 10) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 4-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 4-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 4-button (Minimum Qty 10, Increment Qty 10)	\$390.00 \$550.00 \$270.00 \$125.00 \$125.00 \$32.00 \$37.00 \$37.00 \$37.00 \$37.00 \$35.00 \$35.00 \$35.00 \$35.00 \$35.00 \$35.00	M	Lifetime Lifetime Lifetime Lifetime  n/a n/a n/a n/a n/a Lifetime Lifetime Lifetime Lifetime 1 year 1 year 1 year 1 year 1 year	
P325KPW26  Reader Long Range XSF/ 26-bit P600 Multi-Technology Reader with in P345KPMTR  P345KPMTR  Readers OEM P225XSFOEM P225XSFOEM P225COVER P225COVER P325COVER P325COVER P325KP-COVER P325KP-COVER P325KP-COVER P325KP-COVER P30DMG  P40KEY P50TAG ioProx Receiver, Transmitters in P700WLS P72WLS P72WLS-TAG P74WLS P74WLS-TAG P-4WLS-TAG P-WLS-TAG	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black ioProx Support Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black ioProx reader module only, XSF, for OEM need ioProx reader module only, 26-bit Wiegand, for OEM need ioProx reader cover, for P225XSF or P225W26, black ioProx reader cover, for P225XSF or P325W26, black ioProx reader cover, for P325XFVSF or P325W26, black ioProx reader cover, for P325XFVSF or P325W26, black ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50) ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50) ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 25) ioProx self-adhesive round tag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 50)  & Accessories ioProx receiver, 4-channel, XSF/ 26-bit Wiegand selectable, indoor/ outdoor use, including one standard whip antenna (P-WLS-A1) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10) ioProx transmitter, 4-button (Minimum Qty 10, Increment Qty 10) ioProx accessory, standard whip antenna for P700WLS ioProx accessory, power dipole antenna for P700WLS	\$390.00 \$270.00 \$270.00 \$125.00 \$135.00 \$32.00 \$37.00 \$3.00	M	Lifetime Lifetime Lifetime Lifetime  In/a In/a In/a In/a Lifetime Lifetime Lifetime Lifetime Lifetime Lifetime 1 year	
P325KPW26  Reader Long Range XSF/ 26-bit P600  Multi-Technology Reader with in P345MTR  P345KPMTR  Readers OEM P225XSFOEM P225XZSFOEM Reader Covers P225-COVER P325-COVER P325-COVER P325-KP-COVER P325-KP-COVER P325-KP-COVER Cards Dual Encoded XSF/ 26-bit P10SHL P20DYE P30DMG  P40KEY P50TAG ioProx Receiver, Transmitters in ioProx	ioProx reader, 26-bit Wiegand, single-gang size, up to 20.5 cm (8 in) read range, w/ integrated keypad, black  t Wiegand Selectable ioProx reader, long range, XSF/ 26-bit Wiegand selectable, up to 73 cm (29 in) read range, black  ioProx Support  Multi-Technology reader with ioProx support, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  Multi-Technology reader with ioProx support, integrated keypad, smartcard & proximity, single-gang size, up to 10.2 cm (4 in) read range depending of technology of card, black  ioProx reader module only, XSF, for OEM need  ioProx reader cover, for P225XSF or P225W26, black  ioProx reader cover, for P225XSF or P225W26, black  ioProx reader cover, for P325XSF or P325W26, black  ioProx reader cover, for P325XSF or P325W26, black  ioProx reader cover, for P325XPXSF or P325W26, black  ioProx card, XSF/ 26-bit Wiegand, standard (Minimum Qty 50, Increment Qty 50)  ioProx card, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 50)  ioProx keytag, XSF/ 26-bit Wiegand, w/ blank high coercivity magnetic stripe, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 50, Increment Qty 25)  ioProx keytag, XSF/ 26-bit Wiegand (Minimum Qty 50, Increment Qty 25)  ioProx self-adhesive round tag, XSF/ 26-bit Wiegand selectable, indoor/ outdoor use, including one standard whip antenna (P-WLS-A1)  ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10)  ioProx transmitter, 2-button (Minimum Qty 10, Increment Qty 10)  ioProx transmitter, 4-button w/ integrated ioProx tag (Minimum Qty 10, Increment Qty 10)  ioProx accessory, standard whip antenna for P700WLS	\$390.00 \$550.00 \$270.00 \$600.00 \$125.00 \$32.00 \$37.00 \$37.00 \$5.44 \$6.00 \$3.09 \$250.00 \$38.00 \$38.00 \$35.00 \$35.00	M	Lifetime Lifetime Lifetime Lifetime  n/a n/a n/a n/a Lifetime Lifetime Lifetime Lifetime 1 year	



Effective March 18, 2013 Kantech	Description	MSRP	Catogoria	Warranty	Notes
Part Number		(USD)	Category	warranty	Notes
HID Proximity Readers, Cards, Acces	sories & Covers				
Readers	LUD Devide of Diverse des MOE/OC hit Misses de vis to 7.0 ers (0 in) and desire	<b>#</b> 400.00	_	1:4-4:	
HID-PP6005B HID-MP5365	HID ProxPoint Plus reader, KSF/ 26-bit Wiegand, up to 7.6 cm (3 in) read range, gray HID MiniProx reader, KSF/ 26-bit Wiegand, up to 14 cm (5.5 in) read range, gray	\$130.00 \$240.00		Lifetime Lifetime	
HID-PR5355	HID ProxPro reader, KSF/ 26-bit Wiegand, up to 20.3 cm (8 in) read range, gray	\$250.00		Lifetime	
HID-PR5355KP	HID ProxPro reader, KSF/ 26-bit Wiegand, up to 20.3 cm (8 in) read range, w/ integrated keypad, gray	\$520.00		Lifetime	
	The Front to Today, front 7 20 bit friegand, up to 2010 bit (0 iii) road tange, in integrated hoyeda, gray	Ψ020.00	Ü	2	
HID-TL5395BE	HID ThinLine II reader, KSF/ 26-bit Wiegand, up to 14 cm (5.5 in) read range, beige	\$205.00	0	Lifetime	
HID-TL5395BL	HID ThinLine II reader, KSF/ 26-bit Wiegand, up to 14 cm (5.5 in) read range, black	\$205.00	0	Lifetime	
HID-TL5395WH	HID ThinLine II reader, KSF/ 26-bit Wiegand, up to 14 cm (5.5 in) read range, white	\$205.00		Lifetime	
HID-MX5375	HID MaxiProx reader, long range, KSF/ 26-bit Wiegand, up to 73.7 cm (29 in) read range, gray	\$765.00	0	Lifetime	
multiCLASS™ Readers			_		
HID-RP40	HID multiCLASS reader, smartcard and HID proximity (also HID-KSF), single-gang size, black HID multiCLASS reader w/ integrated keypad, smartcard and HID proximity (also HID-KSF), single-gang	\$285.00 \$500.00		Lifetime	
HID-RPK40	size, black	\$500.00	U	Lifetime	
HID-RP40-SE	HID multiCLASS reader, smartcard, HID proximity (also HID-KSF) and Indala Proximity, single-gang size,	\$305.00	0	Lifetime	
1110 10 40 OE	black	ψ000.00	Ü	Liicuino	
Reader Covers					
6005-111-04	HID reader cover, for HID-PP6005B, gray	\$27.00	0	n/a	
5365-371-01	HID reader cover, for HID-MP5365, gray	\$38.00	0	n/a	
5355A-302-02	HID reader cover, for HID-PR5355, gray	\$58.00		n/a	
5355A-302-01	HID reader cover, for HID-PR5355KP, gray	\$58.00		n/a	
5395-104-03	HID reader cover, for HID-TL5395, black	\$58.00		n/a	
5370A-305-01	HID reader cover, for HID-MX5375, gray	\$116.00	0	n/a	
Cards KSF (Kantech Secure Format) HID-C1326KSF	HID ProxCard II card, KSF, standard (Minimum Qty 100, Increment Qty 100)	\$3.22	0	Lifetime	
HID-C1336KSF	HID DuoProx II card, KSF, w/ blank magnetic stripe, thin credit card size, glossy front for dye-sub printing	\$6.21	0	Lifetime	
THE GTOOGRAM	(Minimum Qty 100, Increment Qty 100)	ψ0.21	Ü	Liicuino	
HID-C1336K/G	HID DuoProx II card, KSF, w/ blank magnetic stripe, thin credit card size, glossy front/back for dye-sub	\$6.21	0	Lifetime	
	printing (Minimum Qty 100, Increment Qty 100)				
HID-C1346KSF	HID ProxKey keytag, KSF (Minimum Qty 100, Increment Qty 100)	\$6.25	0	Lifetime	
HID-C1386KSF	HID ISOProx II card, KSF, thin credit card size, glossy front for dye-sub printing (Minimum Qty 100,	\$6.00	0	Lifetime	
	Increment Qty 100)				
HID-C1386K/G	HID ISOProx II card, KSF, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 100,	\$6.00	0	Lifetime	
Oneda OC his Wilson d	Increment Qty 100)				
Cards 26-bit Wiegand HID-C1326	HID ProxCard II card, 26-bit Wiegand, standard (Minimum Qty 100, Increment Qty 100)	\$3.22	0	Lifetime	
HID-C1326 HID-C1336/GG	HID DuoProx II card, 26-bit Wiegand, w/ blank magnetic stripe, thin credit card size, glossy front/ back for	\$6.21		Lifetime	
TIID-01330/00	dye-sub printing (Minimum Qty 100, Increment Qty 100)	Ψ0.21	O	Lifetime	
HID-C1346	HID ProxKey keytag, 26-bit Wiegand (Minimum Qty 100, Increment Qty 100)	\$6.25	0	Lifetime	
HID-C1351	HID ProxPass active vehicle ID tag, 26-bit Wiegand (Minimum Qty 10, Increment Qty 10)	\$37.00		1 year	
HID-C1386	HID ISOProx II card, 26-bit Wiegand, thin credit card size, glossy front for dye-sub printing (Minimum Qty	\$6.00	0	Lifetime	
	100, Increment Qty 100)				
HID-C1386/GG	HID ISOProx II card, 26-bit Wiegand, thin credit card size, glossy front/ back for dye-sub printing (Minimum	\$6.22	0	Lifetime	
	Qty 100, Increment Qty 100)				
Special Order Cards 26-bit Wiegand HID-C1326K	(no rerund, cancellation or returns)  Special Order HID ProxCard II card, 26-bit Wiegand, standard (Minimum Qty 100)	\$3.80	0	Lifetime	Requesting Questionnoire Form
HID-C1326K HID-C1336K	Special Order HID DuoProx II card, 26-bit Wiegand, w/ blank magnetic stripe, thin credit card size, glossy	\$3.60 \$7.60		Lifetime	Requesting Questionnaire Form Requesting Questionnaire Form
111D-C13301C	front for dye-sub printing (Minimum Qty 100)	Ψ1.00	O	Lifetime	Requesting Questionnaire Form
HID-C1336GGK	Special Order HID DuoProx II card, 26-bit Wiegand, w/ blank magnetic stripe, thin credit card size, glossy	\$7.60	0	Lifetime	Requesting Questionnaire Form
	front/ back for dye-sub printing (Minimum Qty 100)				
HID-C1346K	Special Order HID ProxKey keytag, 26-bit Wiegand (Minimum Qty 100)	\$7.40		Lifetime	Requesting Questionnaire Form
HID-C1351K	Special Order HID ProxPass active vehicle ID tag, 26-bit Wiegand (Minimum Qty 10)	\$45.00		1 year	Requesting Questionnaire Form
HID-C1386K	Special Order HID ISOProx II card, 26-bit Wiegand, thin credit card size, glossy front for dye-sub printing	\$7.00	0	Lifetime	Requesting Questionnaire Form
LUD OLOGOOU	(Minimum Qty 100)	07.00	•		
HID-C1386GGK	Special Order HID ISOProx II card, 26-bit Wiegand, thin credit card size, glossy front/ back for dye-sub	\$7.00	0	Lifetime	Requesting Questionnaire Form
HID-C1437K	printing (Minimum Qty 100)  Special Order HID combination MIFARE®/Prox card, 1K, basic w/ no option, see Questionnaire Form for	\$8.30	0	Lifetime	Requesting Questionnaire Form
HID-C1437K	options (Minimum Qty 100)	φο.30	O	Lifetime	Requesting Questionnaire Form
Card Accessories	(············· ±				
HID-C1324A	HID ProxCard II accessory, adhesive label w/ vertical slot punch for use w/ dye-sub printers (Minimum Qty	\$2.00	0	n/a	
	100, Increment Qty 100)				
ShadowProx Readers & Cards					
Readers					
SH-Y1BEI	ShadowProx Y1 reader, KSF, up to 12.7 cm (5 in) read range, beige	\$225.00		Lifetime	
SH-Y1BLK	ShadowProx Y1 reader, KSF, up to 12.7 cm (5 in) read range, black	\$225.00		Lifetime	
SH-Y2BEI	ShadowProx Y2 reader, KSF, up to 12.7 cm (5 in) read range, beige	\$225.00		Lifetime	
SH-Y2BLK SH-Y4BLK	ShadowProx Y2 reader, KSF, up to 12.7 cm (5 in) read range, black ShadowProx Y4 reader, KSF, up to 30.5 cm (12 in) read range, black	\$225.00		Lifetime Lifetime	
SH-2KP	ShadowProx 2 reader, KSF, up to 10 cm (4 in) read range, w/ integrated keypad, beige	\$327.00 \$470.00		Lifetime	
SH-2KPBLK	ShadowProx 2 reader, KSF, up to 10 cm (4 in) read range, w/integrated keypad, beige ShadowProx 2 reader, KSF, up to 10 cm (4 in) read range, w/integrated keypad, black	\$470.00		Lifetime	
SH-X5	ShadowProx X5 reader, long range, KSF, up to 71 cm (28 in) read range, black	\$880.00		Lifetime	
Multi-Class Readers					
SH-RP40	ShadowProx Multi-Class reader, smartcard and ShadowProx proximity, single-gang size, black	\$285.00	0	Lifetime	
SH-RPK40	ShadowProx Multi-Class reader w/ integrated keypad, smartcard and ShadowProx proximity, single-gang	\$500.00	0	Lifetime	
	size, black				
ShadowProx Cards			_		
SH-C1	ShadowProx card, KSF, standard (Minimum Qty 100, Increment Qty 100)	\$2.90		Lifetime	
SH-CMG3/GG	ShadowProx card, KSF, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 100,	\$5.25	0	Lifetime	
SH-CMG4/GG	Increment Qty 100) ShadowProx card, KSF, w/ blank magnetic stripe, thin credit card size, glossy front/ back for dye-sub	\$5.70	0	Lifetime	
GI I*GIVIG4/GG	printing (Minimum Qty 100, Increment Qty 100)	φ5./0	J	LITEUITIE	
SH-K1	ShadowProx keytag, KSF (Minimum Qty 100, Increment Qty 100)	\$5.80	0	Lifetime	
ShadowProx & Indala Reader Covers		ψ3.00	•	LIGUILIG	
FPZ-3511A	ShadowProx & Indala reader cover, for SH-Y1 or FP3511A, black	\$27.00	0	n/a	
FPZ-3517A	ShadowProx & Indala reader cover, for SH-Y1 or FP3517A, beige	\$27.00		n/a	
FPZ-3521A	ShadowProx & Indala reader cover, for SH-Y2 or FP3521A, black	\$27.00		n/a	
FPZ-3527A	ShadowProx & Indala reader cover, for SH-Y2 or FP3527A, beige	\$27.00	0	n/a	



Effective March 18, 2013  Kantech		MSRP			
Part Number	Description	(USD)	Category	Warranty	Notes
dala Readers & Cards		(030)			
Readers					
FP3511A	Indala reader, FlexPass Slim, 26-bit Wiegand, up to 12.7 cm (5 in) read range, black	\$235.00	0	Lifetime	
FP3516A	Indala reader, FlexPass Slim, 26-bit Wiegand, up to 12.7 cm (5 in) read range, white	\$235.00		Lifetime	
FP3517A	Indala reader, FlexPass Slim, 26-bit Wiegand, up to 12.7 cm (5 in) read range, beige	\$235.00		Lifetime	
FP3521A	Indala reader, Flex Pass Wallswitch, 26-bit Wiegand, up to 12.7 cm (5 in) read range, beige	\$235.00		Lifetime	
FP3526A	Indala reader, FlexPass Wallswitch, 26-bit Wiegand, up to 12.7 cm (5 in) read range, white	\$235.00		Lifetime	
FP3527A	Indala reader, FlexPass Wallswitch, 26-bit Wiegand, up to 12.7 cm (5 in) read range, beige	\$235.00		Lifetime	
FP3231A	Indala reader, FlexPass Mid-range, 26-bit Wiegand, up to 30.5 cm (12 in) read range, black	\$337.00		Lifetime	
FP3236A	Indala reader, FlexPass Mid-range, 26-bit Wiegand, up to 30.5 cm (12 in) read range, white	\$337.00		Lifetime	
FP4551A	Indala reader, FlexPass Classic, 26-bit Wiegand, up to 12.7 cm (5 in) read range, black	\$235.00	0	Lifetime	
ARK-501BLK	Indala reader, ASP PinProx, 26-bit Wiegand, up to 10 cm (4 in) read range, w/ integrated keypad, black	\$480.00	0	Lifetime	
ASR-620 ards 26-bit Wiegand	Indala reader, PowerProx, long range, 26-bit Wiegand, up to 71 cm (28 in) read range, black	\$890.00		Lifetime	
ASC-121T	Indala card, 26-bit Wiegand, standard (Minimum Qty 100, Increment Qty 100)	\$2.90	0	Lifetime	
SO-30/GG	Indala card, 26-bit Wiegand, thin credit card size, glossy front/ back for dye-sub printing (Minimum Qty 100, Increment Qty 100)	\$5.25	0	Lifetime	
SO-30/MAGG	Indala card, 26-bit Wiegand, w/ blank magnetic stripe, thin credit card size, glossy front/ back for dye-sub	\$5.79	0	Lifetime	
ASK-116T	printing (Minimum Qty 100, Increment Qty 100) Indala keytag, 26-bit Wiegand (Minimum Qty 100, Increment Qty 100)	\$5.90	0	Lifetime	
pecial Order Cards 26-bit Wiegar ASC-121TK	nd (no refund, cancellation or returns)  Special Order Indala card, 26-bit Wiegand, standard (Minimum Qty 100)	\$3.25	0	Lifetime	Requesting Questionnaire For
SO-30GGK	Special Order Indala card, 26-bit Wiegand, standard (Willimmin dty 166)  Special Order Indala card, 26-bit Wiegand, thin credit card size, glossy front/ back for dye-sub printing	\$6.35		Lifetime	Requesting Questionnaire For
SO-30MAGGK	(Minimum Qty 100) Special Order Indala card, 26-bit Wiegand, w/ blank magnetic stripe, thin credit card size, glossy front/	\$6.75	0	Lifetime	Requesting Questionnaire For
SO-SUMAGGN	back for dye-sub printing (Minimum Qty 100)	\$6.75	O	Liletime	Requesting Questionnaire For
ASK116TK	Special Order Indala keytag, 26-bit Wiegand (Minimum Qty 100)	\$6.00	0	Lifetime	Requesting Questionnaire For
ner Readers & Cards	Ocade				
plaris Magnetic Stripe Readers &	Cards				
eaders					
POL-2	Polaris-2 magnetic stripe reader, indoor/ outdoor use	\$103.00	M	1 year	
POL-25M	Polaris-2 magnetic stripe reader, indoor/ outdoor use, w/ 5 m (16 ft) cable	\$113.00	M	1 year	
POL-2KP	Polaris-2 magnetic stripe reader, w/ integrated keypad, indoor/ outdoor use	\$158.00		1 year	
POL-2KP-5M	Polaris-2 magnetic stripe reader, w/ integrated keypad, indoor/ outdoor use, w/ 5 m (16 ft) cable	\$168.00		1 year	
POL-2ATM	Polaris ATM card reader kit, includes: POL-2 reader and programmable timer (not CE approved)	\$189.00		1 year	
	Totalis ATM dard reader kit, includes. Tot-2 reader and programmable timer (not of approved)	Ψ103.00	IVI	i yeai	
ards POL-C1CN	Polaris-2 magnetic stripe card, preprogrammed, high coercivity, includes pre-printed bar code (Minimum	\$2.00	0	1 year	
	Qty 50, Increment Qty 50)				
POL-C5CN	Polaris-2 magnetic stripe card, preprogrammed, high coercivity, includes pre-printed bar code, glossy front for dye-sub printing (Minimum Qty 50, Increment Qty 50)	\$2.00	0	1 year	
POL-C6CN	Polaris-2 magnetic stripe card, preprogrammed, high coercivity, glossy front for dye-sub printing (Minimum	\$2.00	0	1 year	
	Qty 50, Increment Qty 50)				
iegand Swipe & Insertion Reader	s, Card and Stickers				
eaders					
NEI-R20	Wiegand swipe reader	\$483.00	0	Lifetime	End of life
					While quantity last
WEI-R30	Wiegand insertion reader	\$554.00	0	Lifetime	End of life While quantity last
ards					Willio qualitity last
WEI-C11SN	Wiegand card (1122321), 26-bit Wiegand, internal ID# non-matching external ID# (Minimum Qty 100, Increment Qty 100)	\$7.00	0	Lifetime	End of life While quantity last
pecial Order Wiegand Cards (no					write quantity last
WEI-C11SNK (1122321)	Special Order Wiegand card (1122321), 26-bit Wiegand, internal ID# non-matching external ID# (Minimum Qty 100)				Discontinued
WEI-C11SNK (1122331)	Special Order Wiegand card (1122331), 26-bit Wiegand, internal ID# matching external ID# (Minimum Qty				Discontinued
WEI-C11SNK (1190198)	100)  Special Order Wiegand card (1190198), 26-bit Wiegand, glossy front/ back for dye-sub printing, internal				Discontinued
WEI-C11SNK (1190147)	ID# non-matching external ID# (Minimum Qty 100)  Special Order Wiegand card (1190147), 26-bit Wiegand, glossy front for dye-sub printing, internal ID# non-				Discontinued
	matching external ID# (Minimum Qty 100)				D.Coonunaca
ar Code Reader & Accessories					
teader					
BC-301	Bar code reader, indoor/ outdoor use	\$368.00	0	1 year	
ccessories				•	
BC-MPL	Bar code reader accessory, US and Canada standard electrical box mounting plate for BC-301, black	\$79.00	0	n/a	
C Descivere Transmitters	Assessarios				
LS Receivers, Transmitters and	Accessories  WLS receiver, KSF/ 26-bit Wiegand selectable, indoor/ outdoor use. Compatible w/ WLS-3700KSF, WLS-	\$255.00	0	1 year	
WLS-5500	3710KSF, WLS-3700, and WLS-3710. Antenna (WLS-A1 or WLS-A2) is sold separately				
WLS-5500		\$37.00	0	1 year	
	WLS transmitter, keyrad, KSF	ΨO1.00			
WLS-3710KSF	WLS transmitter, keytag, KSF WLS transmitter, keytag, 26-bit Wiegand	\$27 AA	$\circ$	1 vear	
WLS-3710KSF WLS-3710	WLS transmitter, keytag, 26-bit Wiegand	\$37.00		1 year	
NLS-3710KSF NLS-3710 NLS-A1	WLS transmitter, keytag, 26-bit Wiegand WLS accessory, standard whip antenna for WLS-5401/ KSF and WLS-5500	\$35.00	0	1 year	
NLS-3710KSF NLS-3710 NLS-A1 NLS-A2	WLS transmitter, keytag, 26-bit Wiegand		0		
NLS-3710KSF NLS-3710 NLS-A1	WLS transmitter, keytag, 26-bit Wiegand WLS accessory, standard whip antenna for WLS-5401/ KSF and WLS-5500	\$35.00	0	1 year	



Kantech Part Number	Description	MSRP (USD)	Category	Warranty	Note	s
ometric Readers and Recognition Reader						
eaders						
HK-CR	HandKey CR, hand recognition reader, 26-bit Wiegand output, up to 512 users, requires 16 VAC/DC, 40	\$2,520.00	0	1 year		
	VA transformer, indoor use only					
HK-2	HandKey II, hand recognition reader, stand-alone, 26-bit Wiegand output, up to 512 users, requires 16	\$3,570.00	0	1 year		
	VAC/DC, 40 VA transformer, indoor use only					
Accessories BB-200	HandKey reader accessory, operational battery backup	\$210.00	0	1 year		
EM-801-F1	HandKey reader accessory, operational battery backup  HandKey reader accessory, HK-2 and HK-CR memory expansion license, up to 9,728 users, for units made	\$361.00		1 year		
2 55	after 2004 only. Email delivery	ψοσ1.σσ		, you		
EM-803-F3	HandKey reader accessory, HK-2 and HK-CR memory expansion license, up to 32,512 users, for units	\$800.00	0	1 year		
	made after 2004 only. Email delivery					
EM-801	HandKey reader accessory, HK-2 and HK-CR memory expansion ,up to 9,728 users, for units made before	\$361.00	0	1 year		
EM-803	2004 only.  HandKey reader accessory, HK-2 and HK-CR memory expansion, up to 32,512 users, for units made	\$800.00	0	1 year		
2111 000	before 2004 only.	ψοσο.σο	. 0	i youi		
HK-EN200	Optional Ethernet board for Handkey reader	\$700.00	0	1 year		
HK-HN-2-T1	Handnet software, Support up to 5 HK readers	\$1,300.00		n/a		
PS-110	HandKey reader accessory, power supply, 110 VAC	\$187.00		1 year		
DC-102	Data converter for 4 wire system RS-232 to RS-422	\$300.00		1 year	NEW	
DC-104	Data converter for 2 & 4 wire system RS-232 to RS-422/RS-485	\$600.00	0	1 year	NEW	
ingerPrint Readers KT-4GFXS	L1.4C V Flow highestric reader. Templete storage connects /10.000 in 1:N: 500.000 in 1:1); single factor	¢1.075.00	0	1 voor		
KT-4GFX5	L1 4G V-Flex biometric reader. Template storage capacity (10,000 in 1:N; 500,000 in 1:1); single-factor authentication. Can be combined w/ external Wiegand reader, 26-bit Wiegand output	\$1,075.00	U	1 year		
KT-4GFXS-IO-XSF	L1 4G V-Flex biometric reader. Template storage capacity (10,000 in 1:N; 500,000 in 1:1); Integrated w/	\$1,200.00	0	1 year		
	ioProx proximity reader, XSF	. ,	-	. , 5001		
KT-4GFXS-IO-W26	L1 4G V-Flex biometric reader. Template storage capacity (10,000 in 1:N; 500,000 in 1:1); Integrated w/	\$1,200.00	0	1 year		
	ioProx proximity reader, 26-bit Wiegand					
KT-4GFXSP	L1 4G V-Flex biometric reader. Template storage capacity (10,000 in 1:N; 500,000 in 1:1); Integrated w/	\$1,225.00	0	1 year		
KT-4GFXLS	HID proximity reader, 26-bit Wiegand	¢4 450 00	0	1		
KI-4GFALS	L1 4G V-Flex Lite biometric reader, lite version. Template storage capacity (5,000 in 1:N; 25,000 in 1:1);  Can be combined w/ external Wiegand reader, 26-bit Wiegand output	\$1,150.00	U	1 year		
KT-4GFXLSP	L1 4G V-Flex Lite biometric reader, lite version. Template storage capacity (5,000 in 1:N; 25,000 in 1:1);	\$1,325.00	0	1 year		
	Integrated w/ HID proximity reader, 26-bit Wiegand	* .,	-	. ,		
nonstration Kits						
DU4-120V-PLC	Demo Kit, includes: PCB controller (KT-400-PCB), proximity readers w /integrated keypad (P225KPXSF &	\$3,680.00	M	refer to		
	P325KPXSF), proximity readers (P225XSF & P325XSF), USB to RS-485 converter (USB-485), USB cable,			individual		
	five keytags (P40KEY), three standard cards (P10SHL), UL rated transformer (TR1640P/UL), w/ Pelican			part		
	case					
DU4-120V	Demo Kit, includes: PCB controller (KT-400-PCB), proximity readers w /integrated keypad (P225KPXSF &	\$3,130.00	M	refer to		
	P325KPXSF), proximity readers (P225XSF & P325XSF), USB to RS-485 converter (USB-485), USB cable,			individual		
	five keytags (P40KEY), three standard cards (P10SHL), UL rated transformer (TR1640P/UL), no case			part		
DU3-120V-PLC	Demo Kit, includes: PCB controller (KT-300PCB128), proximity reader w/ integrated keypad (P225KPXSF),	\$1,295.00	0	refer to		
D03-120V-1 L0	proximity reader (P325XSF), USB to RS-485 converter (USB-485), USB cable, five keytags (P40KEY),	ψ1,233.00	. 0	individual		
	three standard cards (P10SHL), UL rated transformer (TR1640P/UL), and push buttons, w/ Pelican case			part		
DU3-120V	Demo Kit, includes: PCB controller (KT-300PCB128), proximity reader w/ integrated keypad (P225KPXSF),	\$818.00	0	refer to		
	proximity reader (P325XSF), USB to RS-485 converter (USB-485), USB cable, five keytags (P40KEY),			individual		
	three standard cards (P10SHL), UL rated transformer (TR1640P/UL), and push buttons, no case			part		
t Control & Accessories Rex Request to Exit Detectors a	and Acceptance					
T.REX-LT	T.Rex request to exit detector, w/ tamper and timer, white	\$78.00	) M	5 years		
T.REX-LT-NL	T.Rex request to exit detector, w/ tamper and timer, white  T.Rex request to exit detector, w/ tamper and timer, no logo, white	\$78.00 \$78.00		5 years 5 years		
TREX-LT2	T.Rex request to exit detector, w/ tamper and timer, no logo, white	\$103.00		5 years		
T.REX-LT2-NL	T.Rex request to exit detector, w/ tamper, timer and 2 relays, no logo, white	\$96.00		5 years		
T.REX-XL	T.Rex request to exit detector, w/ tamper, piezo and timer, white	\$90.00		5 years		
T.REX-XL-NL	T.Rex request to exit detector, w/ tamper, piezo and timer, no logo, white	\$90.00		5 years		
T.REX-XLBLK	T.Rex request to exit detector, w/ tamper, piezo and timer, black	\$90.00		5 years		
TREX-XL2	T.Rex request to exit detector, w/ tamper, piezo, timer and 2 relays, white	\$115.00		5 years		
T.REX-XL2-NL	T.Rex request to exit detector, w/ tamper, piezo, timer and 2 relays, no logo, white	\$108.00		5 years		
T.REX-XL2BLK	T.Rex request to exit detector, w/ tamper, piezo, timer and 2 relays, black	\$108.00		5 years		
T.REX-PLATE	T.Rex accessory, back plate, white	\$11.00	0	n/a		
sh Button Exit Control PB-EXIT	Duch hutton ovit control lorge cize groon hutton	¢e0.00	0	1 1/22		
or Locks	Push button exit control, large size green button	\$68.00	, 0	1 year		
DS-4114-05	Electric door strike, 12 VDC	\$137.00	0	1 year		
		\$137.00		1 year		
DS-4114-08	Electric door strike, 24 VDC			1 year		
	Electric door strike, 24 VDC Electromagnetic lock, 12-24 VDC	\$415.00	-			
ML831C28		\$513.00	0	1 year		
ML831C28 ML831SCSC28	Electromagnetic lock, 12-24 VDC		0	ı year		
ommunication Interfaces/ Conv	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch /erters	\$513.00				
ML831C28 ML831SCSC28 cessories ommunication Interfaces/ Conv USB-485	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch  verters Communication interface, USB to RS-485	\$513.00 \$158.00	) M	1 year		
ML831C28 ML831SCSC28 ccessories communication Interfaces/ Conv USB-485 VC-485	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch /erters	\$513.00	) M			
ML831C28 ML831SCSC28 iccessories icommunication Interfaces/ Conv USB-485 VC-485 etwork Interface	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch  verters  Communication interface, USB to RS-485  Communication interface, multi-function, RS-232 to RS-485	\$513.00 \$158.00 \$158.00	) M	1 year 5 years		
ML831C28 ML831SCSC28 cessories ommunication Interfaces/ Conv USB-485 VC-485 etwork Interface	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch  /erters  Communication interface, USB to RS-485 Communication interface, multi-function, RS-232 to RS-485  IP Link module with self enclosure and accessories (ground wire, plastic stand off, cable/connector).	\$513.00 \$158.00	) M	1 year		
ML831C28 ML831SCSC28 ccessories ommunication Interfaces/ Conv USB-485 VC-485 etwork Interface KT-IP	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch  verters  Communication interface, USB to RS-485 Communication interface, multi-function, RS-232 to RS-485  IP Link module with self enclosure and accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-232, required 12 VDC.	\$513.00 \$158.00 \$158.00 \$557.00	) M ) M	1 year 5 years 1 year		
ML831C28 ML831SCSC28 ccessories communication Interfaces/ Conv USB-485 VC-485	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch  /erters  Communication interface, USB to RS-485  Communication interface, multi-function, RS-232 to RS-485  IP Link module with self enclosure and accessories (ground wire, plastic stand off, cable/connector).  Ethernet to RS-232, required 12 VDC.  IP Link module PCB only with accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-	\$513.00 \$158.00 \$158.00	) M ) M	1 year 5 years		
ML831C28 ML831SCSC28 ccessories ommunication Interfaces/ Conv USB-485 VC-485 etwork Interface KT-IP-PCB	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch  /erters  Communication interface, USB to RS-485 Communication interface, multi-function, RS-232 to RS-485  IP Link module with self enclosure and accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-232, required 12 VDC. IP Link module PCB only with accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-232, required 12 VDC.	\$513.00 \$158.00 \$158.00 \$557.00 \$515.00	) M ) M ) M	1 year 5 years 1 year 1 year		
ML831C28 ML831SCSC28 cessories ommunication Interfaces/ Conv USB-485 VC-485 etwork Interface KT-IP-PCB KT-IP-CAB	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch  /erters  Communication interface, USB to RS-485 Communication interface, multi-function, RS-232 to RS-485  IP Link module with self enclosure and accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-232, required 12 VDC. IP Link module PCB only with accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-232, required 12 VDC. Metal cabinet for KT-IP-PCB	\$513.00 \$158.00 \$158.00 \$557.00 \$515.00	) M ) M ) M	1 year 5 years 1 year 1 year n/a		
ML831C28 ML831SCSC28 cessories ommunication Interfaces/ Conv USB-485 vC-485 etwork Interface KT-IP KT-IP-PCB KT-IP-CAB LA-UDS1100	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch  /erters  Communication interface, USB to RS-485 Communication interface, multi-function, RS-232 to RS-485  IP Link module with self enclosure and accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-232, required 12 VDC. IP Link module PCB only with accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-232, required 12 VDC.	\$513.00 \$158.00 \$158.00 \$557.00 \$515.00	) M ) M ) M	1 year 5 years 1 year 1 year		
ML831C28 ML831SCSC28 cessories ommunication Interfaces/ Conv USB-485 VC-485 etwork Interface KT-IP	Electromagnetic lock, 12-24 VDC Electromagnetic lock, 12-24 VDC, w/ supervisory switch  /erters  Communication interface, USB to RS-485 Communication interface, multi-function, RS-232 to RS-485  IP Link module with self enclosure and accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-232, required 12 VDC. IP Link module PCB only with accessories (ground wire, plastic stand off, cable/connector). Ethernet to RS-232, required 12 VDC. Metal cabinet for KT-IP-PCB	\$513.00 \$158.00 \$158.00 \$557.00 \$515.00	) M ) M ) M	1 year 5 years 1 year 1 year n/a		



Effective March 18, 2013					
Kantech	Description	MSRP (USD)	Category	Warranty	Notes
Part Number Cable Kits & Integration Module		(020)			
CBLK-IT100	Cable kit, RS-232 cable/connector set, for Integration from DSC IT100 to KT-400 or EntraPass, 3 m (10 ft)	\$50.00	М	90 days	
KT-IT100	Kantech/DSC Power Series integration module, includes: IT100 module and CBLK-IT-100 cable kit	\$135.00	М	90 days	
CBLK-4401VK	Cable kit, RS-232 cable/connector and EPROM set. Compatible w/ PC-4401 DSC module, 1.8 m (6 ft)	\$42.00	0	90 days	
KT-4401VK	Kantech/DSC MAXSYS integration module, RS-232 cable, connector, 1.8 m (6 ft)	\$116.00	0	2 years	
CBLK-10	Cable kit, RS-232 cable/ connector set, PC to master KT-300 or KT-200, 30 m (100 ft)	\$53.00	M (	90 days	
CBLK-11	Cable kit, RS-232 cable/ connector set, remote site modem to master KT-300 or KT-200, 5 m (16 ft)	\$42.00	) M	90 days	
CBLK-12	Cable kit, RS-232 cable/ connector set, PC to host site modem, 3 m (10 ft)	\$47.00	) M	90 days	
End of Line Resistor					
EOL-485	End of line resistor, for RS-485, 120 ohm	\$1.00	) M	n/a	
Rechargeable Batteries					
KT-BD7-12	Rechargeable battery, 12V (7Ah), package of 5	\$105.00	0	1 year	
KT-BATT-12	Rechargeable battery, 12V (7Ah), package of 1	\$21.00	0	1 year	
KT-BATT-1212	Rechargeable battery, 12V (12Ah), package of 1	\$47.00	0	1 year	
Card Holder, Strap Clip & Chain					
JA-506-T1	Card holder, resistant clear vinyl, w/ horizontal slot and chain hole, 8 cm x 7.8 cm (3.2 in x 3.1 in)	\$1.00		n/a	
JA-505-SDL	Strap clip, for vinyl card holder or cards, 8.9 cm (3.5 in) long	\$0.45		n/a	
JA-NC-36	Chain, nickel plated steel neck chain, 91.5 cm (36 in) long	\$1.00	0	n/a	
Telephone Entry Systems					
Kantech Telephone Entry Systems (					
KTES-US	Kantech Telephone Entry System, 250 tenants (max 3000 tenants, see options), KTES EntraPass software, TR1640P/UL transformer (1), KTES-POSTAL (1) and KTES-ACC-KIT accessory kit (1). (US only)	\$2,900.00	М	2 years	
E-KTES-3000	Option for a maximum of 3000 tenants in total. Requires EntraPass V4.02 or higher. One option per unit. Email delivery	\$200.00	М	n/a	
No Phone Bill Systems Kits					
KTES-5048MC	System kit includes: controller & decoder w/cabinet for up to 48 lines max. Requires KTES-US/CDN, line card KTES-5000RB, interconnecting cable KTES-5000IC and transformer 16 VAC, 40 VA (TR1640P/UL or TR1640P/CSA)	\$1,358.00	0	1 year	
KTES-5000MC	System kit includes: controller w/cabinet for up to 1152 lines max. per system. Requires KTES-US/CDN, KTES-5000AC and transformer 16 VAC, 40 VA (TR1640P/UL or TR1640P/CSA)	\$1,165.00	0	1 year	
KTES-5000AC	Auxiliary relay cabinet & decoder for up to 96 lines max. per cabinet. Requires KTES-5000RB, KTES-5000IC and transformer 16 VAC, 40 VA (TR1640P/UL or TR1640P/CSA). Compatible w/ KTES-5000MC	\$388.00	0	1 year	
KTES-5000RB	Line Card for 12 tenants. Requires Interconnecting cable KTES-5000IC	\$388.00	0	1 year	
KTES-5000IC	Interconnecting cable CA71A/RJ71C. Compatible w/line card KTES-5000RB	\$73.00		n/a	
KTES Accessories		• • • • • • • • • • • • • • • • • • • •			
KTES-ACC-KIT	Accessory kit for KTES-US/CDN unit	\$21.00	M	n/a	
KTES-CAM-N	Covert color camera kit w/bracket for KTES-US/CDN unit	\$683.00	M	1 year	
KTES-FBOX	Flush mounting box for flush installation w/black trim ring for KTES-US/CDN unit	\$315.00	M	n/a	
KTES-HEAT	Heater kit for installation below 0°C (32°F) for KTES-US/CDN unit	\$174.00	M	1 year	
KTES-INDEX-F	Paper index illuminated with LED	\$609.00	M	n/a	
KTES-INDEX-R	Paper Index black trim ring to be used w/flush installation of KTES. Compatible w/ KTES-INDEX-F	\$169.00	M	n/a	
KTES-MPLATE	Mounting plate for goose neck installation for KTES-US/CDN unit	\$208.00	M	n/a	
KTES-POSTAL	Postal lock bracket w/switch for KTES-US/CDN unit	\$143.00	M	1 year	
KTES-PS-NA	Power supply 100V - 240 VAC IN / 19 VDC, 3.15 Amps OUT and AC power cord, 3-pin model. Compatible w/ KTES-US and KTES-CDN only	\$137.00	М	1 year	
KTES Spare Parts					
KTES-DPCA	KTES keypad PCB and microphone	\$386.00	M	1 year	
KTES-LCD	KTES LCD module	\$335.00	M	1 year	
KTES-LENS	KTES LCD lens	\$67.00	M	1 year	
KTES-LOCK	KTES cam lock, two keys	\$35.00	M	n/a	
KTES-MPCA	KTES main PCB	\$1,460.00	M	1 year	
KTES-MYLAR	KTES mylar for camera	\$81.00		1 year	
KTES-SPEAK	KTES speaker	\$50.00	М	1 year	



Effective March 18, 2013

Kantech Part Number	Description	MSRP (USD)	Category	Warranty	Notes
dging		\			
adging kits BK-1-A	Padaina kit ingludes, FA 40000 Farge single sided DTC 4000 Ftherpot & LICE printer (4) ID DICCAM	¢2.720.00	0	rofor to	
DN-1-A	Badging kit includes: FA-48020 Fargo single-sided DTC-4000 Ethernet & USB printer (1), ID-DIGCAM QuickCam® Orbit AF Logitech (1), FA-45100 YMCKO cartridge w/ cleaning roller (1), FA-44260 DTC-4000	\$3,730.00	U	refer to individual	
	cleaning rollers (1)			part	
BK-2-A	Badging kit includes: FA-48120 Fargo dual-sided DTC-4000 Ethernet & USB printer (1), ID-DIGCAM	\$4,795.00	0	refer to	
	QuickCam® Orbit AF Logitech (1), FA-45100 YMCKO cartridge w/ cleaning roller (1), FA-44260 DTC-4000			individual	
	cleaning rollers (1)		_	part	
BK-2BC-A	Badging kit includes: FA-48120 Fargo dual-sided DTC-4000 Ethernet & USB, bar code printer (1), ID- DIGCAM QuickCam® Orbit AF Logitech (1), FA-45110 YMCKOK cartridge w/ cleaning roller (1), FA-44260	\$4,795.00	0	refer to individual	
	DTC-4000 cleaning rollers (1)			part	
BK-2BCL-A	Badging kit includes: FA-49500 Fargo dual-sided DTC-4500 Ethernet & USB printer w/ laminating station &	\$7.695.00	0	refer to	
	bar code printer (1), ID-DIGCAM QuickCam® Orbit AF Logitech (1), FA-45210 YMCKOK cartridge w/			individual	
	cleaning roller (1), FA-82601 PolyGuard 1.0 mil overlaminate, clear 250-count (1), FA-47725 DTC-4500			part	
	cleaning Rollers (1)				
BK-1	Badging kits includes: FA-56100 Fargo single-sided DTC400e Ethernet printer (1), ID-DIGCAM QuickCam® Orbit MP Logitech (1), FA-44230 YMCKO cartridge w/ cleaning roller, FA-85976 DTC400e cleaning kit (1)				Discontinued
	Orbit WF Logitech (1), FA-44250 TWORO cartridge W/ cleaning folier, FA-65976 DTC-400e cleaning kit (1)				
BK-2	Badging kits includes: FA-56102 Fargo dual-sided DTC400e Ethernet printer (1), ID-DIGCAM QuickCam®	\$3,620.00	0	refer to	End of Line Special
	Orbit MP Logitech (1), FA-44230 YMCKO cartridge w/ cleaning roller, FA-85976 DTC400e cleaning Kit (1)			individual	While quantity last
				part	Replaced by BK-2-A
BK-2BC	Badging kits includes: FA-56102 Fargo dual-sided DTC400e Ethernet printer & bar code (1), ID-DIGCAM	\$3,620.00	0	refer to	End of Line Special
	QuickCam® Orbit MP Logitech (1), FA-44240 YMCKOK cartridge w/ cleaning roller, FA-85976 DTC400e			individual	While quantity last
BK-2BCL	cleaning kit (1)  Badging kits includes: FA-92860 Fargo dual-sided DTC550-LC w/ built-in laminating station, bar code, USB	\$5,850.00	0	part refer to	Replaced by BK-2BC-A End of Line Special
DIV.ZDOL	& Ethernet printer (1), ID-DIGCAM QuickCam® Orbit MP Logitech (1), FA-86201 YMCKOK full-color ribbon	ψυ,συυ.υυ	U	individual	While quantity last
	400 images, FA-81783 PolyGuard 0.6 mil overlaminate, clear-250 count (1) FA-81593 DTC550 cleaning kit			part	Replaced by BK-2BCL-A
	(1)				
inters & Accessories					
rinters	Forms DTO 4000 single sided exists HOD sale in 1. 5. 400 Miles III District III Dis	<b>60 400 5</b>	•	0.45	
FA-48000	Fargo DTC-4000 single-sided printer, USB only, including 100 card input hopper. Ribbon cartridge is sold separately	\$3,160.00	0	2 years	
FA-48100	Fargo DTC-4000 dual-sided printer, USB only, including 100 card input hopper. Ribbon cartridge is sold	\$4,250.00	0	2 years	
	separately	ψ 1,200.00	Ü	2 ,00.0	
FA-48020	Fargo DTC-4000 single-sided printer, Ethernet & USB, including 100 card input hopper, w/ internal print	\$3,400.00	0	2 years	
	Server. Ribbon cartridge is sold separately				
FA-48120	Fargo DTC-4000 dual-sided printer, Ethernet & USB, including 100 card input hopper, w/ internal print	\$4,500.00	0	2 years	
	Server. Ribbon cartridge is sold separately		_		
FA-49500	Fargo DTC-4500 dual-sided printer, Ethernet & USB, w/ laminating station & bar code and dual-input card hopper. Ribbon cartridge is sold separately	\$7,200.00	0	2 years	
FA-89003	Fargo HDP-5000 dual-sided printer, Ethernet & USB, including 100 card input hopper, w/ internal print	\$5,225.00	0	2 years	
	server, 16 MB memory. Ribbon cartridge is sold separately	ψ0, <b>22</b> 0.00	Ü	2 ,00.0	
FA-56100	Fargo DTC400e single-sided printer, Ethernet only. Ribbon cartridge is sold separatly				Discontinued
FA-56102	Fargo DTC400e dual-sided printer, Ethernet only. Ribbon cartridge is sold separatly	\$2,990.00	0	1 year	End of Line Special
					While quantity last Replaced by FA-48120
Badging Ribbons					Replaced by FA-46120
FA-45100	DTC-4000 YMCKO cartridge w/ cleaning roller: full-color ribbon w/ resin black and clear overlay panel - 250	\$125.00	0	n/a	
	images				
FA-45110	DTC-4000 YMCKOK cartridge w/ cleaning roller: full-color ribbon w/ two resin black panels and clear	\$125.00	0	n/a	
	overlay panel - 200 images		_	,	
FA-45210	DTC-4500 YMCKOK cartridge w/ cleaning roller: full-color ribbon w/ two resin black panels and clear	\$315.00	0	n/a	
FA-84052	overlay panel - 500 images HDP-5000 YMCKK, full-color ribbon w/ two resin black panels - 500 images	\$300.00	0	n/a	
FA-84057	HDP-5000 YMCKI, full-color ribbon w/ resin black and inhibitor panels; 500 cards w/ YMC on front and KI	\$365.00	0	n/a	
	on back (only when foil hologram is on back of card); or 500 cards w/ single-sided YMCKI; or 250 cards w/	φοσοίσο	Ü	1110	
	YMCKI on both front and back				
FA-44230	DTC-400e YMCKO cartridge w/ cleaning roller: full-color ribbon w/ resin black and clear overlay panel - 250	\$159.00	0	n/a	
	images				
FA-44240	DTC-400e YMCKOK cartridge w/ cleaning roller: full-color ribbon w/ two resin black panels and clear	\$159.00	0	n/a	
FA-86201	overlay panel - 200 images  HPD-5000 & DTC550-LC YMCKOK: full-color ribbon w/ two resin black panels and clear overlay panel -	\$299.00	0	n/a	
I A-0020 I	400 images	φ299.00	J	n/a	
FA-86031	Color ribbon, 5 panel, 400 prints. Compatible w/ DTC515-LC and DTC525-LC printers	\$316.00	0	n/a	
FA-81740	Color ribbon, 6 panel, 250 prints (color on front and black on back). Compatible w/ C-25 printer. For	\$250.00	Ö	n/a	
	barcode printing				
Badging Cleaning Kits	DTO 4500 Okaraja a Dallara (Okaraja)	A0: -	_	,	
FA-47725 FA-44260	DTC-4500 Cleaning Rollers (3 pack)	\$21.00 \$21.00		n/a n/a	
FA-89200	DTC-4000 and DTC-400e cleaning rollers (3 pack) HDP-5000 Cleaning Kit includes: 4 Printhead Cleaning Swabs, 10 Cleaning Cards, 10 Cleaning Pads and 3	\$21.00 \$56.00		n/a n/a	
50200	Alcohol Cleaning Cards	ψ50.00	•	11/4	
FA-86177	DTC-4000 and DTC-4500 Cleaning Kit includes: 2 Printhead Cleaning Pens, 10, Cleaning Cards, 10	\$56.00	0	n/a	
	Cleaning Pads.				
FA-85976	DTC400e Cleaning Kit includes: 4 printhead cleaning swabs, 10 cleaning cards, 10 gauze cleaning pads	\$63.00	0	n/a	
Nadalaa Aasaa '	and instructions				
Badging Accessories	DTC-4000 ISO magnetic strine encoder	¢eee oo	0	1 year	
FA-47709 FA-82601	DTC-4000 ISO magnetic stripe encoder DTC-4500 and HDP-5000 PolyGuard 1.0 mil overlaminate, clear, 250 count (for use w/ cartridge 1 or 2)	\$655.00 \$98.00		1 year n/a	
FA-84053	HDP-5000 HDP film, clear, approximately 1500 images	\$175.00	0	n/a n/a	
	HDP-5000 HDP holographic film, high secure orbit design, universal orientation - 500 images. Notes: for	\$530.00	Ö	n/a	
FA-84054	use w/ HDP-5000 series printers only. Compatible w/ composite cards only. In case of lamination, not for				
FA-84054					
	use w/ thermal transfer films				
FA-81754	UltraCard 30 mil cards, PVC (500 cards)	\$84.00		n/a	
		\$84.00 \$27.00 \$299.00	0	n/a n/a 1 year	



Effective March 18, 2013

Kantech Description MSRP (USD) Category Warranty Notes

# Note 1: KAP (Kantech Advantage Program)

KAP's are renewable on a yearly basis and will insure that your customers receive new features with software updates and online end user training. Should you choose to not purchase an KAP, you will still continue to receive technical support for your current installations and updates for a period of 12 months from the date of installation.

The following table indicates the number of Tokens required for each option to activate your KAP.

#### KAP/Tokens table

EntraPass Special Edition							
System/Option Details		Details	Tokens				
	оузтенну ортного	Details .	per year				
	EntraPass Special Edition Base	No option installs on Special	1				
	System						

#### EntraPass Corporate Edition

System/Option	Details	Tokens per year
EntraPass Corporate Edition Base System	System before options, without Webstation and Database Access	1
Web Concurrent Licenses	For each three concurrent licenses	1
Video Vault	For each Video Vault	1
Card Gateway	For each Card Gateway	1
Redundant Server	For Redundant Server option	1
Workstations Corporate Edition	For every pack of four active workstations	1
Database Access	For Database Access	1
Corporate Gateways	Excluded from the calculation	C
SmartLinks	Excluded from the calculation	C
Server workstation	Excluded from the calculation	C

#### EntraPass Global Edition

System/Option	Details	Tokens per year
EntraPass Global Edition Base System	System before options, without Webstation and Database Access	3
Web Concurrent Licenses	For each three concurrent licenses	1
Video Vault	For each Video Vault	1
Card Gateway	For each Card Gateway	1
Redundant Server	For Redundant Server option	1
Workstations Global Edition	For every pack of five active workstations	1
Database Access	For Database Access	1
Corporate Gateways	Excluded from the calculation	0
Global Gateways	Excluded from the calculation	0
SmartLinks	Excluded from the calculation	0
Server workstation	Excluded from the calculation	0

Prices and specifications may change without notice and all sales are subject to Kantech's "Terms and Conditions of Sales", "Repair Policy and Procedure" and "End-User Agreement". Kantech reserves the right to discontinue any Products with or without notice to Business Partner.