



# **Effective**

## **2 Slot ATCA AC Shelf User Manual**

May 2007

Revision 1

# Table of Contents

<b>TABLE OF CONTENTS</b> .....	<b>II</b>
<b>TABLE OF FIGURES</b> .....	<b>IV</b>
<b>LEGAL NOTICE AND WARRANTY</b> .....	ERROR! BOOKMARK NOT DEFINED.
<b>ORDERING INFORMATION</b> .....	ERROR! BOOKMARK NOT DEFINED.
<b>SAFETY INSTRUCTIONS</b> .....	<b>VII</b>
<b>REVISION HISTORY</b> .....	<b>IX</b>
<b>ABOUT THIS DOCUMENT</b> .....	<b>X</b>
<b>1 INTRODUCTION</b> .....	<b>12</b>
1.1 OVERVIEW OF ASIS SHELF PRODUCTS .....	12
1.2 EFFECTIVE ATCA AC SHELF .....	12
<b>2 UNDERSTANDING THE SHELF COMPONENTS</b> .....	<b>13</b>
2.1 PLATFORM COMPONENTS .....	13
2.1.1 Shelf and Boards .....	13
Fixed Board .....	16
Removable Boards .....	16
2.1.2 Card Cage .....	16
2.1.3 Backplane .....	17
Features .....	17
Update-Channel Connections .....	17
Synchronization Clock Interface .....	18
2.1.4 Module Slot Identification .....	19
2.1.5 AC power supply .....	19
Grounding Requirements and Power Input .....	20
2.1.6 Fan Tray .....	21
2.1.7 Air Filter Tray .....	21
2.1.8 Blank Panels with/without air baffles .....	22
2.1.9 Shelf ID Board .....	23
2.1.10 Holder for Cable Management (Optional) .....	23
2.2 SHELF COOLING .....	24
2.2.1 Overview .....	24
2.2.2 Fan Tray Design .....	24
2.2.3 Performance .....	24

---

2.2.4	Fan Speed .....	25
2.2.5	Rear connection boards .....	25
<b>3</b>	<b>INSTALLING THE SHELF .....</b>	<b>26</b>
3.1	TOOLS REQUIRED .....	26
3.2	SITE PLANNING .....	26
3.3	CHECKING PACKAGE CONTENTS .....	27
3.4	INSTALLATION STEPS .....	27
3.5	RACK MOUNTING .....	27
3.5.1	Shelf Grounding .....	28
3.5.2	Installer Grounding .....	28
3.6	SHELF APPLICATION CARD INSERTION .....	29
3.7	REDUNDANT MODULE INSTALLATION .....	29
3.7.1	Redundant Shelf Management Card Installation .....	29
<b>4</b>	<b>MAINTENANCE AND TROUBLESHOOTING .....</b>	<b>30</b>
4.1	PERFORMING PERIODIC MAINTENANCE .....	30
4.1.1	Fan Tray Visual Inspection .....	30
4.1.2	Air Filter Cleaning And Replacement .....	30
4.2	HANDLING ELECTROMAGNETIC INTERFERENCE .....	31
4.3	EXTRACTING MODULES .....	32
4.3.1	FRU Module Extraction .....	32
4.3.2	Power Supply Extraction .....	32
4.3.3	Fan Tray Replacement .....	32
4.3.4	E <sup>2</sup> PROM Replacement .....	33
4.3.5	Third-Party-Module Replacement .....	34
4.4	HANDLING ALARMS .....	35
4.4.1	Visual Alarms .....	35
4.4.2	Software Alarms .....	36
4.5	HOT-SWAPPING FRUs .....	36
4.6	RESETTING THE SYSTEM .....	37
4.7	TROUBLESHOOTING .....	38
<b>5</b>	<b>SYSTEM SPECIFICATIONS .....</b>	<b>39</b>
5.1	CERTIFICATION .....	39
5.2	TECHNICAL DATA .....	39
5.3	ACRONYMS USED IN THIS MANUAL .....	42

## Table of Figures

FIGURE 1 – SHELF BLOCK DIAGRAM .....	1
FIGURE 2 – SHELF FRONT VIEW .....	1
FIGURE 3 – SHELF REAR VIEW .....	1
FIGURE 4 – SHELF CHASSIS WITH CABLE HOLDERS .....	1
FIGURE 5 – SHELF COMPONENT POSITIONING .....	1
FIGURE 6 – SYNCHRONIZATION CLOCK AND UPDATE CHANNEL PIN ASSIGNMENTS .....	1
FIGURE 7 – BACKPLANE LAYOUT .....	1
FIGURE 8 – SLOT ALLOCATIONS .....	1
FIGURE 9 – SHELF ADDRESSING .....	1
FIGURE 10 – ATCA 1200W AC POWER SUPPLY .....	2
FIGURE 11 – DISTRIBUTION OF POWER ON SHELF .....	2
FIGURE 12 – FAN TRAY .....	2
FIGURE 13 – AIR FILTER TRAY .....	2
FIGURE 14 – BLANK BOARD PANEL AND BLANK RTM PANEL .....	2
FIGURE 15 – SHELF ID BOARD WITH TWO E <sup>2</sup> PROMS (REAR COVER REMOVED) .....	2
FIGURE 16 – FAN AND AIR FILTER TRAYS .....	2
FIGURE 17 – REAR GROUNDING SCREWS .....	2
FIGURE 18 – FRONT ESD SOCKET .....	2
FIGURE 19 – SHELF AIR FILTER AND POWER SUPPLY AIR FILTER EXTRACTION .....	3
FIGURE 20 – EXTRACTING A FAN TRAY .....	3
FIGURE 21 – FAN CARD WITH E <sup>2</sup> PROMS .....	3

Deleted: e

## © ASIS Ltd. 2007 Legal Notice and Warranty

Information in this document is provided in connection with Asis products. no licens express or implied, by estoppel or otherwise, to any intellectual property rights is gr by this document. except as provided in Asis terms and conditions of sale for such products, Asis assumes no liability whatsoever, and Asis disclaims any expressed o implied warranty, relating to sale and/or use of asis products including liability or warranties relating to fitness for a particular purpose, merchant ability, or infringem any patent, copyright or other intellectual property right.

Deleted: ¶

Asis warranty will be for the quality of the Asis Effective 2-Slot ATCA AC Shelf for a p of one year after the shipment of the product.

Deleted: ¶

Asis may make changes to specifications and product descriptions at any time, with notice.

ASIS © Ltd. 2007

# Contact Information

in order to retrieve further information about any of Asis products either described in this document and/or related systems and/or components, please contact an ASIS representative at:

## Asis Headquarters

**3 Galgalei Haplada St.  
Kfar Saba, ISRAEL 4422**  
Telephone: **+972-73-233-6633**  
Fax: **+972-73-233-6634**  
E-mail: [sales@asis-pro.com](mailto:sales@asis-pro.com)

## Asis North America

**11067 Caminito Arcada  
San Diego, CA, 92131 USA**  
**US toll free: 888 3asisus (888 327-4787)**  
Tel/Fax: 858 776-1421  
E-mail: [salesna@asis-pro.com](mailto:salesna@asis-pro.com)

See the ASIS web site at <http://www.asis-pro.com> .

Formatted: ItemA  
Deleted: ¶  
Deleted: .co.il  
Field Code Changed  
Formatted: ItemA  
Deleted: Headquarters  
Deleted: .  
Formatted: Font:  
(Default) Verdana, 10 pt,  
Bold, Font color: Auto,  
Complex Script Font:  
Times New Roman, 10 pt,  
Not Bold  
Formatted: DescriptionB,  
Indent: Before: 2 cm,  
Adjust space between  
Latin and Asian text,  
Adjust space between  
Asian text and numbers  
Formatted: Font:  
(Default) Verdana, Bold,  
Complex Script Font:  
Times New Roman, Not  
Bold  
Deleted: ,  
Formatted: Font: Bold,  
Complex Script Font: Not  
Bold  
Formatted: Font:  
(Default) Verdana, Bold,  
Complex Script Font:  
Times New Roman, Not  
Bold  
Deleted: ¶  
Deleted: , USA¶  
Formatted: Font:  
(Default) Verdana,  
Complex Script Font:  
Times New Roman  
Formatted: Indent:  
Before: 1.92 cm, First  
line: 0.08 cm  
Formatted: Font:  
(Default) Verdana, 10 pt,  
Font color: Auto, Complex  
Script Font: Times New  
Roman, 10 pt  
Deleted: e  
Deleted: phone  
Deleted:  
... [1] ¶  
... [2] ¶  
Formatted: Indent:  
Before: 2 cm  
Deleted:  
... [3] ¶

## Safety Instructions



This symbol indicates potential safety hazards regarding product operation or maintenance to operator or service personnel.

**Formatted:** ItemB, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

### General Safety Practices

Before handling the board, read the instructions and safety guidelines on the following pages to prevent damage to the product and to ensure your own personal safety.

- Always use caution when handling/operating the board. Only qualified, experienced, authorized electronics service personnel should access the interior of the equipment. The power supplies produce high voltages and energy hazards, which can cause bodily harm.
- Use extreme caution when installing or removing components. Refer to the installation instructions in this document for precautions and procedures. If you have any questions, please contact ASIS Technical Support.
- Always follow the procedural instructions for component removal and replacement in sequence.

**Formatted:** Indent: Before: 2.22 cm, Hanging: 0.63 cm, Bulleted + Level: 1 + Aligned at: 2.22 cm + Tab after: 2.86 cm + Indent at: 2.86 cm

**Deleted:** ¶

**Formatted:** ItemB

### Power



**Beware Electrical shock hazard , before any attempt to service the device be sure that the device is electrically isolated !!!**

High voltages are present inside the chassis when the unit's power is plugged into an electrical outlet. Turn off system power, turn off the power supply, and then disconnect the power cord from its source before removing the chassis cover.

Turning off the system power switch does not remove power to components.

Make sure the work environment is grounded, and use a grounding wrist strap when handling the product.

### ESD Safety Practices

Many components described in this document can be damaged by *electrostatic discharge* (ESD). Follow the precautions described here and before specific procedures in the document to protect static-sensitive components from ESD-related damage.

Static electricity can harm system boards. Perform service at an ESD workstation and follow proper ESD procedure to reduce the risk of damage to components. ASIS strongly encourages you to follow proper ESD procedure, which can include wrist straps and smocks, when servicing equipment.

## Safety Instructions

---

Take the following steps to prevent damage from electrostatic discharge (ESD):

- When unpacking a static-sensitive component from its shipping carton, do not remove the component's antistatic packing material until you are ready to install the component in the system. Just before unwrapping the antistatic packaging, be sure you are at an ESD workstation or grounded. This will discharge any static electricity that may have built up in your body.
- When transporting a sensitive component, first place it in an antistatic container or packaging.
- Handle all sensitive components at an ESD workstation. If possible, use antistatic floor pads and workbench pads.
- Handle components and boards with care. Don't touch the components or contacts on a board. Hold a board by its edges or by its metal mounting bracket.
- Do not handle or store system boards near strong electrostatic, electromagnetic, magnetic, or radioactive fields.





## Revision History

---

<b>Number</b>	<b>Date</b>	<b>Comments</b>	<b>Author</b>
1.0.0	May 2007	Initial release	Yossi Kuzi

---

## About this Document

This document provides technical information for the Effective 2-Slot ATCA AC Shelf .

It is intended for technical staff tasked with installing, setting up and configuring the system, and providing troubleshooting assistance and servicing.

### **Related Documents**

For information on the Shelf Manager, see the ASIS Shelf Manager Board user manual.

Instructions relating to software installation and documentation for application software development for this platform are available in the Shelf Manager External Interface Reference Manual.

For Asis product information and additional resources, please visit the Asis website at [www.asis-pro.com](http://www.asis-pro.com).

Downloads (manuals, release notes, software, etc.) are available via the Technical Support Library product links at [www.asis-pro.com](http://www.asis-pro.com) (for registered customers).

Information about PICMG (PCI Industrial Computer Manufacturers Group) and the ATCA standard may be accessed on the PICMG Web site at [www.picmg.com](http://www.picmg.com).

Formatted: ItemB

### **Chapters and Their Contents**

<b>1 Introduction</b>	General overview of the product family and the shelf.	Pg. 12
<b>2 Understanding the Shelf Components</b>	Describes the shelf and its components, including the boards installed in the shelf: Backplane, Power Entry Module, Shelf ID Boards. Describes the cooling capabilities of the shelf.	Pg. 13
<b>3 Installing the Shelf</b>	Procedures and precautions involved in product installation	Pg. 26
<b>4 Maintenance And Troubleshooting</b>	Periodic maintenance, troubleshooting and diagnostic procedures, as well as module replacement instructions	Pg. 30
<b>5 System Specifications</b>	Detailed quantitative information about the system's dimensions and operational parameters, operation limitations, certification and standard compliance	Pg. 39

Deleted: "

Deleted: "

---

## Style Conventions

---

Verdana Regular text.

---

**Arial Bold** Commands, keys and other parts of the user interface.

---

*Arial Italics* Names of classes, methods, arguments, exceptions, properties, etc.  
Also used for special terms, the first time they appear.

---

Monospace Text displayed on the LCD or on a computer attached to the product.

---



**Notes**, which offer an additional explanation or a hint on how to overcome a common problem.

---



**Warnings**, which indicate potential safety hazards regarding product operation or maintenance to operator or service personnel.

---

# 1 Introduction

This chapter includes a summary of the Asis Pro shelf product line and a brief overview of the Effective 2-Slot ATCA AC Shelf. For acronyms used in this document see Section 5.3

## 1.1 Overview of ASIS Shelf Products

As for ATCA Shelf , ASIS offers two product families :

- **Effective** for cost-sensitive, yet demanding applications
- **Perform**, for top-of-the line solutions, for environments in which high levels of performance, availability and reliability are mandatory.

Deleted: ance

## 1.2 Effective ATCA AC Shelf

The Effective 2-Slot ATCA AC Shelf offers the reliability and availability of the Telco-grade standards in a cost-effective package, where maximum possible performance (backplane interconnect bandwidth, power levels and thermal capabilities) is provided in a low-cost shelf.

The system can be used by developers (reduced time-to-market) as well as for deployment. It offers optional redundancy for power input and management functions. The shelf assemblies are designed using Field-Replaceable Units (FRUs), thus enabling easy and fast field maintenance with minimum or no downtime.

In addition, an ASIS cable-holder frame can be fitted to both side-mounting flanges of the shelf .

The shelf is targeted for FCC, UL and CE certification, and it is designed to comply with NEBS Level-3 and ETSI.

The Effective 2-Slot ATCA AC Shelf fully complies to AdvancedTCA, PICMG 3.0 R2.0, and IPMI v 1.5.

See Section 5.2 for detailed system specifications.

Deleted: .

Deleted: It

Deleted:

Deleted: ies

Deleted: ¶

Deleted: the following standards:

Deleted: Advanced TCA, PICMG 3.0¶ NEBS Level-3 and ETSI¶ IPMI v 1.5.¶

Deleted: ¶

## 2 Understanding the Shelf Components

This chapter summarizes the functional features of the Effective 2-Slot ATCA AC Shelf and describes in further detail each of the components as well as the shelf system cooling mechanism.

The system was designed to withstand extreme conditions (to meet rigid Telco requirements). It is designed to incorporate Field-Replaceable Units (FRUs), and is field-serviceable.

### 2.1 Platform Components

A typical platform consists of the following key components:

- **19-inch rack mount shelf** — Base hardware element of the platform, which holds all the components together.
- **Card cage** — Portion of the shelf that holds the modules that are plugged into the backplane. Mechanically compliant with all aspects of PIMG 3.0
- **Backplane** — Supports one or two third-party ATCA-compliant front boards, and the complementary rear transition module (RTM). The backplane provides full-mesh Fabric interface, and direct mating to the PS's and to the redundant Shelf Manager carrier board.
- **Power Supply(PS)** – Redundant, field replaceable, 120 VAC to 240 V power supplies.
- **Fan tray** — Hot-swappable, provides side to side cooling, and is designed to provide N+1 fan redundancy cooling to components on the front and rear of the shelf.
- **Air filter tray** — Keeps the airflow free of dust and particles.
- **Blank Panels** — [For air flow management.](#)
- **Shelf ID Board**
- **Cable management Holders** for Front cable management
- **Rear connection boards**

**Deleted: Airflow Management**

**Formatted:** Font: Bold, Complex Script Font: Not Bold

#### 2.1.1 Shelf and Boards

[Figure 1 shows the block diagram of the shelf and figures 2 and 3 show front and rear view of the shelf with key components highlighted.](#)

**Formatted**

**Formatted:** Bodytext

**Deleted:** See Figure 1 for a block diagram of the shelf, and

Figure 2 and

Figure 3 for front and rear views of the shelf, respectively.

## Understanding the Shelf Components

### Platform Components




Figure 1 - Shelf Block Diagram




Figure 2 - Shelf Front View




Figure 3 - Shelf Rear View

Figure 4 illustrates the use of cable holders:




Figure 4 - Shelf Chassis with Cable Holders

## Understanding the Shelf Components

### Platform Components




Figure 5 - Shelf Component Positioning

**Deleted:** availability

In order to increase ASIS Effective 2 slot ATCA AC Shelf reliability, and to simplify the shelf's format, only one of the boards installed in the Shelf has logic circuits in it. All other boards and FRU's are passive.

**Deleted:** Some are fixed boards and some removable

Only the backplane is a fixed board. Remaining boards are removable:

**Deleted:** s

#### **Fixed Board**

- Backplane

#### **Removable Boards**

- Shelf Management – Carrier board (see the ASIS Shelf Manager Board User Manual).
- Shelf ID: this board hosts two E<sup>2</sup>PROMs that contain data about the shelf – such as serial number and manufacturer – and about the board's setup – such as shelf thermal budget and slot population.

**Deleted:** <#>Shelf ID: this board hosts two SEEPROMs that contain data about the shelf – such as serial number and manufacturer – and about the board's setup – such as shelf thermal budget and slot population. (see Section 2.1.92.1.9)¶

**Formatted:** Bullets and Numbering

**Formatted:** Indent:  
Before: 2.22 cm,  
Hanging: 0.63 cm

### 2.1.2 Card Cage

The shelf's card cage is composed of:

- the backplane
- right and left guide rails to hold the modules that plug into the backplane.

The card cage supports two 8U front boards, and two 8U RTMs.

The guide rails in the card cage incorporate *electrostatic discharge (ESD)* clips.



## 2.1.3 Backplane

### Features

The ATCA PICMG 3.0-compliant backplane provides external interfaces and card connectivity. It conforms to the *PICMG 3.0 R2.0 AdvancedTCA Base Specification*. Backplane features include:

- Two slots
- Fabric interface with full mesh interconnect.
- The Fabric Interface grid consists of eight differential pairs per channel. The Base Interface grid consists of four differential pairs per channel.
- Dual-star Ethernet signalling environment on the Base interface
- Bussed IPMI (radial IPMI available upon request)
- Two hub slots
- Hub/Node configuration; update channel between slots 1 and 2.
- 10, 100 and 1000 BASE-T dual star Base Interconnect capability. Update channel interfaces for active and standby synchronization, and mesh topology handling up to 5Gbps per differential pair.
- Connection capacity for up to two third-party ATCA-compliant front boards, as well as to the redundant Shelf Manager Carrier and redundant AC power supply.
- Full compliance with AdvancedTCA™ electrical and mechanical specifications (Basic backplane topology is “full mesh”.)
- Interconnect for system power for two slots.
- Base channel 1 allocated for the Shelf Manager Controller.

Deleted: is

Deleted: .

Deleted: ¶

Deleted: y

Deleted: C

Deleted: and power and control for the fan tray.

There are no active components on the backplane, and no removable or serviceable components on the backplane board.

The backplane has two functionally-distinct parts: right and center left:

- Right backplane (consists of Zone 1 connectors) – dual-power connections, which means the power connections from the two PS's are independently supplied to each module plugged into the backplane.
- Center-left backplane (consists of Zone 2 connectors) – connectivity for the Base, Fabric, and update-channel interface. This portion supports a full-mesh topology for both the Base and the Fabric interfaces.

### Update-Channel Connections

The update channels are backplane connections between pairs of modules that operate on a redundant basis. Application software can use the update channel for redundant interlock, or to provide a direct connection that bypasses the (indirect) fabric interface.

If you configure a pair of modules to use the update channel for redundancy support, you must insert the two modules into slots linked by an update channel.

## Understanding the Shelf Components

### Platform Components

Comment [y1]: REF??

Figure 6 shows the update channel connections.

Each update channel consists of 10 differential-pair connections. If an update channel connects two modules that are not identical, the Shelf Manager disables the update channel between them.

### Synchronization Clock Interface

The backplane supports a set of synchronization clock buses that can exchange synchronization timing information. This synchronization can be used for system-wide and intersystem synchronization purposes, which are important in some applications, such as those involving synchronous time division multiplex (TDM).

Row	Interface	Px20 Connector Pairs							
		ab		cd		ef		gh	
1	Clks	CLK1A+	CLK1A-	CLK1B+	CLK1B-	CLK2A+	CLK2A-	CLK2B+	CLK
2	Update channel & Clks	Tx4(UP)+	Tx4(UP)-	Rx4(UP)+	Rx4(UP)-	CLK3A+	CLK3A-	CLK3B+	CLK
The update channels are routed to adjacent slots. Slot 1 connects to Slot 2.									

Figure 6 – Synchronization clock and update channel pin assignments




Figure 7 – Backplane layout

## 2.1.4 Module Slot Identification

The shelf is compliant with PICMG 3.0 R2.0, and accepts modules compliant with this standard.

Figure 8 illustrates the locations of the module slot allocations when viewed from the front. The physical and the logical slot allocations are the same for this shelf: the slots are numbered 1 to 2 from bottom to top.




Figure 8 – Slot Allocations

The following table shows the hardware addresses in relation to the slot numbers and addresses. Slots are shown in the same order as they appear in the shelf: slot 2 above slot 1.

Formatted Table

Slot Number	Hardware Address (8 bit format)	Hardware Address (7 bit format)
2	84h	42h
1	82h	41h

Figure 9 - Shelf Addressing

## 2.1.5 AC power supply

The field replaceable, 120 VAC to 240 VAC, power supplies provide power to the shelf. The ASIS Effective 2 slot ATCA AC Shelf is equipped with AC connectors for two redundant – hot swappable and field replaceable power supplies.

Both power supplies are located in the lower part of the shelf, on a drawer that slides to the Lower-middle part of the chassis, fitting directly into the backplane and the connectors. Each PS has its own front-back independent cooling. In order to comply with NEBS GR63 Core the power supply drawers have separate removable air filters.

The AC connectors are located on the rear of the chassis.

Deleted: התימונות לא מעודכנות

## Understanding the Shelf Components

### Platform Components



Figure 10 – ATCA 1200W AC Power Supply




Figure 11 – Distribution of Power on Shelf

#### Deleted: Distribution

**Deleted:** The PEMS provide protection for the shelf against EN61000-4-5 surge transients. The PEMS reduce the surge transients to under -100V for a maximum duration of 10 $\mu$ s, and under -200V for a maximum duration of 5 $\mu$ s. Protection against EN610000-4-4 EFT transients is also provided.¶ The PEM being removed also continues to receive power until it is physically disconnected from the system or from the building's power source.

### Grounding Requirements and Power Input



When connecting ground and power cables to the shelf, follow instructions in the beginning of this document.

### 2.1.6 Fan Tray

Deleted:

The fan tray is a closed module containing four 80x80mm fans that supply air volume and velocity for cooling the high-density/high-performance computing environment (Figure 12). The cooling power of the four fans can dissipate the heat generated by up to two front boards and complementary RTMs.

Deleted: by

Deleted: Up to

Formatted: Not Highlight

Deleted:

Deleted: Maybe more

More than 200W for front board and 15W for RTM, per slot is supported.

Three of the fans are dedicated to cooling the front side of the shelf, while the fourth is shared between the front side boards and the rear side I/O equipment.

The fan tray is designed with N + 1 redundancy to meet the cooling requirements of shelf.

Deleted: the fan tray must be replaced as soon as possible

Deleted: will

In case of single fan failure, the remaining fans provide the required cooling to dissipate the heat generated by the occupied slots. It is recommended to replace the fan tray soon as possible.

Deleted: the shelf does not have to be shut down during the replacement.

The fan tray is factory-mounted in the Effective 2-Slot ATCA AC Shelf. It is easily replaceable, and can be replaced while the shelf is operating.

For more on shelf cooling, see Section 2.2.



Deleted: לא מעודכן

Figure 12 – Fan Tray

### 2.1.7 Air Filter Tray

Deleted: d

A NEBS-GR63-compatible air filter comes installed on the ASIS Effective 2 slot ATCA Shelf. The filter is field-serviceable, and can be extracted for periodic field maintenance or for field replacement.

The filter is easily accessible from front right side of the card cage. A shelf-based micro switch detects the installed filter and reports its presence to the Shelf Manager.

For instructions on air-filter maintenance, see Section 4.1.2.

## Understanding the Shelf Components

### Platform Components



Figure 13 - Air filter tray

Deleted: Airflow-  
Management

### 2.1.8 **Blank Panels with/without air baffles**

Compliance with ATCA's temperature specifications requires a steady air flow in the she To insure a steady air flow, either the ASIS Effective 2 slot ATCA AC Shelf must be fully populated, or a blank panel, available from ASIS, must be equipped to fill every empty slot.

The "blank panel" is designed to emulate the air flow restriction in a standard card, thus ensuring the required conditions for proper cooling.

Three types of airflow-management panels are available for the empty slots on the shel These include panels specifically designed for:

Deleted: empty

Deleted: slots

Deleted: empty

Deleted: slots

- **blank front module panels**, with/without air baffle;
- **blank RTM panels**;
- an empty shelf-manager panel slot.



Deleted: צבע לא תואם

Formatted: Normal

Figure 14 - Blank Board Panel and Blank RTM Panel

### 2.1.9 Shelf ID Board

A shelf ID board containing two redundant **field replaceable** E<sup>2</sup>PROM chips is housed rear of the Effective 2 slot ATCA AC Shelf.

The E<sup>2</sup>PROMs store product and manufacturer information such as shelf serial number, part number, backplane routing assignment, and shelf heat budget.

When the **Shelf Manager** board boots up, it compares the information stored in the two E<sup>2</sup>PROMs:

Deleted: C

Deleted:

- If E<sup>2</sup>PROM data coincides, it is loaded and saved in the **ShMM\_Board**, and the shelf initializes.
- In case of a mismatch, the data on the E<sup>2</sup>PROMs is compared with the saved configuration in the **ShMM\_Board**:
  - If the saved configuration matches one of the E<sup>2</sup>PROMs it is assumed to be the right one and it is stored in both E<sup>2</sup>PROMs.
  - If the three configurations are all different, the Carrier board will not boot up.




Figure 15 - Shelf ID Board with two E<sup>2</sup>PROMs (rear cover removed)

### 2.1.10 Holder for Cable Management (Optional)

**A cable holder frame can be fitted to both side mounting flanges of the shelf.**



Cables attached to the cable management holder must be allowed to move freely; Insure that a service loop of minimal required length is maintained.

Deleted: לא מעודכן

Deleted: As standard, a

Deleted: The cable management holder is an optional device, specifically designed to cope with the large number of connecting cables and fibers found in a shelf such as the Effective 2-Slot ATCA Shelf.¶

Formatted: Highlight

Deleted: special

Formatted: Highlight



Deleted: ¶

## 2.2 Shelf Cooling

### 2.2.1 Overview

ASIS Effective 2 slot ATCA AC Shelf complies with all the cooling requirements specified in PICMG V3.x specifications.

The cooling system consists of four high-performance fans. The air comes in from the right side and exits through the left side of the shelf. The fault-tolerant design is optimized for airflow of more than 200W per module.

### 2.2.2 Fan Tray Design

ASIS Effective 2 slot ATCA AC Shelf ventilation is achieved by four 80x80 mm fans, installed in the fan tray. The fans provide for n+1 redundancy.



Figure 16 - Fan and Air filter trays

The fan tray connects directly to the backplane, where it plugs into power and control connectors. The fan tray unit is front-serviceable, and can be easily replaced without tools.

In order to minimize possible failures, ~~the~~ fan tray does not contain any active electronic components. The shelf management FRU fully controls adjustments of the fans based on temperature changes.

Cooling ability is maintained even in the case of a single fan failure. In this case, the green LED of the fan tray turns red, so that it is easier to identify the tray that needs to be replaced.

### 2.2.3 Performance

The four fans supply air volume and velocity for cooling the high-density/high-performance computing environment. The cooling power of the fans can dissipate the heat generated by up to two front boards and complementary RTMs. At least 200W per front board and 15W for RTM per slot is supported.

**Deleted:** how the fans  
**Deleted:** to  
**Formatted:** Not Highlight  
**Formatted:** Not Highlight  
**Formatted:** Not Highlight  
**Deleted:** Is this the right way to say it in English?

**Formatted:** DescriptionA, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers



The system maintains its cooling performance even in case of a single fan failure. In this case, the green LED of the fan tray will turn red, so that it will be easier to find a failing tray and replace it.



Refrain from clogging air input and exhaust during chassis operation.

**Deleted:** Ensure that the air entering the shelf remains within the specified maximum temperature limit. If the air temperature exceeds the specified maximum, and the fan tray operating at full speed is unable to maintain the FRUs within their recommended temperature limits, the platform could begin to reduce the thermal load, which could reduce platform performance. This response to excessive temperatures protects the modules from physical damage caused by overheating.¶  
If the surrounding temperature exceeds the non-operating temperature limit, the platform could shut down system modules in order to reduce thermal load.¶

**Formatted:** Highlight

**Formatted:** Bullets and Numbering

## 2.2.4 Fan Speed

When a fan tray is inserted into the shelf, the fans start at full speed and then decrease by steps of 7%. Under normal operating conditions, the fans run at 21% of full speed. The lower speed reduces the acoustic noise and increases the longevity of the fans. The circuitry on the fan trays uses a pulse-width modulation to control the speed of the fans.

The speed of each individual fan is monitored. If the speed of any of the fans drops below the desired fan speed, the other fans will speed up to compensate. The Shelf Manager logs such events in its system event log (SEL) as a fault condition. If this occurs, replace the fan tray as soon as possible to restore fault tolerance and redundancy.

## 2.2.5 Rear connection boards

As an option, two rear connection boards can be installed in the rear part of the ASI Effective 2 slot ATCA AC Shelf.

These connection boards allow the user to connect the Ethernet LAN and the management console, to the rear part of the shelf instead of the front. In case this connection is to be used, a series of "jumpers" have to be set on the Shelf FRU.

The shelf is equipped with two redundant – hot swappable and field replaceable rear connection boards (optional) , where one is active and the second one provides redundancy.




Figure 17 - Optional Rear Connection cards

## 3 Installing the Shelf

This chapter provides you with instructions on how to prepare the Effective 2-Slot ATCA AC Shelf for use.

You will be performing some or all of the following setup tasks:

- Site Planning
- Checking Package Contents
- Rack Mounting
- Power Supply installation.
- Shelf Application Card Insertion
- Redundant Module Installation.



Before installing the Effective 2-Slot ATCA AC Shelf, you should be aware of what cables will be needed for equipment and power, and whether they will be connected in the front or rear of the shelf.

### 3.1 Tools Required

To install the shelf in a standard 19" rack, the following tools are required:

- Standard Philips screwdriver set
- Wrench
- ESD grounding bracelet.

All the modules in the Effective 2-Slot ATCA AC Shelf are field-replaceable units (FRUs) requiring no special tools for mounting other than those mentioned above.

### 3.2 Site Planning



Only qualified personnel should be involved with this installation procedure.

The Effective 2-Slot ATCA AC Shelf can be installed either on a standard 19" rack or as desk-top unit. All sides of the shelf should be easily accessible.

The prerequisites for setting up the Effective 2-Slot ATCA AC Shelf for use in your facility involves:

- If a rack is used, it should be properly grounded.
- A readily accessible disconnect device must be incorporated into the building's wiring between the shelf's PS's input terminals and the power source.

- The disconnect device rating required is determined by the nominal input voltage.
- To ensure sufficient airflow for the individual blades in the shelf, allow at least two inches of clearance at the side air inlets and outlets.

### 3.3 Checking Package Contents

The following items are included in the Effective 2-Slot ATCA AC Shelf package. Check that all items in the package are intact.



Use of equipment damaged during delivery could prevent proper functioning of the Shelf and/or cause permanent damage to it. Check all pins, screws and other components before using any of the package contents.

- Shelf chassis with backplane
- Fan tray
- Air filter tray
- 1 1200W Power Supply
- 2 Cable-management holders ([optional](#)).

### 3.4 Installation Steps

The following overall procedure is described more in detail in the sections below.

1. Install the [Cable-management](#) tray holder (optional).
2. Mount the chassis in the rack with four screws.
3. Connect the chassis to the site ground with a ground cable.
4. Insert a Shelf Manager board into the right slot.
5. Connect the power supply to a properly grounded mains socket.

Deleted: cable

Deleted: ss

Formatted: Not Highlight

### 3.5 Rack Mounting

You will need four M6x10 (or longer) screws to mount the chassis on the rack.

Before you begin:

- Verify that the transient operating temperature in the area of the rack does not exceed the 55°C maximum, and that the rack has support rail installed.
- Confirm the rack is stable so that the weight of the shelf does not cause it to tip over.

## Installing the Shelf

### Rack Mounting

#### ➔ To mount the shelf on the rack:

- Two Persons needed to Preform this task.
- Insert the Effective 2-Slot ATCA AC Shelf chassis on the 19" rack, securing it by fastening the four mounting screws.

The shelf should be level, and not positioned at an angle in the rack, and the rack's doors should be able to close.

### 3.5.1 Shelf Grounding

Connect rear grounding screws on the rear left side to insure that the shelf is properly grounded.

Deleted: ¶



Figure 17 - Rear grounding screws

### 3.5.2 Installer Grounding



Any person involved in handling the shelf or card installation or replacement is required to wear an ESD grounding device.

One grounding sockets can be found on the shelf:

- an ESD grounding socket in the front of the shelf



Figure 18 - Front ESD Socket

Formatted: Bullets and Numbering

## **3.6 Shelf Application Card Insertion**

Third-party application cards must be ATCA-compliant.

Application cards should be inserted only after the installation, power-up and testing procedures of the Effective 2-Slot ATCA AC Shelf have been completed.

Insert application cards according to the manufacturer's instructions, making sure they are properly-positioned in their slots and are secured to their respective connectors.

When an application card is inserted and powered up, the blue LED should switch on light steady for 10-30 seconds (depending on the card type). After that time, the blue LED should blink for about 10 seconds, and then go off.

Each third-party application card must provide a hot-swap LED. This LED can be in one of the following states:

<b>Indicator State</b>	<b>Indication</b>
<b>Off</b>	The card is not ready for removal or disconnection from the shelf
<b>Blue</b>	The card is ready for removal or disconnection from the shelf
<b>Blinking slowly</b>	The card is activating itself
<b>Blinking quickly</b>	Brief deactivation has been requested

Formatted: Bullets and Numbering

## **3.7 Redundant Module Installation**

### **3.7.1 Redundant Shelf Manager board Installation**

The redundant Shelf Manager Board is installed after the first shelf has finished booting up.

Follow the instructions for the first Shelf Management card in the Shelf Manager use manual.

## 4 Maintenance And Troubleshooting

This chapter includes instructions regarding:

- Performing Periodic Maintenance
- Fan tray visual inspection
- Air filter cleaning and replacement
- Figure 19 – Shelf Air filter and Power supply air filter extraction
- Handling Electromagnetic Interference
- Extracting Modules
- Handling Alarms
- Hot-Swapping FRUs
- Resetting The System
- Troubleshooting.

As required by the ATCA standard, the Effective 2-Slot ATCA AC Shelf applies a fully hot swappable approach. Assuming redundancy has been provided for (i.e., two [ShMM](#) board units, and two PS's), all of the shelf assemblies can be field-replaced with no interrupt to service.

Deleted: management

Visual alarms provide clear indication of trouble, for easy problem location.

Malfunctions can be responded to quickly and easily, as no field repair is necessary. Failed modules can be easily extracted and replaced with no tools or with a minimal set of tools.

### 4.1 Performing Periodic Maintenance

This section provides procedural instructions on servicing or replacing shelf components. Maintenance of the Effective 2-Slot ATCA AC Shelf involves the following tasks:

- Fan Tray Visual Inspection
- Air Filter Cleaning And Replacement.
- inspection of the front led of the shelf manager

#### 4.1.1 Fan Tray Visual Inspection

The fan trays should be checked periodically for any visible damage that could prevent or disrupt normal fan operation.

#### 4.1.2 Air Filter Cleaning And Replacement

The air filter should be checked regularly. If environmental conditions are good, it may be enough to extract the filter and vacuum clean it. Otherwise it might be necessary to replace it.

[The air filter can be ordered separately \(i.e., without the metal tray\).](#)

Air filter cleaning must be performed in a different location from where the shelf is placed.

The air filter can be extracted without interrupting power. Release the two tumble screws on the front side of the air filter unit and extract the unit by pulling the two tumble screws.

as for the Power supply filter ,pull it up without interrupting the normal operation of chassis.



Figure 19 – Shelf Air filter and Power supply air filter extraction

## 4.2 Handling Electromagnetic Interference

The shelf emits electromagnetic waves that may interfere with nearby equipment. Conversely, nearby electronic equipment may emit electromagnetic waves that interfere with the shelf. The EMC, EMI, and RFI specifications of the shelf and all nearby equipment should be considered when choosing the placement of the platform and surrounding equipment.

In the shelf and most other equipment, the use of **airflow management fillers** in otherwise unoccupied slots is necessary to keep the product's emissions within their specified limits.

- Install front and rear airflow management fillers into any empty slots.
- Do not use blank faceplates in place of fillers.
- Keep slots populated with active modules directly next to each other and fillers directly adjacent to the outermost active modules.
- If the shelf experiences unexpected and intermittent data errors, carefully consider the possibility of electromagnetic interference from nearby equipment as a possible source of the problem.

**Deleted:** , leaving no empty slots in the final shelf configuration.

Identifying and measuring errors caused by electromagnetic interference can be challenging and may require the assistance of engineering personnel with experience in this field.

If your system configuration does not populate all front slots with active blades, you must fill those empty slots with additional blades or slot flow blocker blades to maintain system airflow and electromagnetic shielding integrity. Blank [panels](#) can be ordered separately.

Deleted: blades

## 4.3 Extracting Modules

### 4.3.1 FRU Module Extraction

➔ **To extract an ATCA-compliant FRU module:**

1. Pull the module's insertion lever slightly.  
The de-activation sequence begins.
2. After the module's blue led lights steady, pull out the module's insertion lever.
3. Pull out the module.

Formatted: Bullets and Numbering

### 4.3.2 FRU Module insertion

➔ **To insert an ATCA-compliant FRU module:**

1. Push the module's insertion lever inward carefully.  
The activation sequence begins.
2. Look at the blue led & see if it lights.  
The activation sequence begins.
2. After the module's blue led turn off, the module is active.

Formatted: Bullets and Numbering

### 4.3.3 Power Supply Extraction

If Power Supply\_redundancy is implemented, one of the PS can be extracted without stopping service.

➔ **To extract one PS:**

1. Disconnect the power cables.
2. Release the two tumble screws on the front side of the PS.
3. Fully pull out the PS' insertion lever.
4. Pull out the Power Supply.

Formatted: Bullets and Numbering

### 4.3.4 Power Supply insertion

➔ **To insert PS:**

1. Disconnect the power cables.
2. Fully Push the PS in thwarted the Backplane, carefully slid inward the insertion lever
3. Connect the power cables, look the front led for activation.



Formatted: Bullets and Numbering

### 4.3.5 Fan Tray Replacement

The shelf should be used only with a fully-operational fan tray. A malfunctioning fan should be replaced immediately, in order to prevent thermal damage to the installed application cards.

Deleted: .



Use care when handling the fan trays, and do not handle them from the connectors. Improper handling of the fan trays could cause damage to the connector pins.

Do not handle a fan tray while the fans are operating.

#### ➔ To replace the fan tray:

1. Without interrupting power, release the two tumble screws on the front side of the fan tray.
2. Extract the tray by pulling at the handle, as shown below:



Figure 20 – Extracting a Fan Tray

3. Insert the replaceable fan tray unit.

4. Push each of the two thumbscrews in and tighten.

Formatted: NumList A

Formatted: Normal

Formatted: Bullets and Numbering

### 4.3.6 E<sup>2</sup>PROM Replacement

E<sup>2</sup>PROMs are generally installed and handled only in the factory. Follow the procedure below in the rare case that it becomes necessary to field replace the E<sup>2</sup>PROMs.

#### ➔ To replace an E<sup>2</sup>PROM:

1. Without shutting down the system, remove the rear panel, near the two chassis screws, by unscrewing the three tumble screws.
2. With the correct tool such as PLCC extractor or equal carefully remove the E<sup>2</sup>PROM (U1, U3 or both) from the board.
3. Insert the new E<sup>2</sup>PROM (U1, U3) into place; make sure it is inserted to the socket in the correct manner.

Formatted: Highlight

Deleted: four

Deleted: With a flat screwdriver, g

Deleted: s

Deleted: one at a time

Deleted: .

Deleted: two

Deleted: s

Deleted: one at a time

## Maintenance And Troubleshooting

### Extracting Modules

Deleted: four

4. Refasten the rear panel using the **three** tumble screws.
5. From the management console software, run the E<sup>2</sup>PROMS command manually (see the Shelf Manager External Interface Reference).

Formatted: Bullets and Numbering




Figure 21 - Fan Card with E<sup>2</sup>PROMs

### 4.3.7 Third-Party-Module Replacement

As per ATCA specifications, all application modules must be hot-swappable.

For specific instructions regarding third-party module replacement, refer to the documentation provided by the manufacturer.

For general instructions on FRU module replacement, see Section 4.3.1.

## 4.4 Handling Alarms

Both visual indicators and software alarms are provided.

### 4.4.1 Visual Alarms

Nine LEDs at the front of the Shelf Management card provide visual alarms.

LED Functions: General LEDs

	LED	Status	Meaning
ACT	Green		Shelf manager is active
	Red		Shelf manager failure
	Blink		Shelf manager is inactive
PWR	Green		Local voltage supply on Shelf manager is good
	Off		Local voltage failure
HS (hot swap)	Steady Blue		Shelf manager is powering up or ready for extraction
	Blinking blue		Shelf manager hot swap process
	Off		Shelf manager is operating

LED Functions: Telco Alarm LEDs

	LED	Status	Meaning
CRT (Critical)	Off		Normal operation
	Red		System alarm event
MJR (Major)	Off		Normal operation
	Red		System alarm event
MNR (Minor)	Off		Normal operation
	Red		System alarm event

Formatted: Bullets and Numbering

## Maintenance And Troubleshooting

### Hot-Swapping FRUs

Upon completion of boot-up, LEDs will display as follows:

General LEDs		Telco Alarm LEDs	Application Defined LEDs
ACT	return to normal state	OFF	OFF
PWR	Remains ON		
HS	Lights steady blue for a few seconds, then begins blinking, then goes off after a few blinks		

#### 4.4.2 Software Alarms

The ASIS Perform 14-Slot ATCA Shelf supports software alarms according to *PICMG Specifications 3.0*. Please refer to these specifications for a detailed description.

#### LED Functions: Application-Defined LEDs

LED	Status	Meaning
A	Green/ red/ bi-color	As defined by application
B	Green	As defined by application
C	Amber	As defined by application

### 4.5 Hot-Swapping FRUs

**Deleted:** — including integrated circuits, laser units, relays, and powered mezzanine modules —

All the active components in the platform are mounted on (or housed in) field-replaceable units (FRUs) that you can easily remove and replace. The subrack, backplane, and other non-FRUs do not contain active components.

All FRUs are hot-swappable: you can remove and insert a FRU without shutting down any other shelf component. Hot swapping facilitates planned maintenance activities and FRU replacement.


**Deleted:** an audible alarm and

The platform includes front-panel LEDs and a Telco alarm, which can be configured to activate when a hardware or software failure occurs. If an external alarm system is connected to the platform, it will also be activated for the alarm condition. The alarms alert an operator or technician to replace a failed FRU or perform some other maintenance operation.

The following procedures are to be used when modules are hot-swapped.

➔ **To remove a module:**

1. Partially open the module's right ejector latch to activate the module's hot-swap switch.  
The module's IPMC sends to the Shelf Manager a request to deactivate, and the blue hot swap LED blinks at a fast rate.
2. The Shelf Manager determines whether the module can be extracted. If it can, the Shelf Manager grants permission to the IPMC.
3. The IPMC disables the interfaces that are controlled by electronic keying, and shuts down the module's operations. It then notifies the Shelf Manager the deactivation is complete. The blue LED remains lit.
4. Extract the module.
5. The Shelf Manager reclaims the module's power budget. Also, as part of electronic keying, the Shelf Manager disables—on other modules—the interfaces that are shared with the deactivated module.

**Deleted:**  When a module is powered up, the sequence is similar to the one below, excluding ejector-latch activity.

➔ **To insert a module:**

1. After the IPMC powers up and the blue hot-swap LED is lit, close both ejector latches.
  2. Push each thumbscrew in and tighten.
- The following sequence occurs:
3. IPMC announces the module's presence to the (active) Shelf Manager, and the blue LED blinks at a slow rate.
  4. The Shelf Manager queries the IPMC, builds a sensor data record (SDR) repository, and begins periodically monitoring the presence of the module.
  5. The Shelf Manager activates the module, and the module acknowledges activation.
  6. The Shelf Manager determines the power and cooling budget, and sets the module's power level.
  7. The Shelf Manager, based on electronic keying, enables compatible backplane ports.
  8. The module notifies the Shelf Manager that it is active, and the blue hot-swap LED turns off.
  9. The Shelf Manager continues to periodically monitor the presence of the module.

**Formatted:** Bullets and Numbering

**Deleted:**

## 4.6 Resetting The System

One or both of the following reset options should be used if the shelf management controller is not responding. (The second step should be performed only if the first one has not solved the problem.)

1. Press the Reset button on the **ShMC** (Shelf Management Controller) Carrier board front panel.
2. Extract the **ShMC** Carrier board from the chassis, and re-insert it.

## 4.7 Troubleshooting

The following table summarizes potential problems and recommended solutions.

<b>Problem</b>	<b>Probable cause</b>	<b>Solution</b>
shelf manager does not boot up properly: One or more of the LEDs fails to light during boot-up. The LEDs fail to return to their status as described in Section 4.4.1, above. The blue LED does not blink.	shelf manager is not in fully inserted in the cage. shelf manager malfunction.	Check that the shelf manager board is properly inserted in the cage; Verify that the ejector clip is closed.  Replace the shelf manager.
Fans fail to operate at power up	fan trays is not in fully inserted in the cage. shelf manager is not in fully inserted in the cage. shelf manager malfunction. Fan tray cards malfunction.	Replace fan trays. Replace the shelf manager.
Fan speed does not decrease after boot-up is completed	Shelf Manager board malfunction.	Replace the shelf manager.
Fan tray LED is lit red	One or more of the fans are not working. Logic malfunction.	Pull the fan tray slightly out for few seconds until all fans stop spinning, and re-insert it. Replace fan tray. Replace shelf manager following this sequence: Insert a second shelf manager in the redundant slot; Issue a switchover command to switch shelf control from the current shelf manager to the redundant one.
Circuit Breaker trips off	Chassis power trouble.	Remove all third-party and shelf manager to isolate the malfunction. Replace Power Entry Module.
Boot sequence does not complete, and the blue LED continues to blink after the Shelf Management card has been replaced and all relevant monitor commands have been performed	One of the Backplane's connectors is damaged. One of the cage units, or the ATCA board, does not fit properly in the cage.	Replace E <sup>2</sup> PROMs. if you have not yet done so; Replace chassis.

## 5 System Specifications

This chapter documents the product's standards certification, and physical and other technical specification parameters.

### 5.1 Certification

The Effective 2-Slot ATCA AC Shelf is targeted for [NEBS level-3](#), FCC, UL and CE certification. It complies with the following standards:

- Advanced TCA, PICMG 3.x
- IPMI v 1.5.

Deleted: <#>NEBS Level-3 and ETSI

### 5.2 Technical Data

The following table presents technical specifications for each of the product elements:

Category	Property	Description/ Value
<b>Physical</b>		
	Number of slots	2 slot 8Ux280mm, front blades; 2 slot <del>80mm</del> , RTMs
	Dimensions	133.35 mm (3U)"H x 448mm (17.637")W (19" rack mount) x413.4mm (16.275")Depth not including handles & cable holders
	EMI	EMI gasketing and hardware spacing to support FCC part B
	Weight	<del>11Kg</del>
	Compliance	PICMG 3.0 R.2.0
	Temperature	Humidity: 5% to 95%, non-condensed Storage Temperature: -40° to +70° Celsius Operating Temperature: <del>5°</del> to +55° Celsius
	Other	Front and rear ESD jack Front rack flanges Front cable management tray

Deleted: 100mm

Deleted: 910Kg

Deleted: 0

## System Specifications

### Technical Data

Category	Property	Description/ Value
<b>Accessibility</b>		
	Front	Shelf Manager, Fan Tray, Front boards, Air Filter Tray, Power Supply.
	Rear	Rear management modules, RTMs.
<b>Backplane</b>		
	Bus architecture	Up to two third-party ATCA-compliant front boards, full mesh, dual redundant Shelf Management boards, bussed IPMB (radial by request).
	Signal bandwidth rating	Supports up to 5Gbps per differential pair.
	Base interface	Base channel interconnect between two ATCA slots, with support for 10/100/1000 BASE-T Ethernet; base channel 1 is allocated to ShMC (Shelf Manager)
	Fabric interface	Fabric channel interconnect between two ATCA slots; Replicated fabric channel upon request.
	Hub/Node slots	2 logical slots 1 & 2; Hub/Node configuration
	Update channels	Update channel between slots 1&2
<b>Power</b>		
	AC Power Supply	Front redundant, self cooled, hot swappable, integral power supply.

Deleted: 3.12



Category	Property	Description/ Value
<b>Cooling</b>		
	Number of fans	Front hot-pluggable fan tray with 4, N+1, axial fans for front and RTM slots
	Redundancy	N+1 (i.e., any one fan can fail with no service degrada
	Fan speed	Variable speed under shelf management control
	Cooling capacity	<del>More than</del> 200 Watt per front board, <del>15W</del> per RTM slot - temp. rise: <9[C]
	Air Flow (with air filter unit installed)	Average of 65 cubic feet per minute (CFM) per slot
<b>Alarm I/O</b>		
	Electrical/Mechanical Placement	Dual redundant Alarm I/O Modules accessible from frc chassis
	Alarm I/O interfaces	15-pin DA-15P connector. Supports 4 outputs (Major, Minor, Critical, Power) and 2 inputs (Major & Minor Reset)
<b>Regulatory</b>		
	Safety	Designed to meet CE, UL, TUV requirements
	EMC	Designed to meet CE & FCC part 15 requirements
	Environment	Designed to be Compatible with NEBS level-3 and ET:
<b>Other</b>		
	Shelf identity	Configuration board with on-board EEPROM stores sh serial number, part number, backplane routing assignments, shelf heat budget and other data.
	Removable top cover	Available

Deleted: 20W

## 5.3 Acronyms Used in this Manual

<b>Acronym</b>	<b>Meaning</b>
<b>ATCA</b>	Advanced Telecom Computing Architecture
<b>FRU</b>	Field-Replaceable Unit
<b>HS</b>	Hot swap
<b>IPMB</b>	Intelligent Platform-Management Bus
<b>IPMI</b>	Intelligent Platform-Management Interface
<b>RTM</b>	Rear Transmission Module
<b>NEBS</b>	Network Equipment-Building Systems
<b>ShMC</b>	Shelf Manager card
<b>ETSI</b>	European Telecommunications Standards Institute
<b>ANSI</b>	American National Standards Institute
<b>CE</b>	"Conformité Européene" ("European Conformity")
<b>PS</b>	Power Supply
<b>FCC</b>	Federal Communications Commission
<b>UL</b>	Underwriters Laboratories - safety standards
<b>CFM</b>	Cubic Feet per Minute - Airflow measurement unit

**Formatted:** Font: Bold,  
Complex Script Font: Not  
Bold

<b>Page vi: [1] Formatted</b>	<b>Sharon Hauser Ainspan</b>	<b>11:25:00 06/06/2007</b>
Font: Not Bold, Complex Script Font: Bold		
<b>Page vi: [2] Formatted</b>	<b>Sharon Hauser Ainspan</b>	<b>11:25:00 06/06/2007</b>
Font: (Default) Arial, Complex Script Font: Arial		
<b>Page vi: [3] Formatted</b>	<b>Sharon Hauser Ainspan</b>	<b>11:28:00 06/06/2007</b>
Font: (Default) Verdana, 11 pt, Underline, Font color: Auto, Complex Script Font: Times New Roman, 11 pt, Bold, French France		
<b>Page viii: [4] Deleted</b>	<b>Tsach</b>	<b>18:25:00 04/06/2007</b>

### Operating Environment

<b>Temperature</b>	Storage temperature: -40°C to +705°C.????? Operating temperature: 0°C to +55°C.
<b>Humidity</b>	-5% to 95% (non condensed).
<b>Vibration</b>	Severe vibration can damage components. לא הייתי כותב את זה?????
<b>Air</b>	The air surrounding the product should be dust-free and should not contain corrosive gasses or other materials that could adversely effect the product.