



Scaler Electric Scaler



WOODPECKER - 118792 Blue Bottle for Scaler + Pump

US\$ 54.00



Woodpecker Blue Bottle with Pump only for Ultrasonic Piezo Scaler each - 750cm3 (no pump) WOODPECKER - Blue Bottle Only
Electric Scaler
118792

Feature

Blue Bottle only for Ultrasonic Piezo Scaler each.
* With Pump

Capacity: 750 cm3

WOODPECKER - 118791 Blue Bottle for Scaler only

US\$ 34.00



Woodpecker Blue Bottle only for Ultrasonic Piezo Scaler each 750cm3 (no pump) WOODPECKER - Blue Bottle Only
Electric Scaler
118791

Feature

Blue Bottle only for Ultrasonic Piezo Scaler each.
* No Pump

Capacity: 750 cm3

WOODPECKER - 102236 DTE-5 LED Piezo Scaler 110/220

US\$ 245.00



WOODPECKER - DT-5 LED
Electric Scaler
102236

Feature

DT5-LED Ultrasonic Piezo Scaler

Functions:

This Scaler has Scaling, Perio, and Endo Functions with LED

The Optical Handpiece is Detachable

Can Be Autocalaved Under High Temperature.

Automatic Frecuency control

12 Speedm Digitally Controlled



Following items included:

- 1.main unit
- 2 detachable handpiece
- 3.adapter of power supply
- 4. foot pedal
- 5 tips(GD1,GD2,GD3,GD4,PD1)
- 6.Endochuck ED (endo tip)
- 7.Torque wrench
- 8. Endo wrench
- 9.Water line - (Waterpipe) [1/4in in diameter and 8-1/2 ft long]
- 10.waterproof 'O' ring
- 11.qualified certificate
- 12.Packing list
- 13.instruction Manual
- 14.Warranty card

Shipping Dimensions: 15 x 12 x 12 mm

Weight: 5lb

Volts: 110v

WOODPECKER - DTE-5 LED Piezo Scaler 110V

US\$ 245.00



DTE-5 Woodpecker DT5-LED Ultrasonic Piezo Scaler - 220v - Includes - Main Unit - Detachable Handpiece - Foot Switch - Scaling tip 5pcs - Endochuck - Wrench - Endo Wrench - Water line (0.25in in diameter and 8.5 ft long) DTE - 5 - Waterproof O Ring 4pcs - Instruction - Handpiece & Tips compatible with Satelec - Nsk - DTE - D-5 Shipping Dimensions: 15x12x12 - Weight 5lb - (china)

WOODPECKER - DT-5 LED

Electric Scaler

122286

Feature

DT5-LED Ultrasonic Piezo Scaler

Functions:

This Scaler has Scaling, Perio, and Endo Functions with LED

The Optical Handpiece is Detachable

Can Be Autocalaved Under High Temperature.

**Automatic Frecuency control
12 peedm Digitally Controlled**



Following items included:

- * 1 main unit
- * 2 detachable handpiece
- * 3 adapter of power supply
- * 4 foot pedal
- * 5 tips (GD1,GD2,GD3,GD4,PD1)
- * 6 Endochuck ED (endo tip)

- * 17 Torque wrench
- * 8 Endo wrench
- * 9 Water line - (Waterpipe) [1/4in in diameter and 8-1/2 ft long]
- * 10 waterproof 'O' ring
- * 11 qualified certificate
- * 12 Packing list
- * 13 instruction Manual
- * 14 Warranty card

Shipping Dimensions: 15x12x12

Weight: 5 lb

Volts: 220v

ECCO - 102456 ECCO-SC-4 Ultrasonic w/light

US\$ 350.00



ECCO - SC-4 Ultrasonic Scaler w/light - 110-220V - Power Voltage Dc24V - 1.7A - Hydraulic Pressure 1-5MPA - Working Frequency 24-32KHz - LCD Screen - Small Light Weight - The tip and handpiece are quite versatlie - NC switches can be used to control all functions - Feedback system for built in circuit module keeps constant strong power - No heat & no fatigue in the hand if used for a long time - Effective removal for tartar - bridges - crowns - root pins - etc [china]**ECCO-SC-4 Ultrasonic Scaler w/light**

110-220V - Power Voltage Dc24V - 1.7A - Hydraulic Pressure 1-5MPA - Working Frequency 24-32KHz - LCD Screen - Small Light Weight - The tip and handpiece are quite versatlie - NC switches can be used to control all functions - Feedback system for built in circuit module keeps constant strong power - No heat & no fatigue in the hand if used for a long time - Effective removal for tartar - bridges - crowns - root pins

ECCO - 102457 ECCO-SC-5 Ultrasonic No/light

US\$ 350.00



ECCO - SC-5 Ultrasonic Scaler No/light - 110-220V - Power Voltage Dc24V - 1.7A - Hydraulic Pressure 1-5MPA - Working Frequency 24-32KHz - LCD Screen - Small Light Weight - The tip and handpiece are quite versatlie - NC switches can be used to control all functions - Feedback system for built in circuit module keeps constant strong power - No heat & no fatigue in the hand if used for a long time - Effective removal for tartar - bridges - crowns - root pins - etc [china]

ECCO - 102458 ECCO-SC-6 Fiber Optic Scaler

US\$ 453.56



ECCO - SC-6 Fiber Optic Ultrasonic Scaler - Fiber Optic Handpiece with pulp connector - with two bottles - can be sterilized in 135 degrees celcius - Works through micro-computer control - Internal water supply with bottle - Function: Cleaning teeth - Periodontitis Cure - Endodontic cure [china]

BONART- 101222 Piezo Elec. Scaler ART-P3II

US\$ 465.90



BONART ART-P3II Piezo - Electric Scaler (B# P3II-ART-A1-40-0) Upgrade Titanium Piezo Hand piece [Autoclavable[- 4 various tips- LED Display Screen- Auto Gain Control Butoon [All in one button] Endo- Perio and Scaling Mode- Foot Switch - Torque Wrench- Power Cord- Hose & Male Quick Disconnect - 5 year warranty on the PC board- 2 yr warranty on the handpiece - 120 days on the tips-**ART-P3II piezoelectric scaler**



The ART-P3II is the 2nd series of the original ART-P3 with new and improved features. The ART-P3II comes installed with Auto Gain Control that adjusts power settings for optimal performance. While larger than the ART-P6, the ART-P3II has a built in LCD screen for displaying power settings and modes. Power and water flow is adjusted through knobs located on the front of the scaler.

Modes of operation:

Scaling

Perio

Endo

Included Accessories:

Plastic wrenches (x4)

Aluminum sterilization box

Piezo tips:

BS-1 (x2) Universal pointed tip

BS-2 Flat chisel tip

BS-3 Rounded flat tip

Specifications:

Power supply: 110V or 220V

Operating frequency: 26khz ~ 32 khz

Water flow: 25~100 ml/min

Dimension (cm): 26(L) x 20(W) x 7(H)

Weight (including the hand piece): 3.5 kg

Hand piece cable length: 250 cm

Foot switch cable length: 250 cm

BONART- 101225 Piezo Elec. Scaler ART-P4

US\$ 655.18



BONART ART-P4 Piezo - Electric Scaler - (B# P4-1-ART-A1-40-0) Upgraded Titanium Piezo Hand piece - 4 various tips included w/ wrench and sterilization box - LED display screen - Auto Gain Control Button [all in one button] Endo - Perio and scaling mode - Foot Switch - Torque Wrench - Power Cord- Hose & Male Quick Disconnect - FDA 510K Registered- 5 yr warranty on the Pc board- 2 yr on the hand piece - 120 days on the tips-**Bonart Piezo Electric Scaler ART-P4 - # ART-P4**

The ART-P4 is much like the ART-P3II featuring Auto Gain Control that stabilizes power settings and prevents stalling during use. The ART-P4 has a built in LCD located on the top of the scaler for easy viewing. Water flow is easily adjusted through the knob located at the front end of the hand piece cable.

Modes of operation:

Scaling

Perio

Endo

Included Accessories:

Aluminum sterilization box

Plastic wrench (x4)

Foot switch

Piezo Tips:

TP0102-042: BS-1 (x2) Universal pointed tip

TP0102-032: BS-2 Flat chisel tip

TP0102-022: BS-3 Rounded flat tip

Specifications:

Power supply: 110V or 220V

Operating frequency: 26khz ~32khz

Water supply: 172~414 kPa

Dimensions (cm): 22.5(L) x 16.5(W) x 9.5(H)

Hand piece cable length: 250 cm

Foot switch cable length: 250 cm

Weight (including the hand piece): 2.0 kg

BONART- 101256 Piezo Elec. Scaler ART-P6

US\$ 366.91



BONART ART-P6 Piezo - Electric Scaler (B# P61BMPSA1400) Upgraded Titanium Piezo Hand Piece [Autoclavable] - 4 Various Tips - Built in Power Setting Dial - Endo Perio and Scaling Capability - Foot Control - 1 Plastic Autoclavable Wrench - Power Cord - Hose & Male Quick Disconnect- 5 yr Warranty on electrical box - 2 yr on Piezo Handpiece Assembly - 1 yr on misc parts - 120 days on the inserts and straight hand piece attachment**ART-P6 Piezoelectric Compact Scaler**The ART-P6 is our most basic piezoelectric scalers. **TECHNICAL SPECIFICATIONS:** Power Supply: 110V or 220 V Working Freq.: 26Khz ~ 32Khz Water Supply: 25-60Psi (172-414kPA) Operating Environment Temperature: 0-140 F Relative Humidity: 10-90% (non-condensing) The ART-P6 makes up for the lack of a LCD screen through its size, weight, and portability. It also featuresAuto Gain Control - (which stabilizes and adjusts power settings for optimal performance.) Included Piezo Tips: BS-1 (x2) - Universal pointed



tip **BS-2 - Flat chisel tip** **BS-3 - Round flat tip** The ART-P6 Power settings may be easily adjusted through the large knob conveniently placed on the top of the scaler. Now with a new look, the ART-P6 has LED power setting indicators surrounding the knob. Weight & DimensionS: Weight: 3.52 lbs. Handpiece Cable Length: 8.52 feet Footswitch Cable Length: 8.52 feet Dimension: 7.68 (L) x 3.38" (W) x 3.27" (H)

ART- 101230 Piezo Elec.& Polisher ART-SP2

US\$ 873.58



BONART ART-SP2 Piezo Scaler - Polisher Unit (B# SP2-1ARTQ -A1-00-) Titanium Piezo Handpiece & Cable - 3 Variety Tips - E-Type low speed micro motor- Torque Wrench - Foot Switch - Power Cord - Water Tubing w/ Male Quick Connector - Straight Nose Cone - Prophy Head/Angle - Prophy Cups [Not Included] - 0-3500 RPM Speed 2yr Warranty on the PC Board- 1yr on the Handpieces and low speed motor- 90 dayson the straight hand piece and prophy angle- 120 days on the piezo tips -**BONART ART-SP2 Piezo Scaler - Polisher Unit (B# SP2-1ARTQ -A1-00)**The ART-SP2 is a piezoelectric scaler and polisher all in one unit. Just push the button to switch from scaling to polishing mode.**TECHNICAL SPECIFICATIONS: 0-3500 RPM Speed Power Supply 110v or 220v Power output: 10W~30W 10% Operating frequency: 26khz~32khz Water supply: 172~414 kpa PACKAGE INCLUDED Polisher Unit Titanium Piezo Handpiece & Cable - 3 Variety Tips E-Type low speed micro motor Torque Wrench - Foot Switch Power Cord Water Tubing w/ Male Quick Connector Straight Nose Cone Prophy Head/Angle** The ART-SP2 polisher is also compatible with most major brand polishing cups and paste so you can use your favorite cups and paste.**WARRANTY: 2yr Warranty on the PC Board- 1yr Warranty on the Handpieces and low speed motor- 90 day Warranty on the straight hand piece and prophy angle- 120 day Warranty on the piezo tips -**

BONART- 101255 Piezo Electric Built in System

US\$ 320.32



BONART ART-PB3 Piezo - Electric Type Built in Scaler System (B# PB3ARBS0040D) Kit Includes- Electric Box - Handpiece assembly- LCD Display Screen - V.R. Switch Control - 4 Tips and Plastic Wrenches - 1 Sterilization Box Ask About Optional Accessories At Additional Cost - Foot Switch - Solenoid Valve - Transformer - 5 yr warranty on the electrical box - 2yr warranty on the piezo hand piece assembly - 1yr on misc parts - 120 days on inserts -**Bonart Piezo Electric Type Built in Scaler System ART-PB3**

The ART-PB3 piezoelectric scaler is our only built-in piezo scaler designed for those that wish to install a scaler to a dental chair or unit. The ART-PB3 features a 2x3 LCD screen.

Included tips:

- BS-1 universal pointed tip (x2)
- BS-2 flat chisel tip
- BS-3 rounded flat tip

Included parts and accessories:

- PC Board
- LCD display screen
- VR Switch set
- Hand Piece
- Hand piece cable
- Plastic wrench (x4)
- Sterilization box

Optional Parts (not included):

- Solenoid valve
- Foot switch
- Transformer

**WOODPECKER - 117365 UDS-K LED Piezo
Scaler 110 V**

US\$ 195.00

WOODPECKER - UDS-K LED Ultrasonic Piezo Scaler
Electric Scaler
117365

Feature:

Detachable handpiece with light, better visibility, autoclavable.

Automatic frequency tracking.

Includes:

- * Main Unit
- * Detachable Handpiece
- * Foot Switch





- * **Scaling tip 5pcs**
- * Endochuck
- * Wrench
- * Endo Wrench
- * Water line (0.25 in. in diameter and 8.5 ft long)

Technical Details:

- * Power input: 110v - 50Hz/60Hz - 220 - 240V~ 50Hz/60Hz
- * Main unit input: 24V - 1.3A
- * Output power: 3W - 20W
- * Frequency: 28kHz 3kHz
- * Water pressure: 0.1bar - 5bar(0.01MPa - 0.5MPa)
- * Main unit weight: 0.75 kg
- * Adapter weight: 1.2 kg
- * Dimensions : 170 mm x 111 mm x 65 mm

Volts: 110v

**WOODPECKER -102237 SC-2 Ultrasonic
Piezo Scaler**

US\$ 165.00

WOODPECKER - DT1 Ultrasonic Piezo Scaler - 110volt
Electric Scaler
102237

Feature:

- * This Product is Mainly Used for Teeth Cleaning and Also an Indispensable.
- * Equipment for Tooth Disease Prevention and Treatment.
- * This Scaler Has Scaling and Endo Functions.
- * It Has Automatic Frequency andis Digitally Controlled.
- * The optional function of endo. Satelecs tips are compatible.
- * The handpiece is cast from Titanium alloy to ensure sound mechnic function and durability.
- * Assembled with excellent piezo-ceramic, the handpiece has high and long lasting power and generates little heat.
- * The cable is made from silica gel tube, soft and durable.
- * Five pieces of scaler tips
- * Attached: 2 pieces of GD1, 1 piece of GD2, 1 piece of GD3, 1 piece of PD1.
- * The scaler tip is made of special material.
- * The cavitation produced from the end of scaling makes the cleaning of teeth and the killing of germ easy. Digitally controlled, automatic frequency tracking ensures that the machine always works on the best frequency and more steadily.
- * The adjustment range of the amplitude is much wider than before. The new solenoid valve can control the water better.
- * The new water control switch makes the adjustment of the water more convenient.
- * Eliminating the dental calculus, bacterial plaque and tea scales on the teeth quickly without hurting the gum or the enamel. Small and light, easy operation.

Include Automatic Frequency and digitally controlled

Scaler Includes:

- * Adapter of Power Supply
- * Foot Switch
- * Scaling Tips x 5pcs
- * Wrench
- * Water Pipe
- * Instruction Manual
- * 1 YEAR WARRANTY





Volts: 110v

**WOODPECKER - 117372 UDS-K LED Piezo
Scaler 220 V**

US\$ 195.00

WOODPECKER - UDS-K LED Ultrasonic Piezo Scaler
Electric Scaler
117372

Feature
Volts: 220v

Detachable handpiece with light, better visibility, autoclavable.

Automatic frequency tracking.

Technical Details:

- * Power input: 220 V - 240V - 50Hz/60Hz
- * Main unit input: 24V - 1.3A
- * Output power: 3W - 20W
- * Frequency: 28kHz - 3kHz
- * Water pressure: 0.1bar - 5bar (0.01MPa - 0.5MPa)
- * Main unit weight: 0.75 kg
- * Adapter weight: 1.2 kg
- * Dimensions: 170 mm x 111 mm x 65 mm

Includes:

- * Main Unit
- * Detachable Handpiece
- * Foot Switch
- * Scaling tip 5pcs
- * Endochuck
- * Wrench
- * Endo Wrench
- * Water line (0.25in. in diameter and 8.5 ft long)



**WOODPECKER - 117366 UDS-L LED Piezo
Scaler 110 V**

US\$ 285.00

WOODPECKER - UDS-L LED Ultrasonic Piezo Scaler
Electric Scaler
117366

Feature
Volts: 110v

- * Optical handpiece, more convenient for clinical operation.
- * Automatic frequency tracking ensures that the machine always works on the best frequency and performs more steadily.
- * The optional function: Automatic water supply system.
- * The handpiece is detachable and can be autoclaved to the high temperature of 135C and pressure of 0.22MPa.
- * Digital controlled, easy operation and more efficient for scaling.
- * The curing light can be used along with UDS-L LED, utilizing its ultrasonic power to provide electricity for the curing light. More convenient and practical.





Technical Details:

- * Power input: 110V - 50Hz/60Hz - 220 - 240V - 50Hz/60Hz
- * Main unit input: 24V - 50Hz/60Hz 1.3A - 5V - 50Hz/60Hz 200mA (optional)
- * Output power: 3W - 20W
- * Frequency: 28kHz 3kHz
- * Water pressure: 0.1bar - 5bar(0.01MPa - 0.5MPa)
- * Main unit weight: 0.73 kg
- * Adapter weight: 1.2kg
- * Dimensions : 190 mm x 125 mm x 60mm

Includes:

- * Main Unit
- * Detachable Handpiece
- * Foot Switch
- * Scaling tip 5pcs
- * Endochuck
- * Wrench
- * Endo Wrench
- * Water line (0.25in in diameter and 8.5 ft long)

**WOODPECKER - 117366 UDS-L LED Piezo
Scaler 220 V**

US\$ 285.00

WOODPECKER - UDS-L LED Ultrasonic Piezo Scaler
Electric Scaler
117373

Feature

Volts: 220v

- * Optical handpiece, more convenient for clinical operation.
- * Automatic frequency tracking ensures that the machine always works on the best frequency and performs more steadily.
- * The optional function: Automatic water supply system.
- * The handpiece is detachable and can be autoclaved to the high temperature of 135C and pressure of 0.22MPa.
- * Digital controlled, easy operation and more efficient for scaling.
- * The curing light can be used along with UDS-L LED, utilizing its ultrasonic power to provide electricity for the curing light. More convenient and practical.

Technical Details:

- * Power input: 220 - 240V - 50Hz/60Hz
- * Main unit input: 24V - 50Hz/60Hz 1.3A - 5V - 50Hz/60Hz 200m (optional)
- * Output power: 3W - 20W
- * Frequency: 28kHz 3kHz
- * Water pressure: 0.1bar - 5bar (0.01MPa - 0.5MPa)
- * Main unit weight: 0.73 kg
- * Adapter weight: 1.2 kg
- * Dimensions : 190 mm x 125 mm x 60mm

Includes:

- * Main Unit
- * Detachable Handpiece
- * Foot Switch
- * Scaling tip 5pcs
- * Endochuck
- * Wrench
- * Endo Wrench
- * Water line (0.25in in diameter and 8.5 ft long)





WOODPECKER- 111128 UDS-N3 Built in Scaler

US\$ 252.00



UDS-N3 woodpecker Built in Scaler specially design for dental unit - detachable handpiece autoclavable - scaling - endo functions
WOODPECKER - UDS-N3 Detachable Handpiece
Electric Scaler
111128

Feature:
UDS-N3 woodpecker Built in Scaler specially design for dental unit
* Detachable handpiece autoclavable
* Scaling
* Endo functions

Descriptions:
* Built-in scaler, scaling, endo function

Compatible with EMS'S handpiece and tips
* The handpiece is cast from titanium alloy with excellent mechanic function and uneasy to break
* The handpiece is cast from titanium alloy to ensure sound mechanic function and durability
* Detachable handpiece, can be autoclaved under the high temperature of 135° and pressure of 0.22Mpa
* The cable is made of silica gel tube, soft and durable
* Six pieces of scaler tips attached, 2pcs of G1T, 1 pc of G2T, G4T, P1T, E1T
* Always work on the best frequency
* To eliminate the dental calculus, bacterial plaque, tea scales on the teeth quickly without hurting the gum and the enamel
* Small and light designed, easy operation
* PC control

Technical specification:

Main unit input: 24V 1.3A
Output power: 3W - 20W
Frequency: 28kHz-3kHz
Water pressure: 0.01MPa - 0.5MPa
Dimension: 74 mm x 56 mm x 38 mm
Main unit weight: 0.2 kg on of bone pieces

WOODPECKER - 116108 UDSJ-2 LED Piezo Scaler 110v US\$ 230.00

WOODPECKER - UDSJ-2 Led Piezo Scaler
Electric Scaler
116108

Feature:
* Sealed handpiece with light, better visibility.
* The handpiece sleeve can be autoclaved.
* Automatic frequency tracking.
* Automatically search the best working frequency.

Technical specifications:
* Power input: 110v - 50Hz/60Hz
* Output power: 3W - 20W
* Frequency: 30kHz 3kHz
* Water pressure: 0.1bar - 5bar (0.01MPa - 0.5MPa)





- * Main unit weight: 1.7Kg
- * Dimension: 137cm x 95cm x 213cm

Volts: 110v

Made in China.

WOODPECKER - 116065 UDSJ-2 LED Piezo Scaler 220v US\$ 230.00

WOODPECKER - UDSJ-2 Led Piezo Scaler
Electric Scaler
116065

Feature:

- * Sealed handpiece with light, better visibility.
- * The handpiece sleeve can be autoclaved.
- * Automatic frequency tracking.
- * Automatically search the best working frequency.

Technical specifications:

- * Power input: 220 - 240V - 50Hz/60Hz
- * Output power: 3W - 20W
- * Frequency: 30kHz 3kHz
- * Water pressure: 0.1bar - 5bar (0.01MPa - 0.5MPa)
- * Main unit weight: 1.7Kg
- * Dimension: 137cm x 95cm x 213cm

Volts: 220v

Made in China.



NSK- 106913 Varios 350 Multi-func Scaler


US\$ 966.40



NSK - Varios Handy Multi-functional Ultrasonic Scaler - No Optic NSK# Y140-952- Made in Japan Varios 350 complete (120V) [this is an Original NSK handpiece - Factory sealed box - Made in Japan - Brand new - Never opened - with Factory Warranty]Varios 350 - NSK# Y140-952 Handy Multi-functional Ultrasonic Scaler - No Optic

CONTENTS:Control Unit with Handpiece CordAC AdaptorHandpieceHandpiece HolderWater Filter SetWater Supply ConnectorFoot Control (FC-61)3 Scaling Tips (G1, G4, G6)Tip Replacement Wrench with Torque LimiterTip Holder Tip Cover
Specifications:-Power Supply : AC 120V or 230V 50/60 Hz-Frequency : 28-32 KHz-Max. output : 8 W (G mode)-Dimensions : W80 x D125 x H32 (mm)-Unit weight (Control unit,Handpiece) : 440g(350LUX), 396g(350)

Varios 350 brings the convenience of portable unit that can be connected to any dental console while offering the same high performance and multi-functionality as Varios 560. It is simple to operate and suitable for a variety of clinical procedures scaling, perio and endo. Available in optic and non-optic models. (ORIGINAL NSK - MADE IN JAPAN - SEALED BOX - FACTORY WARRANTY)



NSK- 106914 Varios 350 Multi-F Scaler Opt

US\$ 1,289.91



NSK - Varios Handy Multi-functional Ultrasonic Scaler - 120vol OPTICAL (NSK# Y140-960) #NAME? [this is an Original NSK handpiece - Factory sealed box - Made in Japan - Brand new - Never opened - with Factory Warranty]Varios 350 -(NSK# Y140-960)



Varios Handy Multi-functional Ultrasonic Scaler - OPTICAL

CONTENTS:Control Unit with Handpiece CordAC AdaptorHandpieceHandpiece HolderWater Filter SetWater Supply ConnectorFoot Control (FC-61)3 Scaling Tips (G1, G4, G6)Tip Replacement Wrench with Torque LimiterTip Holder Tip Cover S

Specifications:-Power Supply : AC 120V or 230V 50/60 Hz-Frequency : 28-32 KHz-Max. output : 8 W (G mode)-Dimensions : W80 x D125 x H32 (mm)-Unit weight (Control unit,Handpiece) : 440g(350LUX), 396g(350)

Varios 350 brings the convenience of portable unit that can be connected to any dental console while offering the same high performance and multi-functionality as Varios 560. It is simple to operate and suitable for a variety of clinical procedures scaling, perio and endo. Available in optic and non-optic models.

(ORIGINAL NSK - MADE IN JAPAN - SEALED BOX - FACTORY WARRANTY)



NSK - 115320 Varios 560 Multi-F Scaler 110v

US\$ 1,032.75



NSK - Varios 560 Multi-functional Ultrasonic Scaler - 110volt - (NSK#Y141226) - (Made in Japan) - [this is an Original NSK handpiece - Factory sealed box - Made in Japan - Brand new - Never opened - with Factory Warranty] **NSK-Varios 560 Multi-functional Ultrasonic Scaler - 110volt - (NSK#Y141226) - (Made in Japan)**Features: * Varios 560 offers 3 power modes that can be selected at the touch of a button* Each mode corresponds to the various types of NSK tips.* The choices are "G" (General), "E" (Endo) and "P" (Perio) mode* The selected mode is visually indicated via the LED display**Includes:** Control unit Handpiece, Handpiece cord, 3 Scaling tips (G1, G4, G6), Water filter set, Water supply connector, Foot control (FC-60), Tip replacement wrench with torque limiter, Tip holder, Tipcover S and Power cord.

**Scaler
Magnetic Scaler**



**BONART- 101229 Mag. Scaler & Polisher
ART-SP1**

US\$ 723.55

Bonart Magnetostrictive Scaler - Polisher Unit ART-SP1The ART-SP1 is a magnetostrictive scaler and polisher all in one unit. Just push the button to switch from scaling to polishing mode.**TECHNICAL SPECIFICATIONS:** Specifications: Power supply: 110V or 220V**Scaler specifications:** Power output: 10W~30W 10% Operating frequency: 24.5 khz 5% Water supply: 172~414 kpa **Polisher specifications:** Speed: 2,000~30,000 rpm **INCLUDED ACCESSORIES:** (may vary per region): Attached scaling hand piece Micro-motor Micro-motor rubber stand Polishing straight hand piece attachment Polishing prophy head Inserts, tips, polishing cups, and paste not included The ART-SP1 polisher is compatible with most major brand polishing cups and paste so you can use your favorite cups and paste.



BONART- 101224 Magn. Scaler ART-M3II 30K

US\$ 422.22



BONART ART-M3II - 30K - Magnetostrictive Scaler - B# BMT3-A1-20-0 - M3II-1-BMT3-A1-20-0 -Upgrade handpiece cable assembly - Foot switch - LED Display Screen - Auto Gain Control Button [all in one button] - Endo- Perio and Scaling Mode - Power Cord - Hose and Male Quick Disconnect - 1 of each 25khz or 30 khz IF-50 plastic handle - P10 metal handle external flow inster included - FDA 510K- 5 yr warranty on PC board - 1yr warranty on handpiece- 120 days on inserts-**Bonart Magnetostrictive Scaler ART-M3III 30K**The ART-M3II is a stand-alone magnet ultrasonic scaler that features 3 modes of operation: Scaling, perio, and endo. The ART-M3II provides precise control and ease of use as it locks-in the frequency of installed tips for optimal performance.**TECHNICAL SPECIFICATIONS:** Power supply: 110V 5% ~ 50/60 Hz 92 VA or 220V 5% ~ 50/60 Hz 92 VA Operating frequency: 30khz Model: 27.9Khz 5% Maximum water flow rate: approximately 100 ml/min

INCLUDED ACCESSORIES: Bonart IF-50 25khz or 30khz universal internal water flow insert Bonart P-10 25khz or 30khz



universal external water flow insert Foot switch Power cord Water tube Quick connector Weight & Dimentions: Dimensions (cm): 26(L) x 20(W) x 7(H)Hand piece cable length: 250 cmFoot switch cable length: 250 cmWeight: 3.5 kg

BONART- 101257 Magn. Scaler ART-M1 25K 110v US\$ 280.80

Bonart Magnetostrictive Ultrasonic Scaler ART-M1 25K The ART-M1 is our most basic scaler. The ART-M1 is available only in a 25khz model. **TECHNICAL SPECIFICATIONS:** Operating frequency: 25khz5% Output power in regular scaling mode: 10W~30W10% Output power in turbo mode: 20W~35W10% Water supply: 25~60PSIG (172~414Kpa) **INCLUDED ACCESSORIES:** Foot switch Power cord Water tube Quick Connector **Tips/Inserts are purchased separately. Compatible inserts/tips:**TM0004-292: 25khz universal internal water flow insertTM0006-162: 25khz universal external water flow insertTM0004-452: 25khz slim plastic internal water flow insertTM0103-032: 25khz slim external water flow insertTM0004-412: 25khz beavertail insertTM0008-182: 25khz SPA series insert with silicone sleeveTM0003-012: 25khz slim right angled external water flow insertTM0003-032: 25khz slim left angled external water flow insertCE and ISO Certified 510K registered



BONART- 101221 Magn. Scaler ART-M3II 25K US\$ 422.22

Bonart Magnetostrictive Scaler ART-M3II 25K The ART-M3II is a stand-alone magnet ultrasonic scaler that features 3 modes of operation: Scaling, perio, and endo. **The ART-M3II** provides precise control and ease of use as it locks-in the frequency of installed tips for optimal performance.**TECHNICAL SPECIFICATIONS:** Power supply: 110V 5% ~ 50/60 Hz 92 VA or 220V 5% ~ 50/60 Hz 92 VA Operating frequency: 25khz Model: 24.5khz 5% Maximum water flow rate: approximately 100 ml/min**INCLUDED ACCESSORIES:** Bonart IF-50 25khz universal internal water flow insert Bonart P-10 25khz universal external water flow insert Foot switch Power cord Water tube Quick connector **Weight & Dimentions:** Dimensions (cm): 26(L) x 20(W) x 7(H) Hand piece cable length: 250 cm Foot switch cable length: 250 cm Weight: 3.5 kg Part numbers:25khz, 110V Model: M3II-1-BMT2-A1-20-0 CE and ISO certified510K registered



BONART- 101226 Magn. Scaler ART-M4 25K US\$ 567.82

BONART ART-M4 - 25K - Magnetostrictive Scaler - (B# M4-ART2Q-A1-00-0) Upgraded Handpiece cable assembly - Foot Switch - LED Display - Auto Gain Control Button [All in one button] Endo- Perio and Scaling Mode Capability - Power Cord - Tubing w/ Male Quick Disconnect - **Bonart Magnetostrictive Scaler ART-M4 25K**

The ART-M4 is our newest model of magnetic ultrasonic scalers. Similar to the ART-M3II, the ART-M4 comes with an Auto Gain Control chip which stabilizes power settings and locks-in tip vibration based on installed tips. The ART-M4 also has a built in LCD screen for displaying selected modes of operation and power setting. Three modes of operation are available: Scaling, perio, and endo. The water control knob is conveniently placed at the front end of the hand piece cable.



Included Accessories:

- Bonart IF-50 25khz universal internal water flow insert
- Bonart P-10 25khz universal external water flow insert
- Foot switch
- Power cord
- Water tube
- Quick connector

Specifications:

- Power supply: 110V 5% ~ 50/60 Hz 92 VA or 220V 5% ~ 50/60 Hz 92 VA
- Operating frequency: 25khz Model: 24.5khz 5%
- Water flow rate: 25~60 PSIG ml/min
- Dimensions (cm): 22.5(L) x 16(W) x 9.5(H)
- Hand piece cable length: 250 cm
- Foot switch cable length: 250 cm
- CE and ISO certified



510K registered
Weight: 2 kg

BONART 101227 Magn. Scaler ART-M4 30K

US\$ 567.82



BONART ART-M4 - 30K - Magnetostrictive Scaler - (B# M4-ART3Q-A1-00-0) Upgraded Handpiece cable assembly - Foot Switch - LED Display - Auto Gain Control Button [All in one button] Endo- Perio and Scaling Mode Capability - Power Cord - Tubing w/ Male Quick Disconnect - **Bonart Magnetostrictive Scaler ART-M4 30K**

The ART-M4 is our newest model of magnetic ultrasonic scalers. Similar to the ART-M3II, the ART-M4 comes with an Auto Gain Control chip which stabilizes power settings and locks-in tip vibration based on installed tips. The ART-M4 also has a built in LCD screen for displaying selected modes of operation and power setting. Three modes of operation are available: Scaling, perio, and endo. The water control knob is conveniently placed at the front end of the hand piece cable.

Included Accessories:


- Bonart IF-50 30khz universal internal water flow insert
- Bonart P-10 30khz universal external water flow insert
- Foot switch
- Power cord
- Water tube
- Quick connector

Specifications:

- Power supply: 110V 5% ~ 50/60 Hz 92 VA or 220V 5% ~ 50/60 Hz 92 VA
- Operating frequency:
- 30khz Model: 27.8khz 5%
- Water flow rate: 25-60 PSIG ml/min
- Dimensions (cm): 22.5(L) x 16(W) x 9.5(H)
- Hand piece cable length: 250 cm
- Foot switch cable length: 250 cm
- CE and ISO certified
- 510K registered
- Weight: 2 kg

BONART- 101254 Magnet Scaler Built in Sys 25k

US\$ 290.92



BONART ART-MB3 - 25k - Magnet Type Built in System - (B# MB30ART20020D) Kit Includes- Electrical Box - Handpiece Assembly - LCD Display Screen - V. R. Switch Control - 2 Inserts - Ask About Optional Accessories at Additional Cost - Foot Switch - Solenoid Valve - Transformer - 5 yr warranty on electrical box - 1yr on misc parts - 120 days on inserts -Weight 4lbs Dimensions 14x14x5in - **ART-MB3 - 25k Bonart Magnet Type Built in System**

The ART-MB3 magnetostrictive scaler was designed for those that wish to install a scaler to a dental chair or unit with ease. The ART-MB3 features a 2x3 LCD screen. Two models available: 25khz and 30khz.

Included inserts/tips:

- Universal internal water flow insert in 25khz
- Universal external water flow insert in 25khz

Included parts:

- PC Board
- 2x3 LCD
- VR Switch set
- Terminal Block
- Magnet hand piece with attached cable
- Optional Parts (not included):**
- Solenoid valve
- Foot switch
- Transformer

BONART- 112508 Magnet Scaler Built in Sys 30k

US\$ 287.92



BONART ART-MB3 - 30k - Magnet Type Built in System - (B# MB30ART30020D) Kit Includes- Electrical Box - Handpiece Assembly - LCD Display Screen - V. R. Switch Control - 2 Inserts - Ask About Optional Accessories at Additional Cost - Foot Switch - Solenoid Valve - Transformer - 5 yr warranty on electrical box - 1yr on misc parts - 120 days on inserts -Weight 4lbs Dimensions 14x14x5in - **ART-MB3 - 30k Bonart Magnet Type Built in System**

The ART-MB3 magnetostrictive scaler was designed for those that wish to install a scaler to a dental chair or unit with ease.



The ART-MB3 features a 2x3 LCD screen. Two models available: 25khz and 30khz.

Included inserts/tips:

- Universal internal water flow insert in 30khz
- Universal external water flow insert in 30khz

Included parts:

- PC Board
- 2x3 LCD
- VR Switch set
- Terminal Block
- Magnet hand piece with attached cable

Optional Parts (not included):

- Solenoid valve
- Foot switch
- Transformer

Scaler

Neumatic Scalers



ECCO - 101939 SC-1-2H Ult Sonic Air Scal 3t

US\$ 135.00



ECCO - SC-1-2H Ultrasonic Air Scaler with 3 Tips - 2 Holes [borden] - made in USA - 12 months warranty ----- [ultrasonido neumatico] **Ecco-SC-1 Ultrasonic Air Scaler with 3 Tips - 2 Holes SPECIFICATIONS:**

Lenght: 6"Weight: 1.5 ozFrequency: 6,000 HzWorking Pressure: 12- 20 psiAir Consumption: 1.2 cfmAir Connection: Standart 2US DENTAL DEPOT Is an Authorized ECCO Dealer in US

ECCO - 113504 SC-1-4H Ult Sonic Air Scal 3t

US\$ 165.00



ECCO - SC-1-4H Ultrasonic Air Scaler with 3 Tips - 4 Holes - Midwest conection - made in USA - 12 months warranty ----- [ultrasonido neumatico] **ECCO- ULTRA SONIC AIR SCALER SC-1 - 4 Holes**

Ecco warrants that the air sonic scaler hanpiece made with the highest quality material and workmanship. The Ultra Sonic Air Scaler is fully warranted against defective material and workmanship for one year from date of purchase.

SPECIFICATIONS:

- Color: Silver**
- Lenght: 6"**
- Weight: 1.5 oz**
- Frequency: 6,000 Hz**
- Working Pressure: 12- 20 psi**
- Air Consumption: 1.2 cfm**
- Air Connection: 4 holes**

Accessories:

- Universal A scaler tips 3pcs, Wrench Tool.
- 6000 Hz frequency
- Autoclavable & chemiclavable
- Includes 3 tips Universal, sickle & perio
- Tip removal tool

Lubrifcation:

- Wash and rinse handpiece and tip in hot water
- Apply a good surgical disinfectant cleaner to the exterior surface
- Sterilize according to autoclaving manufacturers instruction. Do not exceed a temperature of 275 F

Made in USA

US DENTAL DEPOT Is an Authorized ECCO Dealer in US



VH - 101924 Scaler Gold Line 4x .70in

US\$ 130.00

Air Scaler Gold Line 4x .70in [114.30 x 17.80mm] - Includes: 3 tips + Liquid + scaler - Weight 48grams - Air Pressure: 30PSI - Air consumption: 10-26 l/min - Frequency: 2.300-8000Hz - level of sound: 66db - Used for removal of tartar - resin residues - pigments of nicotine - and general cleannesses - (0)- 1 Year warranty



Scaler

Piezo Surgical Scaler



DMETEC- 114298 SURGYSTAR Piezo Implant Surg

US\$ 4,500.00

DMETEC- SURGYSTAR Ultrasonic Piezo Implant Surgery - Electrosurgery - Bone Scaler for surgery -(Surgistar) Main Unit: Dimension: 320(W) X 135(H) X 235 mm(D) [Demetec] **DMETEC - Surgystar UltrasonicPiezo Surgical Scalers# 114298**



Feature

Dmetec- Surgystar Ultrasonic Piezo Implant Surgery.

Surgystar's Key technology is to protect Sinus & Membrane to make user can operate easier and faster.

- * Automatic Protection Control: interrupts power and water supply in case of incorrect use of the handpiece and insert tip.
- * Good design with built in Peristaltic Pump
- * Automatic Protection Control: interrupts power and water supply in case of using incorrect handpiece and insert tip..

Descriptions:

- * Tips and handpiece are compatible with most brands such as Silfradent, Mectron and NSK.
- * The unit is very simple and user friendly.
- * All instructions are also visual on the nice LCD display and settings are very easy to follow.
- * DVD on setting up system and how to properly use.
- * The unit is easy to control the handpiece and cut with no practice or experience.

LCD Screen: Soft and Easy way to touch, wide 5.7in touch screen. Adjustable during operation.

Foot swith: Very convenient with foot Lookfunction and Menu of Water, power and vibration control.

Main Unit:

- * Working Frequency: 24 KHz~30 KHz. * Dimension: 320 (W) X 135 (H) X 235 mm (D)



Package weight: 9 kg

Includes:

- * 1 Surgistar Unit.
- * 1 Handpiece.
- * 1 Foot Pedal.
- * 1 Autoclavable tray.
- * 1 Irrigation tubing.
- * 1 100-230V transformer.
- * 1 Informative DVD
- * 1 User manual.
- * 1 Handpiece holder.
- * 1 Water/saline Hanger
- * 1 Portable case.
- * 14 TIPS

DMETEC - 115921 SURGYSTAR PLUS ULTRASONIC

US\$ 5,400.00

DMETEC- Surgistar PLUS ultrasonic Surgical Piezo Unit eac 110volts DMETEC- Surgistar Plus Ultrasonic - LED Light -110V Piezo Surgical Scaler# 115921 - Mfg # 115921



Feature:Light Handpiece with optic LED light (100,000 Lux)Good design with built in Peristaltic Pump. Clean Funtion: enables cleaning cycles to be carried out on the water circuit.Automatic Protection Control: interrupts power and water supply in case of incorrect use of the handpiece and insert tip. 10 User program.

Description:

* Origin: Korea* One of the world class products.* Strong Power (70W)* 4.8" TFT LCD Touch Screeen * Working Frequency:24 KHZ ~ 320KHZ* Dimension: 189(W) x 265(D) x 175(H)mm

we deliver worldwide.

Despachamos y entregamos directo a su oficina, en cualquier pais.

**Scaler
Scaler Parts**



WOODPECKER - 115002 DT1 & N1 Scaler Handpiece Only

US\$ 90.00

WOODPECKER -SC-2 Woodpecker DT1 Handpiece for Ultrasonic Piezo Scaler complete with cable - [HD-1H] Shipping Dimensions: 7x8x2 - Weight 1lb -WOODPECKER - SC-2 Handpieces For Ultrasonic Piezo Scaler



Scaler Parts
115002

Feature:
DT1 Handpiece for Ultrasonic Piezo Scaler complete with cable [HD-1H]
* Autoclavable

Shipping Dimensions: 7 x 8 x 2
Weight: 1lb



WOODPECKER - 118822 DT1 SC-2 Scaler Handpiece/Cord

US\$ 97.00

WOODPECKER -SC-2 Woodpecker DT1 Handpiece for Ultrasonic Piezo Scaler complete with cable - [HD-1H] Shipping Dimensions: 7x8x2 - Weight 1lb - (china)

ECCO - 101984 Ring vibrator for Scaler Ecco

US\$ 17.00

ECCO - Rings vibrator for Scaler ECCO - and NSK-USA

WOODPECKER- 114989 SC-3 Scaler Handpiece Only

US\$ 120.00



DT-5 - Woodpecker DT5 Replac Handpiece for Ultrasonic Piezo Scaler only - - Autoclavable - (Dte Dt-5 Handpiece only) [HD-7H]

Shipping Dimensions: 7x8x2 - Weight 1lb -WOODPECKER - SC-3 Handpiece for Ultrasonic Piezo Scaler

Scaler Parts

114989

Feature:

DT5 Replac Handpiece for Ultrasonic Piezo Scaler only (HD-7H)

- * Autoclavable
- * Detachable handpiece

Descriptions:

- * The handpiece is cast from titanium alloy to ensure sound mechanic function and durability.
- * The handpiece has high and long lasting power and generates little heat.
- * Detachable handpiece can be autoclaved under the high temperature of 135? and pressure of 0.22Mpa avoiding cross-infection effectively.
- * To eliminate the dental calculus, bacterial plaque, and tea scales on the teeth quickly without hurting the gum and the enamel.
- * Small and light designed, easy operation.
- * DTE SATELEC Compatible
- * SKU: DL-E-DTE(BC)

Shipping Dimensions: 7 x 8 x 2 mm

Weight: 1 lb

DTE- 103096 Torque Wrench for Scaler -DTE

US\$ 15.75

Torque Wrench for Scaler DTE -

Scaler

Scaler Tips



PIEZO SCALERS TIPS BONART

ART Scaler Compatibility:

- BE tip: ART-P3, ART-SP2
- BS tip: ART-P3II, ART-P4, ART-P6

Made from high-grade stainless steel from Sweden and Japan
510K registered





Art Piezo Scaler

Code	Name	Price	+
101247	BONART - BE-1 & BS-1-Pointed Universal Piezo Scaler Tip 25khz - Compatible with EMS- ART...	US\$ 27.20	+Info
101248	BONART - BE-1 & BS-1 Pointed Universal Piezo Scaler Tips 30khz -#TP0102-042- Compatible w...	US\$ 27.20	+Info
101249	BONART - BE-2 & BS-2- Flat Chisel Point Piezo Scaler Tips 25khz -#TP0101-022 - Compatibl...	US\$ 27.20	+Info
101250	BONART - BE-2 & BS-2- Flat Chisel Point Piezo Scaler Tips 30khz- #TP0102-032- Compatible ...	US\$ 27.20	+Info
101251	BONART - BE-3 & BS-3- Rounded Tip Piezo Scaler Tips 25khz - #TP0101-032- Compatible with ...	US\$ 27.20	+Info
101252	BONART - BE-3 & BS-3- Rounded Tip Piezo Scaler Tips 30KHZ - #TP0100-022- Compatible with ...	US\$ 27.20	+Info

SCALER INSERTS FOR - CAVITRON

- Find here all types of Scaler tips
- Divided for Specialty and type of use
- Compatible with most brands and Equipments



25k

Code	Name	Price	+
101477	DENTSPLY - Cavitron PSI - 25K FSI-3	US\$ 149.00	+Info
101479	DENTSPLY - Cavitron PSI - 25K FSI-10	US\$ 149.00	+Info
101480	DENTSPLY - Cavitron PSI - 25K FSI-100	US\$ 149.00	+Info
101948	DENTSPLY - Cavitron PSI - 25K FSI-SLI-10S	US\$ 149.00	+Info
101947	DENTSPLY - Cavitron PSI - 25K FSI-SLI-101	US\$ 149.00	+Info
101953	DENTSPLY - Cavitron PSI - 25K FSI-SLI-101	US\$ 149.00	+Info
101949	DENTSPLY - Cavitron PSI - 25K TFI-1000	US\$ 149.00	+Info

30k

Code	Name	Price	+
102257	DENTSPLY - Cavitron PSI - 30K FSI-3	US\$ 149.00	+Info
102256	DENTSPLY - Cavitron PSI - 30K FSI-10	US\$ 146.00	+Info
102258	DENTSPLY - Cavitron SL- 30K #10 Left	US\$ 149.00	+Info
102259	DENTSPLY - Cavitron SL- 30K #10 Right	US\$ 149.00	+Info
102255	DENTSPLY - Cavitron PSI - 30K FSI-100	US\$ 149.00	+Info
102254	DENTSPLY - Cavitron Insert - 30K FSI-1000	US\$ 150.00	+Info

Jhonsen Promident

Code	Name	Price	+
106897	JOHNSON PROM - Cavitron Insert - 30K FSI-1000	US\$ 79.00	+Info

SCALER TIPS FOR - DABI

SCALER TIPS FOT DABI

- * Find here all types of Scaler tips
- * Divided for Specialty and type of use
- * Compatible with most brands and Equipments





Code	Name	Price	+
102250	WOODPECKER - A1 Scaling Tip - Can be used Amdentand DABI - [Scaler Tips] (China)	US\$ 25.20	+Info
102251	WOODPECKER - A2 Scaling Tip - Can be used Amdentand DABI - [Scaler Tips] (China)	US\$ 25.20	+Info

SCALER TIPS FOR - EMS AND WOODPECKER DT DT1 DT5

SCALER TIPS FOR EMS AND WOODPECKER DT DT1 DT5

- * Find here all types of Scaler tips
- * Divided for Specialty and type of use
- * Compatible with WOODPECKER and EMS's Equipments



EMS ENDODONTIC TIPS



Code	Name	Price	+
102252	WOODPECKER - E1 Endodontic - For EMS and WOODPECKER scalars - [Scaler Tips] (China)	US\$ 16.80	+Info
102260	WOODPECKER - E2 Endodontic - For EMS and WOODPECKER scalars - [Scaler Tips] (China)	US\$ 16.80	+Info
102261	WOODPECKER - E3 Endodontic - For EMS and WOODPECKER scalars - [Scaler Tips] (China)	US\$ 12.60	+Info
102262	WOODPECKER - PD4 Perio Tip- For DTE - Sate;ec and NSK scaler - [Scaler Tips] (China)	US\$ 12.60	+Info
102263	WOODPECKER - E3D Endodontic - For EMS and WOODPECKER scalars - [Scaler Tips] (China)	US\$ 18.90	+Info

EMS OPERATORY TIPS



Code	Name	Price	+
102239	WOODPECKER - SB1 Cavity Preparation Tip - For EMS and WOODPECKER scalars - ...	US\$ 18.90	+Info
102240	WOODPECKER - SB2 Cavity Preparation Tip - For EMS and WOODPECKER scalars - ...	US\$ 30.45	+Info
102241	WOODPECKER - SB3 Cavity Preparation Tip - For EMS and WOODPECKER scalars - ...	US\$ 30.45	+Info
102242	WOODPECKER - SBL Cavity Preparation Tip - For EMS and WOODPECKER scalars - ...	US\$ 30.45	+Info
102243	WOODPECKER - SBR Cavity Preparation Tip - For EMS and WOODPECKER scalars - ...	US\$ 18.90	+Info



EMS PERIODONTIC TIPS



Code	Name	Price	+
102276	WOODPECKER - P1 Perio Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
102277	WOODPECKER - P3 Perio Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 16.80	+Info
102278	WOODPECKER - P3D Perio Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 30.45	+Info
102279	WOODPECKER - P4 Perio Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 16.80	+Info

EMS SCALING TIPS

UL1: Used for peeling off the nasal mucosa in upper jaw.
分离上颌窦黏膜

UL2: Used for peeling off the nasal mucosa in upper jaw, protecting organs to the greatest degree
上颌窦黏膜分离器，最大限度保护组织及剥离鼻黏膜

UL3: Used for non-wound bone cutting near soft tissue or sensitive regions.
接近软组织及敏感部位的非创性骨切开

UL4: Used for cutting slight bone to avoid hurting soft tissue.
用于非常薄的骨切开，避免损伤到软组织

UL5: 95° used to peel off mucosa of maxillary sinus
95° 上颌窦黏膜分离器

PL1: Used to enlarge implantation area, avoiding hurting soft tissue.
用于扩大种植区域，以免伤到软组织

UC1: Used for cutting ligaments, with the slightest wound when pulling out firm and solid teeth
用于韧带切除术，在创伤尽可能小的情况下，拔出稳固坚实的牙齿

sinus lifting 上颌窦提升 implantation 种植术 excelsymosis 接除术

通用品牌 (COMPATIBLE WITH): ULTRASURGERY (WOODPECKER) / PIEZOSURGERY (MECTRON)

Code	Name	Price	+
102244	WOODPECKER - G1 Scaling Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
102245	WOODPECKER - G2 Scaling Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
102246	WOODPECKER - G3 Scaling Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
102247	WOODPECKER - G4 Scaling Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
102248	WOODPECKER - G5 Scaling Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
102249	WOODPECKER - G6 Scaling Tip - For EMS and WOODPECKER scalers - [Scaler Tips] (China)	US\$ 12.60	+Info

SCALER TIPS FOR - KAVO

SCALER TIPS FOR KAVO

- * Find here all types of Scaler tips
- * Divided for Specialty and type of use
- * Compatible with most brands and Equipments



Code	Name	Price	+
102273	WOODPECKER - GC1 Scaling Tip - for KAVO scalers [Scaler tips] (China)	US\$ 16.80	+Info
102274	WOODPECKER - GC2 Scaling Tip - for KAVO scalers [Scaler tips] (China)	US\$ 16.80	+Info
102275	WOODPECKER - GK1 Scaling Tip - for KAVO scalers [Scaler tips] (China)	US\$ 12.60	+Info



SCALER TIPS FOR - NSK

- Find here all types of Scaler tips
- Divided for Specialty and type of use
- Compatible with most brands and Equipments (DTE-NSK-SATELEC)



NSK ENDODONTIC TIPS



Code	Name	Price	+
103065	DTE - E3D Endodon Tip for Satel-NSK	US\$ 12.60	+Info
103064	DTE - P4D Endodon Tip for Satel-NSK	US\$ 12.60	+Info
103063	DTE - E3 Endodon Tip for Satel-NSK	US\$ 12.60	+Info
103062	DTE - E2 Endodon Tip for Satel-NSK	US\$ 18.90	+Info
103061	DTE - E1 Endodon Tip for Satel-NSK	US\$ 18.90	+Info

NSK OPERATORY TIPS



Code	Name	Price	+
103050	DTE - SBD1 Cavity Preparation Tip - For DTE - SATELEC and NSK scalers - ...	US\$ 18.90	+Info
103051	DTE - SBD2 Cavity Preparation Tip - For DTE - SATELEC and NSK scalers - ...	US\$ 18.90	+Info
103052	DTE - SBD3 Cavity Preparation Tip - For DTE - SATELEC and NSK scalers - ...	US\$ 18.90	+Info
103053	DTE - SBDL Cavity Preparation Tip - For DTE - SATELEC and NSK scalers - ...	US\$ 18.90	+Info
103054	DTE - SBDR Cavity Preparation Tip - For DTE - SATELEC and NSK scalers - ...	US\$ 18.90	+Info



NSK PERIODONTICS TIPS



Code	Name	Price	+
103066	DTE - P1 Perio Tip- For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
103067	DTE - PD3 Perio Tip - For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 16.80	+Info
103068	DTE - PD3D Perio Tip - For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 18.90	+Info
103069	DTE - P4 Perio Tip - For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 18.90	+Info

NSK SCALING TIPS



Code	Name	Price	+
103055	DTE - GD1 Scaling Tip- For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
103056	DTE - GD2 Scaling Tip- For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
103057	DTE - GD3 Scaling Tip- For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
103058	DTE - GD4 Scaling Tip- For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
103059	DTE - GD5 Scaling Tip- For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 12.60	+Info
103060	DTE - GD6 Scaling Tip- For DTE - SATELEC and NSK scalers - [Scaler Tips] (China)	US\$ 12.60	+Info

SCALER TIPS FOR - SIRONA

SCALER TIPS FOR - SIRONA

* Find here all types of Scaler tips

* Divided for Specialty and type of use

* Compatible with most brands and Equipments (DTE-NSK-SATELEC)



Code	Name	Price	+
102267	WOODPECKER - GS1 Scaling Tip for Sirona Scalers [Scaler tips] (China)	US\$ 12.60	+Info
102268	WOODPECKER - GS2 Scaling Tip for Sirona Scalers [Scaler tips] (China)	US\$ 12.60	+Info



102269	WOODPECKER - GS3 Scaling Tip for Sirona Scalers [Scaler tips] (China)	US\$ 12.60	+Info
102270	WOODPECKER - GS4 Scaling Tip for Sirona Scalers [Scaler tips] (China)	US\$ 12.60	+Info
102271	WOODPECKER - GS5 Scaling Tip for Sirona Scalers [Scaler tips] (China)	US\$ 12.60	+Info
102272	WOODPECKER - GS6 Scaling Tip for Sirona Scalers [Scaler tips] (China)	US\$ 12.60	+Info
102282	WOODPECKER - PS4 Perio Tip for Sirona Scalers [Scaler tips] (China)	US\$ 18.90	+Info
102281	WOODPECKER - PS3 Perio Tip for Sirona Scalers [Scaler tips] (China)	US\$ 18.90	+Info
102280	WOODPECKER - PS1 Perio Tip for Sirona Scalers [Scaler tips] (China)	US\$ 12.60	+Info
102266	WOODPECKER - ES3 Endodontic Tip for Sirona Scalers [Scaler tips] (China)	US\$ 12.60	+Info
102265	WOODPECKER - ES2 Endodontic Tip for Sirona Scalers [Scaler tips] (China)	US\$ 18.90	+Info
102264	WOODPECKER - ES1 Endodontic Tip for Sirona Scalers [Scaler tips] (China)	US\$ 18.90	+Info

SCALERS INSERTS/TIPS - BONART

**CE and ISO certified
510K registered**

Materials:

Tip: Stainless Steel
Stem: Stacked nickel strip

90% Materials made in USA



IF-5 Beavertail Insert

Bonart IF-5 Beavertail Insert

The IF-5 Beavertail insert has a spatula-style tip for removing hidden calculus more easily. Water flows from the back of the tip. This tip is designed to be compatible with most major brand magnet scalers.

Autoclavable

Water flow: Internal, from the back of the tip

Water tube: Plastic

Power setting: Low to high



Code	Name	Price	+
101236	BONART - IF5 25khz-Beavertail Scaler Insert with spatula-style tip for removing hidden ca...	US\$ 35.00	+Info
101237	BONART - IF5 30khz-Beavertail Scaler Insert with spatula-style tip for removing hidden ca...	US\$ 35.00	+Info

IF-50 Streamline Insert

Bonart IF-50 Streamline Insert

The IF-50 Streamline #10 ultrasonic insert has a universal sized tip. Water flow comes from the back of the tip. This tip is designed to be compatible with most major brand magnet scalers.

Autoclavable

Water flow: Internal, from the back of the tip

Water tube: Plastic

Power setting: Low to High



Code	Name	Price	+
101234	BONART - IF-50 25khz- Streamline #10 - Scaler Insert with water flow that comes from the ...	US\$ 35.00	+Info
101235	BONART - IF-50 30khz- Streamline #10 - Scaler Insert with water flow that comes from the ...	US\$ 35.00	+Info



P-10 Series Insert

Bonart P-10 series - Universal external water flow insert


The Bonart universal external water flow insert series (P-10) is a straight angled universal insert with an external water tubing that sits above the tip. The P-10 series is designed to be compatible with most major brand magnet scalers.

Autoclavable

Water flow: External, above the tip

Water tube: Metal


Power setting: Low to High



Code	Name	Price	+
101232	BONART - P-10 25Khz -Straight Angled Universal Scaler Insert with external water tubing a...	US\$ 35.00	+Info
101233	BONART - P-10 30Khz -Straight Angled Universal Scaler Insert with external water tubing a...	US\$ 35.00	+Info

P100-L & P100-R

The Bonart P-100 insert is an angled insert (Right or Left) with a slim tip. Water flows from an external water tube that sits above the tip. The P-100L insert is designed to be compatible with most major brand magnet scalers like Cavitron from Dentsply.



Code	Name	Price	+
101239	BONART - P-100L 30khz -Furcation - Left angled Insert with slim tip # TM0103-052-30k Comp...	US\$ 35.00	+Info
101238	BONART - P-100L 25khz -Furcation - Left angled Insert with slim tip # TM0103-032-25k Comp...	US\$ 35.00	+Info
115045	BONART - P-100R 30khz -Furcation - Right angled Insert with slim tip #30khz:TM0003-042 Co...	US\$ 35.00	+Info
115044	BONART - P-100R 25khz -Furcation - Right angled Insert with slim tip # 25khz:TM0003-012 C...	US\$ 35.00	+Info

BONART- 116426 Scaling Insert P10 25K OPEN BOX

US\$ 20.00

P-10 25Khz -(OPEN BOX) Straight Angled Universal Scaler Insert with external water tubing above the tip. - # TM0006-162-25K
Compatible with most magnet scalers like Cavitron -OPEN BOX NEVER USED Cavitron Style - Straight Angled - Metal Handle Insert - External Flow - OPEN BOX NEVER USED Insert Selections - 120 days warranty(China)

SURGICAL TIPS FOR (Woodpecker and Mectron & Dmetec)

SURGICAL TIPS FOR (Woodpecker and Mectron & Dmetec)



These tips are compatible with scalers and piezo surgery from:

- Woodpecker
- Mectron
- Dmetec



Surgical Tips Bone Surgery

US1 - Bone saw, used for cutting bones

US1L/US1R - Cut bones in hard to reach positions with the best efficiency

US2 - Used for cutting bone, more precise and efficient, with lines markers 7 - 8.5 - 10mm

US3 - Used for highly sophisticated cutting of narrow delicate bones at thin regions of anatomy

US4 - Used for the formation of bone and the collection of bone

US5 - Used for the plastic of bone and the collection of bone pieces



Code	Name	Price	+
106748	WOODPECKER - US1L Bone Surgery - Woodpecker	US\$ 30.45	+Info
106749	WOODPECKER - US1R Bone Surgery - Woodpecker	US\$ 39.90	+Info
106750	WOODPECKER - US1 Bone Surgery - Woodpecker	US\$ 30.45	+Info
106751	WOODPECKER - US2 Bone Surgery - Woodpecker	US\$ 38.00	+Info
106752	WOODPECKER - US3 Bone Surgery - Woodpecker	US\$ 30.45	+Info
106753	WOODPECKER - US4 Bone Surgery - Woodpecker	US\$ 30.45	+Info
106754	WOODPECKER - US5 Bone Surgery - Woodpecker	US\$ 30.45	+Info

Surgical Tips Exelcymosis

UC1 - Used for cutting ligaments, with the slightest wound when pulling out firm and solid teeth



Code	Name	Price	+
106747	WOODPECKER - UC1 Exelcymosis for Woodpecker	US\$ 30.45	+Info

Surgical Tips Implantation

PL1 - Used to enlarge implantation area, avoiding hurting self tissue



Code	Name	Price	+
106746	WOODPECKER - PL1 Implantation Woodpecker	US\$ 39.90	+Info



Surgical Tips Sinus Lifting

UL1 - Used for peeling off the nasal mucosa in upper jaw

UL2 - Used for peeling off the nasal mucosa in upper jaw, protecting organs to the greatest degree

UL3 - Used for non-wound bone cutting near soft tissue or sensitive regions

UL4 - Used for cutting slight bone to avoid hurting soft tissue

UL5 - Used to peel off mucosa of maxillary sinus



Code	Name	Price	+
106741	WOODPECKER - UL1 Sinus lift for Woodpecker	US\$ 39.90	+Info
106742	WOODPECKER - UL2 Sinus lift for Woodpecker	US\$ 39.90	+Info
106743	WOODPECKER - UL3 Sinus lift for Woodpecker	US\$ 39.90	+Info
106744	WOODPECKER - UL4 Sinus lift for Woodpecker	US\$ 39.90	+Info
106745	WOODPECKER - UL5 Sinus lift for Woodpecker	US\$ 39.90	+Info

WOODPECKER- 112892 Tips for Bone Surgery- Kit 7pc

US\$ 330.00



Woodpecker - Tips for Bone Surgery- Kit 7pc For Woodpecker Ultrasurgery & Piezo surgery Mectron - (Price will be charged by unit)

(China)WOODPECKER - Tips For Bone Surgery - Kit

Scaler Tips

112892

Feature:

Kit For Woodpecker Ultrasurgery & Piezo surgery Mectron

Quantity: 7 pcs

- * UI1 Used for implant, with tip ball (1.6mm)
- * UI2 Used for implant, with tip ball (2mm), irrigation from tip point
- * UI3 Pilot implant site preparation insert
- * UI4 Differential implant site preparatoin insert
- * UI7 Finalize the implant site and bone preparation (diamond-coated *grit 100m)
- * UI8 For implantation, x-long with tip (1.6mm)

General Descriptions:

- * Process: 60 working procedures
- * Inspect: 11 steps of quality control
- * Material: Stainless Steel Titanium Coated
- * Sterilization method: 135 C, 0.22MPa
- * Function: Teeth cleaning/whitening
- * Quality: High

Dimension package: 5 cm x 5 cm x 5 cm (1.97in x 1.97in x 1.97in)

Package: Price will be charged by unit

Made in China



Catalog Index / Índice del Catálogo

Electric Scaler	1
Magnetic Scaler	11
Neumatic Scalers	14
Piezo Surgical Scaler	15
Scaler Parts	16
Scaler Tips	17