



ARTILLERY[®] TOOLS

Effective Demolition for Restoration & Remodeling

ARTILLERY[®]
Pry Bar System



Product Catalog



www.artillerytools.com

Adjustable Leverage for Prying, Scraping & Bending



Now You Can Always Find the Right Tool for the Job. The patented Artillery Pry Bar System speeds demolition in the construction industry, and replaces the odds & ends in your tool box that never seem to fit the job. Interchangeable blades, fulcrums and handles deliver maximum force when removing flooring, siding and roofing. System tools are contained in a sturdy carrying case for safe transport and efficient organization at the job site.

Remove Trim or Bring Down the Entire Building. Regardless of careful planning, sometimes the job site presents unexpected challenges. That is where the Artillery Tool System shines. Armed with one of our sets, the worker can arrive at the job site knowing they can handle a wide array of prying and scraping needs with confidence. The strength and craftsmanship of each component adds to the versatility of the entire system.

Tool Mapping and the Competitive Edge. Whether an independent specialist, or a large general contracting firm, professional estimators that understand the Artillery Tool Bar System can walk through a job site and specify the tool to use for each task. Mapping the tool to the task specifies methods that expedite workflow and provides an effective management weapon for controlling cost and gaining the competitive advantage.

System tools come in sets that include custom cases.

Each set includes a user's manual with assembly instructions, safety procedures, suggested usage, and details on the twelve month manufacturer's warranty. Individual tools can be ordered & replacement parts are available for all assemblies.

Blades are engineered for durability & fashioned from drop forged spring steel for strength & flexibility.

An assortment of specialized blades enable the worker to quickly switch from one task to the next.

Fulcrums offer a secure mount to blades & handles & are made of extruded aircraft aluminum for reduced weight.

Special purpose fulcrums change the radius & angle for a more suitable range of motion, placing appropriate force for best results. For prying, the interchangeability of blades adds to the effectiveness of the tool for specific uses. For scraping, when a blade is attached to a fulcrum, the two points of contact give the user more control over the depth of penetration.

Handles are made of carbon steel tubing for lightweight tensile strength.

Handle lengths were designed for maximum leverage to weight ratios. For instance, longer Steel Handles add weight & length for easier removal of flooring, whereas shorter handles or the fiberglass handle offer agility & less weight when working overhead.

Modular System

Components are interchangeable, connectable and replaceable. Item weights listed are approximate.

- ◆ The Mini Head will fit all handles, but will accept only the Mini Blade.
- ◆ For safety purposes, the handles will not connect to each other. However, all handles will fit the solid alloy tool steel 12" extension (H-EX-12).

★ Important For Assembly ★



**STEP ON TO LOOSEN & TIGHTEN.
KEEP ALL CONNECTIONS TIGHT!**



Artillery Tools LLC
10260 SW Hoodview Drive
Tigard, OR 97224
Phone: 503-968-2108

Modular Sets

Disaster Restoration Set... DR-1200-SM 4
 Contractor Set CO-1000-ADS 5
 Flooring Set..... CO-600-FL 6
 Professional Set HC-600-P 7
 Homeowners Set..... DIY-500-HOM 7

Blades

Tapered 3/4" Blade..... A-75-B..... 8
 Standard 1 3/4" Blade A-175-B..... 8
 Standard 3" Blade A-300-B..... 8
 Salvage Blade A-350-SLV 8
 Spike Puller Blade A-138-SB 8
 Finish Nail & Staple Blade.. A-150-FSB 8
 Scraping 6" Blade..... A-600-B..... 8
 Mini 1 3/4" Blade M-175-B 8
 Deck Blade..... A-500-DB 8
 Roofing 8" Blade A-800-B..... 8

Heads & Fasteners

Rebar Bender Head..... RB-250-H 8
 Buried Nail Head BN-100-H 8
 Blade Fasteners (6) S-312-F 8
 Left Toe Kick TO-3-K-L..... 8
 Right Toe Kick..... TO-3-K-R 8
 Fulcrum Ext Bolt..... B-200-F..... 8

Handles, Grip & Caps

Extension Handle 12" H-EX-12..... 9
 Mallet Bolt..... B-75-H..... 9
 Handle Steel 15"..... H-ASSY-15 9
 Ball Grip & Cap..... H-260-BC 9
 Handle Steel 25"..... H-ASSY-25 9
 Replacement Cap H-100-C 9
 Handle Fiberglass 13"..... FG-13-H 9
 Handle Fiberglass 25"..... FG-25-H 9

Fulcrums

Standard Fulcrum A-500-F..... 9
 Mini Fulcrum..... M-100-F 9
 Decking Fulcrum A-700-75-F..... 9
 Scraping Fulcrum F-150-SCR 9
 Mini Head..... HD-ASSY-M 9
 Fulcrum Extension F-500-EX..... 9

Cases & Tools

Contractor Case..... CA-1000-RE..... 10
 Professional Case..... H-500-AC 10
 Wrench 10" Adjustable A-10-WR..... 10
 Screwdriver #4 Phillips A-6-SD..... 10

Most Popular Bar Assemblies

Artillery 46" Bar 3B-FL-46 10
 Siding Bar..... UL-31-MB 10
 Ultimate Flooring Bar..... UFB-48-B 10
 Ultra Light Mini 31" Bar ... UL-31-MB 10

Pry Bar Assemblies

Standard 34" Bar S-FL-34 11
 Mini Head 21" Bar M-HD-21 11
 Mini Head 31" Bar M-HD-31 11
 48" Scraping Bar SP-48-B..... 11
 17" Buried Nail Bar..... BN-17-BR 11
 Artillery 40" Decking Bar ... RF-40-DB 11
 Artillery 39" Rebar Bender . RB-39-BR 11

Disaster Restoration Set



Disaster Restoration Set
DR-1200-SM



Visit artillerytools.com to see video clips of the tools in action as they quickly scrape, pry, wedge and leverage through the most difficult of jobs.

Flexibility & Versatility

The Disaster Restoration Set (DR) Includes everything you need for quick, safe, and comfortable removal of flooring, sheetrock lathe & plaster. The DR case has one open storage spot for an additional blade up to 8" wide. The DR case will also hold either the 25" steel or the 25" fiberglass handle. Keep one of these handles assembled, so you can keep the other one stored in the case.

Case Specifications

Dimensions 37" x 13" x 4½"
Case & Contents 37 lbs.

Standard Assemblies

Length 21" 3 lbs. 5 oz.
Length 28" 4 lbs. 10oz
Length 34" 5 lbs. 10 oz.
Length 46" 9 lbs. 1 oz.
Other Combinations Possible.

Set Includes the Following

Contractor Case CA-1000-RE
Steel Extension 12" H-EX-12
Handle Steel 15" H-ASSY-15
Handle Steel 25" H-ASSY-25
Handle Fiberglass 25" FG-25-H
Tapered ¾" Blade A-75-B
Standard 1¾" Blade A-175-B
Standard 3" Blade A-300-B
Scraping 6" Blade A-600-B
Spike Puller A-138-SB
Finish Nail & Staple Blade..... A-150-FSB
Deck Blade A-500-DB
Decking Fulcrum A-700-75-F
Fulcrum Extender F-500-EX
Fulcrum Standard A-500-F
Mini Head HD-ASSY-M
Ball Grip & Cap H-260-BC
Wrench 10" A-10-WR
Fasteners (6) S-312-F
Screwdriver #4 Phillips A-6-SD
Mallet Bolt B-75-H

Contractor Set



Contractor Set
CO-1000-ADS



Visit artillerytools.com to see video clips of system advantages & comparisons with conventional tools.

Flexibility & Versatility

The Artillery Pry Bar System allows contractors to cut the demolition time on every job. This set offers a very wide array of prying & scraping capabilities. Additional specialty tools can be added as needed.

Case Specifications


Dimensions 37" x 13" x 4½"
Case & Contents 31 lbs.

Standard Assemblies

Length 21" 3 lbs. 5 oz.
Length 34" 5 lbs. 10 oz.
Length 46" 9 lbs. 1 oz.

Set Includes the Following

- Contractor CaseCA-1000-RE
- Steel Extension 12" H-EX-12
- Handle Steel 15" H-ASSY-15
- Handle Steel 25" H-ASSY-25
- Tapered ¾" Blade A-75-B
- Standard 1¾" Blade..... A-175-B
- Standard 3" Blade..... A-300-B
- Scraping 6" Blade A-600-B
- Spike Puller A-138-SB
- Fulcrum Extender..... F-500-EX
- Fulcrum Standard..... A-500-F
- Mini Head..... HD-ASSY-M
- Wrench 10" A-10-WR
- Fasteners (6)..... S-312-F
- Screwdriver #4 Phillips A-6-SD
- Mallet Bolt B-75-H



Mini Head included with the Contractors Set, shown here smaller than actual size.

Flooring Set



Flooring Set CO-600-FL

Lateral Support

This set was designed to boost the productivity of the flooring specialist.

At up to 48" in length & over 9 lbs., the extra length & weight offer a more upright posture & more inertia for scraping & blade penetration. The fulcrum extension adds lateral stability & control. The Ball Grip adds balance & comfort.

Case Specifications

Dimensions37" x 13" x 4½"
Case & Contents26 lbs.

Standard Assemblies

Length 34" 5 lbs. 10 oz.
Length 46" 9 lbs. 1 oz.

Set Includes the Following

Contractor Case	CA-1000-RE
Steel Extension 12"	H-EX-12
Handle Steel 25"	H-ASSY-25
Standard 3" Blade.....	A-300-B
Scraping 6" Blade	A-600-B
Spike Puller Blade.....	A-138-SB
Fulcrum Extender.....	F-500-EX
Fulcrum Standard.....	A-500-F
Wrench 10"	A-10-WR
Fasteners (6).....	S-312-F
Screwdriver #4 Phillips	A-6-SD
Ball Grip & Cap.....	H-260-BC



Visit artillerytools.com to see video clips that show how quickly the system scrapes & removes a variety of flooring materials including linoleum, hardwood, tile & sub flooring.



Flooring Set includes the components for this assembly, shown here smaller than actual size.

Professional Set



Professional Set
HC-600-P



Compact Case Holds the Basics

Contains the minimum tools that every contractor should have for efficiency at the job site. Additional specialty items can be added as needed. Additional items will not fit in case.

Case Specifications

Case Dimensions.....28" x 11" x 4"
Case & Content.....18 lbs.
Standard Assemblies
Length 34".....5 lbs. 10 oz.
Length 46".....9 lbs. 1 oz.

Includes the Following

Professional Case.....H-500-AC	Standard Fulcrum.....A-500-F
Steel Extension 12".....H-EX-12	Wrench 10" Adjustable...A-10-WR
Handle Steel 25".....H-ASSY-25	Fasteners (6).....S-312-F
Standard 3" Blade.....H-300-B	Screwdriver #4 Phillips..A-6-SD
Scraping 6" Blade.....A-600-B	Mallet Bolt.....B-75-H

Homeowners Set



Homeowners Set
DIY-500-HOM



Residential Maintenance & Remodel

Whether repairing a fence, rebuilding a deck, removing an awning, or replacing indoor/outdoor carpeting, this set will save hours of time. For remodeling projects, the homeowner can add system components as needed to do their own tear out like a pro.











Case Specifications

Case Dimensions.....28" x 11" x 4"
Case & Contents.....16 lbs.
Standard Assemblies
Length 24".....4lbs. 2 oz.
Length 34".....5 lbs. 10 oz.







Includes the following

Steel Handle 15"	H-ASSY-15
Steel Handle 25"	H-ASSY-25
Standard 1 3/4" Blade.....	A-175-B
Scraping 6" Blade	A-600-B
Standard Fulcrum.....	A-500-F
Wrench 10" Adjustable.....	A-10-WR
Fasteners (6).....	S-312-F
Screwdriver #4 Phillips.....	A-6-SD
Mallet Bolt	B-75-H


Blades

<p>Tapered ¾" Blade A-75-B</p>  <p>Concentrates force. Scrape, pry and chisel in narrow places. Remove moldings and trim.</p>	<p>Standard 1¾" Blade A-175-B</p>  <p>Use in narrow areas, for general prying, scraping and removal of trim.</p>	<p>Standard 3" Blade A-300-B</p>  <p>All-purpose blade for general prying, scraping, flooring, carpet pad staples and much more.</p>	
<p>Salvage Blade A-350-SLV</p>  <p>Specialty Item</p> <p>New operating angle, tapered profile, side cutting abilities, penetrates easier, less damage. Used on Siding, flooring, trim and more.</p>	<p>Spike Puller Blade A-138-SB</p>  <p>Has larger V-groove to pull large nails, spikes and screws. Concentrates force, fits in narrow areas.</p>	<p>Finish Nail & Staple Blade A-150-FSB</p>  <p>Specialty Item</p> <p>Removes staples from flooring, roofing, cabinetry. Removes exposed nails and screws.</p>	
<p>Scraping 6" Blade A-600-B</p>  <p>The widest scraping blade available. Used for prying, scraping, removal of siding and flooring, and much more.</p>	<p>Mini 1¾" Blade M-175-B</p>  <p>Replacement blade for Mini Fulcrum. Great for overhead & narrow area mobility.</p>	<p>Deck Blade A-500-DB</p>  <p>Specialty Item</p> <p>Straddles trusses, joists, studs to remove decking, sheetrock, lathe & plaster. Works well on ceiling, wall and floor studs.</p>	<p>Roofing 8" Blade A-800-B</p>  <p>Specialty Item</p> <p>Scrapes and removes roofing, carpeting and chipboard. Spreads forces out over the widest area.</p>





Heads & Fasteners

<p>Rebar Bender Head RB-250-H</p>  <p>Specialty Item</p> <p>Bend up to 5/8" rebar & remove form ties. Dual slots & small size enable multiple positions & ground-level bending. Tempered alloy tool steel.</p>	<p>Buried Nail Head BN-100-H</p>  <p>Specialty Item</p> <p>Fits all handles. Pulls embedded nails, screws and anything it can grip. Can even pull some headless nails. Creates up to a 42" cat's-paw.</p>	<p>Blade Fasteners (6) S-312-F</p>  <p>Stainless steel, attaches blades to fulcrum.</p>
<p>Left Toe Kick TO-3-K-L</p>  <p>Specialty Item</p> <p>Bolts to fulcrum extenders. Allows foot to push bar from left side. Adds beneficial weight to bar. Hand hold if needed for two handed prying.</p>	<p>Right Toe Kick TO-3-K-R</p>  <p>Specialty Item</p> <p>Bolts to right side of fulcrum extenders. Allows foot to push bar from right side. Adds beneficial weight to bar. Hand hold if needed for two handed prying.</p>	<p>Fulcrum Ext Bolt B-200-F</p>  <p>Bolts fulcrum extenders together.</p>

Handles, Grip & Cap





<p>Extension Handle 12" H-EX-12</p>  <p>Provides 12" of extra reach while adding weight and maximum leverage. Enables an upright posture when scraping & prying. Accepts all handles.</p>	<p>Mallet Bolt B-75-H</p>  <p>Mallet Bolt prevents damage to end of 15" Steel Handle when tapping.</p>	<p>Handle Steel 15" H-ASSY-15</p>  <p>Offers a shorter, sturdy bar of medium weight. Works well with ball grip attached. For general prying. Accepts Mallet Bolt to protect end when tapping. Use wooden or plastic mallet only. *</p>	<p>Ball Grip & Cap H-26-0-BC</p>  <p>Specialty Item</p> <p>The Ball Grip screws onto end of the 15" and 25" Steel Handles offering a wide comfortable grip. Cap protects handle end when Ball Grip is off. Comes with instructions for fitting to 25" handle.</p>
<p>Handle Steel 25" H-ASSY-25</p>  <p>Adds strength for heavy prying on floors or roofs. Vinyl foam grip for better grasp & all-weather comfort. *</p>		<p>Replacement Cap H-100-C</p>  <p>Covers end of 25" Steel Handle when Ball Grip is not needed.</p>	
<p>Handle Fiberglass 13" FG-13-H</p>  <p>Specialty Item</p> <p>Weighs 1 ¼ lbs. Lightweight and small enough to allow access for demolition in extremely tight spaces. Vinyl foam grip for better grasp. Will not accept Ball Grip.</p>	<p>Handle Fiberglass 25" FG-25-H</p>  <p>Specialty Item</p> <p>Weighs 1¾ lbs. Lightweight but strong. 50% lighter than our Steel Handle. Strong, solid & non-conductive. Makes over-head prying easier. Vinyl foam grip for better grasp. Will not accept Ball Grip.</p>		

Fulcrums





<p>Standard Fulcrum A-500-F</p>  <p>Replacement for standard fulcrum used in sets. Accepts all but Mini Blade.</p>	<p>Mini Fulcrum M-100-F</p>  <p>Replacement for Mini Fulcrum. Fits blade M-175-B.</p>	<p>Decking Fulcrum A-700-75-F</p>  <p>Specialty Item</p> <p>Changes prying angle to upright pushing or pulling motions. Works well on decking, walls, ceilings and much more. Accepts all blades but Mini Blade.</p>
<p>Scraping Fulcrum F-150-SCR</p>  <p>Specialty Item</p> <p>Creates an effective scraping bar by reducing the prying motion of the fulcrum. Lowers the angle of operation close to the ground. Works well for glued-down wood flooring, linoleum and tile.</p>	<p>Mini Head HD-ASSY-M</p>  <p>Lightest fulcrum & blade. Shorter pivot point amplifies prying force. Narrow blade penetrates easily, fits all handles, and accepts only Mini Blade.</p>	<p>Fulcrum Extension F-500-EX</p>  <p>Adds lateral stability for wider blades. Very useful for almost all flooring & scraping applications. Must be on fulcrum for toe kick use.</p>

* Accepts Ball Grip.

Cases & Tools








<p align="center">Contractor Case CA-1000-RE</p>  <p>Molded High Density Polyethylene (HDPE). Keeps components organized & minimizes loss. Will not rust, protects sharp edges, safer storage. Stainless steel latches keep case shut while in transit. Lock slot provided.</p>	<p align="center">Professional Case H-500-AC</p>  <p>Molded HDPE. Keeps components organized & minimizes loss. Will not rust, protects sharp edges, safer storage. Strong double snaps keep case shut while in transit. Lock slot provided.</p>
<p align="center">Wrench 10" Adjustable A-10-WR</p>  <p>Quick installation of multiple-size handles & bolts. Jaws open extra wide to fit attachments.</p>	<p align="center">Screwdriver #4 Phillips A-6-SD</p>  <p>Tighten/loosen blade screws, Ball Grip & Cap, 12" Extension Handle and Buried Nail Head</p>

Most Popular Bar Assemblies

<p align="center">Artillery 46" Bar 3B-FL-46</p>  <p>Standard Fulcrum with Standard 3" Blade plus 12" Extension and 25" Steel Handle. Longer & heavier bar for extra reach & force, 5 3/4" of prying motion and an ergonomic grip. Allows for stand-up operating position for better posture on flooring & roofing. Remove 12" extension handle to make 34" bar. Even scrapes carpet pad staples. Assembly weighs 9 lbs. *</p>
<p align="center">Siding Bar SB-34-UL</p>  <p>Combines Salvage Blade with standard fulcrum and 25" Fiberglass Handle. Lightweight but strong and non-conductive. Slides under siding easily. The 5 3/4" of prying motion does the work with lightweight comfort. Will not accept Ball Grip. Assembly weighs 4 lbs. 1 oz.</p>
<p align="center">48" Ultimate Flooring Bar UFB-48-B</p>  <p>Salvage Blade easily slides under flooring. The UFB is 48" long, which provides maximum leverage, 5 3/4" of prying motion, and an ergonomic, stand-up operating position. Ball Grip minimizes hand cramping and blistering. Toe Kick adds weight and the ability to push with foot. These pieces work in conjunction with other Artillery Tool handles, fulcrums and heads. Assembly weight 11 lbs. 12 oz. *</p>
<p align="center">Ultra Light Mini 31" Bar UL-31-MB</p>  <p>Mini Head with Fiberglass 25" Handle. Hold pry bar in one hand & remove material with the other hand for greater control. Fiberglass Handle is 50% lighter than our Steel Handle, is strong, solid & non-conductive. Mini Head accepts Mini Blade only. Bar assembly weighs 3 lbs. 3 oz.</p>

* Accepts Ball Grip.

Pry Bar Assemblies

 <p>Standard 34" Bar S-FL-34</p> <p>Standard Fulcrum & Standard 1 3/4" Blade with Steel 25" Handle. Medium length bar with good prying motion & reach. Assembly weighs 5 lbs. 10 oz. *</p>	
<p style="text-align: center;">Mini Head 21" Bar M-HD-21</p>  <p>Mini Head with Steel 15" Handle. Fits tool belt loop. Lightweight pry bar that accepts Mallet Bolt to protect end when tapping. Great for overhead use, working from a ladder, tight places & excellent for removing siding. Mini Head accepts Mini Blade only. Bar assembly weighs 3 lbs. 6 oz. *</p>	<p style="text-align: center;">17" Buried Nail Bar BN-17-BR</p>  <p>Tempered Tool Steel Head. Insulated shock absorbing grip, fits well in hand. Shortest nail pulling configuration. Pulls anything it can grip. Assembly weight 2 lbs. 3oz.</p>
<p style="text-align: center;">Mini Head 31" Bar M-HD-31</p>  <p>Mini Head with Steel 25" Handle. Handle adds reach & weight when needed. Blade not interchangeable. Assembly weighs 5 lbs. 4 oz. *</p>	
<p style="text-align: center;">Scraping Bar SP-48-B</p>  <p>6" Blade with Scraping Fulcrum plus 12" Extension and 25" Steel Handle. Utilizes our widest scraping blade and lowers angle of operation close to the ground. This Scraping Bar can accommodate a second 12" Extension Handle and a Ball Grip. Can become 60" long and weigh 13 lbs. Very effective on glued down wood and linoleum. Assembly weight 9 lbs. *</p>	
 <p>Artillery 40" Decking Bar RF-40-DB</p> <p>Deck Fulcrum & Deck Blade with 12" Extension & 25" Steel Handle. Changes prying angle to an upright pushing or pulling option. Straddles trusses, joists and studs. Lets you stand on decking while removing deck boards. Assembly weighs 9 lbs., 8 oz. *</p>	
 <p>Artillery 39" Rebar Bender RB-39-BR</p> <p>Rebar Head with 12" Extension & 25" Steel Handle. Enables custom bending by hand at job site. Bends up to 3/8" rebar & removes form ties. Remove 12" Extension Handle to make 27" bar for bending smaller diameter rods. Assembly weighs 8 lbs. 12 oz. *</p>	

* Accepts Ball Grip.



The Artillery Pry Bar System

Enables you to change your demolition tools to suit your tear out needs.

THE ONLY TOOL SYSTEM OF IT'S KIND, AND IT WORKS!

12-Month Limited Warranty

This product is warranted to the original retail purchaser against any proven defects in material or workmanship for 12 months from date of original purchase. This warranty does not cover abuse, normal wear and tear, misuse, failure to follow directions or improper adjustment of tool system.

Artillery Tools will replace any part that proves to be defective in materials or workmanship. To obtain a replacement under this warranty, return the item(s) and the original receipt, shipping prepaid, to Artillery Tools LLC, 10260 SW Hoodview Dr., Tigard, OR 97224. After parts have been deemed defective, your replacement parts will be shipped to you free of charge. The purchaser must supply a copy of the original receipt for any defective parts to be replaced. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

www.artillerytools.com

**Artillery Tools LLC
10260 SW Hoodview Drive
Tigard, OR 97224
Phone: 503-968-2108**