

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem ail	<u>I</u> P
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Scanner				
Commercial name *	HP Scanjet Enterprise Flow 7500				
Model number *	L2725B				
Issue date *	Aug 2013				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other except Japn				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	L2725B		
Issue date *	Aug 2013	Logo	Ø

	t environmental attributes - Legal requirements	Require		
Item	Herendeus substances and managetions	Yes	No	n.a.
P1 P1.1*	Hazardous substances and preparations Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium			
-1.1	0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal	n, 🔀		
	reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\square		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
-	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
D / D /	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
P1.7*	Comment: Legal reference has no maximum concentration values. Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			
-1.7	aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
1.0	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			\times
	microgram/cm ² /week (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-			
	im.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			\square
1 2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			X
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			\boxtimes
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica			
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		- 1	$- \exists$
1 5.5	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			
F4.I	legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
		<u> </u>	<u> </u>	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the			\boxtimes
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an	d 🔽		
DE 1*		d 🔀		
P5.1*	neval/alent chromilim bl/ weight of these together			
	hexavalent chromium by weight of these together.			
P5.1* P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montrea	ک اډ		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	odel number * L2725B						
Issue date *		Aug 2013	Logo)		
				- W	9		
Duality			i				
Item		mental attributes - Market requirements - Environmental conscious de atory to fill in. Additional information regarding each item may be found under P14.	esign R	equire Yes	Ment No	n.a.	
P6		nt information		103	NO	n.a.	
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square			
P7	Design	mbly, recycling					
P7.1*		thave to be treated separately are easily separable		\square			
P7.2*		naterials in covers/housing have no surface coating.			H	H	
P7.3*							
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			⊢⊢	H	
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools.		H	H	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H		
-	Product						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\square	
P7.8*	Upgradir	ng can be done using commonly available tools			Π		
P7.9.	Spare pa	arts are available after end of production for: years					
P7.10		s available after end of production for: years				Π	
-		and substance requirements					
P7.11*		cover/housing material type:					
D7.40		type: ABS Material type: Material	type:				
P7.12		I cable insulation materials of power cables are PVC free.		<u> </u>		<u> </u>	
P7.13		I cable insulation materials of signal cables are PVC free		<u> </u>		<u> </u>	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.	1240 2 24 /800	<u> </u>	<u> </u>	<u> </u>	
P7.15	Note B2)		1249-2-21. (See				
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:					
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without componer	ts):				
		additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	100170						
	Alt. 2			_			
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >2 3-4:	5g according				
P7.18	Alt. 1			_	_	_	
		etarded plastic parts >25g contain the following flame retardant substances/	preparations in				
		ations above 0.1%: ent: No legal limits exist, this is a market requirement.					
		ical name: , CAS #:					
	2. Chem	ical name: , CAS #:					
		ical name: , CAS #:					
	Alt. 2 Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
	Onemice						
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classi 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	fied as R45,				
P7.20	Of total p	plastic parts' weight >25g, recycled material content is %.					
P7.21		plastic parts' weight >25g, biobased material content is %.				_	
P7.22	Light sou	Irces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp:	ma	\boxtimes			
P8	Batterie		mg				
P8.1*		hemical composition:				\square	
P8.2	Batteries	meet the requirements of the following voluntary program/s:					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	L2725B		
Issue date *	Aug 2013	Logo	

	environmental at	tributes - Market re	quirements (con	tinued)		Requirement	met
Item						Yes No	n.a.
P9	Energy consumpt			-			
9.1	For the product the	following power levels	or energy consump	otions are report	ted:		
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard for energy modes and test method *	
ENERGY State	STAR [®] Ready	14.13W	14.14W	14.22 W		ENERGY STAR [®] Product for Imaging products (Ver. 2.0)	
ENERGY	STAR [®] Off Mode	0.36W	0.36W	0.40 W		ENERGY STAR [®] Product for Imaging products (Ver. 2.0)	
ENERGY	STAR [®] Sleep Mode	2.40W	2.39W	2.46 W		ENERGY STAR [®] Product for Imaging products (Ver. 2.0)	
ENERGY Mode	STAR [®] Auto-Off	W	W	0.40 W		ENERGY STAR [®] Product for Imaging products (Ver. 2.0)	
		W	W	W			
		W	W	W			
charger pl	power supply / ugged in the wall disconnected from	w	W	W			
PTEC * Typical Er	nergy Consumption	W	W	W			
TEC * Typical Er	nergy Consumption	kWh/week	kWh/week	kWh/we	ek		
ETEC * Annual En	nergy Consumption	kWh/year	kWh/year	kWh/year			
Display re	solution* : Me	egapixels					
Print Spee	ed*: Im	ages per minute					\square
Default tim	ne to enter energy sa	ve mode: 15 minutes				ENERGY STAR [®] Product for Imaging products (Ver. 2.0)	
P9.2*	Information about t	he energy save functio	n is provided with th	ne product.			
P9.3*	ENERGY STAR® Others specify:	the energy requirement version: 2.0 Tier: n.a. F			n/s:		
P10	Emissions						
D10.4		Declared according to	ISO 9296	Deelersd			
P10.1	Mode N	Node description		Declared A-weighted sound power		Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB)	
				level L_{WAd} (B)		rator position Bystander positions Desktop or Desk side (only if product is not operator attended)	
	Idle *	Idle		* Inaudible		Inaudible	
	Operation *	ADF simplex scan, 2		* 7.2		57	
	Other mode	flatbed, 300 dpi, colo	or	5.8		43	
	Measured accordin	~	ECMA-74 (only if not covered	by ECMA-74 wit	th L _{DA} m	measurement distance m)	
P10.2	The product meets	the acoustic noise req					
		'		- ,			

Model number *	L2725B		
Issue date *	Aug 2013	Logo	Ø

tem		Yes	No	n.a
				II.d
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔲, other specify:			\square
P10.4	Typical emission rate (print phase) is (mg/h):			Г
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			
	Dust 🗌 Ozone 🗌 Styrene 🗌 Benzene 🗌 TVOC 🗌		_	
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			\geq
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			X
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements or EN12281.	of 🔀		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\mathbf{\mathbf{x}}$
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			X
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): corrugated weight (kg): 1.6 Product packaging material type(s): EPS weight (kg): 0.71 Product packaging material type(s): LDPE weight (kg): 0.051			
P13.2*	Product plastic packaging is free from PVC.	\square		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🔀, Paper 🔀, Other 🗌			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			\geq
Rev. P13.5	User and product documentation do not contain chlorine bleached paper	\boxtimes		
P14	Additional information (See Note B4)			
All	Product environmental information contained in this declaration is valid as of the date the declaration is publis external standards referenced in the IT Eco-Declaration may invalidate some information contained in this de			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19