


TEF 7144 CABLE GLAND FOR WELDING USER MANUAL



IMPORTANT

Read this instruction carefully before installing the product



700A3080

TRANBERG[®]

TEF 7144 CABLE GLAND FOR WELDING USER MANUAL

INTRODUCTION

Thank you for purchasing this product!
For installation, maintenance and assurance of a long life of this product, please follow this manual.

TOOLS REQUIRED

Wrench according to size of cable gland

MAINTENANCE INSTRUCTIONS

The product should be inspected according to Company routines.

APPLICATIONS

- Cable gland in carbon steel, for welding on bulhead

CONTENT IN BOX

The product is fully assembled, and ready for installation.

SAFETY PRECAUTIONS

Note that changes made to the product and/or installation of components which do not conform to the approval, may be a safety violation. The manufacturer will in no circumstance be held responsible for such activity.

For your health and safety, always use safety gear suited for the task. Be certain to follow codes, regulations and/or specific procedures that are related to the installation.

DESCRIPTION

Description	Part No.
Cable gland for welding, 3/4", L=100mm, for cable Ø10-Ø16mm, Steel	7144 102
Cable gland for welding, 3/4", L=160mm, for cable Ø10-Ø16mm, Steel	7144 103
Cable gland for welding, 3/4", L=100mm, for cable Ø10-Ø16mm, Aluminium	7144 106
Cable gland for welding, 3/4", L= 32mm, for cable Ø10-Ø16mm, Aluminium	7144 101

INSTALLATION INSTRUCTIONS

Before welding it is recommended to remove the rubber seal from the connector to avoid damage on this.

When mounting the cable/pressure nut in the connector which is not stainless steel, it is recommended to insert the threads with acid free grease, to avoid corrosion in the threads.

