



built for your family

The Lofra heritage began more than 50 years ago when two Italian families combined resources to create the first Lofra Upright Cooker, which is now the number one selling cooker in Italy. Since then, a strong focus on continuous improvement and a wealth of experience has seen Lofra recently expand their offering to include an inbuilt range of cooking appliances, using the same principles in design as their world renowned upright cookers.

Whether you're a growing family or cooking for one, the Lofra upright cooker and inbuilt range has been designed to offer you years of high performance cooking. With features to suit your lifestyle, European styling and the flexibility of different options, you're sure to find the perfect Lofra for your family.

Lofra also offers you a 3 year parts and labour warranty, providing complete peace of mind through our Customer Care Program supported by a team of dedicated and professional technicians Australia wide.

Italy's No.1 Freestanding Cooker

OVEN FUNCTIONS

| 1-(| ·)- | |
|-----|-------|--|
| 12 | | |
| | (TN J | |

Light

The separate light function will illuminate the oven cavity. This function is also useful when cleaning the oven interior and will give a low heat suitable for proving dough

Fan forced

This method of cooking uses the circular element located around the fan to distribute heat evenly, resulting in a faster, more efficient operation. Cooking with the fan on allows different kinds of food to be cooked simultaneously on different shelves, preventing the transmission of smells and flavors from one dish onto another.



Top element only

This method of cooking uses the outer part of the top element to direct heat downwards onto the food. For gentle cooking, browning or keeping cooked dishes warm.

Lower element only

This method of cooking uses the lower element to direct heat upward to the food. For slow-cooking recipes or for warming up



Convection - top and lower element

This method of cooking provides traditional cooking with heat from the top and lower elements. Particularly suitable for roasting and baking on one shelf only.

Fan and lower element

This method of cooking uses the bottom element with the fan to circulate the heat upward. For delicate dishes and heating pre-cooked food. Suitable for patisserie, baking foods that require concentration of heat on the base.

Convection oven and fan assist

This method of cooking provides heat from the outer top and the lower elements, plus the use of the fan to circulate the heat and ensure a fast and even distribution. Suitable for baking pastries and biscuits on multiple levels when browning is required.

Centre grill





Full grill

This cooking method is normal static grilling utilising the full top elements which directs heat downwards onto the food. Suitable for grilling medium to large portions of sausages, bacon, steaks and fish.



Full grill and fan

This method of grilling uses the full top element in junction with the fan, to grill meat without the need to turn. Suitable for steaks such as hamburgers and large fillets.



Defrost

The fan runs without heat to reduce the defrosting time of frozen foods. The time required to defrost the food will depend on the room temperature, the quantity and type of food: Remove frozen portions of meat completely from packaging and place over the grill rack to allow proper circulation.

beauty, function ... Viva Lofra

Ceramic Grill

The ultimate grilling system, the Ceramic Grill, is like having a ceramic cooktop placed in the roof of your oven. A glass surface makes cleaning so easy. The element system is much more responsive then traditional grilling elements, so you can the best grilling results each time.



Zero Side Clearance

Lofra ovens are built using the latest technology and are designed to maintain a cool oven perimeter. This feautre allows you to install the oven with zero gaps on each side.





Class A Energy Rating

The highest energy efficiency rating attainable and currently enforced in all European Union (EU) countries across Europe is a Class A rating. As these ovens and cookers are sold globally and in the EU, they have been rated for their energy and receive a Class A rating. Help us take care of our environment.



Telescopic Safety Shelves

When your busy making your magic in the kitchen, that's when accidents can happen. Reduce this risk by having a professional shelving system on your oven, with our Professional and Curva series ovens that features the Telescopic Safety Shelf System, allowing recipes to slide forward and back with ease and importantly has the strength to hold the heaviest roast.

Tripple Glazed Full Inner Glass Door System

A beautifully engineered door system that showcases a full inner glass door system that is not only aesthetically pleasing but importantly easy to wipe the larger glass area clean when compared to standard doors systems with small glass areas and larger enamel frames. With the Triple Glazed oven door feauture, the heat stays where it should, makes you cook your food perfectly, yet limiting the amount of heat escaping through the front door, saving you time, money and keeping your family safe.

Easy Wipe Enamel Interior

A special non porous enamel finish inside these ovens makes cleaning easier. Food residue doesn't adhere as well on the glass like, higher quality enamel surface.







built for your family

Flame Failure Safety System

Now you can relax knowing the Flame Failure Safety system on our selected Inbuilt Professional Gas Cooktops will shut the gas off to the burner should the sensor identify that the flame has gone out. That's true peace of mind.



Multifunction Cooking System

The flexibility of our Freestanding Cookers and selected Inbuilt ovens will allow you to choose the right oven function that best suits your recipe that guarantees to deliver optimum cooking results.



LED 24 hour Programmable Timer

This appliance has the latest electronic LED control and display for the ultimate control and ease of use.



Large Oven Capacity

HIO6002 - Get the Largest Oven Capacity and still only have to install a 60cm oven, taking up less prescious space in the kitchen. Compare this capacity with other ovens, and you are receiving the capacity of a 70cm oven.







LPF6EG.2SS 60cm Electric Gas Freestanding Cooker



ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL



Cooker Features

New Professional design Brushed stainless steel finish with mark free control panel Stainless steel handle

Oven Features

Unique, easy to clean ceramic grill Easy wipe, non-porous enamel oven cavity Stainless steel framed, triple glazed door Full inner glass door LED 24 hour program timer Telescopic oven safety shelves Large usable oven cavity Rotisserie

Cooktop Features

Four burner gas hob with triple flame wok burner One piece splashback and hob Flame failure safety device to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

LPF9EG.2SS 90cm Electric Gas Freestanding Cooker



ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL



Cooker Features

New Professional design Brushed stainless steel finish with mark free control panel Stainless steel handle

Oven Features

Unique, easy to clean ceramic grill Easy wipe, non-porous enamel oven cavity Stainless steel framed, triple glazed door Full inner glass door LED 24 hour program timer Telescopic oven safety shelves Large usable oven cavity Rotisserie

Cooktop Features

Five burner gas hob with triple flame wok burner and multi purpose burner One piece splashback and hob Flame failure safety device to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

PROFESSIONAL COOKING TIP

When cooking with the fan forced function, keep the temperature below 180°C, as this will minimise splatter and deliver optimum cooking results.

LPF9EGC.2SS 90cm Electric Gas Freestanding Cooker



ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL



Cooker Features

New Professional design Brushed stainless steel finish with mark free control panel Stainless steel handle

Oven Features

Unique, easy to clean ceramic grill Easy wipe, non-porous enamel oven cavity Stainless steel framed, triple glazed door Full inner glass door LED 24 hour program timer Telescopic oven safety shelves Large usable oven cavity Rotisserie

Cooktop Features

Four burner gas hob with triple flame wok burner and dual zone ceran electric plate One piece splashback and hob Flame failure safety device to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

LPF9DEG.2SS 90cm Electric Gas Freestanding Cooker



ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL

Main Oven:





Cooker Features

New Professional design, double oven series Brushed stainless steel finish with mark free control panel Stainless steel handle

Oven Features

Dual ovens Unique, easy to clean ceramic grill Easy wipe, non-porous enamel oven cavity Stainless steel framed, triple glazed door Full inner glass door LED 24 hour program timer Telescopic oven safety shelves Large usable oven cavity Rotisserie

Cooktop Features

Five burner gas hob with triple flame wok burner and multi purpose burner One piece splashback and hob Flame failure safety device to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition





Stunning and architecturally designed, the Curva series

is for the style conscious. The beautifully curved lines seamlessly incorporate some

outstanding new features.





LCF7EG.2SS 70cm Electric Gas Freestanding Cooker



ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL



Cooker Features

New curved design Polished stainless steel finish with mark free control panel Stainless steel handle

Oven Features

Easy wipe, non-porous enamel oven cavity Mirror glass, triple glazed door Full inner glass door LED 24 hour program timer Telescopic oven safety shelves Large usable oven cavity Rotisserie

Cooktop Features

Five burner gas hob with triple flame wok burner One piece splashback and hob Flame failure safety device to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

LCF9EG.2SS 90cm Electric Gas Freestanding Cooker



ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL



Cooker Features

New curved design Polished stainless steel finish with mark free control panel Stainless steel handle

Oven Features

Easy wipe, non-porous enamel oven cavity Mirror glass, triple glazed door Full inner glass door LED 24 hour program timer Telescopic oven safety shelves Large usable oven cavity Rotisserie

Cooktop Features

Five burner gas hob with triple flame wok burner One piece splashback and hob Flame failure safety device to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

COOKING TIP

After each use, wipe over spills while your oven is still slightly warm. This allows for ease of cleaning and to keep your oven looking in 'as new' condition.



LEF6EG.3SS 60cm Electric Gas Freestanding Cooker LEF6GG.3SS 60cm Gas Freestanding Cooker



AVAILABLE IN EITHER ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL (LEF6EG.3SS)



OR

GAS OVEN WITH ELECTRIC GRILL (LEF6GG.3SS)

Cooker Features Polished stainless finish with mark free control panel Stainless steel handle Framed glass lid

Oven Features

Mirror glass, triple glazed door Full inner glass door Two hour stop timer (electric model only) One hour timer (gas model only) Large usable oven cavity Rotisserie

Cooktop Features

Four burner gas hob with triple flame wok burner Flame failure safety system to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

LEF7EG.3SS 70cm Electric Gas Freestanding Cooker LEF7GG.3SS 70cm Gas Freestanding Cooker



AVAILABLE IN EITHER ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL (LEF7EG.3SS)



OR

GAS OVEN WITH ELECTRIC GRILL (LEF7GG.3SS) Cooker Features

Polished stainless finish with mark free control panel Stainless steel handle Framed glass lid

Oven Features

Mirror glass, triple glazed door Full inner glass door Two hour stop timer (electric model only) One hour timer (gas model only) Large usable oven cavity Rotisserie

Cooktop Features

Five burner gas hob with central triple flame wok burner Flame failure safety system to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

ESSENTIAL COOKING TIP

Did you know you can now grill and bake at the same time? Simply using the fan grill function allows you to grill meat in the top section of the oven, while the fan circulates the heat below and bakes vegetables. The meat won't need turning over either.

LEF8EG.3SS 80cm Electric Gas Freestanding Cooker LEF8GG.3SS 80cm Gas Freestanding Cooker



AVAILABLE IN EITHER ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL (LEF8EG.3SS)



OR

GAS OVEN WITH ELECTRIC GRILL (LEF8GG.3SS)

Cooker Features

Polished stainless finish with mark free control panel Stainless steel handle Framed glass lid

Oven Features

Mirror glass, tripled glazed door Full inner glass door Two hour stop timer (electric model only) One hour timer (gas model only) Large usable oven cavity Rotisserie

Cooktop Features

Five burner gas hob with central triple flame wok burner Flame failure safety system to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

LEF9EG.3SS 90cm Electric Gas Freestanding Cooker LEF9GG.3SS 90cm Gas Freestanding Cooker



AVAILABLE IN EITHER ELECTRIC 10 MULTIFUNCTIONAL OVEN AND GRILL (LEF9EG.3SS)



OR

GAS OVEN AND ELECTRIC GRILL (LEF9GG.3SS)

Cooker Features

Polished stainless finish with mark free control panel Stainless steel handle Framed glass lid

Oven Features

Mirror glass, tripled glazed door Full inner glass door Two hour stop timer (electric model only) One hour timer (gas model only) Large usable oven cavity Rotisserie

Cooktop Features Five burner gas hob with central triple flame wok burner Flame failure safety system to all burners Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition





LEF6EGP 60cm Electric Gas Freestanding Cooker



ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL



Oven Features Brushed stainless steel finish Stainless steel handle Triple glazed door Full inner glass door Two hour stop timer Large usable oven cavity

Cooktop Features

4 burner gas hob with triple flame wok burner Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

LEF9EGP 90cm Electric Gas Freestanding Cooker



ELECTRIC 10 MULTIFUNCTION OVEN AND GRILL



Oven Features Brushed stainless steel finish Stainless steel handle Triple glazed door Full inner glass door Two hour stop timer Large usable oven cavity

Cooktop Features

Five burner gas hob with central triple flame wok burner Heavy duty cast iron trivets with protective rubber feet Automatic under knob ignition

PROJECT COOKING TIP

Don't have the time to smoke spareribs the long, old-fashioned way. Don't despair! You can make tasty spareribs in your Lofra Project oven on fan forced, or to shorten the cooking time, use the oven on fan forced and finish them under the grill for that great smokey flavour.



Robust performance and quality you

come to expect at economical pricing.



LEIO65MFSS 60cm Inbuilt Oven



ELECTRIC 5 MULTIFUNCTION OVEN



Oven Features Mark free stainless steel finish Large 61 litre capacity Removable double glazed door Easy glide hinges 60 minute timer Cavity cooling system and cool door technology Moulded oven side racks for ease of cleaning

LEI065MFP.2SS 60cm Inbuilt Oven



ELECTRIC 7 MULTIFUNCTION OVEN



Oven Features Mark free stainless steel finish Large 61 litre capacity Removable double glazed door Easy glide hinges LED 24 hour programmable timer Cavity cooling system and cool door technology Moulded oven side racks for ease of cleaning

INBUILT OVEN TIP

Did you know your Lofra inbuilt oven comes with the convenience of mark free stainless steel? Simply wipe over to clean, no more polishing required.

LOO6001 60cm Inbuilt Oven



jling

INBUILT OVEN SERIES

european ?

ELECTRIC FAN FORCED OVEN



Oven Features Stainless steel finish 59 litre capacity Removable double glazed door 60 minute manual timer Cavity cooling system and cool door technology Easy glide hinges Moulded side racks for ease of cleaning.

L007001 70cm Inbuilt Oven



ELECTRIC 9 MULTIFUNCTION OVEN



Oven Features Stainless steel finish Superior 75 litre capacity Mirror glass and stainless steel door Removable double glazed door LED 24hr program timer Cavity cooling system and vented door Removable chromed steel racks in cavity

L009002 90cm Inbuilt Oven



ELECTRIC 10 MULTIFUNCTION OVEN



Oven Features Mark free stainless steel finish Superior 90 litre capacity Mirror glass door Full inner door glass Removable double glazed door Easy glide hinges LED 24hr program timer Cavity cooling system Removable chromed steel racks in cavity Rotisserie



Lofra gas cooktop series ...embodying the lofre. ...embodying the Lofra heritage, the gas cooktop series combines quality with functionality. The wok burners provide up to 16 MJ of power for all your cooking needs.



LOCG6001 60cm Inbuilt Gas Cooktop

Cooktop Features

Stainless steel finish Automatic underknob ignition High quality, integrated alloy burners 4 standard burners Spill catchment area 1 piece design for ease of cleaning Durable enamelled trivets with rubber feet Side controls



LOCG7002 70cm Gas Cooktop with wok

Cooktop Features

Stainless steel finish Automatic underknob ignition High quality, integrated alloy burners 4 burners plus a triple flame wok burner Spill catchment area 1 piece design for ease of cleaning Durable enamelled trivets with rubber feet Convenient front controls



LOCG6004 60cm Inbuilt Gas Cooktop

Cooktop Features Stainless steel finish Automatic underknob ignition High quality, integrated alloy burners 3 burners plus a triple flame wok burner Spill catchment area 1 piece design for ease of cleaning Durable enamelled trivets with rubber feet Side controls



LOCG9003 90cm Gas Cooktop with wok

Cooktop Features Stainless steel finish Automatic underknob ignition High quality, integrated alloy burners 4 burners plus a triple flame wok burner Spill catchment area 1 piece design for ease of cleaning Durable enamelled trivets with rubber feet Side controls

GAS COOKTOP TIP

For your safety, the Professional Series Lofra gas cooktops come with flame failure to ensure no leakage of gas should the flame extinguish – that's peace of mind.

GAS COOKTOP SERIES

LPICG64WSS 60cm Inbuilt Professional Series Gas Cooktop



Cooktop Features Stainless steel finish Flame failure safety device Automatic underknob Ignition High quality, integrated alloy burners High powered, 16MJ wok burner 3 burners plus triple flame wok burner 1 piece design for ease of cleaning Cast iron trivets with rubber feet Convenient front controls with glass panel

LPICG75WSS 75cm Inbuilt Professional Gas Cooktop



Cooktop Features Stainless steel finish New side wok design Flame failure safety device Automatic underknob Ignition High quality, integrated alloy burners High powered, 16MJ wok burner 4 burners plus triple flame wok burner New centred side wok design 1 piece design for ease of cleaning Cast iron trivets with rubber feet Convenient front controls with glass panel

LPICG95WSS 90cm Inbuilt Professional Gas Cooktop



Cooktop Features Stainless steel finish New side wok design Flame failure safety device Automatic underknob Ignition High quality, integrated alloy burners High powered, 16MJ wok burner 4 burners plus triple flame wok burner New centred side wok design 1 piece design for ease of cleaning Cast iron trivets with rubber feet Convenient front controls with glass panel



logra cooktop series

...the Lofra ceramic cooktop series offers a range of sizes and models. Stylish and easy to clean, there is sure to be a model to suit every lifestyle.

GECE6003 60cm Inbuilt Electric Cooktop



Cooktop Features Ceramic glass surface 4 radiant electric elements Residual heat indicators Multiple zone sizes Side controls Frameless design

LPICCTE6SS 60cm Inbuilt Electric Professional Series Cooktop



Cooktop Features Ceramic glass with stainless steel trim

4 hyperspeed zones with stanless steel thin 4 hyperspeed zones with dual zone Multiple zone sizes Residual heat indicators 9 power levels Front touch controls Operational safety technology

CERAN COOKTOP TIP

For the most convenient surface to clean, you can't go past Lofra's touch control ceran cooktops. Featured with responsive hyperspeed elements, there is no compromise on performance.

CERAMIC COOKTOP SERIES stylish design





Cooktop Features Ceramic glass surface 4 radiant electric elements Residual heat indicators Multiple zone sizes Front controls Frameless design

LPICCTE77SS 77cm Inbuilt Electric Professional Series Cooktop



Cooktop Features

Ceramic glass with stainless steel trim 4 hyperspeed zones with dual and extended zone Multiple zone sizes 99 minute timer Residual heat indicators 9 power levels Child safety lock Front touch controls Operational safety technology





GEH6018 60cm Slideout Rangehood



Rangehood Features Stainless steel front rail with white underside Twin centrifugal motors 440 m³/hr drawing capacity 3 speed, slide switch controls 2 x framed metallic grease filters Twin incandescent lights

LOH6008 60cm Stainless Steel Wall Canopy & LOH7006 70cm Stainless Steel Wall Canopy



Rangehood Features - both models Stainless steel finish High extraction tangential motor 500 m³/hr drawing capacity 3 speed, push button controls 2 x framed metallic grease filters 2 x halogen lights 800mm and 1200mm stainless steel flue cover extensions available

LOH9007 90cm Stainless Steel Wall Canopy



Rangehood Features Stainless steel finish High extraction tangential motor 500 m³/hr drawing capacity 3 speed, push button controls 3 x framed metallic grease filters 2 x halogen lights 800mm and 1200mm stainless steel flue cover extensions available

RANGEHOOD TIP

For optimum performance, Lofra recommends that you duct your rangehood to suit your atmosphere, that way you can ensure that your kitchen remains odour free.



lofra canopy series

...stunning and architecturally designed, the Lofra rangehood series is for the style conscious. The beautiful sleek lines incorporate seamlessly with the remainder of the inbuilt range and Lofra's superior Upright Cookers.

LPICRG6E.2SS 60cm Glass Wall Canopy



Rangehood Features Superior stainless steel finish (AISI 304 grade) with tempered glass front smoke visor Tangential motor 800 m³/hr extraction capacity 3 speed electronic optical controls 2 x metallic washable grease filters 2 x halogen lights High quality design

LPICRG9E.2SS 90cm Glass Wall Canopy



Rangehood Features

Superior stainless steel finish (AISI 304 grade) with tempered glass smoke visor Tangential motor 800 m³/hr extraction capacity 3 speed electronic optical controls 2 x metallic washable grease filters 2 x halogen lights High quality design





LOH9008G 90cm Stainless Steel and Glass Wall Canopy



Rangehood Features Stainless steel / Glass finish Single tangential motor 700 m³/hr extraction capacity 3 speed electronic controls 2 x framed metallic grease filters Twin halogen lighting High quality design

LOH9009G 90cm Stainless Steel and Glass Island Canopy



Rangehood Features Stainless steel / Glass finish Single tangential motor 700 m³/hr extraction capacity 3 speed electronic controls 2 x framed metallic grease filters Four halogen lighting High quality design

LOH9010G 90cm Stainless Steel and Glass Wall Canopy



Rangehood Features

Stainless steel / Glass finish Single tangential motor 700 m³/hr extraction capacity 3 speed electronic controls 2 x framed metallic grease filters Twin halogen lighting High quality design

CANOPY TIP

All our rangehoods performance ratings have been tested to European Standard. EN60335



logra dishwasher series

...introducing our latest addition, this stunning dishwasher completes the lofra kitchen range. Featuring a new concealed control panel providing the ultimate in contemporary styling and protection from little hands.

LOD6001 60cm Freestanding Dishwasher



Dishwasher Features Mark free stainless steel door Twelve place settings Seven wash programs Four wash temperatures 15.5 litres on normal wash Concealed control panel Half load function Delay timer Collapsable plate racks for pots New top basket with easy adjust handles Concealed heating element Anti leak and anti flood safety system Convection drying Self cleaning stainless steel micro filter New durable pex hoses



Concealed control panel



Upper basket lowered for cup stacking



Upper basket raised with lower basket plate racks collapsed for pots









| MODEL | LPF6EGSS | LPF9EG.2SS | LPF9EGC.2SS | LPF9DEG.2SS |
|-------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| FREESTANDING COOKER FEATURES | } | | | |
| Finish | Brushed stainless steel | Brushed stainless steel | Brushed stainless steel | Brushed stainless steel |
| Width cm | 60 | 90 | 90 | 90 |
| Depth cm | 60 | 60 | 60 | 60 |
| Height cm | 90.5 - 95.5 adjustable legs |
| COOKTOP FEATURES | | | | |
| Auxiliary Burner 4mj | Yes | Yes | Yes | Yes |
| Semi Rapid Burner 7.1 mj | Yes | Yes | Yes | Yes |
| Rapid Burner 11.8 mj | Yes | Yes | Yes | Yes |
| Fish Burner 13 mj | - | Yes | - | Yes |
| Friple Ring Wok Burner 15 mj | Yes | Yes | Yes | Yes |
| Electric Ceran Plate | - | - | Yes | - |
| Flame Failure | Yes | Yes | Yes | Yes |
| Heavy Duty Cast Iron Trivets | Yes | Yes | Yes | Yes |
| Automatic Under Knob Ignition | Yes | Yes | Yes | Yes |
| OVEN FEATURES | | | | |
| nner Size cm (HxDxW) | 365 x 400 x 475 | 365 x 400 x 675 | 365 x 400 x 675 | Main - 350 x 450 x 390 |
| | | | | Second - 350 x 200 x 390 |
| Oven Volume Litres | 72 | 106 | 106 | Main - 60, Second - 27 |
| līmer | 24 hour LED timer |
| Triple Glazed Full Inner Glass Door | Yes | Yes | Yes | Yes |
| Telescopic Oven Safety Shelves | Yes | Yes | Yes | Yes |
| Easy Wipe Enamel Interior | Yes | Yes | Yes | Yes |
| Ceramic Grill | Yes | Yes | Yes | Yes (main oven) |
| Connection | 15 amp plug | 15 amp plug | 20 amp hard wired | 20 amp hard wired |
| STANDARD ACCESSORIES | | | | |
| Rotisserie | 1 | 1 | 1 | 1 |
| Oven Safety Shelves | 2 | 2 | 2 | Main - 2, Second - 1 |
| Grill Shelf | 1 | 1 | 1 | 1 |
| Enamel Grill Pans/Trays | 2 | 2 | 2 | Main - 2, Second 1 (no tray |
| OPTIONAL ACCESSORIES | | | | |
| | Yes - optional | Yes - optional | Yes - optional | Yes - optional |
| Self Cleaning Liners | | | | |

Natural/LPG Gas Compatibility

Nat. gas (LPG jets supplied)

Nat. gas (LPG jets supplied) Nat. gas (LPG jets supplied)

ଚ୍ଚା

Nat. gas (LPG jets supplied)

Technical specification for the Professional range of electric gas freestanding cookers









| MODEL | LCF7EG.2SS | LCF9EG.2SS |
|-------------------------------------|------------------------------|------------------------------|
| FREESTANDING COOKER FEATURES | | |
| Finish | Polished stainless steel | Polished stainless steel |
| Width cm | 70 | 90 |
| Depth cm | 60 | 60 |
| Height cm | 90.5 - 95.5 adjustable legs | 90.5 - 95.5 adjustable legs |
| COOKTOP FEATURES | | |
| Auxiliary Burner 4mj | Yes | Yes |
| Semi Rapid Burner 7.1 mj | Yes | Yes |
| Rapid Burner 11.8 mj | 2 | 2 |
| Triple Ring Wok Burner 15 mj | Yes | Yes |
| Flame Failure | Yes | Yes |
| Heavy Duty Cast Iron Trivets | Yes | Yes |
| Automatic Under Knob Ignition | Yes | Yes |
| OVEN FEATURES | | |
| Inner Size cm (HxDxW) | 365 x 400 x 475 | 365 x 400 x 675 |
| Oven Volume Litres | 72 | 106 |
| Timer | 24 hour LED timer | 24 hour LED timer |
| Triple Glazed Full Inner Glass Door | Yes | Yes |
| Telescopic Oven Shelves | Yes | Yes |
| Easy Wipe Enamel Interior | Yes | Yes |
| Connection | 15 amp plug | 15 amp plug |
| STANDARD ACCESSORIES | | |
| Rotisserie | 1 | 1 |
| Oven Safety Shelves | 2 | 2 |
| Grill Shelf | 1 | 1 |
| Enamel Grill Pans/Trays | 2 | 2 |
| OPTIONAL ACCESSORIES | | |
| Self Cleaning Liners | Yes - optional | Yes - optional |
| Stainless Steel Kick Panel | Yes - optional | Yes - optional |
| GAS CONNECTION | | |
| Natural/LPG Gas Compatibility | Nat. gas (LPG jets supplied) | Nat. gas (LPG jets supplied) |

Technical specification for the Curva range of electric gas freestanding cookers



30

905-955











| | U | U | U | U. |
|----------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| MODEL | LEF6EG.3SS / LEF6GG.3SS | LEF7EG.3SS / LEF7GG.3SS | LEF8EG.3SS / LEF8GG.3SS | LEF9EG.3SS / LEF9GG.3SS |
| FREESTANDING COOKER FEATURE | S | ' | | |
| Finish | Polished stainless steel | Polished stainless steel | Polished stainless steel | Polished stainless steel |
| Width cm | 60 | 70 | 80 | 90 |
| Depth cm | 60 | 60 | 60 | 60 |
| Height cm | 90.5 - 95.5 adjustable legs |
| COOKTOP FEATURES | | | | |
| Auxiliary Burner 4mj | Yes | Yes | Yes | Yes |
| Semi Rapid Burner 7.1 mj | Yes | Yes | Yes | Yes |
| Rapid Burner 11.8 mj | Yes | 2 | 2 | Yes |
| Triple Ring Wok Burner 15 mj | Yes | Yes | Yes | Yes |
| Flame Failure | Yes | Yes | Yes | Yes |
| Heavy Duty Cast Iron Trivets | Yes | Yes | Yes | Yes |
| Automatic Under Knob Ignition | Yes | Yes | Yes | Yes |
| OVEN FEATURES | | | | |
| Inner Size cm (HxDxW) | 365 x 400 x 475 | 365 x 400 x 475 | 365 x 400 x 675 | 365 x 400 x 675 |
| Oven Volume Litres | 72 | 72 | 106 | 106 |
| Timer (electric models) | 2 hour stop timer |
| Timer (gas models) | 1 hour timer | 1 hour timer | 1 hour timer | 1 hour timer |
| Connection (electric/gas models) | 15 amp plug | 15 amp plug | 15 amp plug | 15 amp plug |
| Connection (gas/gas models) | 10 amp plug | 10 amp plug | 10 amp plug | 10 amp plug |
| STANDARD ACCESSORIES | | | | |
| Rotisserie | 1 | 1 | 1 | 1 |
| Oven Safety Shelves | 2 | 2 | 2 | 2 |
| Grill Shelf | 1 | 1 | 1 | 1 |
| Enamel Grill Pans/Trays | 2 | 2 | 2 | 2 |
| OPTIONAL ACCESSORIES | | | | |
| Self Cleaning Liners | Yes - optional | Yes - optional | Yes - optional | Yes - optional |
| Stainless Steel Kick Panel | Yes - optional | Yes - optional | Yes - optional | Yes – optional |
| GAS CONNECTION | | | | |
| Natural/LPG Gas Compatibility | Nat. gas (LPG jets supplied) |
| | | | | |

Technical specification for the Essential range of electric and gas freestanding cookers



All measurements in mm





| MODEL | LEF6EGP | LEF9EGP |
|-------------------------------|-----------------------------|-----------------------------|
| FREESTANDING COOKER FEATURES | | |
| Finish | Brushed stainless steel | Brushed stainless steel |
| Width cm | 60 | 90 |
| Depth cm | 60 | 60 |
| Height cm | 90.5 - 95.5 adjustable legs | 90.5 - 95.5 adjustable legs |
| COOKTOP FEATURES | | |
| Auxiliary Burner 4mj | Yes | Yes |
| Semi Rapid Burner 7.1 mj | Yes | Yes |
| Rapid Burner 11.8 mj | Yes | Yes |
| Triple Ring Wok Burner 15 mj | Yes | Yes |
| Heavy Duty Cast Iron Trivets | Yes | Yes |
| Automatic Under Knob Ignition | Yes | Yes |
| OVEN FEATURES | | |
| Inner Size cm (HxDxW) | 365 x 400 x 475 | 365 x 400 x 675 |
| Oven Volume litres | 72 | 106 |
| Timer | 2 hour stop timer | 2 hour stop timer |
| Connection | 15 amp plug | 15 amp plug |
| STANDARD ACCESSORIES | | |
| Oven Safety Shelves | 2 | 2 |
| Grill Shelf | 1 | 1 |
| Enamel Grill Pans/Trays | 2 | 2 |
| Wok Trivet | 1 | 1 |
| OPTIONAL ACCESSORIES | | |
| Self Cleaning Liners | Yes - optional | Yes - optional |
| Stainless Steel Kick Panel | Yes - optional | Yes – optional |
| GAS CONNECTION | | |
| | | |

Natural/LPG Gas Compatibility

Nat. gas (LPG jets supplied)

Nat. gas (LPG jets supplied)

905-955





| MODEL | Finish | Dimensions mm (hxwxd) | Oven Capacity litres | Plug Supplied | Standard Accessories |
|---------------|--------------------------|--------------------------|----------------------|---------------|--------------------------|
| L006001 | Stainless steel | External 591 x 597 x 525 | 60 | 10 amp plug | 1 x oven safety shelves |
| | | Cut Out 595 x 600 x 550 | | (2m cord) | 1 x drip tray and trivet |
| | | | | | 1 x tray handle |
| LEIO65MFSS | Markfree stainless steel | External 594 x 594 x 535 | 61 | 10 amp plug | 2 x oven safety shelves |
| | | Cut Out 595 x 560 x 500 | | (2m cord) | 1 x drip tray and trivet |
| LEIO65MFP.2SS | Markfree stainless steel | External 594 x 594 x 535 | 61 | 10 amp plug | 2 x oven safety shelves |
| | | Cut Out 595 x 560 x 500 | | (2m cord) | 1 x drip tray and trivet |
| L007001 | Stainless steel | External 595 x 696 x 524 | 75 | 15 amp plug | 2 x oven safety shelves |
| | | Cut Out 600 x 654 x 530 | | (2m cord) | 1 x drip tray and trivet |
| | | | | | 1 x tray handle |
| L009002 | Markfree stainless steel | External 477 x 849 x 538 | 90 | 15 amp plug | 2 x oven safety shelves |
| | | Cut Out 600 x 654 x 530 | | (2m cord) | 1 x drip tray and trivet |
| | | | | | 1 x tray handle |

L006001

L007001



LEIO65MFP.2SS + LEIO65MFSS







For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website

| MODEL | Finish | Number of, Output of and Burn | Plug Supplied | | |
|-------------|-----------------|-------------------------------|----------------------------|------------------------|-------------------|
| LOCG6001 | Stainless steel | 1 x 11.9 mj rapid burner | 2 x 7 mj semi rapid | 1 x 4 mj auxiliary | 10 amp plug |
| LOCG6004 | Stainless steel | 1 x 14.5 mj triple flame wok | 2 x 6.9 mj semi rapid | 1 x 4 mj auxiliary | 10 amp plug |
| LOCG7002 | Stainless steel | 1 x 14.5 mj triple flame wok | 2 x 6.9 mj semi rapid | 1 x 4 mj auxiliary | 10 amp plug |
| | | 1 x 11.5 mj rapid burner | | | |
| LOCG9003 | Stainless steel | 1 x 14.5 mj triple flame wok | 2 x 6.9 mj semi rapid | 1 x 4 mj auxiliary | 10 amp plug |
| | | 1 x 11.5 mj rapid burner | | | |
| LPICG64WSS | Stainless steel | 1 x 16 mj triple flame wok | 1 x 12 mj rapid burner | 2 x 7 mj semi rapid | 10 amp plug |
| LPICG75WSS | Stainless steel | 1 x 16 mj triple flame wok | 1 x 12 mj rapid burner | 2 x 7 mj semi rapid | 10 amp plug |
| LPICG95WSS | Stainless steel | 1 x 16 mj triple flame wok | 1 x 12 mj rapid burner | 2 x 7 mj semi rapid | 10 amp plug |
| GECE6003 | Ceramic glass | 4 x radiant zones | 2 x zone 1.2kW (180mm) | 2 x zone 1.2kW (140mm) | Hard wired 24 amp |
| LPICCTE6SS | Ceramic glass | 3 x hyperspeed zones | 1 x zone 2.2kW (120/210mm) | 1 x zone 1.8kW (180mm) | Hard wired 24 amp |
| | | 1 x double hyperspeed zone | | | |
| GECE7002 | Ceramic glass | 4 x radiant zones | 2 x zone 1.7kW (180mm) | 2 x zone 1.2kW (140mm) | Hard wired 24 amp |
| LPICCTE77SS | Ceramic glass | 2 x double hyperspeed zones | 1 x zone 2.2kW (120/210mm) | 1 x zone 2.0kW(180mm) | Hard wired 30 amp |
| | | 2 x hyperspeed zones | 1 x zone 2.0kW (180mm) | 2 x zone 1.2kW (140mm) | |
| | | 1 x extended hyperspeed zone | | | |

EXTERNAL AND CUTOUT DIMENSIONS

| | LOCG6001 | LOCG6004 | LOCG7002 | LOCG9003 | LPICG64WSS | LPICG75WSS | LPICG95WSS | GECE6003 | LPICCTE6SS | GECE7002 | LPICCTE77SS |
|---|----------|----------|----------|----------|------------|------------|------------|----------|------------|----------|-------------|
| А | 585 | 580 | 685 | 860 | 600 | 745 | 860 | 580 | 580 | 680 | 770 |
| В | 500 | 500 | 510 | 510 | 510 | 510 | 510 | 510 | 510 | 510 | 510 |
| С | 560 | 560 | 560 | 840 | 590 | 590 | 830 | 560 | 560 | 560 | 750 |
| D | 480 | 480 | 480 | 490 | 490 | 490 | 490 | 490 | 490 | 490 | 490 |
| Е | 33 | 45 | 45 | 45 | 35 | 35 | 35 | 55 | 40 | 50 | 40 |



| MODEL | Finish | Motor Style | Air Movement | Flue Outlet | Controls | Lighting | Plug Supplied |
|--------------------|---|-------------------|------------------------------|-------------|--------------------------------------|--------------|---------------|
| GEH6018 | Stainless steel rail with white underside | Twin centrifugal | 440 m³/hr (max) | 120mm | 3 speed, slide switch | Incandescent | 10 amp |
| LOH6008 LOH7006 | Stainless steel | Single tangential | 500 m ³ /hr (max) | 120mm | 3 speed, push button control | Halogen | 10 amp |
| LOH9007 | Stainless steel | Single tangential | 500 m ³ /hr (max) | 120mm | 3 speed, button control | Halogen | 10 amp |
| LPICRG6E.2SS | Scotch brite stainless steel (AISI 304 grade) with tempered glass lower frame | Single tangential | 800 m ³ /hr (max) | 150mm | 3 speed, electronic optic control | Halogen | 10 amp |
| LPICRG9E.2SS | Scotch brite stainless steel (AISI 304 grade) with tempered glass lower frame | Single tangential | 800 m ³ /hr (max) | 150mm | 3 speed, electronic optic control | Halogen | 10 amp |
| LOH9008G | Stainless steel & glass | Single tangential | 700 m ³ /hr (max) | 150mm | 3 speed, electronic control | Halogen | 10 amp |
| LOH9009G | Stainless steel & glass | Single tangential | 700 m ³ /hr (max) | 150mm | 3 speed, electronic control | Halogen | 10 amp |
| LOH9010G | Stainless steel & glass | Single tangential | 700 m ³ /hr (max) | 150mm | 3 speed, electronic control | Halogen | 10 amp |

GEH6018



LOH6008, LOH7006, LOH9007



LPICRG6E.2SS, LPICRG9E.2SS



LOH9008G



LOH9009G



LOH9010G



| MODEL | LOD6001 |
|--|--------------------------|
| Star Energy Rating | 2.0 |
| Water Usage Rating | 2.5 |
| Approx Water Consumption (litres) | 15.5 (normal cycle 47°C) |
| Approx Energy Consumption (kW/h) | 382 (normal cycle 50°C) |
| Wash Temperatures | 40°C, 45°C, 50°C, 70°C |
| Upper Basket | height adjustable |
| Lower Basket | collapsible |
| Anti Leak Safety System / Anti Flood Safety System | yes / yes |
| Noise Level (dB) | 50 |
| Approx Duration of Cycle (mins) | 135 (normal cycle 47°C) |
| External Dimensions mm (H x W x D) | 850 x 600 x 600 |
| Cut out Dimensions mm (H x W x D) | 865 x 613 x 600 |
| Water Connection | 3/4" BSP /cold water |
| Plug Supplied | 10 amp |
| | |

*Dishwasher legs are adjustable by 10mm. The overall height that we quote is with the legs wound in.

| Wash Programs | Time(mins) | Temp(°C) | WaterUsage(litres) |
|---------------|------------|----------|--------------------|
| Intensive | 160 | 42 | 18 |
| Normal | 157 | 60 | 15.3 |
| Economy | 140 | 47 | - |
| Rinse | 72 | 45 | 7.8 |
| Glass | 103 | 45 | 13.3 |
| Rapid | 50 | 40 | 10.1 |
| Soak | 8 | - | 3.6 |



850 - 860 measurement includes worktop

Imported & Serviced by Think Appliances PTY LTD

th'nk

Think Appliances operate a policy of continuous improvement and reserve the right to adjust and modify its products and prices without prior notification. All optional accessories can be purchased if required. All Lofra appliances are suitable for domestic or household use only and come with a full three year parts and labour warranty for your piece of mind.