

#### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_	servers.html	

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Small-scale server				
Commercial name *	Lenovo Beacon				
Model number *	10165; 90AN				
Issue date *	2014/2/14				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality controsuch as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🖂	

Model number *	Lenovo Beacon	MT: 10165; 90AN	
Issue date *	2014/2/14	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	men	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent			
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See			
	legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D4 4*	concentration values.		_	
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in		$\overline{}$	
F1.5	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),	$\overline{}$	$\overline{}$	
1 1.0	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).	Ш	Ш	$\boxtimes$
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split		$\overline{}$	$\overline{\square}$
' ' ' '	aromatic amines. (See legal reference and Note B1)		ш	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			X
	pentachlorophenol and derivatives (see legal reference).		ш	
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	X		
	microgram/cm <sup>2</sup> /week (see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment		_	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		П	$\square$
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be	ш	ш	
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\boxtimes$		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			$\boxtimes$
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical	i —		
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling		<u> </u>	<u> </u>
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal	$\overline{\mathbb{X}}$		
	reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	$\boxtimes$		
	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		П	$\boxtimes$
	legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	Ħ	Ħ	
1 1.0	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these	ш	ш	
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and			
	hexavalent chromium by weight of these together.		ш	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	X	П	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea		$\dashv$	==
. 5.5	Protocol (see legal reference).	' 🔼	ш	ш
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo Beacon	MT: 10165; 90AN	
Issue date *	2014/2/14	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		П
P7.2*	Plastic materials in covers/housing have no surface coating.	Ħ		Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			П
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	П
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			∺
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PLASTIC (PC/ABS · Material type: METAL (SECC · Material type:			
	ABS · PC · PC/ABS+TPU) SGCC · SUS)			
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			П
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	X		
	Marking: >PC+ABS FR(40)<			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	$\boxtimes$		Ш
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #: CAS #: 79-94-7			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	$\boxtimes$		
	ISO 1043-4: FR(16)			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	Ш		$\boxtimes$
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	one mean operations of many retained in placing parts / 2 og according roo 10 to 11			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	$\boxtimes$		
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	_		
P7.20	Of total plastic parts' weight >25g, recycled material content is 10.95%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is <b>0</b> %.			
P7.22	Light sources are free from mercury			Ш
<b>P8</b> P8.1*	Batteries Battery chemical composition: RTC battery:Li			
P8.2	Batteries meet the requirements of the following voluntary program/s: Do not use Ni-Cd batteries, Pb-free			IXI.

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo Beacon	MT: 10165; 90AN		
Issue date *	2014/2/14		Logo	lenovo.
Product environmental attributes - Market requirements (continued)  Requirement met				

Product envir	ronmental at	tributes - Market	requirements (co	ontinued)		Requiren	nent	met
Item	Yes No r					n.a.		
P9 Energy consumption								
		e following power lev oped w/ WOL Enable		mptions are reporte	d: <b>See P14</b>			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	d for energy mo	odes	
		w	W	W		-		
<b>Category A</b>								
		14.558 W	14.572 W	14.76 W	(P <sub>idle</sub> )			
		1.2204 W	1.2062 W	1.209 W	(P <sub>sleep</sub> )			
		0.2312 W	0.2349 W	0.2788 W	(P <sub>off</sub> )			
		W	W	W				
Category B								
		W	W	W	(P <sub>idle</sub> )			
		W	W	W	(P <sub>sleep</sub> )			
		W	W	W				
		W	W	W	(P <sub>off</sub> )			
		W	W	W				
EPS No-load (External power	cupply /	W	W	W				Ш
charger plugged outlet but discor the product.)	d in the wall							
TEC Typical Energy	Consumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy (	Consumption	<b>56.371</b> kWh/year	56.895 kWh/year	<b>57.744</b> kWh/year	$E_{TEC} = (8760/1000) x$ $0.1 + P_{idle} x 0.3)$	(Poff x 0.6 + Psie	eep X	
P <sub>off</sub> : Off Mode(S5) - WOL Enabled; P <sub>sleep</sub> : Sleep Mode(S3) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled								
Display resolution	on : Megapixe	els						
Print Speed	:	Images per minu	te					$\boxtimes$
Default time to	enter energy sa	ave mode: minutes						$\boxtimes$
P9.2* Info	rmation about t	he energy save fund	tion is provided with	the product.				
ENE Oth	P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: 6.0 Product category: Small-scale server  Others specify:							
	issions	Deelened "	t- 100 0000					
P10.1 Mod		Declared according  Mode description	10 150 9296	Declared	Declared A	woighted		
I TO. I	in the same of the	viode description		A-weighted	sound pressure le			
				sound power	Operator position	Bystander posit	tions	
				level $L_{WAd}$ (B)	Desktop		$\boxtimes$	
					or Desk side	(only if product is operator attended)		
Idle	*	Power On		* 3.4	19.7			
Оре	eration *	burnintest-All fur oading	nction 100%	* 3.5	20.9			
Oth	er mode	N/A						
Mea	asured accordir	_	ECMA-74					
P10.2 The	product meets	Other			n L <sub>pAm</sub> measurement dis program/s:	stance m)		
1	p. 55551 1110010				0.2 The product meets the acoustic noise requirements of the following voluntary program/s:			

Model number *	Lenovo Beacon	MT: 10165; 90AN	
Issue date *	2014/2/14	Logo	lenovo

Product 6	environmental attributes - Market requirements (continued)	Require	ment	met
Item	•	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:	$\boxtimes$		
P10.4	Typical emission rate (print phase) is (mg/h):			$\boxtimes$
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\boxtimes$
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\boxtimes$
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated paper(Carton) weight (kg): 0.562 Product packaging material type(s): Corrugated paper (Sheet) weight (kg): 0.066			
	Product packaging material type(s): PLASTIC (EPE) weight (kg): 0.054			
	Product packaging material type(s): PLASTIC (PE Bag) weight (kg): 0.011			
	Product packaging material type(s): weight (kg):			
P13.2*	Product plastic packaging is free from PVC.	$\boxtimes$		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % (Japan only 70%)			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied			)
	information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such informatio			ion
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representa			1011
	information.			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## **Lenovo ErP Lot3 Information Sheet**

### - Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### **Products scope of this sheet:**

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Beacon	Logo
Model Number	(10165******);(90AN****)	_
Issue Date	2014/2/14	lenovo.
Additional information		

P7.3.1	Product environmental attributes			
(d)	year of manufacture: 2014			
(e)	internal/external power supply efficiency:			
	20% 50% 100% Average <i>88.65</i> % Other			
	Level: B			
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electric supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing			
	100V@60Hz; 115V@60Hz; 230V@50Hz			
(l-1)	the measurement methodology used to determine information mentioned in points (e):  Connect Power meter to test platform power supply AC socket			
	Install device driver for test platform			
	Turn off test platform, wait for 5 minutes and then log Power meter's power data			
(I-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:			
	Using stress tool to the system full loading(maximum)			
	After OS boot then and wait for 15 minutes, backlight has been turned off (Idle-Mode)			
	After OS boot then and wait for 30 minutes, system into the sleep status (Sleep-Mode)  Turn off system from OS (off-Mode)			
Additio	onal information			