


SOYNTEC



User Manual

Enjoy the advanced features of this technological product that we have developed with maximum guarantees for you.

HDD Dock Connectivity USB 3.0

SATA - USB 3.0

1. INTRODUCTION

Soyntec® thanks you for purchasing your new Soyntec® HDD Dock SATA - USB 3.0. We wish you enjoy using it.

With the last generation of interface USB: USB 3.0, this docking station for the connection between HDD and computer accelerates the data transfer rate up to 5 Gbps! 10 times faster than USB 2.0. Ideal for transferring large files and making backup copies. Moreover, with the OTB system, you can make backup copies by only pressing a button.

We suggest you read this user manual to enjoy this product with the best performance and in a safe way.

2. CARE AND MAINTENANCE

- ▶ Do not expose your Soyntec® HDD Dock SATA - USB 3.0 to shakes, dust, direct sun light, moisture or extreme temperatures.
- ▶ Do not use abrasive or corrosive cleaners.
- ▶ Keep the device clean and without dust with a soft and dry cloth.
- ▶ Use the power cable of your Soyntec® HDD Dock SATA - USB 3.0 in order to connect the device at the grid circuit.
- ▶ Do not disassemble the device. Any repair work must be performed by qualified Energy Sistem Soyntec's personnel.
- ▶ Keep distance to water or moisture that may be harmful to the product.

3. FEATURES

- ▶ Docking station for connection between HDD and computer with interface USB3.0 SuperSpeed, without using additional HDD enclosure.
- ▶ Data transfer rate up to 5 Gbps! 10 times faster than USB 2.0.
- ▶ Ideal for transferring large files and making backup copies.
- ▶ Allows using any 2.5" or 3.5" SATA hard disk drive.
- ▶ OTB system: One-Touch-Backup, makes backup copies by pressing one button.
- ▶ Supports SATA hard disk drive with capacity up to 3 TB.
- ▶ High reliability, shock and vibration resistance.
- ▶ ON/OFF switch.
- ▶ Compatible with SATA I / SATA II interface.
- ▶ Compatible with USB 3.0 / 2.0 / 1.1 / 1.0.
- ▶ Plug & Play.
- ▶ Hot swapping: disconnect hard disk drive without having to stop or alter normal computer operation.
- ▶ LED status indicator.
- ▶ Includes USB 3.0 cable.

- ▶ Includes power adaptor AC/DC 12V.
- ▶ Compatible with Windows 98* / ME / 2000 / XP / Vista / Windows 7 / Mac OS X / Linux.

* For the users of Windows 98, it's necessary to download and install the driver, available from CD enclosed in the pack or from www.soyntec.com, before connecting the HDD Dock SATA-USB3.0 with computer.


4. PRODUCT CONTENT

- ▶ HDD Dock SATA-USB 3.0.
- ▶ USB 3.0 Cable.
- ▶ Power adaptor AC/DC 12V.
- ▶ User Manual.
- ▶ Software CD.

5. INSTALLATION FOR HDD

Installation requirements:

- ▶ **Operation System:** Windows 2000, XP, VISTA, ME, Windows 7, Windows 98, Mac OS 9.1 or later version, Linux 2.4.X.
- ▶ **Computer processor:** AMD, Intel Pentium 133MHz or later version.



1. Introduce the hard disk drive (2.5" or 3.5") into the slot of HDD Dock, connecting the connector SATA of hard disk drive with that of the HDD Dock, push the hard drive firmly until fitting it well into the HDD Dock.
2. For the 3.5" hard disk drive, connect the DC plug of power cable (included in the pack) with the DC port (2) of HDD Dock, and connect the other end of power cable with an electrical outlet. For the 2.5" hard disk drive, the connection of power cable is optional.

3. Connect the USB B type end of the USB 3.0 cable (included in the pack) with the USB 3.0 port (3) of HDD Dock and connect the other end of USB 3.0 cable with an available USB port of your computer.

IMPORTANT NOTE: In order to enjoy the speed of USB3.0, the USB cable and the interface USB of computer should be USB3.0 (intergraded interface or external interface by Host controller PCI-Express or Host controller ExpressCard). Otherwise, the data transfer speed would be limited by the speed of interface USB of the computer.

4. Press the ON/OFF button to turn on the HDD Dock, The LED status indicator (6) will start to blink (about 10 seconds), when the computer detects the new hardware correctly, the LED indicator (6) will remain on.
5. You can use the ON/OFF switch (4) to turn on or turn off the hard drive without connecting or disconnecting the power cable. Maintaining the hard drive off while it's not in use will increase life of hard drive.

6. INSTALLATION OF SOFTWARE PC CLONE EX:

Installation requirements:

Operation System: Windows 2000, XP, VISTA, ME, Windows 7, Windows 98, Mac OS 9.1 or later version, Linux 2.4.X.

Computer processor: AMD, Intel Pentium 133MHz or later version.

Soyntec® HDD Dock SATA - USB 3.0 also offers the possibility to make back up copies by pressing only a single button, once the software PC CLONE EX is correctly installed in your computer, you can use the OTB button (One-Touch-Backup) (4) of HDD Dock SATA - USB 3.0 to make back up copies more comfortably.

1. You can download and install the software PC CLONE EX from the CD included in the pack or from the website: www.soyntec.com
2. Once you install the software with the correct steps indicated, it allows performing different actions, for example, you can filter the content by selecting the files you want to make back up copies.

7. GENERAL NOTES

The characteristics of equipment will affect the data transfer speed of USB3.0.

You are recommended to use Windows “Safely remove hardware” utility before removing the connection of enclosure from your computer.

8. SPECIAL GUARANTEE

Soyntec® guarantee that your product does not have any material, design or manufacture defect and provides 36 month guarantee.

Guarantee procedure.

1. Visit the Support section at <http://support.soyntec.com> and select your product to view the FAQ (Frequently Asked Questions). The solution to your problem is very likely to have been already published there. You will also be able to download user manuals, user guides, drivers and updates.
2. If you can not find an appropriate solution in the Support section, you may send us your enquiry or warranty service request using this mail: **support@soyntec.co.uk**
3. You may also reach by phone at the warranty service number 902 294 294. Make sure to have your purchase receipt or invoice and the product's serial number at hand when you call.
4. Alternatively, you may prefer to contact the distributor from which you purchased the product, presenting them the receipt or invoice. Specifications are subject to change without notice.

© 2011 by Energy Sistem Soyntec. All rights reserved.

Trademarks.

All company brand and product names are trademarks or registered trademarks of their respective companies.



9. AGREEMENT DECLARATION

Supplier Name: Energy Sistem Soyntec S. A.

Address: Pol. Ind. Finestrat C/ Calpe 1, 03509 Finestrat
Alicante - SPAIN

Tel: 902 388 388

Fax: 902 119 034

NIF: A53107488

We declare under our own exclusive responsibility the product agreement:

Soyntec® HDD Dock SATA - USB 3.0

Manufacturing country: China

Which concern this agreement, with the norm(s) or other(s) formative(s) document(s). EN60950-1:2006+A11:2009

In accord with the disposition of the Directive 93/68/CEE, from the European Parliament and the Counsel from 22th July 1993, transponed to the spaish legislation through the Real Decree 1950/1995, from 1th December 1995.

SOYNTEC 

www.soyntec.com