



Product environmental attributes - THE ECO DECLARATION

Brand *	Toshiba	Logo		
Company name	Toshiba Europe GmbH			
*		TOSHIBA		
Contact	Toshiba Europe GmbH			
information *	Environmental Affairs and Product Conformity	Leading Innovation >>>		
	Recycling-information@toshiba-teg.com			
Internet site *	http://www.toshiba-europe.com/computers/environment			
Additional				
information				

The company declares (based on product specification or test results based obtained from sample testing), that the product			
conforms to the statements given in this declaration.			
Type of product *	Portable PC		
Commercial name *	Tecra R10		
Model number *	Tecra R10 (PTRB3)		
Issue date *	November 18, 2008		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality (Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Tecra R10 (PTRB3)		
Issue date *	November 18, 2008	Logo	TOSHIBA Leading Innovation >>>

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations		_	
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20th 2007	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	X		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)			
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	X		

Model number *	Tecra R10 (PTRB3)		
Issue date *	November 18, 2008	Logo	TOSHIBA Leading Innovation >>>

Product environmental attributes - Market requirements - Environmental conscious design Requirement met							
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re		,				
P7.1*		to be treated separately	y are easily separable	\boxtimes			
P7.2*	Plastic materials	in covers/housing hav	e no surface coating.		$\overline{\boxtimes}$		
P7.3*	Plastic parts >10	00g consist of one mate	erial or of easily separable materials.		Ħ	T	
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.				
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available t	tools.	Ħ	Ħ	
P7.6*			irement does not apply to safety/regulatory labels).		Ħ	Ħ	
	Product lifetime						
P7.7*	Upgrading can b	e done e.g. with proce	ssor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can b	e done using common	ly available tools		$\overline{\Box}$		
P7.9.	Spare parts are	available after end of p	production for: 5 years				
P7.10	Service is availa	ble after end of produc	tion for: See P14 years			Ħ	
	Material and su	bstance requirement	s				
P7.11*		ousing material type:					
D7.40*	Material type: M		Material type: (PC+ABS)-TD5FR(40) Material type:				
P7.12*			ower cables are halogen free (including PVC)			Щ.	
P7.13*			gnal cables are halogen free (including PVC)			Ц_	
P7.14		g plastic parts >25g are		\boxtimes	Щ.	Щ.	
P7.15			onents) >25g are halogen free				
P7.16	FR(40)		ants in cover / housing plastic parts >25g according ISO 1043				
P7.17	Chemical specifi ISO 1043-4: FR		ants in printed circuit boards (without components) >25g acco	rding			
P7.18	Weight of recycled material in plastic parts is 1.8g						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury						
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries						
P8.1*		t contain batteries defi	ned as hazardous according to 91/157/EEC				
P8.2*	Battery chemical composition: <i>Main battery: Li-lon, RTC battery: NiMH</i>					Ħ	
P8.3	Batteries meet the	ne requirements of the	following voluntary program/s: Do not use Ni-Cd batteries, F	Pb-free			
P9	except primary Energy consum						
9.1			els or energy consumptions have been measured:				
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Reference/ Standard		n.a.	
On-max	W		*	*			
On- normal	* 20.5 W	600 to On-idle	* Idle + LCD On	*			
On-idle	13.9 W	300 to Save1	* Idle state	*ENERGY ST	4R		
Save 1	* 1.80 W	to	* Sleep mode with WOL	*ENERGY ST	4R		
Save 2	1.32 W	to	* Sleep mode	*ENERGY ST	4R		
Off 1	* 1.47 W	to	* Off mode with WOL	*ENERGY ST	4R	\Box	
Off 2	0.52 W	to	* Off mode	*ENERGY ST	4R		
No load	* 0.29 W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* kWh/v	<u>l</u> Typical Energy Consur		*		\boxtimes	
P9.2*	•	,, 0,	tion is provided with the product.				
P9.3		<u> </u>	nents of the following voluntary program/s:				
. 5.5	ENERGY STAR Others specify:		ionio of the following voluntary programs.				

Model number *	Tecra R10 (PTRB3)		
Issue date *	November 18, 2008	Logo	TOSHIBA Leading Innovation >>>

		tributes - Market requirements (continue					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.						
P10	Emissions						
	Noise emission – Declared according to ISO 9296						
P10.1	Mode	Mode description	Declared	Declared A-weight	ed		
		·	A-weighted	sound pressure level L	_{pAm} (dB)		
			sound power	Operator position Bysta	nder positions		
			level L _{WAd} (B)				
					product is not ator attended)		
	Idle	* ISO7779 idle	* 2.87 B				
	Operation	* ISO7779 Operation-HDD	* 3.07 B				
	Other mode	ISO7779 ODD (When ODD operates)	4.56 B				
	Measured accor	rding to: X ISO 7779 ECMA-74		1	-		
			d by ECMA-74 wit	h L _{pAm} measurement distance	m)		
P10.2	The product me	ets the acoustic noise requirements of the fo	llowing voluntary	program/s: Less than 43dB	\square		
	sound power u	inder normal office use					
D40.0*		sions from printing products					
P10.3*	•		specify:			\boxtimes	
D40.4	The test covers:						
P10.4	<u> </u>	ets the chemical emission requirements of the	ne following volun	tary program/s:			
P10.5	Electromagneti	ic emissions by meets the requirement for low frequency of	la atramagnatia fi	olds of the following voluntary			
P10.5	program/s:	meets the requirement for low frequency of	electromagnetic ne	elds of the following voluntary		Ш	
P11		aterials for printing products					
P11.1*	(see P4.3).						
P11.2*						\boxtimes	
P11.3*						X	
P12		r computing products					
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.						
P12.2*						\boxtimes	
P12.3*	The computer input device meets the requirements of ISO 9241-9.						
P13		documentation					
P13.1*	Product packagi	ing material type(s): Cardboard ing material type(s): Plastics ing material type(s): weight (kg):	weight (kg): 6 weight (kg): 6				
P13.2*		packaging is halogen free (including PVC)					
P13.3*	User and produc	ct documentation do not contain chlorine ble	ached paper			$\overline{\Box}$	
P13.4*	User and produc	ct documentation contain recycled paper					
P14	Additional info						
P7.10	Service period	depends on service agreement					
P7.15, P7.17		as no printed circuit board (without comp					
P9	standard configure changes the er	ncy information published on The Eco De guration meeting ENERGY STAR specific nergy efficiency data listed above.	ations. Use of di	fferent configurations or option	onal devices		
P10		information published on The Eco Decla Characteristics of models with different o			el with standa	ard	
	Information contained in this document is approximate and provided for informational purposes only. Toshiba provide this information without warranties of any kind neither expressed nor implied including but not limited to warranties fo a particular purpose. Toshiba does not warrant that the content will be error free. All information in this document is provided to the best of Toshiba's knowledge at the time of completion, and Toshiba has no obligation to update such information.					s for is	