


THE CLAPPER®

CLAP ON! CLAP OFF!

**Sound
activated
on/off switch!**



Joseph Enterprises, Inc.

425 California Street, Suite 300
San Francisco, California 94104

THE CLAPPER®

Congratulations! You are now the owner of The Clapper. The Clapper is a sound activated on and off switch for appliances. The Clapper can operate either one or two appliances by clapping two times to operate the first appliance and three times to operate the second appliance.

The Clapper can also serve as a limited function security device. While in the AWAY mode, almost any noise will turn on the connected appliance(s) to discourage potential intruders. The AWAY mode is also convenient for temporarily turning on a light when entering a dark room such as a garage or basement. No need to clap, any noise will turn on the lights!

For **QUICK INSTRUCTIONS** on operating your Clapper, please refer to the yellow Quick Tips card. The following are more detailed instructions on how to properly use your Clapper.

FEATURES:

This model is equipped with three special features: Clap Detection Lights, Auto Sound Sensitivity and the Away Mode.



HOW TO OPERATE AN APPLIANCE WITH 2 CLAPS:

1. Set the three position switch on the side of the unit to the HIGH position.
2. Plug an appliance into the top receptacle of The Clapper.
This is the receptacle next to the “II.”
3. Plug the Clapper into the wall socket.
4. Manually turn the appliance on.
5. You can now turn your appliance on or off by clapping.
You don't have to clap very hard! The clapping sequence is more important than how loudly you clap.

CLAP (pause) CLAP (pause) (pause) (pause)

where each pause is approximately 1/2 second long. The three pauses after the second clap are very important since The Clapper must determine that you are not going to clap a third time. If you did clap a third time, the appliance connected to the II clap receptacle would not activate.



HOW TO OPERATE AN APPLIANCE WITH 3 CLAPS:

1. Set the three position switch on the side of the unit to the HIGH position.
2. Plug an appliance into bottom receptacle of The Clapper.
3. Plug Clapper into the wall socket.
4. Manually turn the appliance on.
5. You can now turn your appliance on or off by clapping.
You don't have to clap very hard. The clapping sequence is more important than how loudly you clap:


CLAP (pause) CLAP (pause) CLAP (pause)

where each pause is approximately 1/2 second long. The last pause after the third clap is very important since The Clapper must determine if you are not going to clap a forth time. If you did clap a fourth time, the appliance would not activate.



CLAP DETECTION LIGHTS The three Red lights on the face of the Clapper will help you determine the proper way to clap your appliances on or off. Each clap detection light will glow when a proper clap (or similar sound) is detected.

Claps that are too soft will not be detected. Claps that are too fast or too slow will be rejected as noise and as a result the appliance will not activate. When the Clapper detects the **first clap** (or similar sound) the first light will glow. The second light will glow if a **second clap** is detected about _ second after the first clap occurs. If the Clapper does not detect a **third clap**, it will have activated the appliance attached to the “II Clap socket.” If a third clap is detected, then the third light will glow and the appliance connected to the “III Clap Socket” will activate.



AUTO SOUND SENSITIVITY: If room noise is detected or if the 2 clap or 3 clap sequences are not proper, the Clapper will reject the sounds as noise. It indicates that it has rejected the noise by turning the LEFT and RIGHT clap detection lights on and automatically reduces the sensitivity of the Clap detection. This feature of automatically reducing the clap detection sensitivity helps to reduce background noises from turning on the appliances. The LEFT and RIGHT lights will remain on until the background noise is not detected. You can still clap while the lights are on, but because of the background noise you will need to clap louder. When the lights go off the sensitivity of the Clapper Clap detection is at its greatest.

You may notice the lights glowing occasionally even if you have not clapped. This is not unusual as The Clapper has detected sounds that are similar to a clap. Your appliances should not activate as it would require a second or third sound similar to a clap within the proper time allowed.

By observing the clap detection lights you can become familiar with the types of claps (or similar sounds) that will activate your appliances attached to The Clapper.



MANUAL SOUND SENSITIVITY


You can also manually adjust your Clapper to respond to soft or loud claps, as well as adjust for the noise level in your room.

Placing the three position switch on the side to the Clapper to the HIGH position puts the Clapper in the high sensitivity mode. This is helpful if your claps are soft or if The Clapper is far away. Your appliance, however, may occasionally turn on or off unexpectedly as the Clapper may detect other noises similar to your claps.

Sliding the switch to LOW will put the Clapper into the low sensitivity mode. This is helpful if there is a lot of external noise in the room that may falsely activate your appliances. By adjusting the three position mode switch to the high or low sensitivity, you will be able to activate your appliances easily and, with less false activation due to external noises. Sliding the switch all the way down to the AWAY position will put the Clapper in the AWAY mode (See below).

For use in very noisy environments the Clapper has a third sensitivity level. To activate this sensitivity level:

1. Put the HIGH- AWAY slide switch into the Away position.
2. Slide the switch from AWAY to HIGH back to AWAY 3 times.
3. All 3 red lights will now be on. They will remain on for about 10 seconds and then turn off. Now the Clapper is in the very low sensitivity mode.
4. To return to regular operations just move the slide switch out of the Away position.



THE AWAY SETTING

When in the AWAY mode, both appliances will turn on with the detection of any sound.

To operate The Clapper in the AWAY mode

1. Slide the three position switch to the AWAY position.
2. Both sockets will turn on. This allows you to leave the room with the lights on. After 10 seconds without hearing a noise, both lamps will turn off.
3. The Left Red clap detection light will blink to indicate the Clapper is in the Away Mode.
4. If a sound is heard your lamps will turn on and they will remain on for about 10 minutes and then turn off. Then the Clapper, resetsting itself until the next sound is detected.



Hints and Tips

If the Clapper does not turn on while Clapping:

- a. Make sure the Clapper is plugged in properly. When the clapper is first plugged in the red lights on the front of the Clapper will sequence through a start up pattern. Wait for these lights to stop flashing before you start to clap.
- b. Make sure the Appliance is plug into the Clap II or Clap III receptacle.
- c. Make sure the Appliance is turned on.
- d. Make sure the Claps are loud enough and have the correct timing. See above for the timing of the claps.



IMPORTANT SAFETY NOTES

1. Do not use The Clapper with any electrical heating appliances such as toasters, hair dryers, coffee pots, etc.
2. Do not use The Clapper with any appliance that can create a fire hazard with prolonged use.
3. The maximum wattage for an appliance is 250 watts in either outlet and 150 watts in the second outlet. Do not exceed 400 watts total.

WE WELCOME YOUR FEEDBACK

Please feel free to write us at: JOSEPH ENTERPRISES 425 California Street #300, San Francisco, CA 94104. Many questions can be answered by calling our Clapper Hotline at 800-557-5856 or emailing: customerservice@jeiusa.com.



THIRTY (30) DAY LIMITED WARRANTY

Joseph Enterprises offers a thirty (30) day limited warranty to the original purchaser of The Clapper.[®] The warranty covers defects in workmanship and materials only. It does not apply to product failures resulting from accidental damage, neglect, misuse or any other cause not associated with defects in workmanship or materials.

Should The Clapper[®] prove to be defective within the thirty (30) days from the date of purchase, the product will either be repaired or replaced, at Joseph Enterprises' discretion, free of charge.

To receive warranty service, return the product insured, along with proof of purchase date and postage pre-paid to the address below.

Purchasers are advised to carefully read and follow the operating and safety instructions contained in this book and included on the back of the product.

THIS PARTICULAR WARRANTY SHALL DISCLAIM JOSEPH ENTERPRISES' OBLIGATION AND SOLE RESPONSIBILITY RESPECTING THE PRODUCT AND ALL OTHER WARRANTIES, IMPLIED OR EXPRESSED, INCLUDING IMPLIED WARRANTIES OF FITNESS FOR A SPECIFIC PURPOSE. JOSEPH ENTERPRISES DOES NOT AUTHORIZE RETAILERS AND OTHERS TO MAKE ANY WARRANTY CONCERNING THE PRODUCT.

SOME STATES DO NOT PERMIT TIME LIMITATIONS ON AN IMPLIED WARRANTY, OR LIMITATION OR EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS MAY NOT PERTAIN TO YOU. THIS WARRANTY GRANTS YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE ADDITIONAL RIGHTS THAT VARY FROM STATE TO STATE.

CAUTION: NOT FOR INTERRUPTING CURRENT
Indoor Dry Location Use Only