

USER'S MANUAL



RX-340 WIRELESS

www.sven.fi

User's Manual

RX-340 WIRELESS

Congratulations on your purchase of the SVEN PC mouse!

Please read the following instructions carefully before connecting, operating or adjusting this product. Besides, please keep this Manual in a safe place for future reference.

COPYRIGHT

© 2014. SVEN PTE. LTD. Version 1.0 (V 1.0).

This Manual and information contained in it are copyrighted. All rights reserved.

TRADEMARKS

All trademarks are the property of their legal holders.

NOTICE OF RESPONSIBILITY RESTRICTION

Despite the exerted efforts to make this Manual more exact, some discrepancies may occur. The information in this Manual is given on "as is" terms. The author and the publisher do not bear any liability to a person or an organization for loss or damage which has arisen from the information contained in this Manual.

CONTENTS

1. SPECIAL FEATURES	2
2. PACKAGE CONTENTS	2
3. SYSTEM REQUIREMENTS	2
4. DESCRIPTION	3
5. INSTALLATION	3
6. TROUBLESHOOTING	6
7. TECHNICAL SPECIFICATIONS	6



1. SPECIAL FEATURES

- BlueLED advanced optical technology
- · Power saving wireless technology
- · Effective on most surfaces
- · High speed operation
- · 2.4GHz USB nano receiver included (range up to 10 m)
- Resolution switch
- · Resolution 1000/1600 dpi
- 5 function buttons
- Two Forward and Back navigation buttons
- USB interface
- Powered by AAA battery
- Drivers installation is not required for Windows XP/Vista/7/8
- · Soft Touch coating

2. PACKAGE CONTENTS

- Optical mouse 1 pc
- 2.4 GHz USB nano receiver 1 pc
- AAA battery 1 pc
- User's Manual 1 pc
- Warranty card 1 pc


3. SYSTEM REQUIREMENTS

- Windows XP/Vista/7/8.
- · Free USB port.

User's Manual

4. DESCRIPTION

- 1 Scroll wheel
- Dpi resolution switch
- ③ Additional navigation buttons
- ④ Power switch
- ⑤ Optical sensor
- ⑥ Battery compartment
- USB connector
- ⑧ Nano receiver



RX-340

WIRELESS

Fig. 1. Top view




Fig. 2. Bottom view



Fig. 3. Nano receiver

5. INSTALLATION

• Open the cover of the mouse battery compartment (s), insert the AAA battery into the battery compartment matching the polarity, and close the cover of the battery compartment (see Fig. 4).

• Connect the included nano receiver (1) to a free PC USB port (Fig. 5).



 Turn on the mouse with the ON/OFF switch ③ (the ON position). To activate the mouse, press any button of the mouse or turn the scroll wheel. If the mouse is connected correctly, it will turn on automatically.




Fig. 4. Battery installation



Fig. 5. Receiver connection

User's Manual

RX-340 WIRELESS

After finishing work turn off the mouse with the power switch ③ (the OFF position). After this, you can pull out the receiver ③ from the PC USB port and insert it into the mouse (Fig. 6). When using the receiver again, pull it out from the mouse (Fig. 7) and connect it to the PC USB port again.

• Do not place the receiver into a confined metal space (table drawer, box, safe), as a metal screen does not transmit radio signals.

• If the battery runs down, the mouse works in jerks. It means that the battery should be replaced with a new one, as it is shown in Fig. 4.



Fig. 6. Fitting the receiver into the mouse case



Fig. 7. Extraction of the receiver from the mouse case

Important

This device meets the highest standards of energy conservation. During long pauses in operation the mouse enters the economical Sleep mode. To enter the working mode just press any button or turn the scroll wheel.



6. TROUBLESHOOTING

Problem	Solution
The mouse does not work.	 Make sure that the nano receiver has been inserted into a USB port and its distance to the mouse is less than 10 m. Check whether the battery has been installed correctly. Check if the battery has run down, replace the battery with a new one if necessary. Address nearest authorized service center.

7. TECHNICAL SPECIFICATIONS

Parameter	Value
OS compatibility	Windows XP/Vista/7/8
Type of mouse	wireless 2.4 GHz
Resolution, dpi	1000/1600
Q-ty of buttons	5 + 1 (scroll wheel)
Interface	USB
Dimensions, mm	65 × 36 × 98
Weight, g	60.5

Notes:

• Technical specifications given in this table are supplemental information and cannot give occasion to claims.

• Technical specifications are subject to change without notice due to the improvement of SVEN production.





Mogenь: RX-340 Wireless

Импортер в России: ООО «СКАНДИТРЕЛ», 111024, РФ, г. Москва, ул. Авиамоторная, д. 65, стр. 1. Уполномоченная организация в России: ООО «РТ-Ф», 105082, г. Москва, ул. Фридриха Энгельса, д. 75, стр. 5.

Условия гарантийного обслуживания смотрите в гарантийном талоне или на сайте www.sven.fi. Гарантийный срок: 12 мес. Срок службы: 2 года. Производитель: «СВЕН ПТЕ. Лимитед», 176 Джу Чиат Роуд, № 02-02, Сингалиру, 427447. Произведено под контролем «Свен Скандинавия Лимитед», 48310, Финляндия, Котка, Котолахдентие, 15. Сделано в Китае.

Manufacturer: SVEN PTE. LTD., 176 Joo Chiat Road, № 02-02, Singapore, 427447. Produced under the control of Oy Sven Scandinavia Ltd. 15, Kotolahdentie, Kotka, Finland, 48310. Made in China.

® Registered Trademark of Oy SVEN Scandinavia Ltd. Finland. RX-340 WIRELESS