

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem-ail.html	WP)
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (b	pased on product specification or test results based obtained from sample testing), that the product
conforms to the statement	ts given in this declaration.
Type of product *	Server
Commercial name *	HP Cloud Line 2200 G3 1211R Server
Model number *	CL 1211R G3
Issue date *	Tuesday, 02 June 2015
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control Re			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	CL 1211R G3		
Issue date *	Tuesday, 02 June 2015	Logo	

Product	oduct environmental attributes - Legal requirements			t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.hp.com/go/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	X		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	CL 1211R G3		
Issue date *	Tuesday, 02 June 2015	Logo	

Product	uct environmental attributes - Market requirements - Environmental conscious design Requirement met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		<u> </u>		
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes	$\overline{\Box}$		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		一百	\Box	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		一百	市	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		一百	Ħ	
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			П	
P7.8*	Upgrading can be done using commonly available tools		一百	市	
P7.9.	Spare parts are available after end of production for: years			Ħ	
P7.10	Service is available after end of production for: years			青	
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: PC+ABS Material type: Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes		
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes		
	Note B2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)				
P7.17	Alt. 1				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: <i>Organic phosphorus</i>	\boxtimes	Ш		
	compounds/halogen free Organic phosphorus compounds/9,10-Dihydro-9-oxa-10-				
	phosphaphenanthrene 10-oxide, CAS #: NA/35948-25-5/40				
		\boxtimes			
	Alt. 2 Chemical appointment of flower retardents in printed circuit boards (without components) > 2Fg according				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR-16/FR-40</i>				
P7.18	Alt. 1				
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	Ш	Ш	\boxtimes	
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	FR(40)	\boxtimes			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		一百	Ħ	
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sources are free from mercury	\boxtimes			
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg				
P8.1*	Battery chemical composition: <i>Lithium</i>				
P8.2	Batteries meet the requirements of the following voluntary program/s:				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	CL 1211R G3		
Issue date *	Tuesday, 02 June 2015	Logo	

Product environmental att	environmental attributes - Market requirements (continued) Requirement me				met	
Item					Yes No	n.a.
P9 Energy consumpti						
For the product the following power levels or energy consumptions are reported:						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard for energy modes and test method *	
	W	W	W			
	W	W	W			
	W	W	W			\boxtimes
	W	W	W			
	W	W	W			
	W	W	W			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W			
PTEC * Typical Energy Consumption	W	W	W			
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/we	ek		
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/ye	ar		
Display resolution* : Me	gapixels					\boxtimes
Print Speed * : Ima	ages per minute					
Default time to enter energy sav	ve mode: minute	es				\boxtimes
P9.2* Information about the	ne energy save function	n is provided with t	ne product.			\boxtimes
P9.3* The product meets ENERGY STAR® v Others specify:	the energy requirement rersion: Tier:	nts of the following Product categ	_	n/s:		\boxtimes
P10 Emissions						
	Declared according to	ISO 9296	Declared	I	Dealared A weighted	l
P10.1 Mode N	lode description		Declared A-weighted		Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB)	
			sound power			
			level L_{WAd} (B)	Ope	rator position Bystander positions	
					or Desk side (only if product is not operator attended)	
w	One or more steady-st hich the equipment be nergized but is not ope	ing tested is	* (B)		(dB)	
te	Condition in which the ested is performing its inction(s)		* (B)	(dB)		
Other mode						
Measured according	Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{DAm} measurement distance m)					
P10.2 The product meets						

Model number *	CL 1211R G3		
Issue date *	Tuesday, 02 June 2015	Logo	

Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:	Product 6	environmental attributes - Market requirements (continued)	equire	ment	met
P10.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:		· · · · · ·			
P10.4 Typical emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC P10.5 Chemical emission requirements of the following voluntary program/s are met for: Dust Ozone Styrene Benzene TVOC P10.5 Chemical emission requirements of the following voluntary program/s are met for: Dust Ozone Styrene Benzene TVOC P10.5 Chemical emissions P10.6 Chemical emissions P11.7 Chemical emissions P11.7 Chemical emissions P11.8 Chemical emission P11.8 Chemical emissions P11.8 Chemica		Chemical emissions from printing products			
Dust Ozone Styrene Benzene TVOC P10.5 Chemical emission requirements of the following voluntary program/s are met for: Dust Ozone Styrene Benzene TVOC Electromagnetic emissions P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11. Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of N12.2* Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Packaging and documentation P13.1* Product packaging material type(s): polystyrene foam Product packaging material type(s): paper/corrugated Weight (kg): 0.8 Weight (kg): 3.7 Product packaging material type(s): paper/corrugated Weight (kg): 0.99 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper W, Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P14. Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.5 Chemical emission requirements of the following voluntary program/s are met for: Dust	P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
Dust					
Electromagnetic emissions P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): polystyrene foam weight (kg): 0.8 Product packaging material type(s): paper/corrugated weight (kg): 3.7 Product packaging material type(s): paper/corrugated weight (kg): 0.09 P13.2* Product plackaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper Officer Polysian Product packaging is free from PVC. P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P14. Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P10.5				\boxtimes
P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11.1 Consumable materials for printing products P11.1 A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P12.4 Ergonomics for computing products P12.1 The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2 The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1 Packaging and documentation P13.1 Product packaging material type(s): polystyrene foam Product packaging material type(s): paper/corrugated Weight (kg): 0.8 Weight (kg): 3.7 Product packaging material type(s): per Weight (kg): 0.09 P13.2 Product packaging is free from PVC. P13.3 Specify media for user and product documentation (tick box): Electronic Paper Goder Declaration covers and product documentation please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no					
P11.1° A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2° Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of SN12281. P11.3° 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1° The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2° The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1° Product packaging material type(s): polystyrene foam weight (kg): 0.8 Product packaging material type(s): paper/corrugated weight (kg): 3.7 Product packaging material type(s): PET weight (kg): 0.09 P13.2° Product plastic packaging is free from PVC. P13.3° Specify media for user and product documentation (tick box): Electronic Paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	D40.0	∀		_	
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): polystyrene foam Product packaging material type(s): paper/corrugated Weight (kg): 0.8 Weight (kg): 3.7 Product packaging material type(s): PET Weight (kg): 0.09 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper Officer	P10.6				\boxtimes
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): polystyrene foam Product packaging material type(s): paper/corrugated Weight (kg): 0.8 Weight (kg): 3.7 Weight (kg): 0.99 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper Other O	P11	Consumable materials for printing products			
EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): polystyrene foam weight (kg): 0.8 Product packaging material type(s): paper/corrugated weight (kg): 3.7 Product packaging material type(s): PET weight (kg): 0.09 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper On the Polymore Polymo	P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13. Packaging and documentation P13.1* Product packaging material type(s): polystyrene foam weight (kg): 0.8 Product packaging material type(s): paper/corrugated weight (kg): 3.7 Product packaging material type(s): PET weight (kg): 0.09 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P11.2*				
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Packaging and documentation P13.1* Product packaging material type(s): polystyrene foam weight (kg): 0.8 Product packaging material type(s): paper/corrugated weight (kg): 3.7 Product packaging material type(s): PET weight (kg): 0.09 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): polystyrene foam weight (kg): 0.8 Product packaging material type(s): paper/corrugated weight (kg): 3.7 Product packaging material type(s): PET weight (kg): 0.09 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P12				
P13.1* Product packaging material type(s): polystyrene foam weight (kg): 0.8 Product packaging material type(s): paper/corrugated weight (kg): 3.7 Product packaging material type(s): PET weight (kg): 0.09 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			X
P13.1* Product packaging material type(s): polystyrene foam	P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
Product packaging material type(s): paper/corrugated Product packaging material type(s): PET Weight (kg): 0.09 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no					
Product packaging material type(s): PET weight (kg): 0.09 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P13.1*				
P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no					
P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	D13 2*				
Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	-	, , , , , , , , , , , , , , , , , , , ,			
Rev. User and product documentation do not contain chlorine bleached paper P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P13.3				Ш
P13.5 P14 Additional information (See Note B4) The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P13.4*				
The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, such as extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no		User and product documentation do not contain chlorine bleached paper			
hard disks or graphic cards with fans etc, these can change energy and acoustics values for which HP can take no	P14				
					xtra
			van tak	е по	
	P9	Table 1997 A			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19