




<b>New arrival !!! Model:F896</b>	<b>Program:Ambarella A2S60+ Micron MI5100</b>	
	<p style="text-align: center;"><b>With IR cut filter switch</b></p> <p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>Full HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264 Loop recording;Record During Charging;<b>Wide-Angle Lens 120°</b> Time and date Stamp;Delay shutdown time <b>Infra-Red Night-Vision</b>;Screen sleeping mode;<b>Motion Detect</b> <b>2.0" LCD</b>; 4x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: USB/TV/<b>HDMI</b> Standard accessories: USB cable,TV cable,HDMI cable, <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: CM; 30PCS/CTN G.W:
<b>exclusive !! Model:F894</b>	<b>Program:Ambarella A2S60+ Micron MI5100</b>	
	<p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264 Loop recording;Record During Charging;<b>Wide-Angle Lens 120°</b> Time and date Stamp;Delay shutdown time <b>Infra-Red Night-Vision</b>;Screen sleeping mode;<b>Motion Detect</b> <b>2.0" LCD</b>; 8x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: USB/TV/<b>HDMI</b> Standard accessories: USB cable,TV cable,HDMI cable, <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: CM; 30PCS/CTN G.W:
<b>exclusive!!! Model:F892</b>	<b>Program:Ambarella A2S60+ Micron MI5100</b>	
	<p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264,<b>Wide-Angle Lens 120°</b>; Loop recording; Record During Charging Time and date Stamp;Delay shutdown time;<b>Remote Control</b> <b>Infra-Red Night-Vision</b>;Screen sleeping mode; <b>SOS button</b> <b>2.0" LCD</b>; 4x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: USB/TV/<b>HDMI</b> Size: 96x53x23mm; Weight: 100g (without batteries and card) Standard accessories: USB cable,TV cable,HDMI cable, pouch, <b>Russian/English/Chinese user manual</b>.,Car Charger,Bracket</p>	Packing: CM; 30PCS/CTN G.W:


<p><b>New!!! Model:F890</b></p>	<p><b>Program:Ambarella A2S60+ Micron MI5100</b></p>	
	<p><b>Build in GPS</b></p> <p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) <b>Video format:MPEG-4 AVC/H.264,Wide-Angle Lens 120°;</b> <b>Cycle recording and section recording</b> <b>Motion detect recording functions</b> Automatically start recording when ignition start-up 1.5" LCD; 4x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Polymer Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: USB/TV/<b>HDMI</b> Size: 96x53x23mm; Weight: 100g (without batteries and card) Standard accessories: USB cable,TV cable,HDMI cable, pouch, <b>Russian/English/Chinese user manual</b>.,Car Charger,Bracket</p>	<p>Packing: CM; 30PCS/CTN G.W:</p>
<p><b>competitive!!! Model:F888</b></p>	<p><b>Program:Ambarella A2S60+ Micron MI5100</b></p>	
	<p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264,<b>Wide-Angle Lens 120°;</b> <b>High-speed Camera,Motion detect recording functions</b> Automatically start recording when ignition start-up,<b>G-sensor</b> 1.5" LCD; 4x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Polymer Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: USB/TV/<b>HDMI</b> Size: 96x53x23mm; Weight: 100g (without batteries and card) Standard accessories: USB cable,TV cable,HDMI cable, pouch, <b>Russian/English/Chinese user manual</b>.,Car Charger,Bracket</p>	<p>Packing: CM; 30PCS/CTN G.W:</p>
<p><b>New!!! Model:F886</b></p>	<p><b>Program:Ambarella A2S60+ Micron MI5100</b></p>	
	<p><b>Build in GPS</b></p> <p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264,<b>Wide-Angle Lens 120°;</b> <b>High-speed Camera, Build in GPS,Google map</b> <b>Motion detect recording functions</b> <b>Matching LED for supplementing light at night</b> <b>Seamless continuous recording, will not miss any data</b> Automatically start recording when ignition start-up 1.5" LCD; 4x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Polymer Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: USB/TV/<b>HDMI</b> Size: 96x53x23mm; Weight: 100g (without batteries and card) Standard accessories: USB cable,TV cable,HDMI cable, pouch, <b>Russian/English/Chinese user manual</b>.,Car Charger,Bracket</p>	<p>Packing: CM; 30PCS/CTN G.W:</p>




<b>New!!! Model:F884</b>	<b>Program:Ambarella A2S60+ Micron MI5100</b>	
	<p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) <b>Video format:MPEG-4 AVC/H.264,Wide-Angle Lens 120°;</b> <b>High-speed Camera,G-sensor</b> <b>Seamless continuous recording, will not miss any data</b> <b>Matching LED for supplementing light at night</b> Automatically start recording when ignition start-up 1.5" LCD; 4x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Polymer Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: <b>USB/TV/HDMI</b> Size: 96x53x23mm; Weight: 100g (without batteries and card) Standard accessories: USB cable,TV cable,HDMI cable, pouch, <b>Russian/English/Chinese user manual</b>.,Car Charger,Bracket</p>	<p>Packing: CM; 30PCS/CTN G.W:</p>

<b>New !!!! Model:F882</b>	<b>Program:Ambarella A2S60+ Micron MI5100</b>	
	<p><b>With IR cut filter switch</b> 5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264 Loop recording; Record During Charging;<b>Wide-Angle Lens 120°</b> Time and date Stamp;Delay shutdown time <b>Infra-Red Night-Vision</b>;Screen sleeping mode;<b>Motion Detect</b> <b>2.0" LCD</b>; 4x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: <b>USB/TV/HDMI</b> Size: 96x53x23mm; Weight: 100g (without batteries and card) accessories: USB cable,TV cable,HDMI cable, hand strap,pouch <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	<p>Packing: 46.5*42.5*38.5CM; 30PCS/CTN G.W: 18.9KG</p>

<b>Promotion !!!! Model:F880</b>	<b>Program:Ambarella A2S60+ Micron MI5100</b>	
	<p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264 Loop recording; Record During Charging;<b>Wide-Angle Lens 120°</b> Time and date Stamp;Delay shutdown time <b>Infra-Red Night-Vision</b>;Screen sleeping mode;<b>Motion Detect</b> <b>2.0" LCD</b>; 4x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: <b>USB/TV/HDMI</b> Size: 96x53x23mm; Weight: 100g (without batteries and card) accessories: USB cable,TV cable,HDMI cable, hand strap,pouch, <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	<p>Packing: 46.5*42.5*38.5CM; 30PCS/CTN G.W: 18.9KG</p>

<b>New design!!! Model:F878</b>	<b>Program:Ambarella A2S60+ Micron MI5100</b>	
	<p><b>5.0Megapixel CMOS Sensor</b>;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30FPS;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264,<b>Wide-Angle Lens 120°</b>; Loop recording; Record During Charging Time and date Stamp;Delay shutdown time <b>Infra-Red Night-Vision</b>;Screen sleeping mode <b>2.0" LCD</b>; 8x Digital Zoom <b>Internal 32MB</b>,External: TF or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA/Win7 Language: English,Russian/Multi-Language Output connector: USB/TV/<b>HDMI</b> Size: 96x53x23mm; Weight: 100g (without batteries and card) Standard accessories: USB cable,TV cable,HDMI cable, <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: 46.5*42.5*38.5CM; 30PCS/CTN G.W: 14.9KGS

<b>New Chipset!!! Model:BQ-F876</b>	<b>Program:AIT+Micron MI5100</b>	
	<p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264 Loop recording; Record During Charging; Time and date Stamp;Delay shutdown time;<b>Motion Detect</b> <b>LED Night-Vision</b>;Screen sleeping mode;<b>Wide-Angle Lens 120°</b> <b>180 degree lens can be flipped</b> <b>2.0" LCD</b>; 4x Digital Zoom <b>Internal 32MB</b>,External: SD or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA Language: English,Russian/Multi-Language Output connector: USB/TV/<b>HDMI</b> Size: Standard accessories: USB cable,TV cable,HDMI cable, <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: 46.5*42.5*38.5CM; 30PCS/CTN G.W: 21.5KG

<b>New Chipset!!! Model:BQ-F874</b>	<b>Program:AIT+Micron MI5100</b>	
	<p>5.0Megapixel CMOS Sensor;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080P</b>: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps) Video format:MPEG-4 AVC/H.264 Loop recording; Record During Charging; <b>Remote Control</b> Time and date Stamp;Delay shutdown time;<b>Motion Detect</b> <b>LED Night-Vision</b>;Screen sleeping mode;<b>Wide-Angle Lens 120°</b> <b>180 degree lens can be flipped</b> <b>2.5" LCD(270 degree eddy)</b>; 4x Digital Zoom <b>Internal 32MB</b>,External: SD or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA Language: English,Russian/Multi-Language Output connector: USB/TV/<b>HDMI</b> Size:106.7(L) x 53.9(W) x 33.3(H)mm Standard accessories: USB cable,TV cable,HDMI cable, <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: 46.5*42.5*38.5CM; 30PCS/CTN G.W: 21.5KG



**New Chipset!!! Model:F872**

**Program:AIT+Micron MI5100**



5.0Megapixel CMOS Sensor;Max 12.0Megapixel  
4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
Video Resolution: **HD1080P**: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps)  
Video format:MPEG-4 AVC/H.264,**Wide-Angle Lens 120°**;  
Loop recording; Record During Charging  
Time and date Stamp;Delay shutdown time;**Remote Control**  
**Infra-Red Night-Vision**;Screen sleeping mode; **SOS button**  
2.0" LCD; 4x Digital Zoom  
**Internal 32MB**,External: TF or MMC card(up to 32GB)  
Power: Rechargeable Li-ion battery  
Windows 98/2000/ME/XP/VISTA  
Language: English,Russian/Multi-Language  
Output connector: USB/TV/**HDMI**  
Size: 96x53x23mm; Weight: 100g (without batteries and card)  
Standard accessories: USB cable,TV cable,HDMI cable, pouch,  
**Russian/English/Chinese user manual**.,Car Charger,Bracket

Packing:  
46.5\*42.5\*38.5CM; 30PCS/CTN  
G.W: 19.9KGS

**New Chipset!!! Model:F870**

**Program:AIT+Micron MI5100**

**With IR cut filter switch**



5.0Megapixel CMOS Sensor;Max 12.0Megapixel  
4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
Video Resolution: **HD1080P**: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps)  
Video format:MPEG-4 AVC/H.264  
Loop recording; Record During Charging;**Wide-Angle Lens 120°**  
Time and date Stamp;Delay shutdown time  
**Infra-Red Night-Vision**;Screen sleeping mode;**Motion Detect**  
**2.0" LCD**; 4x Digital Zoom  
**Internal 32MB**,External: TF or MMC card(up to 32GB)  
Power: Rechargeable Li-ion battery  
Windows 98/2000/ME/XP/VISTA  
Language: English,Russian/Multi-Language  
Output connector: USB/TV/**HDMI**  
Size: 96x53x23mm; Weight: 100g (without batteries and card)  
Standard accessories: USB cable,TV cable,HDMI cable, hand strap,  
**Russian/English/Chinese user manual**.,Car Charger,Bracket

Packing:  
46.5\*42.5\*38.5CM; 30PCS/CTN  
G.W: 18.9KG

**New Chipset!!! Model:F868**

**Program:AIT+Micron MI5100**



5.0Megapixel CMOS Sensor;Max 12.0Megapixel  
4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
Video Resolution: **HD1080P**: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps)  
Video format:MPEG-4 AVC/H.264  
Loop recording; Record During Charging;**Wide-Angle Lens 120°**  
Time and date Stamp;Delay shutdown time  
**Infra-Red Night-Vision**;Screen sleeping mode;**Motion Detect**  
**2.0" LCD**; 4x Digital Zoom  
**Internal 32MB**,External: TF or MMC card(up to 32GB)  
Power: Rechargeable Li-ion battery  
Windows 98/2000/ME/XP/VISTA  
Language: English,Russian/Multi-Language  
Output connector: USB/TV/**HDMI**  
Size: 96x53x23mm; Weight: 100g (without batteries and card)  
Standard accessories: USB cable,TV cable,HDMI cable, hand strap,  
**Russian/English/Chinese user manual**.,Car Charger,Bracket

Packing:  
46.5\*42.5\*38.5CM; 30PCS/CTN  
G.W: 18.9KG

**New Arrival!!! Model:F866**

**Program:Ambarella A2S60+ Micron MI5100**



**Build in GPS**

5.0Megapixel CMOS Sensor;Max 12.0Megapixel  
4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
Video Resolution: **HD1080P**: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps)  
**Video format:MPEG-4 AVC/H.264,Wide-Angle Lens 120°;**  
**High-speed Camera, Build in GPS and Google map**  
**Cycle recording and section recording**  
**Motion detect recording functions**  
Automatically start recording when ignition start-up  
1.5" LCD; 4x Digital Zoom  
**Internal 32MB**,External: TF or MMC card(up to 32GB)  
Power: Polymer Li-ion battery  
Windows 98/2000/ME/XP/VISTA  
Language: English,Russian/Multi-Language  
Output connector: USB/TV/**HDMI**  
Size: 96x53x23mm; Weight: 100g (without batteries and card)  
Standard accessories: USB cable,TV cable,HDMI cable, pouch,  
**Russian/English/Chinese user manual**.,Car Charger,Bracket

Packing:  
46.5\*42.5\*38.5CM; 30PCS/CTN  
G.W: 19.9KGS

**New Arrival!!! Model:F864**

**Program:Ambarella A2S60+ Micron MI5100**



5.0Megapixel CMOS Sensor;Max 12.0Megapixel  
4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
Video Resolution: **HD1080P**: 1920x1080P @30fps;1440 x 1080(30fps);1280 x 720(30fps);848 x 480(60fps)  
**Video format:MPEG-4 AVC/H.264,Wide-Angle Lens 120°;**  
**High-speed Camera,G-sensor**  
**Cycle recording and section recording**  
**Motion detect recording functions**  
Automatically start recording when ignition start-up  
1.5" LCD; 4x Digital Zoom  
**Internal 32MB**,External: TF or MMC card(up to 32GB)  
Power: Polymer Li-ion battery  
Windows 98/2000/ME/XP/VISTA  
Language: English,Russian/Multi-Language  
Output connector: USB/TV/**HDMI**  
Size: 96x53x23mm; Weight: 100g (without batteries and card)  
Standard accessories: USB cable,TV cable,HDMI cable, pouch,  
**Russian/English/Chinese user manual**.,Car Charger,Bracket

Packing:  
46.5\*42.5\*38.5CM; 30PCS/CTN  
G.W: 19.9KGS

**1080i Car recorder**

**New !!! Model:F531**

**Program:Novatek NT96632+ OmniVision OV9712**



**Copy video(1GB) from sd card back to car dvr recorder(eg.when accident happened ,the police always directly take your sd card from your device.. So without large memory and this fuction the evidence won't be left)**  
1.3 mega CMOS;Max 5.0Megapixel  
4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x 1080(15fps);1280 x720(30fps);720 x 480(60fps)  
Video format:MPEG-4 AVC/H.264,**Wide-Angle Lens 120°;**  
Loop recording; Record During Charging  
Time and date Stamp;Delay shutdown time;**Remote Control**  
**Infra-Red Night-Vision**;Screen sleeping mode; **SOS button**  
2.0" LCD; 4x Digital Zoom  
**Internal 32MB**,External: TF or MMC card(up to 32GB)  
Power: Rechargeable Li-ion battery  
Windows 98/2000/ME/XP/VISTA  
Language: English,Russian/Multi-Language  
Output connector: USB/TV/**HDMI**  
Size: 96x53x23mm; Weight: 100g (without batteries and card)  
Standard accessories: USB cable,TV cable,HDMI cable, pouch,  
**Russian/English/Chinese user manual**.,Car Charger,Bracket

Packing:  
46.5\*42.5\*38.5CM; 30PCS/CTN  
G.W: 19.9KGS



**Model:F527****Program:Novatek NT96632+ OmniVision OV5653**

5.0 mega CMOS ;Max 12.0Megapixel  
 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
 Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x 1080(15fps);1280 x720(30fps);720 x 480(60fps)  
 Video format:MPEG-4 AVC/H.264  
 Loop recording; Record During Charging;  
 Time and date Stamp;Delay shutdown time;**Motion Detect**  
 Screen sleeping mode;**Wide-Angle Lens 90°**  
**2.4" LCD**; 4x Digital Zoom  
**Internal 32MB**,External: SD or MMC card(up to 32GB)  
 Power: Rechargeable Li-ion battery  
 Windows 98/2000/ME/XP/VISTA  
 Language: English,Russian/Multi-Language  
 Output connector: USB/TV/HDMI  
 Standard accessories: USB cable,TV cable,HDMI cable,  
**Russian/English/Chinese user manual**,Car Charger,Bracket

Packing:  
 43.8\*39.7\*33CM; 20PCS/CTN  
 G.W: 13.6KGS

**on sale!!! Model:F525****Program:Novatek NT96632+ OmniVision OV9712**

1.3 mega CMOS ;Max 5.0Megapixel  
 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
 Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x 1080(15fps);1280 x720(30fps);720 x 480(60fps)  
 Video format:MPEG-4 AVC/H.264  
 Loop recording; Record During Charging;  
 Time and date Stamp;Delay shutdown time;**Motion Detect**  
 Screen sleeping mode;**Wide-Angle Lens 90°**  
**2.4" LCD**; 4x Digital Zoom  
**Internal 32MB**,External: SD or MMC card(up to 32GB)  
 Power: Rechargeable Li-ion battery  
 Windows 98/2000/ME/XP/VISTA  
 Language: English,Russian/Multi-Language  
 Output connector: USB/TV/HDMI  
 Standard accessories: USB cable,TV cable,HDMI cable,  
**Russian/English/Chinese user manual**,Car Charger,Bracket

Packing:  
 43.8\*39.7\*33CM; 20PCS/CTN  
 G.W: 13.6KGS

**Model:F523****Program:Novatek NT96632+ OmniVision OV5653**

1.3 mega CMOS;Max 5.0Megapixel  
 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
 Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x 1080(15fps);1280 x720(30fps);720 x 480(60fps)  
 Video format:MPEG-4 AVC/H.264  
 Record During Charging;Screen sleeping mode;Loop recording  
 Time and date Stamp;Delay shutdown time;**LED Night-Vision**  
**2.5" LCD**; 4x Digital Zoom  
**Internal 32MB**,External: SD or MMC card(up to 32GB)  
 Power: Rechargeable Li-ion battery  
 Windows 98/2000/ME/XP/VISTA  
 Language: English,Russian/Multi-Language  
 Output connector: USB/TV/HDMI  
 Standard accessories: USB cable,TV cable,HDMI cable, pouch,  
**Russian/English/Chinese user manual**,Car Charger,Bracket

Packing:  
 46.5\*42.5\*38.5CM; 30PCS/CTN  
 G.W: 21.5KG

**Promotion!!! Model:F521****Program:Novatek NT96632+ OmniVision OV9712**

1.3 mega CMOS;Max 5.0Megapixel  
 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
 Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x 1080(15fps);1280 x720(30fps);720 x 480(60fps)  
 Video format:MPEG-4 AVC/H.264  
 Record During Charging;Screen sleeping mode;Loop recording  
 Time and date Stamp;Delay shutdown time;**LED Night-Vision**  
**2.5" LCD**; 4x Digital Zoom  
**Internal 32MB**,External: SD or MMC card(up to 32GB)  
 Power: Rechargeable Li-ion battery  
 Windows 98/2000/ME/XP/VISTA  
 Language: English,Russian/Multi-Language  
 Output connector: USB/TV/HDMI  
 Standard accessories: USB cable,TV cable,HDMI cable, pouch,  
**Russian/English/Chinese user manual**,Car Charger,Bracket

Packing:  
 46.5\*42.5\*38.5CM; 30PCS/CTN  
 G.W: 21.5KG



<p><b>New!!! Model:F519</b></p>	<p><b>Program:SunPlus SPC1628+ OmniVision OV9712</b></p>	
	<p>1.0Megapixel CMOS Sensor;Max 5.0Megapixel 2592*1944(5M);2048*1536(3M);1600*1200(2M);1024*768(1M);JPG Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x 1080(15fps);1280x720@30fps;848x480@30fps; 640*480@30fps:AVI Video format:<b>AVI/Motion JPEG,Wide-Angle Lens 120°</b> Record During Charging;Screen sleeping mode;Loop recording Time and date Stamp;Delay shutdown time;<b>LED Night-Vision</b> <b>2.5" LCD</b>; 4x Digital Zoom <b>Internal 32MB</b>,External: SD or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA Language: English,Russian/Multi-Language Output connector: <b>USB/TV/HDMI</b> Standard accessories: USB cable,TV cable,HDMI cable, pouch, <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	<p>Packing: 46.5*42.5*38.5CM; 30PCS/CTN G.W: 21.5KG</p>
<p><b>Competitive !!! Model:F517</b></p> 	<p><b>Program:Novatek NT96632+ OmniVision OV9712</b></p> <p>1.3 mega CMOS;Max 5.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x 1080(15fps);1280 x720(30fps);720 x 480(60fps) Video format:MPEG-4 AVC/H.264 Record During Charging;Screen sleeping mode;Loop recording Time and date Stamp;Delay shutdown time; <b>2.0" LCD</b>; 4x Digital Zoom <b>Internal 32MB</b>,External: SD or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA Language: English,Russian/Multi-Language Output connector: <b>USB/HDMI</b> Standard accessories: USB cable,TV cable,HDMI cable, pouch, <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	<p>Packing: 46.5*42.5*38.5CM; 30PCS/CTN G.W: 21.5KG</p>
<p><b>Model:F529</b></p> 	<p><b>Program:Novetak 96220+OV9712</b></p> <p><b>DVR built-in G Sensor</b></p> <p>1.3 mega CMOS ;Max 5.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD1080i</b>: 1920x1080i ;(15fps)1440 x 1080(15fps);1280 x720(30fps);720 x 480(60fps) Video format:M-jpge,audio:PCM white balance :support High definition camera,1080i Real-time seamless recording 120degree A+class ultra wide angel lens,auti shake fuction No-seam looping record:support 4x Digital Zoom; <b>2.7" LCD</b> Internal No,External: SD or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA Language: English,Russian/Multi-Language Output connector: <b>USB/TV/HDMI</b> Standard accessories: USB cable,<b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	<p>Packing: 44.6*33.8*41CM; 20PCS/CTN G.W:12KGS packing size:21.5*16*7.8</p>
<p><b>New!!! Model:F515</b></p> 	<p><b>Program:Novatek NT96632+ OmniVision OV9712</b></p> <p>1.3 mega CMOS;Max 5.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x 1080(15fps);1280 x720(30fps);720 x 480(60fps) Video format:MPEG-4 AVC/H.264 Record During Charging;Screen sleeping mode;Loop recording Time and date Stamp;Delay shutdown time;<b>LED Night-Vision</b> <b>2.0" LCD</b>; 4x Digital Zoom <b>Internal 32MB</b>,External: SD or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA Language: English,Russian/Multi-Language Output connector: <b>USB/TV/HDMI</b> Standard accessories: USB cable,TV cable,HDMI cable, pouch, <b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	<p>Packing: 46.5*42.5*38.5CM; 30PCS/CTN G.W: 21.5KG</p>

**Model:F513**

**Program:SunPlus SPC1628+ OmniVision OV9712**



1.0Megapixel CMOS Sensor;Max 5.0Megapixel  
2592\*1944(5M);2048\*1536(3M);1600\*1200(2M);1024\*768(1M);JPG  
Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x  
1080(15fps);1280x720@30fps;848x480@30fps;  
640\*480@30fps:AVI  
Video format:**AVI/Motion JPEG,Wide-Angle Lens 120°**  
Record During Charging;Screen sleeping mode;Loop recording  
Time and date Stamp;Delay shutdown time;**LED Night-Vision**  
**2.0" LCD**; 4x Digital Zoom  
**Internal 32MB**,External: SD or MMC card(up to 32GB)  
Power: Rechargeable Li-ion battery  
Windows 98/2000/ME/XP/VISTA  
Language: English,Russian/Multi-Language  
Output connector: **USB/TV/HDMI**  
Standard accessories: USB cable,TV cable,HDMI cable, pouch,  
**Russian/English/Chinese user manual**,Car Charger,Bracket

Packing:  
46.5\*42.5\*38.5CM; 30PCS/CTN  
G.W: 21.5KG

**competitive!!! Model:F511**

**Program:Novatek NT96632+ OmniVision OV9712**



1.3 mega CMOS;Max 5.0Megapixel  
4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x  
1080(15fps);1280 x720(30fps);720 x 480(60fps)  
Video format:MPEG-4 AVC/H.264  
Loop recording;Record During Charging;**Wide-Angle Lens 120°**  
Time and date Stamp; Delay shutdown time; **Remote Control**  
Screen sleeping mode; **Infra-Red Night-Vision; Motion Detect**  
8x Digital Zoom; **2.4" LCD (270 degree eddy)**  
Internal No,External: SD or MMC card(up to 32GB)  
Power: Rechargeable Li-ion battery  
Windows 98/2000/ME/XP/VISTA  
Language: English,Russian/Multi-Language  
Output connector: **USB/TV/HDMI**  
Size: 103x63x25mm; Weight. 100g (without batteries and card)  
Standard accessories: USB cable,TV cable,HDMI cable,  
**Russian/English/Chinese user manual**,Car Charger,Bracket

Packing:  
43.5\*41.5\*36CM; 30PCS/CTN  
G.W: 15.8KGS

**New! Popular!!! Model:F509**

**Program:Novatek NT96632+ OmniVision OV9712**



1.3 mega CMOS ;Max 5.0Megapixel  
4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG  
Video Resolution: HD1080i: 1920x1080i ;(15fps)1440 x  
1080(15fps);1280 x720(30fps);720 x 480(60fps)  
Video format:MPEG-4 AVC/H.264  
Loop recording;Record During Charging;**Wide-Angle Lens 120°**  
Time and date Stamp; Delay shutdown time;Motion Detect  
Screen sleeping mode; **Infra-Red Night-Vision; Remote Control**  
8x Digital Zoom; **2.4" LCD (270 degree eddy)**  
Internal No,External: SD or MMC card(up to 32GB)  
Power: Rechargeable Li-ion battery  
Windows 98/2000/ME/XP/VISTA  
Language: English,Russian/Multi-Language  
Output connector: **USB/TV/HDMI**  
Size: 103x63x25mm; Weight. 100g (without batteries and card)  
Standard accessories: USB cable,TV cable,HDMI  
cable,**Russian/English/Chinese user manual**,Car Charger,Bracket

Packing:  
58.5x30x28CM; 30PCS/CTN  
G.W: 8KGS



## HD 720P Car recorder

<b>Hot sale!!! Model:F505</b>	<b>Program: STK2265+ Micron MI5100</b>	
	<p><b>5.0Megapixel CMOS Sensor</b>;Max 12.0Megapixel 4000x3000(12M);2592x1944(5M); 2048x1536(3M); JPEG Video Resolution: <b>HD720P</b>: 1280x720 @30fps;720x480 @30fps;680x480 @30fps; Video format:<b>AVI/Motion JPEG</b> Loop recording;Record During Charging;<b>Wide-Angle Lens 120°</b> Time and date Stamp; Delay shutdown time; Screen sleeping mode; <b>Infra-Red Night-Vision</b> 4x Digital Zoom; <b>2.0" LCD</b> Internal No,External: SD or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA Language: English,Russian/Multi-Language Output connector: <b>USB/TV/HDMI</b> Size: 76*35*32 (mm) ; Weight. 100g (without batteries and card) Standard accessories: USB cable,TV cable,HDMI cable, hand strap,<b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: 46.5*42.5*38.5CM; 30PCS/CTN G.W: 18.8KGS

## Dual/Multi-camera car video recorder

<b>Prestigious design!!! Model: F360</b>		
	<p style="color: red;"><b>Total 3cameras .in one time ,you can choose Front camera+camera for car inside OR Front camera+back camera(AV IN)</b></p> <p style="color: red;">Note:when you use only one camera to video ,the video Resolution will be 1080i</p> <p><b>Front camera:</b>1.3Megapixel CMOS Sensor;Max 3.0Megapixel 3M (2048 X1536)/2M(1600 X1200)/1M(1280 X960) ; JPEG Video Resolution: <b>1280 x 720(30fps)</b>;640X480(30fps) <b>camera for car inside:</b>1.3Megapixel CMOS Sensor;Max 3.0Megapixel 3M (2048 X1536)/2M(1600 X1200)/1M(1280 X960) ; JPEG Video Resolution: <b>1280 x 720(30fps)</b>;640X480(30fps) <b>(back camera) AV IN:</b>0.3Megapixel CMOS Sensor; Video Resolution: 640X480(VGA) Video format: <b>MOV/H.264 ,Wide-Angle Lens 120°</b> two cameras and road photographer; Loop recording; Record During Charging Time and date Stamp;Delay shutdown time <b>2.7" LCD</b>;LED Night-Vision;Motion Detect Internal No; External: SD or MMC card(up to 32GB) Power: Rechargeable Li-ion battery Windows 98/2000/ME/XP/VISTA Language: English,Russian/Multi-Language Output connector: <b>USB/TV/HDMI</b> Standard accessories: USB cable,TV cable,HDMI cable, user manual,Car Charger,Bracket</p>	Packing:

Hotest Model:F358 !!!

Program:: Allwinner F20+Samsung S5K4AWFX(Two Camera)

front camera



back camera

Total 2cameras . Front camera+back camera(AV IN)  
Note:when you use only one camera to video ,the video Resolution will be 1080i

Front camera:1.3Megapixel CMOS Sensor;Max 3.0Megapixel 3M (2048 X1536)/2M(1600 X1200)/1M(1280 X960) ; JPEG  
Video Resolution: 1280 x 720(30fps);640X480(30fps)  
Back camera (AV IN ) : 0.3Megapixel CMOS Sensor;  
Video Resolution: 640X480(VGA)

Video format: MOV/H.264 ,Wide-Angle Lens 120°

two cameras and road photographer; Loop recording; Record During Charging

Time and date Stamp;Delay shutdown time  
2.5" LCD;LED Night-Vision;Motion Detect

Internal No: External: SD or MMC card(up to 32GB)

Power: Rechargeable Li-ion battery

Windows 98/2000/ME/XP/VISTA

Language: English,Russian/Multi-Language

Output connector: **USB/TV/HDMI**

Standard accessories: USB cable,TV cable,HDMI cable, user manual,Car Charger,Bracket

Packing:

New arrival !!! Model:F356

Program:: Allwinner F20+Samsung S5K4AWFX(Two Camera)

front camera



back camera

Total 2cameras . Front camera+back camera(AV IN)  
Note:when you use only one camera to video ,the video Resolution will be 1080i

Front camera:1.3Megapixel CMOS Sensor;Max 3.0Megapixel 3M (2048 X1536)/2M(1600 X1200)/1M(1280 X960) ; JPEG  
Video Resolution: 1280 x 720(30fps);640X480(30fps)  
Back camera (AV IN ) : 0.3Megapixel CMOS Sensor;  
Video Resolution: 640X480(VGA)

Video format: MOV/H.264 ,Wide-Angle Lens 120°

two cameras and road photographer; Loop recording; Record During Charging

Time and date Stamp;Delay shutdown time  
2.0" LCD;LED Night-Vision;Motion Detect

Internal No: External: SD or MMC card(up to 32GB)

Power: Rechargeable Li-ion battery

Windows 98/2000/ME/XP/VISTA

Language: English,Russian/Multi-Language

Output connector: **USB/TV/HDMI**

Standard accessories: USB cable,TV cable,HDMI cable, user manual,Car Charger,Bracket

Packing:



New arrival !!! Model:F354

Program: Allwinner F20+Samsung S5K4AWFX(Two Camera)



Total 2cameras . Front camera+back camera(AV IN)
Note:when you use only one camera to video ,the video Resolution will be 1080i

Front camera:1.3Megapixel CMOS Sensor;Max 3.0Megapixel 3M (2048 X1536)/2M(1600 X1200)/1M(1280 X960) ; JPEG
Video Resolution: 1280 x 720(30fps);640X480(30fps)
Back camera (AV IN ) : 0.3Megapixel CMOS Sensor;
Video Resolution: 640X480(VGA)
Video format: MOV/H.264 ,Wide-Angle Lens 120°
two cameras and road photographer; Loop recording; Record During Charging
Time and date Stamp;Delay shutdown time
2.0" LCD;LED Night-Vision;Motion Detect
Internal No; External: SD or MMC card(up to 32GB)
Power: Rechargeable Li-ion battery
Windows 98/2000/ME/XP/VISTA
Language: English,Russian/Multi-Language
Output connector: USB/TV/HDMI
Standard accessories: USB cable,TV cable,HDMI cable, user manual,Car Charger,Bracket

Packing:

Prestigious design!!! Model:F352



Total 3cameras .in one time ,you can choose Front camera+camera for car inside OR Front camera+back camera(AV IN)
Note:when you use only one camera to video ,the video Resolution will be 1080i

Front camera: 1.3Megapixel CMOS Sensor;Max 3.0Megapixel 3M (2048 X1536)/2M(1600 X1200)/1M(1280 X960) ; JPEG
Video Resolution: 1280 x 720 (30fps) ;640X480 (30fps)
Camera for car inside: 1.3Megapixel CMOS Sensor;Max 3.0Megapixel 3M (2048 X1536)/2M(1600 X1200)/1M(1280 X960) ; JPEG
Video Resolution: 1280 x 720(30fps);640X480(30fps)
Back camera(AV IN): 0.3Megapixel CMOS Sensor;
Video Resolution: 640X480(VGA),Wide-Angle Lens 120°
Video format: MOV/H.264
two cameras and road photographer; Loop recording; Record During Charging
Time and date Stamp;Delay shutdown time
2.7" LCD;LED Night-Vision;Motion Detect
Internal No; External: SD or MMC card(up to 32GB)
Power: Rechargeable Li-ion battery
Windows 98/2000/ME/XP/VISTA
Language: English,Russian/Multi-Language
Output connector: USB/TV/HDMI
Standard accessories: USB cable,TV cable,HDMI cable, user manual,Car Charger,Bracket

Packing:

Model:F312

Program: SQ+OV7725



DVR with Dual cameras ,GPS tracking and G Sensor
2 CMOS Sensor;Max 5.0Megapixel
2592x1944(5M); 2048x1536(3M); 1280x1024(1.3M) ; JPEG
Video Resolution: 1280\*480 30fps,640\*480 30fps AVI
support GPS module,Support G Sensor
lock button make sure images do not be covered or disappeared at zero hour
Auto start recording after external power supply,auto shut down after removing
4x Digital Zoom; 2.7" LCD,Wide-Angle Lens 120°;
Internal No,External: SD or MMC card(up to 32GB)
Power: Rechargeable Li-ion battery
Windows 98/2000/ME/XP/VISTA
Language: English,Russian/Multi-Language
Output connector: USB/TV
Standard accessories: USB cable,Russian/English/Chinese user manual,Car Charger,Bracket

Packing:

44.6\*33.8\*41CM; 20PCS/CTN
G.W:12KGS
packing size:21.5\*16\*7.8

## 480P Car recorder

<b>Competitive!!! Model:F310</b>	<b>Program: Syntek STK1262+ OmniVision OV7725</b>	
	<p>1/4 CMOS Sensor;Max 5.0Megapixel                  2592x1944(5M); 2048x1536(3M); 1280x1024(1.3M); JPEG                  Video Resolution: <b>1280x960</b> ;680x480;320x240 AVI                  Recycle Record ; Record During Charging;  <b>180 degree lens can be flipped</b>  <b>Wide-Angle Lens 140°; LED Night-Vision; Motion Detect</b>                  8x Digital Zoom; <b>2.0" LCD (270 degree eddy)</b>                  Internal No,External: Mini SD card(up to 32GB)                  Power: Rechargeable Li-ion battery                  Windows 98/2000/ME/XP/VISTA                  Language: English,Russian/Multi-Language                  Output connector: USB                  Size: 96x53x23mm; Weight. 90g (without batteries and card)                  Standard accessories: USB cable,<b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: 46.5*42.5*38.5C; 30PCS/CTN G.W: 14.8KGS
<b>exclusive !!! Model:F308</b>	<b>Program: Syntek STK1262+ OmniVision OV7725</b>	
	<p>1/4 CMOS Sensor;Max 5.0Megapixel                  2592x1944(5M); 2048x1536(3M); 1280x1024(1.3M) ; JPEG                  Video Resolution: <b>1280x960</b> ;680x480;320x240 AVI                  Recycle Record ; Record During Charging; <b>Remote Control</b>                  Continue videotaping 15 seconds after outage  <b>Wide-Angle Lens 120°; Infra-Red Night-Vision; Motion Detect</b>                  8x Digital Zoom; <b>2.4" LCD (270 degree eddy)</b>                  Internal No,External: SD or MMC card(up to 32GB)                  Power: Rechargeable Li-ion battery                  Windows 98/2000/ME/XP/VISTA                  Language: English,Russian/Multi-Language                  Output connector: USB/TV                  Size: 110x70x33mm; Weight. 90g (without batteries and card)                  Standard accessories: USB cable,<b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: 43.5*41.5*36CM; 30PCS/CTN G.W: 15.8KGS
<b>exclusive !!!! Model:F306</b>	<b>Program: Syntek STK1262+ OmniVision OV7725</b>	
	<p>1/4 CMOS Sensor;Max 5.0Megapixel                  2592x1944(5M); 2048x1536(3M); 1280x1024(1.3M) ; JPEG                  Video Resolution: <b>1280x960</b> ;680x480;320x240 AVI                  Recycle Record ; Record During Charging; <b>Remote Control</b>                  Continue videotaping 15 seconds after outage  <b>Wide-Angle Lens 120°; Infra-Red Night-Vision; Motion Detect</b>                  8x Digital Zoom; 2.4" LCD (270 degree eddy)                  Internal No,External: SD or MMC card(up to 32GB)                  Power: Rechargeable Li-ion battery                  Windows 98/2000/ME/XP/VISTA                  Language: English,Russian/Multi-Language                  Output connector: USB/TV                  Size: 110x70x33mm; Weight. 90g (without batteries and card)                  Standard accessories: USB cable,<b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: 43.5*41.5*36CM; 30PCS/CTN G.W: 15.9KGS



<b>Hot sale !!! Model:F304</b>	<b>Program: Syntek STK1262+ OmniVision OV7725</b>	
	<p>1/4 CMOS Sensor;Max 5.0Megapixel  2592x1944(5M); 2048x1536(3M); 1280x1024(1.3M) ; JPEG  Video Resolution: <b>1280x960</b> ;680x480;320x240 AVI  Recycle Record ; Record During Charging;  Continue videotaping 15 seconds after outage  <b>Wide-Angle Lens 120°; Infra-Red Night-Vision; Motion Detect</b>  8x Digital Zoom; <b>2.4" LCD (270 degree eddy)</b>  Internal No,External: SD or MMC card(up to 32GB)  Power: Rechargeable Li-ion battery  Windows 98/2000/ME/XP/VISTA  Language: English,Russian/Multi-Language  Output connector: USB  Size: 110x70x33mm; Weight. 90g (without batteries and card)  Standard accessories: USB cable,Russian/English/Chinese user manual,Car Charger,Bracket</p>	Packing: 43.5*41.5*36CM; 30PCS/CTN G.W:15.9KGS
<b>Best selling !!! Model:F302</b>	<b>Program: Syntek STK1262+ OmniVision OV7725</b>	
	<p>1/4 CMOS Sensor;Max 5.0Megapixel  2592x1944(5M); 2048x1536(3M); 1280x1024(1.3M); JPEG  Video Resolution: <b>1280x960</b> ;680x480;320x240 AVI  Recycle Record ; Record During Charging; <b>Romote Control</b>  Continue videotaping 15 seconds after outage  <b>Wide-Angle Lens 120°; Infra-Red Night-Vision; Motion Detect</b>  8x Digital Zoom; 2.4" LCD  Internal No,External: SD or MMC card(up to 32GB)  Power: Rechargeable Li-ion battery  Windows 98/2000/ME/XP/VISTA  Language: English,Russian/Multi-Language  Output connector: USB/TV  Size: 103x63x25mm; Weight. 90g (without batteries and card)  Standard accessories: USB cable,TV cable, user manual,Car Charger,Bracket</p>	Packing: 41*31*46.5CM; 30PCS/CTN G.W:14.5KGS
<b>On stock!!! Model:F300</b>	<b>Program: Syntek STK1262+ OmniVision OV7725</b>	
	<p>1/4 CMOS Sensor;Max 5.0Megapixel  2592x1944(5M); 2048x1536(3M); 1280x1024(1.3M); JPEG  Video Resolution: <b>1280x960</b> ;680x480;320x240 AVI  <b>Recycle Record ; Record During Charging; Romote Control</b>  <b>Continue videotaping 15 seconds after outage</b>  <b>Wide-Angle Lens 120°; Motion Detect</b>  8x Digital Zoom; 2.4" LCD  Internal No,External: SD or MMC card(up to 32GB)  Power: Rechargeable Li-ion battery  Windows 98/2000/ME/XP/VISTA  Language: English,Russian/Multi-Language  Output connector: USB  Size: 103x63x25mm; Weight. 90g (without batteries and card)  Standard accessories: USB cable,<b>Russian/English/Chinese user manual</b>,Car Charger,Bracket</p>	Packing: 41*31*46.5CM; 30PCS/CTN G.W: 14.2KGS

**Remark:**

**The above prices didn't include Romote Control.if it with Romote Control , the price need add 1.5 USD**  
**Prices include neutral color packing.if your order is above 1000pcs, we can design your packing for free**  
**Payment :30% deposite,70% before delivery**  
**EXW SHENZHEN**  
**One year warranty**