## OPERATING MANUAL IMPORTANT INSTRUCTIONS



### PARTICLE COLLECTION SYSTEM - MODEL L0602A



#### PLEASE READ ALL INSTRUCTIONS BEFORE USING THIS DEVICE FAILURE TO COMPLY WITH THIS INSTRUCTIONS COULD RESULT IN PERSONAL INJURY AND/OR PROPERTY DAMAGE



# When using electrical appliances, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following:

- 1. Read all instructions before using appliance.
- Keep the cord out of heavy traffic area. To avoid fire hazard NEVER put the cord under rugs, near heat generating devices, such as radiators, stoves or heaters.
- 3. To protect against electrical hazards DO NOT immerse in water or other liquids. Do not use near water or wet surfaces.
- 4. Close supervision is necessary when any appliance is used by or near children or disabled persons.
- 5. Always unplug the air purifier before moving it, changing the filters or whenever the system is not in use. Be sure to pull by the plug and not the cord.
- 6. DO NOT drop or insert any object into any openings.
- 7. Do not operate any appliance with a damaged cord or plug, if motor fan fails to rotate, after the appliance malfunctions, or if it has been dropped or damaged in any manner. Return appliance to manufacturer for examination, electrical or mechanical adjustment or repair.
- 8. Any other use not recommended by the manufacturer may cause fire, electrical shock or injury to persons.
- 9. NEVER use outdoors

- 10. NEVER block the air openings.
- 11. Keep unit away from heated surfaces and open flames.
- 12. DO NOT attempt to repair or adjust any electrical or mechanical functions on this unit. Doing so will void the warranty. The inside of the unit contains no user serviceable parts. All servicing should be performed by qualified personnel only.
- 13. WARNING: To reduce the risk of fire or electrical shock, DO NOT use this machine with any solid-state speed control device.
- 14. DO NOT place anything on top of the unit.

If, after reading this owner's guide you have any questions or comments, please call 1 800-633-1080 or write to our Customer Service Department at 1132 107<sup>th</sup> Street, Arlington, TX 76011 or visit our website at <u>www.luraco.com</u>

# **FEATURES - OPERATIONS**

#### PRE-OPERATING INSTRUCTIONS

- 1. When removing the **PARTIGON** from the packing case, visually check for shipping damage. Please contact your dealer immediately if the unit bears any sign of damage.
- 2. Keep shipping carton and packing for use in the unlikely event that your unit needs servicing. If this unit is shipped without the original packaging, damage could occur and void the warranty.
- 3. Remove the **PARTIGON** from its protective plastic bag.

#### PARTIGON ASSEMBLY AND OPERATING INSTRUCTIONS

Please follow the steps below and Fig. 1 & 2 to setup the PARTIGON with your nail file.

- 1. Connect the extension hose (4) to the vacuum (5)
- 2. Attach the nozzle (1) to the nail file (3) and tighten the clamper (2) with the provided wing screw
- 3. Insert the plug into the wall outlet
- 4. Turn on the Power Switch (8) to operate the unit. The Power Switch can be turned ON/OFF by foot. Make sure your shoes are dry.





Fig. 2

### **CLEANING INSTRUCTIONS**

If dust container is filled with dust which is indicated with a level indicator on the top housing, you must empty the dust from the container.

- 1. Disconnect the extension hose (4) from the vacuum
- 2. Press the button (7) to remove the dust container from the body of the vacuum





3. Dispose of the content from the container



Fig. 4

### INSTRUCTION FOR CHANGING THE FILTER



Fig. 5



Attention: always unplug the unit when cleaning or changing the filter.

The air filter should be replaced on a regular basis. In most cases, we recommend a filter replacement every six months or whenever the **PARTIGON** system loses its regular suction.

To replace the filter, use the following steps.

- 1. Disconnect the hose from the **PARTIGON** body
- 2. Press the release button (7) to remove the dust container.
- 3. Use your fingers to rotate the tabs (13) counterclockwise to unlock the filter (Fig. 5)
- 4. Gently pull the filter off from the dust containers. (Fig. 6)
- 5. Install the new filter and follow the reverse steps above to complete the procedure.

# WARRANTY INFORMATION

#### SERVICE INSTRUCTIONS

1. Do NOT attempt to repair or adjust any electrical or mechanical functions on this unit. Doing so will void the warranty.

2. If you have any questions regarding this unit's operation or believe any repair is necessary, please write to our Consumer Service Department or visit our website at www.luraco.com.

#### **ONE (1) YEAR LIMITED WARRANTY**

1. This Warranty applies only to the original purchaser of this product.

2. This Warranty applies ONLY to repair or replacement of any supplied or manufactured ports of this product. The warranty does not cover electrical/power surges, spilled drinks, dropped or abused unit. This Warranty does not apply to installation expenses.

#### THANK YOU FOR BUYING LURACO TECHNOLOGIES' PRODUCT

LURACO TECHNOLOGIES, INC. 1132 107<sup>TH</sup> STREET ARLINGTON, TX 76011 TEL: 1 800-483-9930 FAX: 817-633-1085 WWW.LURACO.COM