

Portable Air Conditioners Condensate Pump Kit

Models: 700870, 700875, 700877

User's & Installation Manual

Component Parts




Figure 1 – condensate pump



Figure 2 – bolt two piece




Figure 3 - hose.01




Figure 4 – hose.02

Figure 4-A – cable tie



Figure 5 – condensate pump clamp part.01




Figure 6 – condensate pump clamp part.02

ASSEMBLY




Figure 7 – Front and Right Side View

- 1. Turn off the air conditioner.
- 2. Remove the water tank.

 Install the condensate pump clamp part2(figure 6) on the hole of condensate pump guide

NOTE: Confirm the direction is correct




Figure 8 – Right Side View




Figure 9 - Right Side View

1. After install the condensate pump clamp part2, confirm it is same as Figure 6




Figure 10 - Right Side View

- 1. Install the condensate pump (figure 1) onto the condensate pump guide.
- 2. Confirm the condensate pump clamp part2(figure 6) is positioned properly.

- Install the condensate pump clamp part1 (figure 5) onto the condensate pump
- 2. Confirm it is installed as same as figure 12.




Figure 11 – Right Side View





Figure 12 - Right Side View

1. Tighten 2 Screws using a screwdriver.



- 1. Remove the cap on the terminal in the Figure 13.
- 2. Connect the wire of the condensate pump to the terminal.

Figure 13 - Right Side View

1. Connect the hose1 (figure 3) to the condensate pump as you see in the Figure 14.




Figure 14 – Right Side View




Figure 15 - Right Side View

- 1. Connect the hose2 (figure 4) between the condensate pump and upper drain pipe as you see in the Figure 15.
- 2. Tighten the cable tie (figure 4-A) on the upper part of the hose.02
- 3. Turn on the air conditioner then condensate pump operates automatically.