

ARCTIC

User's Manual and Laser Safety Guide



wicked lasers 



User's Manual and Laser Safety Guide

www.wickedlasers.com

FOREWORD

First and foremost, **we are laser enthusiasts**. We desire nothing more than to achieve perfection in our craft. For us, pushing the limits of technology is part of our daily routine. It's only impossible if we don't try.

As we continue to advance in our search for perfection, we've set benchmarks for others to follow and new limits for us to test. This is our mission. We plan to continually push the boundaries of technology and create products that challenge the imagination far into the future.

wicked lasers 





We wanted to create the world's most powerful handheld laser - we succeeded and inadvertently set a world record in doing so. We are extremely proud to be included in the **Guinness Book of World Records for 2007**. This will serve as a testament to our commitment to providing the world with the most sophisticated laser products technology can offer.

Designed and developed by some of the world's best engineers, the **Spyder Series** stands at the pinnacle of laser technology. Lithium powered, water resistant and ultimately powerful, the **Spyder Series** is our most advanced line of handheld lasers to date.

We still have much to prove as there is still a world of possibilities in front of us. Our quest to turn science fiction into reality has only just begun.

Table of Contents

| | |
|---|----|
| S3 Arctic Series Technical Specifications | 3 |
| S3 Arctic Series Diagram | 4 |
| Using Your Laser: How to Power On | 5 |
| Using Your Laser: The SmartSwitch | 6 |
| SmartSwitch Codes Recap | 9 |
| Color Perception Chart | 10 |
| FDA Compliant Endcap Diagram | 11 |
| Using Your FDA Compliant Endcap | 12 |
| Safety and Maintenance | 13 |
| Lens Cleaning Procedure and Troubleshooting | 14 |
| Types of Common Lens Problems | 15 |
| Class 4 Laser Safety Instructions | 18 |
| Limitation of Liability | 22 |
| Manufacturer's Warranty | 23 |



S3 Arctic Series Technical Specifications

| | | | | |
|------------------------|--|---------------|---------------|---------------|
| Model Name: | S3 Arctic Series | | | |
| Laser Product Class: | 4 | | | |
| Wavelength: | 445nm nominal center λ | | | |
| Lasing Medium: | GaN | | | |
| Laser Type: | Direct Diode | | | |
| Laser Power: | 0.7 Watt | 1 Watt | 1.4 Watt | 2 Watt |
| Beam Shape: | 2mm x 5mm | | | |
| Beam Divergence: | 1.5mRad | | | |
| Size: | 257mm x 35.8mm | | | |
| NOHD* | 125 meters | 149 meters | 176 meters | 211 meters |
| Beam Distance 0.25 Lux | 32,539 meters | 38,892 meters | 46,018 meters | 55,002 meters |
| Required Eyewear O.D. | 3.0+ | | | |
| Power Consumption: | 3.7V @ 1A | | | |
| Battery Lifetime: | 30 - 180 minutes | | | |
| Weight: | 378g | | | |
| Laser Body: | 6061-T6 Aircraft-Grade Aluminum | | | |
| Power supply: | 18650 Lithium-Ion Rechargeable Battery | | | |
| Switch: | Push Button Constant On / Off, Lock-Out Tail Cap, Electronic Mode switch | | | |
| Modes: | Low-Medium-High Power / Strobe / Continuous / Momentary / Tactical Standby modes | | | |
| Duty Cycle: | Continuous | | | |
| Expected lifetime: | >5,000 hours | | | |
| Warranty: | 1 Year | | | |

LASER APERTURE



LASER RADIATION
 AVOID EYE OR SKIN EXPOSURE TO
 DIRECT OR SCATTERED RADIATION
 CLASS 4 LASER PRODUCT
 <2500mW 445nm CW
 CLASSIFIED PER IEC 60825-1, 2007


MODEL: AR44502
 S/N:

wicked lasers  Unit 1010, Miramar Tower,
 132 Nathan Rd., Tsim Sha Tsui
 Kowloon, Hong Kong

WARNING: DO NOT SHINE YOUR LASER AT AN AIRCRAFT.
 Shooting a laser at an aircraft is considered a felony in the U.S.

*Nominal Ocular Hazard Distances are for 0.25 second accidental (unaided eye) exposure.


Laser Diagram



Using Your Laser : How To Power On



At the back of the laser, rotate endcap counter clockwise to open.



Insert one Li-Ion Type 18650 IMR rechargeable battery negative (-) end first.



Push the button located on the tail cap to operate laser.

NOTE: Do not attempt to use a different battery type for this laser, doing so might damage the laser and void the warranty.

Using Your Laser : The SmartSwitch



The S3 Series are the world's first and only hand held lasers equipped with SmartSwitch™ technology. It combines both safety and intelligence by requiring the user to follow a protocol of simple clicks and click/holds to operate the device.

The following pages serve as a visual guide on how to unlock the laser and switch between operating modes.

The laser can be operated in low, medium and high-power modes, strobe mode and full-power-momentary mode.

To operate the laser, it must first need to be unlocked via the SmartSwitch.

This button is located on the opposite side of the LED indicators.

Unlocking Your Laser: This is the first code you should remember **three quick clicks + two short holds** will let you unlock the laser and turn it on.

Using Your Laser : The SmartSwitch



After pressing the power-button on the tail cap, the laser is now waiting for the unlocking code to be entered. 1 LED light will be blinking to indicate this.



To unlock the laser you only need to **push the SmartSwitch quickly three times and then hold it for less than 1 second two times.**

Successfully entering the code will turn on the laser in **low-power / continuous mode**. 1 LED light will be on to show the laser is in low-power mode.



To switch to **medium-power mode**, you may hold the SmartSwitch button until the 2nd LED lights up.

Using Your Laser : The SmartSwitch



To switch to **high-power mode**, you may hold the SmartSwitch button until the 3rd LED lights up.

Holding the button again from this mode will cycle through medium and low power modes.



From any mode, 1 quick click will put the laser into **tactical standby mode**. The 3 LED lights will start flashing to show the laser is on stand-by.

A double click will set the laser to **strobe mode**. Another double click will exit this mode.



To set the laser to **full-power / momentary mode**, hold the SmartSwitch + press the tailcap button. After unlocking the laser, the 3 LEDs will be lit up.

The laser will now only work whenever the SmartSwitch is pressed. To exit this mode, turn off the laser by pressing the tailcap button.

Using Your Laser : The SmartSwitch


SmartSwitch™ Codes Recap:

- **Unlocking code** - 3 quick clicks + 2 short holds will turn on the laser.
- **Low, Medium, High power mode** - Pressing and holding the SmartSwitch will cycle through the power modes. 1 LED light indicates low power mode, 2 LEDs for medium power and 3 LEDs for high-power.
- **Tactical Standby Mode** - 1 quick click will set the laser to standby mode and another quick click will turn it back on.
- **Strobe Mode** - Double clicking the SmartSwitch button will set the laser to strobe mode. To exit, just double click on the button again.
- **Full-power / Momentary Mode** - Hold the SmartSwitch and press the button on the tailcap then proceed with unlocking the laser. The laser will only operate while the SmartSwitch button is pressed. The laser must be turned off to exit this mode.

Color Perception Chart

How Intensely the Human Eye Perceives Different Colors

Based on the human eye's perception: equal powers of green 532nm light is 20 times brighter than blue 445nm light, 8 times brighter than red 650nm light, and 190 times brighter than purple 405nm light.



FDA Compliant Endcap Diagram




Using Your FDA Compliant Endcap



Removing the Safety Interlock from the Endcap will disable the laser.



Another way to disable the laser is by unscrewing the Contact Guard as shown here.



Remove screws to detach Contact Guard and disable the laser.

WARNING: These procedures are ONLY for additional safety for prolonged storage of the laser.

Safety and Maintenance

CAUTION - Use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.



1. **No scheduled maintenance necessary to keep the product in compliance.** Simply keep the laser free from dust or other contaminants that could cloud or dirty the laser lens or crystal array and operate within recommended parameters.



2. **Avoid direct eye and skin exposure to the laser beam.** Direct contact with the beam can instantly cause severe and irreparable eye damage. Note that a reflected laser beam can be just as powerful as directly coming from the laser unit itself.



**Laser Light – Avoid Exposure to Beam
Class 4 Laser Product**



3. We strongly recommend using the LaserShades that come with this laser or wearing similar approved laser safety eyewear.



4. **Do not take apart, modify or dismantle the laser** or operate it under abnormal current load (doing so will void the warranty). **Strictly no service is allowed.**



5. Operate your laser only within the specified temperature range of 10°C (50°F) to 40°C (104°F).



6. Should you have difficulty operating the laser properly and troubleshooting does not work, go to www.wickedlasers.com for support and RMA assistance if necessary. **Do not attempt to service, modify or fix the laser yourself.**



7. **Do not shine your laser at an aircraft.** It may cause a distraction to the pilots putting the aircraft's passengers at considerable risk. **Shooting a laser at an aircraft is considered a felony in the U.S.**

Lens Cleaning Procedure and Troubleshooting

What you need :

- 1. Microfiber Cloth** - Please make sure the microfiber cloth is specifically designed for cleaning lenses. You can find this at your local camera or glasses store.
- 2. Q-Tip or Tooth Pick** - You will need to fold the cloth over one of these in order to be able to reach the lens properly.
- 3. Lens Cleaning Solutions** (Optional) - Use the lens cleaning solution only if the lens is not cleaned using the microfiber cloth alone. Please make sure the cleaning solution is designed specifically for lens cleaning.


! WARNING : DO NOT USE WATER

Procedure :


- 1.** Wash your hand with soap and water. Make sure to dry them properly.
- 2.** Remove the battery from your laser prior to cleaning.
- 3.** Fold the microfiber cloth over a toothpick or the handle part of a Q-tip. Make sure you do not touch the part of the cloth that will be cleaning the lens. You probably will not be able to fold the cloth twice, so you need to be very careful not to press too hard on the lens.
- 4.** Gently move the cloth into the aperture until it comes in contact with the lens. Rub it from side to side but do not press too hard. Gently rotate the cloth in a twisting motion back and forth. Repeat this procedure until the lens of your laser is clean.
- 5.** Re-insert the batteries and turn your laser unit on to see if the lens is clean.
- 6. Still dirty?** Apply only 1 drop of **Lens Cleaning Solution** to the part of the cloth that will be cleaning the lens, the follow the same procedure as above. You will want to finish by using a dry part of the cloth to wipe the lens dry, this should take one pass side to side or gentle rotate.

Types of Common Lens Problems


- 1. Dirty Lens** - The most common problem with your laser unit is a dirty lens. The easiest way to determine whether you have a dirty lens is to look at the lens under direct light. If you see smudges, finger prints, or small particles on the lens, the beam emitted will look similar to the above pictures. Simply follow the cleaning instructions to restore the spot back to a focused dot.



- 2. Scratched Lens** - A scratched lens may occur if you accidentally scratch the lens with a hard or rough surface. The lens of your laser unit is similar to that of a camera, please handle with care. This condition can be repaired by Wicked Lasers, however, will not be covered in your warranty. A repair cost will apply.




Types of Common Lens Problems



- 3. Mode Shifts** - A mode shift may occur under extreme temperatures. If your laser unit is too hot or too cold, the beam may appear unstable and look similar to the above pictures. Please note that as your laser "warms up" and returns to room temperature, the beam will return to normal mode, TEM00. The normal operating temperature of all Wicked Laser products is 10°C ~ 40°C. Using your laser unit beyond these parameters will damage your laser beyond repair.

Types of Common Lens Problems



- 4. Moisture** - We do not recommend using any laser products in highly humid or foggy conditions. If your laser unit is used in these conditions and/or submerged in water, the beam may appear similar to the above picture. You will not be able to clean this as water has condensed inside the lens and/or crystal set. This condition can be repaired by Wicked Lasers, however, will not be covered in your warranty. A repair cost will apply.

*This condition may occur if you are using the laser unit with wet hands. Please dry your hands completely before handling your laser unit.

Class 4 Laser Safety Instructions

DANGER CLASS 4 LASER : All visible lasers with beams over 500 milliwatts (1/2 watt) are classified as Class 4.

- EXTREME DANGER, MUST BE USED CAREFULLY
- DO NOT USE AS A LASER POINTER.
- DO NOT USE AS A TOY.
- ONLY FOR USE BY PERSONS UNDERSTANDING THE HAZARDS OF THIS LASER.
- READ ALL WARNINGS ON THIS PAGE.



DO NOT SHINE DIRECT BEAM IN EYE-BLINDNESS HAZARD!

The direct beam at close distance can cause instant blindness. The direct beam up to 250m/750ft can cause eye damage. Never aim any laser towards a person's head, or where a person may suddenly appear. Never aim towards a pet or other animal.



DO NOT GET REFLECTED BEAM IN EYE

The beam reflection can cause instant eye damage, especially at close range. There are MANY shiny or smooth objects that can reflect a laser beam. ALWAYS be aware of both the main beam AND its reflection(s). Be especially careful when aiming out of windows due to danger from the "back reflection".

Class 4 Laser Safety Instructions



DO NOT LOOK OR STARE AT DIFFUSED REFLECTIONS

Looking at the laser "dot" can cause eye damage. Danger is higher when on white surfaces and at close range. DO NOT USE THIS AS A LASER POINTER.



DO NOT BURN OR DAMAGE MATERIALS

The beam can char, burn or ignite materials. Especially avoid dark, thin, and combustible materials such as fabrics.



DO NOT SHINE BEAM ON SKIN - BURN HAZARD

The direct or reflected beam can burn exposed skin. Wear protective, light-colored clothing. Do not aim beam at your skin, skin of other persons, or animals.



DO NOT AIM AT AIRCRAFT OR STARS

The bright light from this laser can flash blind or distract a pilot. NEVER AIM ANY LASER TOWARDS AN AIRPLANE OR HELICOPTER. Always be careful any time the beam goes into the sky. Since far-away aircraft can look like stars, DO NOT USE FOR STAR POINTING. Only use Class 2 or Class 3 lasers for astronomy star pointing purposes.

Class 4 Laser Safety Instructions



AVOID EXPOSURE TO BLUE LIGHT

Blue laser light can cause photochemical eye damage. Avoid prolonged exposure to blue light (light from 530nm green to 380 ultraviolet can be hazardous, with the peak danger at 440nm blue). There is a hazard even from prolonged exposure to diffuse "room glow" from the beam reflecting off walls or other surfaces. Use safety glasses that block blue light.



WEAR SAFETY GLASSES

If available, wear laser safety glasses or goggles. They **MUST** be appropriate for your laser's power and wavelength, so the laser beam's power is safely reduced. However, **DO NOT RELY ON THE SAFETY GLASSES ALONE**. Continue to avoid direct and reflected exposure to the beam.

Class 4 Laser Safety Instructions

OTHER IMPORTANT SAFETY AND USE CAUTIONS:

DO NOT USE AS A LASER POINTER. This Class 4 laser is too bright to be safely used for laser pointing purposes.

NOT FOR CHILDREN OR UNAWARE PERSONS. The user must be mature, and must be aware of the direct and reflected beam hazards to eyes, skin, materials and aircraft.

DO NOT USE ILLEGALLY. Many countries and jurisdictions have laws regarding laser usage. Follow all local laws.

DO NOT AIM AT VEHICLES. Do not distract the driver of a car or truck, or a person operating heavy or dangerous machinery.

DO NOT AIM AT POLICE OR LAW ENFORCEMENT. The beam can be mistaken for a weapon, or for a laser gunsight. People aiming lasers at police and soldiers have been killed.

DO NOT HARASS OR ANNOY OTHERS. Do not aim the laser at athletes, performers, movie screens, or any person. Nor should they be brought to or used at sporting events, concerts, shows, public gatherings or any other event where the beam could be distracting to others.

Limitation of Liability

In no event shall Wicked Lasers or any of its subsidiaries or affiliates be liable for any indirect, special, incidental or consequential injury to persons or damage to property caused by the use of any of our products. By purchasing from Wicked Lasers, you hereby indicate that you understand and agree to the following:

- I am 18 years of age or older.
- I am fully responsible for the safe application and use of this laser and agree to such by completing the sale process.
- I will never look directly into the beam or point the beam at any person's or animal's skin, eyes or other body part.
- I will not point the laser at any aircraft or moving vehicle of any sort.
- I will not use a laser device without wearing approved laser safety goggles designed for such purpose.
- I will never remove the laser's infrared filter.

I will not use the laser in violation of any local, state or federal law, and I understand that it is my responsibility to know and abide by those laws relating to the ownership and use of lasers in my jurisdiction.



Manufacturer's Warranty

All S3 Arctic Series lasers come with a standard 12 Month Manufacturer's Warranty. Our warranty guarantees your laser to be free from defects in manufacture and workmanship.

All defective lasers will be replaced or repaired subject to the full discretion of Wicked Lasers.

Ownership of the warranty is not transferable and will expire exactly 12 months from the date of receiving the purchase.

wicked lasers 

1-877-952-7377

Unit 1010, Miramar Tower, 132 Nathan Road, Tsim Sha Tsui Kowloon, Hong Kong
www.wickedlasers.com | support@wickedlasers.com

Manufacturer's Warranty

This warranty does not include defects or damages attributable to misuse, normal surface weathering, or damages caused by accidents or fire or other casualty or force majeure or any other causes or occurrences beyond the manufacturer's control.


To claim your warranty, please send this form or email support@wickedlasers.com with the following information:

Full Name: _____

Address: _____

Order ID / Laser Model: _____

Reason for Claim: _____





1-877-952-7377

Unit 1010, Miramar Tower, 132 Nathan Road, Tsim Sha Tsui Kowloon, Hong Kong
www.wickedlasers.com | support@wickedlasers.com