User's Manual

Fingerprint Security USB Flash Drive



JetFlash[®] 220

(Version: 3.1)



Table of Contents

Introduction	
Features	3
System Requirements	3
General Use	4
Backing Up Data	4
Connecting to a Computer	5
Disconnecting from a Computer	6
Setting Up the Software	7
JetFlash 220 Secure Login	
JetFlash 220 Software Application	12
System Settings	13
Fingerprint Management	13
Preferences	15
Disk Repartition	17
Troubleshooting	
Specifications	22
Two-year Limited Warranty	23

Introduction

Congratulations on purchasing Transcend's **JetFlash® 220**. The JetFlash 220 is a unique ultra-portable USB 2.0 Flash Drive that plugs directly into your desktop, or notebook computer and incorporates cutting-edge Fingerprint Recognition Technology. Now you can securely store confidential files, folders, documents, photos, music and e-work with the utmost confidence. This Software User's Manual will help you get the most from your new device, please read it in detail before using the JetFlash 220.

Features


- Fully compatible with High-speed USB 2.0
- Advanced fingerprint recognition technology
- Easy Plug and Play operation
- Repartition tool for adjusting the size of the Private and Public portions of the drive
- USB powered. No external power or battery needed
- LED data transfer / fingerprint authorization indicator
- Driverless installation

System Requirements

- 1. A desktop or notebook computer with a working USB port.
- 2. The JetFlash 220 can only be used in a computer running the following Operating Systems (OS):
 - Windows[®] XP (32bit/64bit)
 - Windows Vista[®] (32bit/64bit)
 - Windows[®] 7 (32bit/64bit)

Important Reminders

These usage and safety guidelines are **IMPORTANT!** Please follow them carefully.



WARNING! The fingerprint sensor on the JetFlash 220 is delicate and should be handled with care to prevent physical damage. Avoid squeezing or scratching your JetFlash 220 with hard or sharp objects. Always close the protective cover when not in use or during transport.

General Use

- Each time you plug the JetFlash 220 into your computer it will install a new Virtual CD-ROM
 Drive labeled "JetFlash 220" that contains the fingerprint security application and its associated files. Do NOT attempt to edit, delete, or modify any of the data on this disk.
- Always follow the procedures in the "**Disconnecting from a Computer**" section before removing your JetFlash 220 from a computer.

Backing Up Data

- <u>Transcend does NOT take any responsibility for data loss or damage during</u>
 <u>operation</u>. If you decide to store data on your JetFlash 220, we strongly advise that you
 regularly backup the data to a computer or other storage medium.
- To ensure High-Speed USB 2.0 data transfer rates when using your JetFlash 220 with a computer, please make sure the computer has all relevant USB drivers installed. If you are unsure how to check this, please consult the computer or motherboard User's Manual for USB driver information.

Connecting to a Computer

1. Plug the JetFlash 220 directly into an available USB port on your desktop or notebook computer.





Figure 2. Connecting to a computer

When the JetFlash 220 is successfully connected to a computer the drive's LED will light up. A Removable Disk drive with a newly assigned drive letter representing the JetFlash 220 and a "JetFlash220" virtual CD-ROM drive containing the fingerprint software program will appear in the My Computer window. In addition, a Removable Hardware icon and Fingerprint Application Suite icon will appear on the Windows System Tray.



Do NOT attempt to edit, delete, or modify any data on the JetFlash220 virtual CD-ROM drive

Ĩ

3. In your computer browser (My Computer), open the **JetFlash 220 virtual CD-ROM drive** and double-click the **JetFlash220.exe** application. If this is your first time using the JetFlash 220, please see Setting Up the Software below.

- 4. Scan your fingerprint or enter your password when the Fingerprint Verification window appears.
- Once you are successfully logged in, you will have access to the JetFlash 220's private storage capacity, and can copy data to the flash drive by simply dragging and dropping files or folders onto the **Removable Disk** drive letter that represents the JetFlash 220.

Disconnecting from a Computer

1. When you are finished using the JetFlash 220, right click on the "Fingerprint Application Suite" icon on the Windows System Tray and select the "Quit" option.



Figure 4. Quit

NEVER disconnect the JetFlash 220 from a Computer when its LED is flashing.

- 2. Select the Removable Hardware 😻 icon on the system tray.
- 3. The Safely Remove Hardware pop-up window will appear. Select it to continue.

Safely Remove Hardware
EN 📈 12:04 PM
Figure 5. Safely Remove Hardware

- 4. A message window will appear stating, "The 'USB Mass Storage Device' device can now be safely removed from the system."



Figure 6. Safe to Remove Hardware



T

WARNING! To prevent data loss, always use this procedure before removing the JetFlash 220 from a Windows[®] computer.

Setting Up the Software

- 1. Plug the JetFlash 220 directly into an available USB port on your desktop or notebook computer.
- 2. In your computer browser (My Computer), open the JetFlash 220 virtual CD-ROM drive and double-click the JetFlash220.exe application.
- 3. Use your mouse to select one of the 10 available fingers (accounts).
- 4. Input a "User Name" and a "Password" and then confirm your password. User Names and Passwords are case sensitive and can be any combination of letters and numbers (no spaces). Click the "Next" button to continue.

😵 JetFlash 220
Fingerprint Management
 Please enter username and password for this finger.
User Name Transcend
Password
Confirm Password
S (A)
Next Exit

Figure 7. Enter a user name and password

5. Setting up the fingerprint software requires sliding the selected finger or thumb along the JetFlash 220's built-in scanner three times to register your fingerprint information. Please be patient when you are performing this procedure, as it may take a few attempts to register your fingerprint profile.

📲 JetFlash 220
Fingerprint Management
 Ø Ø Ø Swipe your fingertip once more to confirm
Three successful scans must be completed to confirm finger enrollment.
S AL
Cancel

Figure 8. Three successful scans must be completed to confirm finger enrollment

6. The "Fingerprint successfully registered" message will appear after completing three accurate scans.

😵 JetFlash 220	_
Fingerprint Managemer	nt
6 6 6 Fingerprint successfully	registered.
	×
	Cancel
Figure 9 Fingerprint s	uccessfully registered

JetFlash 220 Secure Login

To access protected data or change any of the fingerprint account settings on your JetFlash 220, you will need to login via the **Fingerprint Verification** window. This screen will automatically appear when you run the JetFlash 220 Fingerprint Application software (located on the JetFlash 220 virtual CD-ROM drive) to access the JetFlash 220's Private partition, and will also appear whenever you make changes to the Fingerprint Application settings.

1. When the **Fingerprint Verification** window appears, scan your fingerprint or enter your secret password to access protected data or change the JetFlash 220's settings.



Figure 10. Fingerprint Verification Login

2. An incorrectly scanned or unrecognized fingerprint scan will cause an "Error" message to be displayed.



Figure 11. Verification Failed

3. A successful fingerprint login will allow you to access the JetFlash 220's private disk partition or the Fingerprint Application's system settings.

JetFlash 220
Fingerprint Verification
<u></u>
Pass
+ PASSI
Cancel

Figure 12. Fingerprint verification successful

4. To login using your password, simply input your User Name and Password in the spaces provided.

🖏 JetFlash 220
Password Verification
 Please input username and password. User Name : Transcend
Password :
32.33
25
RA
OK Cancel

Figure 13. Input Password

5. When an incorrect password is entered, a "Password confirmation failed" message will be displayed.

n JetFlash 220
Password Verification
 Password confirmation failed. User Name : Transcend
Password :
2.5
25-24
5.52
\sim
Seal .
OK Cancel

Figure14. Invalid Password

6. A successful password login will allow you access the JetFlash 220's private disk partition or the Fingerprint Application's system settings.


JetFlash 220 Software Application

After starting the JetFlash 220 Fingerprint Application software, the JetFlash 220 software icon 👋 will appear on the Windows System Tray. Move your mouse pointer over the 🐝 icon and click the right mouse button. The JetFlash 220 software main menu will pop-up.



Figure 15. JetFlash 220 Software Main Menu

1. System Settings: This menu lets you manage important functions of the JetFlash 220 software, such as enrolling or deleting fingerprints, changing passwords and switching the interface language.



- **2. Disk Repartition:** Allows you to adjust the size of the public and private areas of the drive (use with caution, as this function will erase the entire contents of your drive)
- **3.** About: Displays current version of the JetFlash 220 software.
- 4. Quit: Closes the JetFlash 220 software application (note: the private partition of the drive will no longer be available when the software application is closed)

System Settings

You can change the JetFlash 220's fingerprint login settings through the **System Settings** menu in the Fingerprint Application. System Settings can only be accessed by logging in to the **Fingerprint Verification** window with your fingerprint or secret password.



Fingerprint Management

Fingerprint Management lets you manage the login data for each of the software's 10 finger accounts. In this menu you can Add new enrollments and Modify or Delete existing fingerprints.

	Fingerprint Management
0	Preferences

Figure 17. System Settings menu – Fingerprint Management

- 1. Select Fingerprint Management from the System Settings menu.
- Click on one of the enrolled fingerprints (enrolled fingerprints are indicated by a finger with a dot above it). You will be given the option to Edit or Delete. If you choose Edit, you can modify the User Name and Password for that fingerprint.

📲 JetFlash 220 Fingerprint Managemer	it
	Edit Delete
Purple dots indicate currently e a finger to change a password Please select a finger to	or delete fingerprint data.
User Name Transcel	nd S
Confirm Password	
Clear All	Exit

Figure 18. Edit / Delete options

3. If you choose "**Delete**", this enrolled fingerprint will be deleted from the JetFlash 220's database and can no longer be used for authentication.

🐙 JetFlash 220
Fingerprint Management
SV-V
JetFlash220 Purple dots indichange a pass Delete fingerprint?
+ Please Yes No
User Name admin
Confirm Password
Clear All Exit

Figure19. Delete the enrollment

4. If you want to delete all enrolled fingerprints simultaneously, you can choose "**Clear All**." You will be asked to confirm, and the **Fingerprint Verification** window (Figure 10.) will also appear. Once you scan your fingerprint or enter your secret password, all fingerprints will be deleted.

📲 JetFlash 220	
Fingerprint Manageme	nt
JetFlash220 Purple dots change a r All fingerprints will I • Ple	be deleted. Continue?
User Name	~
Password	2
Confirm Password	
Clear All	Exit

Figure 20. Delete all enrolled fingerprints simultaneously

Preferences

This section allows users to set the Verification Method and Language.




Figure 21. System Settings menu – Preferences

Authentication Method:

- 1. Fingerprint: Confirm user identity using only fingerprint verification.
- 2. Password: Confirm user identity using only text-based password verification.
- 3. **Both:** Both a fingerprint scan and password input will be required to verify user identity. After successful fingerprint verification, you will also need to input the correct password associated with that fingerprint.
- 4. **Either:** With this setting, users will be prompted for fingerprint verification first, then if fingerprint authentication fails five times, text-based password verification will be used instead.

• Language: This setting lets you change the language of JetFlash 220 software user interface. *Note: this feature is only available when using Windows[®] XP. When using Windows[®] 7 or Vista, the language will automatically be set to your operating system's default language.

📲 JetFlash 2	20
Preferences	s
The defau	print rord
Language	English
	English Deutsch Japanese Chinese (Simplified) Chinese (Traditional)
	OK Cancel

Figure 22. Preferences Window


Disk Repartition

By default, the entire capacity of your JetFlash 220 is publicly accessible to all users without fingerprint verification, allowing the drive to be used just like a normal USB flash drive. To start using the JetFlash 220's 256-bit AES fingerprint security, you will need to create a private storage are on the drive. The Repartition feature allows you to divide the JetFlash 220 into two partitions, one public and one private. The advantage of this feature is that you can customize the size of the **Private** and **Public** areas on the JetFlash 220 to suit your requirements. Any information saved to the private disk is securely protected and can only be accessed by logging in with the Fingerprint Verification software.



WARNING! Partitioning the JetFlash 220 will erase any information on the disk (except for the registered fingerprints). Please backup any data that you have stored on the drive before repartitioning the JetFlash 220.

The first time you start the Fingerprint Application, the Disk Repartition window will automatically open (If using the JetFlash 220 for the first time, skip to Step 4). If you want to adjust the size of your public and private areas on your JetFlash 220, plug the drive into an available USB port on your desktop or notebook computer and run the Fingerprint Application software.





2. The **Fingerprint Verification** window will appear. Swipe your fingerprint (or enter your text password) to continue.

JetFlash 220 Fingerprint Verification
**
 Please swipe your fingertip over the sensor. Image: A sensor in the sensor in the
Cancel

Figure23. Fingerprint Verification Login

3. Click the JetFlash 220 Fingerprint Application software icon 🐡 in the Windows System Tray and select **Disk Repartition**.



Figure24. System Tray Menu - Disk Repartition

4. The Repartition Wizard Window will appear. Press the "Next" button to proceed.

🐨 JetFlash 220 Repartition Wizard
Start Disk Repartition Finish
 Welcome to the JetFlash 220 Repartition Tool.
Please be aware that using this tool will erase all data stored on the drive except for the registered fingerprints.
Press the Next button to begin.
C C C C C C C C C C C C C C C C C C C
Next Cancel

Figure 25. Repartition Wizard

5. You can customize the size of the **Private** and **Public** areas on the JetFlash 220 by sliding the adjustment bar to the left or right. After you have divided the JetFlash 220's **Private** and **Public** areas into your desired sizes, click on the "**Format**" button to begin repartitioning the drive.

 Specify the size of 	of the Priva	ite and Public	partition	s of your drive,
or simply asjust the Format button to be	ne slider w			
During the formati DO NOT turn off y			he devi	ce.
Private Size 3843	(MB)	Public Size	10	(MB)
			-	Ð

Figure 26. Click "Format" to start repartition

- **6.** When the repartition process is complete, the Repartition Wizard will restore your user profile to the JetFlash 220 (Including all settings, passwords and fingerprints).
- **7.** A "Format Complete" message window will appear confirming that the disk has been successfully repartitioned. Click on the "Finish" button to complete and exit the Repartition Wizard. Unplug the JetFlash 220 from your computer and plug it back in to activate the new settings.




Figure 27. Repartition complete

Note:

• After running Disk Repartition, whenever you plug the JetFlash 220 into your computer, the **Public** and **Private** partitions will appear in your system as separate Removable Disks named "Public" and "Private." However, without fingerprint/password authentication, the Private disk will only appear in your computer as an inaccessible "Removable Disk."



• . After you login, the "Private" disk will appear. You will then be able to access all data stored in the "Private" disk, and any files you save to this disk will be securely protected.



• If you do not complete Fingerprint Verification (or password login, depending on your settings), you will only be able to save files on the **Public** portion of the drive. Please remember that any data stored in the Public area will be freely accessible to all users.

Troubleshooting

If a problem occurs with your JetFlash 220, please first read the information listed below before sending your JetFlash 220 in for repair. If you are unable to remedy the problem after following the suggestions below, please see the FAQ and Support pages at *www.transcend.com.tw* or consult your dealer, service center, or local Transcend branch office.

Operating System cannot detect the JetFlash 220

Check the following:

- 1. The JetFlash 220 can only be used with computers that are running Windows®7/Vista/XP
- **2.** Is your JetFlash 220 properly connected to the USB port? If not, unplug it and plug it in again. If it is properly connected, try using another available USB port.
- 3. Is the USB port enabled? If not, refer to the user's manual of your computer (or motherboard) to enable it.

Why is my Fingerprint not being recognized by the JetFlash 220

The built-in scanner for reading your fingerprint is very sensitive and requires a clear fingerprint scan in order to compare the scanned print with that of the saved fingerprint profile. Therefore, you need to slide your finger/thumb slowly and deliberately along the strip to register a good fingerprint image.

- Has the finger/thumb you are scanning been setup as a recognized fingerprint? If not, open System Settings > Fingerprint Management to enroll it.
- 2. You might be sliding your finger/thumb too quickly across the sensor strip. Try sliding it slowly so that an accurate and even scan can be made.

Why does a "Restart Computer" message window appear when I plug in my JetFlash 220?

Sometimes the computer will mistakenly interpret the JetFlash 220 as a new piece of hardware that needs to be installed. You can disregard this message and click on the "**Cancel**" button to continue.

Cannot find a file that was just copied to the JetFlash 220

You should always open a transferred file in its new location to ensure it has transferred successfully. Re-copy the file and refer to the "**Disconnecting from a Computer**" section to remove the JetFlash 220 after the copy process is completed.

A File that was just deleted still appears

Re-delete the file and refer to the "**Disconnecting from a Computer**" section to remove the JetFlash 220 after the delete process is completed.

Specifications

• Dimensions (L x W x H):	70 mm × 20.5 mm × 11 mm
• Weight:	13g
Certificates:	CE, FCC, BSMI, KCC
• Warranty:	2 Years

Two-year Limited Warranty

This product is covered by a Two-year Limited Warranty. Should your product fail under normal use within two years from the original purchase date, Transcend will provide warranty service pursuant to the terms of the Transcend Warranty Policy. Proof of the original purchase date is required for warranty service. Transcend will inspect the product and in its sole discretion repair or replace it with a refurbished product or functional equivalent. Under special circumstances, Transcend may refund or credit the current value of the product at the time the warranty claim is made. The decision made by Transcend shall be final and binding upon you. Transcend may refuse to provide inspection, repair or replacement service for products that are out of warranty, and will charge fees if these services are provided for out-of-warranty products.

Limitations

Any software or digital content included with this product in disc, downloadable, or preloaded form, is not covered under this Warranty. This Warranty does not apply to any Transcend product failure caused by accident, abuse, mishandling or improper usage (including use contrary to the product description or instructions, outside the scope of the product's intended use, or for tooling or testing purposes), alteration, abnormal mechanical or environmental conditions (including prolonged exposure to humidity), acts of nature, improper installation (including connection to incompatible equipment), or problems with electrical power (including undervoltage, overvoltage, or power supply instability). In addition, damage or alteration of warranty, quality or authenticity stickers, and/or product serial or electronic numbers, unauthorized repair or modification, or any physical damage to the product or evidence of opening or tampering with the product casing will also void this Warranty. This Warranty shall not apply to transferees of Transcend products and/or anyone who stands to profit from this Warranty without Transcend's prior written authorization. This Warranty only applies to the product itself, and excludes integrated LCD panels, rechargeable batteries, and all product accessories (such as card adapters, cables, earphones, power adapters, and remote controls).

Transcend Warranty Policy

Please visit **www.transcend.com.tw/warranty** to view the Transcend Warranty Policy. By using the product, you agree that you accept the terms of the Transcend Warranty Policy, which may be amended from time to time.

Online registration

To expedite warranty service, please access **www.transcend.com.tw/register** to register your Transcend product within 30 days of the purchase date.



Transcend Information, Inc.

www.transcend.com.tw

*The Transcend logo is a registered trademark of Transcend Information, Inc. *All logos and marks are trademarks of their respective companies.