

## Department of School & Mass Education, Govt. Of Odisha



## Implementation of e Vidyalaya Project in 4000 Govt. & Govt. aided Schools of Odisha

This is to certify that the following items/Human Resources have been duly delivered and installed/deployed in our school and all equipment/items are in proper condition for implementation of ICT lab with following details.

			ab with following details.  Please tick whichever is applicable																
IMPLE	-+			•															
IL&FS Educat	ion & T	echnolog	gy Servi	ie I+d		-													
Telecommu		a	1	3	0	0	3	0	2		1	0 0	3_						
U DISE CODE								5	0	2	a	0	)	V					
Date						0	7	S		H	I	G	H						
School Name	9	0	V	T		13	0	У	3		1,	-	)				1		
	S	C	H	0	0	-		A 1			1	_					4		
Village	<u>_</u>	H	I	T	R	0	K	0	7	D	A	-	-	+	+	+	+		
Block	K	0	R	U	K	0	N	D	A	T			-	-					
District	M	A	L	K	A	N	9	1	R	I	R	0	K	C		N	D	A	
Address	A	T	-	P	0	•	C	H	1	1		17	6	l	-	0	5	a	
	M	A	L	K	A	N	G	I	R	I	Pin:	1	-	+	1	A	٠.		
Name of Head Master/	H	A	R	1	H	· A	R	A		B	E	H	E	1					
Mistress(HM)	î,		-		-			0	-	14	+	+-		_		-			
HM Contact No.	9	4	3	8	. 1	6	3	8 H	2	17	1 0	R	A		+				
Name of School Coordinator	M	0	1+	A	N	-	-	11	A	1	-	+							
Name of Sandar Control	P	A	T	I	L	I	1	9	9	0		+	+	+	+				
School Coordinator's Contact no.	9	4	3	8	0	_	1	19	+-	8	3 3	3 3		3 1	5	5		15	
Implementation partner's School Code	0	D	ス	6	1-	M	A		K		1	0		74	<b>3</b> G		Plea	se Tick	
Room Dimension (in feet)	Lengt	h:	36		2		:	Bread	th:	17		1					Plea	se Tick	
Sr. no.	<b>—</b>	Item		Qty.	1	,	Specification & Serial No.												
	3	Deskto Acer M	ор			6 Archite andable t sktop Spe	o 16GB,		10/100/	nch or H /1000Bas	eT Ethe	net, 104	Key Key						
1				1	U	×				T	3 ]		5	١	9	P	5	a	
		Serial	no.	1	7	9	C	9 1	(	C						,			
	•	Desktop(S Acer N				36 Archite pandable sktop Sp		, 500 GB	HDD, 19 r.10/100	-inch or i	seT Ethe		4 Key Ke						
2	-			1	-	X	\	1 8	3 5	-	S	I	0	1	8	D	5		
		Serial no.			-	7 8	3 6	7 0	1	4									

	U DISE CODE	-			2	1	12	(2)	1			1.0	1		
3	Shared Computing Device N-computing	2	Card, Mous CAT6 excee cable enviro	Virtualize and PS cables (ed more to with supported to the comment.	omputing through ation soft /2 Keybo each of 5 han 1-2w port up t	tware, action and outp meters leaders. The o 10mtr/ erience o	ccess devout. SVGA ength)), Fe access of 32ft. Eac on shared	ices with Monitor Ower cor levice sho terminal	Itibox deviring kit (w speaker output a nsumptio ould be in ould have I should b ness (Mon	which incourage, for a courage, for	ludes on PS/2 Connect access d with Handent de	ion Port. device shost PC via esktop	with 5 nould no	e a	Please Tick
	Monitor		degree	es (horizo	icii illatti	tical). wa	sn, brign all mount	tness 756	1000:1, i cd/m2, v VDI, with	doudes -					lease Tick
	Serial no.		Pls. fill the serial no.s of all the 12 Monitors												
, -	1		M	M	L	Y	6		S	0	. )	4	3	4	4
		-	0 M	M	6 L	Y	6	\\ S	5	0	0	u	3	u	-
	2	,	0	£	7	1	B	8	5	1	0	17	3	17	19
	3		M	M	L	y	6	S	S	0	1	4	3	4	3
	1 Let 1		1	5	F	3	B	8	5	1	0				
	4		M	M	L	X	K	S	2	0	1	4	3	4	6
	- 1	,	M	M	0	×	C	3	3	0	14	4	3	U	
	5		0	8	A	F	a	4	2	0	u	17	3	7	5
4	6	12	M	M	L	À	6	2	S	0	7	4	3	4	Y
			٥	8	4	3	C	8	5	1	0				
	7		M	M	L	X	K	2	2	0	1	4	3	4	5
			0	9	0	4	F	4	a	0	4				
	8		M	M	Ł	À	6	S	S	0	1	4	3	4	4
		1	M	M	1	5	A	8	5	1	0				
	9	,	0	8	F	F	<u>k</u>	<u>S</u>	S	0	7	4	3	4	5
	40		M	M	L	Y	6	S	5	0	7	U	2	u	()
	10		0	8	4	2	8	8	5	1	0	7	ح	7	7
	11		ny	M	L	X	K	S	S	٥	1	4	3	4	5
			Ō	8	A	9	0	4	a	0	4	,		·	
	12		M	M	_	X	K	S	S	0	)	4	3	4	5
5	Web Cam  Brand (Pis. tick)  Wipro	1	Min 5M	P camera	a, Suppor	t for HD	Video ca	lling (128	30 x 720 p	pixels), B	uilt-in m	ic with n	oise	Please	Fick
6	Headphones	40					Headph	one with	Mic				-	Please	liek
7	Headphone Sharer	10	`			5-Way	3.5-mm	Headpho	one Splitte	er				Please	liek

A second	U DISE CODE				1	1	g	10		10	1	9	1															
8	Integrated Computer Projector K-YAN	Projector  Sou GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, Wireless Keyboard & optical Scroll Mouse. OS: DOS: Input: PS/2 Mouse & Keyboard. RF –in for TV.																										
	Serial no.		ntegrat	2		G V tun	er.	, ,		1	15	1	6	4														
9	Interactive White Board Smart	1	Active Ar approxin Aspect R. maintena isopropy operating supports consump USB cable for Electrom Data Port PC,Softw DVD. Sof without I product u availabilit papim tou papim tou and facility.Ac supply. W	ze: Minim rea: Minim nately 32' atio: 4:3.l ance free, i alcohol g system multi too tion is le: Window, agnetic si ts: 12 Mb are: Musi tware mu, tware mu, too, image bart of con tate teach on for ren or other's con coessorie:	num 77" of mum action	iliagonal ve area 15 667 face: Durible with d rating Sys , Writing 15 se of non 5 W (100 hux* competic a available or an onli at can aut Vindows* mage enlimenter. Mile eate new boration s. Minimu Pens, USE varranty.	able Hard- dry-erase n stem: Wind Fools: Both mechanics mA at 5 V) buters. Ted d other exion (full-spe e version of e online for ne commutation / Linux® of arge; snap ust supply content ai to work or um 100 to 0 8 Cable, So	coated st narkers and dows XP S in finger and all and bath. Must ob- chnology: ternal infled USB 1 of the wh or downlo- unity. Soft y scan for operating shots, re additions and manage in the sam	eel surface of easily in the part of the p	cleaned vows Vistuach without objects. I chnology.  2.0). Storing softwarmust be still be availates and chould hardtures, ree to collaive muther it of the control of the c	ized for p with white a* SP2 or out any sp Power Op he compu . No inter rage: Savi able to ac illable for alert use ive intera eveal opt iborate eveal recously al	rojection eboard ci Window pecial too stions: Po uter throu ference f ing of file cation on cation of cation on cation of cation on cation of cation of cation cation of cation of cation cation of cation of cation cation of cation of cation cation of cation of cation of cation cation of cation of cation of cation cation of cation of cation of cation of cation of cation cation of cation of cation of cation of cation of cation of cation cation of cation o	, eaner or s 7 ols, wer ugh the rom s in a CD or software ia a r tures like s to ontent upply an directly		Age Jick													
r	Serial no.		8	B 5	9.	8	0	_		a	-	0	7	2	0													
10	Multi Function Printer  Brand (Pls. tick) Ricoh	í	Mode: Up to 18 ppm, Print technology: Laser, Print quality black (best): Up to 600 x 600 dpi (1200 dpi effective), Display: at least 2-line LCD, Processor speed: Minimum 400 MHz, Connectivity, standard: Hi-Speed USB 2.0 port, 10/100Base-T Ethernet network port, RJ-11 Telephone port, Duplex printing: Automatic Scanner type: Flatbed, ADF, Scan file format: JPEG, TIF (compressed and uncompressed), PDF, GIF, BMP, Scan resolution, optical: Up to 1200 dpi, Certified by IDC.													Mode: Up to 18 ppm, Print technology: Laser, Print quality black (best): Up to 600 x 600 dpi (1200 dpi effective), Display: at least 2-line LCD, Processor speed: Minimum 400 MHz, Connectivity, standard: Hi-Speed USB 2.0 port, 10/100Base-T Ethernet network port, RJ-11 Telephone port, Duplex printing: Automatic Scanner type: Flatbed, ADF, Scan file format: JPEG, TIF (compressed						Mode: Up to 18 ppm, Print technology: Laser, Print quality black (best): Up to 600 x 600 dpi (1200 dpi effective), Display: at least 2-line LCD, Processor speed: Minimum 400 MHz, Connectivity, standard: Hi-Speed USB 2.0 port, 10/100Base-T Ethernet network port, RJ-11 Telephone port, Duplex printing:  Automatic Scanner type: Flatbed, ADF, Scan file format: JPEG, TIF (compressed)					Plea	se Tick
	Serial no.		C	N.	F	8	F	8	13	В	6	F																
11	ISO 9001 Certified. Online UPS of 2KVA with 30 minutes power backup, Output Wave Form - Pure sine wave, Efficiency 90 % or better on rated full load, Input Power Factor > 0.90, Battery type : Sealed. Maintenance Free, Micro Controller Based Double Conversion Online UPS and Cabling. With DG Set compatibilities, frequency range 50+/- 6% hertz, operating temperature: 0 to 50 degrees celcius,noise level: as per the government norms. output: pure sine wave output									Pure sine wave, Efficiency 90 % or better on rated full load, Input Power Factor > 0.90, Battery type : Sealed. Maintenance Free, Micro Controller Based Double Conversion Online UPS and Cabling. With DG Set compatibilities, frequency range 50+/- 6% hertz, operating temperature: 0 to 50 degrees celcius, noise level: as per the government norms. output: pure sine wave output																		
	Serial no.		8	a	S		3	<u></u>	0	3	r 1	5	6	W	J													
	Networking		16 Port Unmanagable GIGABIT switch with CAT-6 cabling (in casing caping) for all the nodes, Mutli fucntion printers, Projection system.												e Tick													
12	Serial no.		Q	S	5	Н	1	D	B	0	٥	0	4	3	0													
13	Fire Extinguisher	1		Portable	e Carbon	Dioxide	Handheld	fire exti	nguisher	s as per	IS specifi	cation		Pleas	Tick													
	Expiry Date		0	4	6	a	a	0	a	y																		

	U DISE CODE				2		13	0	0	0	0	Q		0	d		
14	Servo Stabilizer Protect	5KVA (1 Phase Servo Motor Operated Line Voltage Corrector), Input Range: : 50V-270V (Singie Phase), Mounting: On Wheels. Output range: 220V/230V/240V single phase (adjustable), earthing terminals, overload cutoff, output protection through MCB, Frequency range: 50+/- 3% hertz. Operating temperature: 0 to 50 degrees celsius.												se Tick			
-	Serial no.		1	8	0	1	1	y	0	5	8						
	Silent Generator Set Champ			l L Certifie and Insta	d, Minim Illation	um 3 KV	A Petrol/	Diesel ba	sed silen	t genera	tor set w	vith Safe		Plea	se Tick		
15	Serial no.	1	5	1	3	١	1	0	2	3	1	6	2				
16	Initial meter reading of the Silent Generator Set					0-	7							Plea	se Fick		
17	Earthing (as per IS specifications)		Copper plate earthing stations making earthing with copper earth plate												se Titk		
18	Lighting (ISI mark)	4	40W Tube Light with Electronic Choke (ISI mark)												Please Tick		
19	Ceiling / Wall mounted fans (ISI mark)	2	48" blade with regulator, 3 Blade Indicative Brands: Philips / Wipro/ Usha /Crompton Greaves /Khaitan /Bajaj/ Havells												se Tick		
20	Exhaust fans (ISI mark)	2	300mm sweep, 45 Watts, Speed 1330 RPM Indicative Brands: Philips / Wipro/ Usha /Crompton Greaves /Khaitan /Bajaj / Havells											Plea	se Tick		
		15	5 A- 240 V switches														
21	Switches and sockets (ISI Mark)	15	2 in 1 5A and 15A Sockets														
		2	15 A – 240 V socket with shutter														
		2	Indicative Brands: - Anchor / Havells / crabtree /Wipro /Phillips / Legrand Switches and sockets is to be provided for all electronics/IT equipments including printer and Projection System to be placed at lab technician table.														
22	Computer Table Tajpuria	13	Dimensions Width 1200mm x Depth 609mm x Height 750mm 18mm pre laminated particle board conforming IS: 12823. Pretreated & powder coated steel frame. Good quality PVC edge bending to be provided on pre laminated board. No Sharp corners, smooth edges are essential. Legs frame made of 1.5 inch square pipe, 16 gauges. Table rests on good quality gilde screws. Full length footrest is to be provided. One 65mm diameter hole for drawing cables is to be provided , this hole has to be covered with steel cover Good quality telescopic slider along with full width keyboard with 30cm projected depth panel, keyboard free space is 10 cm. Table must have a modesty panel of 200mm height to be provided. End caps to be provided. BIFMA Certified												se Tick		
23	Chair Uma Plastic/Moderna	41	Armless	Moulde	d Chairs,	Cream co	olour, ISta	ndard Co	mpliant					Plea	se Tick		
24	Electrical meter Initial reading						23										
25	Painting		OMSM a	and shall	all and Co be applie e as appr	ed with 2	coats of	primer a						Plea	Tick		
26	Lab Cleanliness Kit	1 set	Dusting cloth, hand held vacuum cleaner, Dust cloth covers for all the IT equipments and one Foot mat										Please Tic				
27	Curtains	Full lab	To main	tain prop	er darkn	ess in the	e Lab / Cl	assroom	during P	rojection	1			Plea	Tick		
28	Wall Clock	1	ISI Mark	, Wall Cl	ock 									_	se Tick		
29	Notice Board	1	5feet x	Bfeet, P/	F 15 thk P	Pinup boa	ard with	fabric wra	apped all	around				Plea	ase Tick		
30	White Board	,1	4 ftx3 ft	minimu	m 18mm	thickness	white b	pard						Ple	se Tick		

to be alled up mandatorily.

Representative with Seal

Signature of School Head Master/Mistress with Seal

Gover Boys' High School Chitrakonda (Strikanett) Signature of OKCL Representative with Seal