



2.1 channel Multimedia Speaker

SY-1245




Series

Thank you for having purchased our 2.1 channel Multimedia Speaker SY-1245.
Now Enjoy listening Music all the way. "Small but enough"

QUICK START GUIDE

Computer Multimedia Speaker

FUNCTION&SPECIFICATION



WARNING:

- Avoid sustained periods on high-volume use.and do not turn the volume to maximum level while using high output signal,such as VCD or DVD etc.,as this will caused distortion and may damage the loudspeaker cones.
- Pls unplug the system from AC outlet when unused for a long time
- Do not open the cover or back panel to avoid electronic shock or any other accidents. No user- serviceable parts are inside
- Plug the system to the AC outlet with the right voltage marked on the back panel of the subwoofer
- The back plate of the subwoofer becomes hot when playing at high volume levels.Avoid touching the back plate.

CARE AND SAFETY INFORMATION

1. Avoid high temperatures.moisture,water and dust.

- Apparatus should not be exposed to dripping or splashing of liquid
- Do not place any sources of danger on the apparatus (e.g. liquid filled objects,lighted candles)
- Do not install near heat sources

2. Do not block any ventillation openings

- Place the apparatus in a location with adequate ventilation to prevent internal heat build up. Allow at least 100cm(4 inches) of free space all around the apparatus for adequate ventilation.
- At high volume the back plate becomes hot. Do not touch it


3. Finding a suitable location

- Place the subwoofer with built-in Multimedia Amplifier on a flat, hard, stable surface
- Do not place the multimedia amplifier on top of other equipment that might heat it up (e.g. DVD player)
- Do not place heavy objects on the products.

4. Care of the cabinet

- Use a soft cloth slightly moistened with a mild detergent solution containing alcohol, spirits ammonia or abrasives

OPERATION STEP



TROUBLESHOOTING

Under no circumstances should you try to repair the system yourself, as this will invalidate the warranty. Do not open the system as there is a risk of electric shock; if a fault occurs, first check the points listed below taking the system for repair

PROBLEM

No Power

No sound or distorted sound

Low hum or buzz sound

SOLUTION

Check if the AC power cord is properly
Inserted into the main socket

Adjust the volume

Check the speaker connections and setting

Place the products as far as possible from
electrical devices that may be causing
interference.

SPECIFICATION:

Model: SY-1245

Output-R.M.S: 9W

Response Frequency: 30Hz-20kHz

Satellite unit :(2"3.5")/4ohm

Subwoofer Unit:3"/6ohm

Power Input: -AC. 220V 50Hz

S/N:>62dB

DECLARATION OF CONFORMITY

Manufacturer Name: Satyatrade S. L.

Address: Pol. Ind. La Raya. C/ Guadalquivir, 2.

Camarma de Esteruelas, 28816 Madrid

Tel: 902 430 967

Fax: 91 8864285

NIF: B83254763

Manufacturing country: China

Sytech® SY-1245 complies with the following directives:

EC Low voltage Directive 2006/95/EEC

EN 60065: 2002+A1: 2006+A11:2008

CE standard:EMC Directive 2004/108/EC

EN 55013:2001+A1:2003+A2:2006

EN 55020 : 2007

EN61000-3-2:2006+A1:2009+A2:2009

EN61000-3-3:2008

ROHS standard:2002/95/EC Restriction of Hazardous Substance

Signed: Ajeet Nebhwani Utamchandani

Sole Administrator

